



भारत सरकार
GOVERNMENT OF INDIA



रश्मी सचिन तिवारी
Rashmi Sachin Tiwari
जन्म तिथि / DOB: 04/04/1988
महिना / FEMALE
Mobile No.: 9768514162



8592 6193 2235

मेरा आधार, मेरी पहचान

Rashmi

PHYSICAL EXAMINATION REPORT

Patient Name	Mrs. Rashmi Tiwari	Sex/Age	Female / 36yrs.
Date	10.08.24	Location	KASARVADAVALI

History and Complaints

Nil

EXAMINATION FINDINGS:

Height	170cm	Temp (0c):	Normal
Weight	59kg	Skin:	Normal
Blood Pressure	100/70	Nails:	Normal
Pulse	76/min	Lymph Node:	Normal

Systems :

Cardiovascular:	Normal
Respiratory:	Normal
Genitourinary:	Normal
GI System:	Normal
CNS:	Normal

Impression:

NOVUS WITAMIN 23 Hb 130 RBC 4.50 x 10¹²/L

ADVICE :

TO REDUCE WEIGHT & TO FOLLOWUP WITH PHYSICIAN

CHIEF COMPLAINTS :

1)	Hypertension:	} Nil
2)	IHD	
3)	Arrhythmia	
4)	Diabetes Mellitus	
5)	Tuberculosis	
6)	Asthma	
7)	Pulmonary Disease	
8)	Thyroid/ Endocrine disorders	
9)	Nervous disorders	
10)	GI system	
11)	Genital urinary disorder	
12)	Rheumatic joint diseases or symptom	
13)	Blood disease or disorder	
14)	Cancer/lump growth/cyst	
15)	Congenital disease	
16)	Surgeries	

Anand
DR. ANAND N. MOTWANI
M.D. (GENERAL MEDICINE)
Reg. No. 39329 (M.M.C)



PERSONAL HISTORY:

1)	Alcohol	No
2)	Smoking	No
3)	Diet	Mixed.
4)	Medication	Nil

Date :

CID :

Name : Mrs. Rashmi Tiwari

Sex/Age :

EYE CHECK UP

Chief Complaints : Nil

Systemic Diseases : Nil

Past History : Nil

Unaided Vision : Rt - 6/6 , NG
Lt - 6/6 , NG

Aided Vision : -

Refraction : -


Colour Vision : Normal -

Remarks : -

Patient Name: RASHMI SACHIN TIWARI
Patient ID: 2422323654

Date and Time: 10th Aug 24 10:20 AM

SUBURBAN DIAGNOSTICS - IHANE KASARAVADAVALLI



Copyright © 2014 GEVA. ECG Health - All Rights Reserved



Age **36** NA NA
years months days

Gender **Female**

Heart Rate **71bpm**

Patient Vitals

BP: 100/70 mmHg

Weight: 59 kg

Height: 147 cm

Pulse: NA

Spo2: NA

Resp: NA

Others:

Measurements

QRSD: 78ms

QT: 378ms

QTcB: 410ms

PR: 120ms

P-R-T: 45° 74° 45°

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

REPORTED BY

Aravind

Dr. Anand N. Moreani
M.D. (General Medicine)
Reg. No. 39329 M.M.C.

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other tests and not be interpreted by a qualified physician. 2) Patient vital signs are as entered by the clinician and not derived from the ECG.

CID : 2422323654
Name : Mrs Rashmi Sachin Tiwari
Age / Sex : 36 Years/Female
Ref. Dr :
Reg. Location : Thane Kasarvadavali Main Centre
Reg. Date : 10-Aug-2024
Reported : 10-Aug-2024 / 9:59

Use a QR Code Scanner
Application To Scan the Code

USG ABDOMEN AND PELVIS

LIVER: Liver appears normal in size and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. Wall thickness is within normal limits. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. **CBD:**CBD is normal.

PANCREAS: Visualised pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

KIDNEYS: Right kidney measures 9.2 x 3.4 cm. Left kidney measures 9.6 x 4.6 cm. Both kidneys are normal in size, shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

UTERUS: Uterus is anteverted and measures 8.0 x 3.3 x 4.0 cm. Uterine myometrium shows homogenous echotexture. Endometrial echo is in midline and measures 7 mm. Cervix appears normal.

OVARIES:Both ovaries are normal.
The right ovary measures 2.3 x 1.8 cm.
The left ovary measures 2.5 x 1.8 cm.

No free fluid or significant lymphadenopathy is seen.

[Click here to view images <<ImageLink>>](#)

Page no 1 of 2

CID : 2422323654
Name : Mrs Rashmi Sachin Tiwari
Age / Sex : 36 Years/Female
Ref. Dr :
Reg. Location : Thane Kasarvadavali Main Centre

Reg. Date : 10-Aug-2024
Reported : 10-Aug-2024 / 9:59

Use a QR Code Scanner
Application To Scan the Code

IMPRESSION:
NO SIGNIFICANT ABNORMALITY IS DETECTED.

Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

-----End of Report-----

G. R. Fartade
Dr.GAURAV FARTADE
MBBS, DMRE
Reg No -2014/04/1786
Consultant Radiologist

Click here to view images <<ImageLink>>

Page no 2 of 2



Use a QR Code Scanner
Application To Scan the Code

CID : 2422323654
Name : Mrs Rashmi Sachin Tiwari
Age / Sex : 36 Years/Female
Ref. Dr :
Reg. Location : Thane Kasarvadavali Main Centre

Reg. Date : 10-Aug-2024
Reported : 10-Aug-2024 / 9:44

X-RAY CHEST PA VIEW

Both lung fields are clear.
Both costo-phrenic angles are clear.
The cardiac size and shape are within normal limits.
The domes of diaphragm are normal in position and outlines.
The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

G. R. Fartade

Dr.GAURAV FARTADE
MBBS, DMRE
Reg No -2014/04/1786
Consultant Radiologist

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2024081008493313>



CID : 2422323654
Name : MRS.RASHMI SACHIN TIWARI
Age / Gender : 36 Years / Female
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 10-Aug-2024 / 08:58
Reported : 10-Aug-2024 / 14:28

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<u>RBC PARAMETERS</u>			
Haemoglobin	11.9	12.0-15.0 g/dL	Spectrophotometric
RBC	4.42	3.8-4.8 mil/cmm	Elect. Impedance
PCV	36.2	36-46 %	Measured
MCV	81.9	80-100 fl	Calculated
MCH	27.0	27-32 pg	Calculated
MCHC	33.0	31.5-34.5 g/dL	Calculated
RDW	13.1	11.6-14.0 %	Calculated
<u>WBC PARAMETERS</u>			
WBC Total Count	6750	4000-10000 /cmm	Elect. Impedance
<u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u>			
Lymphocytes	29.5	20-40 %	
Absolute Lymphocytes	1991.3	1000-3000 /cmm	Calculated
Monocytes	7.7	2-10 %	
Absolute Monocytes	519.8	200-1000 /cmm	Calculated
Neutrophils	49.5	40-80 %	
Absolute Neutrophils	3341.3	2000-7000 /cmm	Calculated
Eosinophils	13.0	1-6 %	
Absolute Eosinophils	877.5	20-500 /cmm	Calculated
Basophils	0.3	0.1-2 %	
Absolute Basophils	20.3	20-100 /cmm	Calculated
Immature Leukocytes	-		
WBC Differential Count by Absorbance & Impedance method/Microscopy.			
<u>PLATELET PARAMETERS</u>			
Platelet Count	370000	150000-400000 /cmm	Elect. Impedance
MPV	8.3	6-11 fl	Calculated
PDW	12.0	11-18 %	Calculated
<u>RBC MORPHOLOGY</u>			
Hypochromia	-		
Microcytosis	-		



Use a QR Code Scanner
Application To Scan the Code

CID : 2422323654
Name : MRS.RASHMI SACHIN TIWARI
Age / Gender : 36 Years / Female
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 10-Aug-2024 / 08:58
Reported : 10-Aug-2024 / 12:52

Macrocytosis	-
Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	Normocytic, Normochromic
WBC MORPHOLOGY	-
PLATELET MORPHOLOGY	-
COMMENT	Eosinophilia

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR **35** 2-20 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West

*** End Of Report ***

Dr. IMRAN MUJAWAR
M.D (Path)
Pathologist



CID : 2422323654
Name : MRS.RASHMI SACHIN TIWARI
Age / Gender : 36 Years / Female
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 10-Aug-2024 / 08:58
Reported : 10-Aug-2024 / 14:52

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma Fasting	83.0	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP	87.7	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.61	0.3-1.2 mg/dl	Vanadate oxidation
BILIRUBIN (DIRECT), Serum	0.23	0-0.3 mg/dl	Vanadate oxidation
BILIRUBIN (INDIRECT), Serum	0.38	<1.2 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.9	5.7-8.2 g/dL	Biuret
ALBUMIN, Serum	3.9	3.2-4.8 g/dL	BCG
GLOBULIN, Serum	3	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.3	1 - 2	Calculated
SGOT (AST), Serum	13.5	<34 U/L	Modified IFCC
SGPT (ALT), Serum	<7.0	10-49 U/L	Modified IFCC
GAMMA GT, Serum	11.4	<38 U/L	Modified IFCC
ALKALINE PHOSPHATASE, Serum	75.2	46-116 U/L	Modified IFCC
BLOOD UREA, Serum	22.8	19.29-49.28 mg/dl	Calculated
BUN, Serum	10.6	9.0-23.0 mg/dl	Urease with GLDH
CREATININE, Serum	0.71	0.55-1.02 mg/dl	Enzymatic



Use a QR Code Scanner
Application To Scan the Code

CID : 2422323654
Name : MRS.RASHMI SACHIN TIWARI
Age / Gender : 36 Years / Female
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 10-Aug-2024 / 08:58
Reported : 10-Aug-2024 / 14:48

eGFR, Serum	113	(ml/min/1.73sqm)	Calculated
		Normal or High: Above 90	
		Mild decrease: 60-89	
		Mild to moderate decrease: 45-59	
		Moderate to severe decrease: 30-44	
		Severe decrease: 15-29	
		Kidney failure: <15	

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation

URIC ACID, Serum	4.2	3.1-7.8 mg/dl	Uricase/ Peroxidase
------------------	-----	---------------	---------------------

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***

Dr. IMRAN MUJAWAR
M.D (Path)
Pathologist



CID : 2422323654
Name : MRS.RASHMI SACHIN TIWARI
Age / Gender : 36 Years / Female
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Use a QR Code Scanner Application To Scan the Code
Collected : 10-Aug-2024 / 08:58
Reported : 10-Aug-2024 / 14:27

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
GLYCOSYLATED HEMOGLOBIN (HbA1c)

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.1	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	99.7	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West

*** End Of Report ***

J. Mujawar

Dr.IMRAN MUJAWAR
M.D (Path)
Pathologist



CID : 2422323654
Name : MRS.RASHMI SACHIN TIWARI
Age / Gender : 36 Years / Female
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 10-Aug-2024 / 08:58
Reported : 10-Aug-2024 / 15:08

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<u>PHYSICAL EXAMINATION</u>			
Color	Pale yellow	Pale Yellow	-
Transparency	Clear	Clear	-
<u>CHEMICAL EXAMINATION</u>			
Specific Gravity	1.010	1.010-1.030	Chemical Indicator
Reaction (pH)	Acidic (5.5)	4.5 - 8.0	Chemical Indicator
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
<u>MICROSCOPIC EXAMINATION</u>			
(WBC)Pus cells / hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	4-5	0-5/hpf	
Hyaline Casts	Absent	Absent	
Pathological cast	Absent	Absent	
Crystals	Absent	Absent	
Calcium oxalate monohydrate crystals	Absent	Absent	
Calcium oxalate dihydrate crystals	Absent	Absent	
Triple phosphate crystals	Absent	Absent	
Uric acid crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	3-4	0-20/hpf	
Yeast	Absent	Absent	



Use a QR Code Scanner
Application To Scan the Code

CID : 2422323654
Name : MRS.RASHMI SACHIN TIWARI
Age / Gender : 36 Years / Female
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 10-Aug-2024 / 08:58
Reported : 10-Aug-2024 / 15:08

Others -

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***

Dr.VANDANA KULKARNI
M.D (Path)
Pathologist



Use a QR Code Scanner
Application To Scan the Code

CID : 2422323654
Name : MRS.RASHMI SACHIN TIWARI
Age / Gender : 36 Years / Female
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 10-Aug-2024 / 08:58
Reported : 10-Aug-2024 / 13:45

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
BLOOD GROUPING & Rh TYPING

<u>PARAMETER</u>	<u>RESULTS</u>
ABO GROUP	AB
Rh TYPING	Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West

*** End Of Report ***

Dr.IMRAN MUJAWAR
M.D (Path)
Pathologist



CID : 2422323654
Name : MRS.RASHMI SACHIN TIWARI
Age / Gender : 36 Years / Female
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Use a QR Code Scanner Application To Scan the Code
Collected : 10-Aug-2024 / 08:58
Reported : 10-Aug-2024 / 14:52

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	157.1	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	84	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic colorimetric
HDL CHOLESTEROL, Serum	41.3	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Elimination/ Catalase
NON HDL CHOLESTEROL, Serum	115.8	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	99.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	16.8	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.8	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.4	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***



Anupa

Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director



CID : 2422323654
 Name : MRS.RASHMI SACHIN TIWARI
 Age / Gender : 36 Years / Female
 Consulting Dr. : -
 Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 10-Aug-2024 / 08:58
 Reported : 10-Aug-2024 / 15:08

Use a QR Code Scanner
 Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Free T3, Serum	5.2	3.5-6.5 pmol/L	CLIA
Free T4, Serum	14.9	11.5-22.7 pmol/L	CLIA
sensitiveTSH, Serum	1.360	0.55-4.78 microU/ml	CLIA



CID : 2422323654
Name : MRS.RASHMI SACHIN TIWARI
Age / Gender : 36 Years / Female
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 10-Aug-2024 / 08:58
Reported : 10-Aug-2024 / 15:08

Use a QR Code Scanner
Application To Scan the Code

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuae of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests:Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***



Anupa

Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director



CID : 2422323654
 Name : MRS.RASHMI SACHIN TIWARI
 Age / Gender : 36 Years / Female
 Consulting Dr. : -
 Reg. Location : Thane Kasarvadavali (Main Centre)

Use a QR Code Scanner Application To Scan the Code
 Collected : 10-Aug-2024 / 12:42
 Reported : 10-Aug-2024 / 17:39

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	
Urine Sugar (PP)	Absent	Absent	
Urine Ketones (PP)	Absent	Absent	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
 *** End Of Report ***


Dr.IMRAN MUJAWAR
 M.D (Path)
 Pathologist




Use a QR Code Scanner Application To Scan the Code

CID : 2422323654
Name : MRS.RASHMI SACHIN TIWARI
Age / Gender : 36 Years / Female
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)


Haemoglobin




WBC Total Count




Platelet Count




ESR



CHOLESTEROL



TRIGLYCERIDES







Use a QR Code Scanner
Application To Scan the Code

CID : 2422323654
Name : MRS.RASHMI SACHIN TIWARI
Age / Gender : 36 Years / Female
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)


HDL CHOLESTEROL




LDL CHOLESTEROL




BLOOD UREA




BUN



CREATININE



URIC ACID







Use a QR Code Scanner Application To Scan the Code

CID : 2422323654
 Name : MRS.RASHMI SACHIN TIWARI
 Age / Gender : 36 Years / Female
 Consulting Dr. : -
 Reg. Location : Thane Kasarvadavali (Main Centre)


TOTAL PROTEINS




ALBUMIN




GLOBULIN




SGOT (AST)



ALKALINE PHOSPHATASE



GAMMA GT





CID : 2422323654
Name : MRS.RASHMI SACHIN TIWARI
Age / Gender : 36 Years / Female
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

