Name	MRS.APOORVA H R	ID	MED112126388
Age & Gender	27Y/FEMALE	Visit Date	23/03/2024
Ref Doctor Name	MediWheel		



ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has uniform echopattern.

No evidence of focal lesion or intrahepatic biliary ductal dilatation.

Hepatic and portal vein radicals are normal.

GALL BLADDER show normal shape and has clear contents.

Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern.

No evidence of ductal dilatation or calcification.

SPLEEN show normal shape, size and echopattern.

KIDNEYS move well with respiration and have normal shape, size and echopattern.

Cortico- medullary differentiations are well madeout.

No evidence of calculus or hydronephrosis.

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	8.7	1.5
Left Kidney	8.9	1.5

URINARY BLADDER show normal shape and wall thickness.

It has clear contents. No evidence of diverticula.

UTERUS is anteverted and has normal shape and size. It has uniform myometrial echopattern. Endometrial echo is of normal thickness 7.4 mms.

Uterus measures as follows: LS: 6.9cms AP: 4.4cms TS: 5.5cms.

OVARIES are normal size, shape and echotexture.

Right ovary measures: 3.1x2.4cms

Left ovary measures: 3.0x2.6cms

POD & adnexa are free. No evidence of ascites.

IMPRESSION:

> NO SIGNIFICANT ABNORMALITY DETECTED.

CONSULTANT RADIOLOGISTS

DR. ANITHA ADARSH

DR. MOHAN B

MB/mm

Printed On

Age / Sex : 27 Year(s) / Female **Report On** : 23/03/2024 6:14 PM

Type : OP

Investigation

PID No.

Ref. Dr : MediWheel



Observed <u>Unit</u> <u>Biological</u>
<u>Value</u> <u>Reference Interval</u>

: 25/03/2024 11:17 AM

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING

 $({\rm EDTA~Blood} Agglutination)$

Remark: Test to be confirmed by gel method

'B' 'Positive'

×



VERIFIED BY

 PID No.
 : MED112126388
 Register On
 : 23/03/2024 9:38 AM

 SID No.
 : 712409379
 Collection On
 : 23/03/2024 10:12 AM

Type : OP **Printed On** : 25/03/2024 11:17 AM

Ref. Dr : MediWheel



<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
-	<u>Value</u>		Reference Interval

HAEMATOLOGY

Complete Blood Count With - ESR

Haemoglobin 12.6 g/dL 12.5 - 16.0

(EDTA Blood/Spectrophotometry)

INTERPRETATION: Haemoglobin values vary in Men, Women & Children. Low haemoglobin values may be due to nutritional deficiency, blood loss, renal failure etc. Higher values are often due to dehydration, smoking, high altitudes, hypoxia etc.

PCV (Packed Cell Volume) / Haematocrit (EDTA Blood/Derived)	37.3	%	37 - 47
RBC Count (EDTA Blood/Automated Blood cell Counter)	4.47	mill/cu.mm	4.2 - 5.4
MCV (Mean Corpuscular Volume) (EDTA Blood/Derived from Impedance)	84.0	fL	78 - 100
MCH (Mean Corpuscular Haemoglobin) (EDTA Blood/ <i>Derived</i>)	28.3	pg	27 - 32
MCHC (Mean Corpuscular Haemoglobin concentration) (EDTA Blood/Derived)	33.9	g/dL	32 - 36
RDW-CV (Derived)	15.4	%	11.5 - 16.0
RDW-SD (Derived)	45.28	fL	39 - 46
Total WBC Count (TC) (EDTA Blood/Derived from Impedance)	7600	cells/cu.mm	4000 - 11000
Neutrophils (Blood/Impedance Variation & Flow Cytometry)	48	%	40 - 75
Lymphocytes (Blood/Impedance Variation & Flow Cytometry)	43	%	20 - 45

×



VERIFIED BY

APPROVED BY

The results pertain to sample tested.

Age / Sex : 27 Year(s) / Female

: OP

 PID No.
 : MED112126388
 Register On
 : 23/03/2024 9:38 AM

 SID No.
 : 712409379
 Collection On
 : 23/03/2024 10:12 AM

Report On : 23/03/2024 6:14 PM

Printed On : 25/03/2024 11:17 AM

Ref. Dr : MediWheel

Type



<u>Investigation</u>	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Eosinophils (Blood/Impedance Variation & Flow Cytometry)	04	%	01 - 06
Monocytes (Blood/Impedance Variation & Flow Cytometry)	05	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	00	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.65	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.27	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.30	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.38	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.00	10^3 / μl	< 0.2
Platelet Count (EDTA Blood/Derived from Impedance)	242	$10^3 / \mu l$	150 - 450
MPV (Blood/ <i>Derived</i>)	12.7	fL	8.0 - 13.3
PCT	0.31	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/Automated ESR analyser)	12	mm/hr	< 20





VERIFIED BY

 PID No.
 : MED112126388
 Register On
 : 23/03/2024 9:38 AM

 SID No.
 : 712409379
 Collection On
 : 23/03/2024 10:12 AM

 Age / Sex
 : 27 Year(s) / Female
 Report On
 : 23/03/2024 6:14 PM

Ref. Dr : MediWheel



<u>Investigation</u>	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.4	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.1	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.30	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.5	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.5	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	3.00	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.50		1.1 - 2.2
INTERPRETATION: Remark: Electrophoresis is the	e preferred method		
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC / Kinetic)	20	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	22	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/PNPP / Kinetic)	61	U/L	42 - 98
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	15	U/L	< 38

×

DR KIRAN H S MD Consultant Pathologist KMC No: 86542

VERIFIED BY

 PID No.
 : MED112126388
 Register On
 : 23/03/2024 9:38 AM

 SID No.
 : 712409379
 Collection On
 : 23/03/2024 10:12 AM

 Age / Sex
 : 27 Year(s) / Female
 Report On
 : 23/03/2024 6:14 PM

Printed On

Type : OP

Ref. Dr : MediWheel



Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Oxidase / Peroxidase method)	193	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	61	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

: 25/03/2024 11:17 AM

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	57	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	123.8	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	12.2	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	136.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

×

DR KIRAN H S MD Consultant Pathologist KMC No: 86542

VERIFIED BY

PID No. : MED112126388 Register On : 23/03/2024 9:38 AM : 712409379 SID No. Collection On : 23/03/2024 10:12 AM

Age / Sex : 27 Year(s) / Female Report On : 23/03/2024 6:14 PM

Printed On

Type : OP

Ref. Dr

: MediWheel

: 25/03/2024 11:17 AM

Observed Unit Investigation Biological Value Reference Interval

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio 3.4 Optimal: < 3.3

(Serum/Calculated)

Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0

Triglyceride/HDL Cholesterol Ratio Optimal: < 2.51.1

(TG/HDL)

(Serum/Calculated)

Mild to moderate risk: 2.5 - 5.0

High Risk: > 5.0

2.2 LDL/HDL Cholesterol Ratio

(Serum/Calculated)

Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0





VERIFIED BY

 PID No.
 : MED112126388
 Register On
 : 23/03/2024 9:38 AM

 SID No.
 : 712409379
 Collection On
 : 23/03/2024 10:12 AM

 Age / Sex
 : 27 Year(s) / Female
 Report On
 : 23/03/2024 6:14 PM

 Type
 : OP
 Printed On
 : 25/03/2024 11:17 AM

Ref. Dr : MediWheel



Investigation Glycosylated Haemoglobin (HbA1c)	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
HbA1C (Whole Blood/HPLC)	5.0	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 96.8 mg/dl

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbAlc.

×



VERIFIED BY

PID No. Register On : MED112126388 : 712409379 SID No.

Age / Sex : 27 Year(s) / Female Report On 23/03/2024 6:14 PM

Printed On

Type : OP

Ref. Dr : MediWheel : 23/03/2024 9:38 AM

Collection On : 23/03/2024 10:12 AM

: 25/03/2024 11:17 AM

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> Reference Interval
BIOCHEMISTRY			
BUN / Creatinine Ratio	9.4		
Glucose Fasting (FBS) (Plasma - F/GOD- POD)	83	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Urine sugar, Fasting	Nil		Nil
(Urine - F)			
Glucose Postprandial (PPBS)	70	mg/dL	70 - 140
(Plasma - PP/GOD - POD)			

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Sugar (PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	9.4	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe Kinetic)	1.0	mg/dL	0.6 - 1.1

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcyteine, chemotherapeutic agent such as flucytosine etc.

Uric Acid 5.0 mg/dL 2.6 - 6.0

(Serum/Uricase/Peroxidase)





VERIFIED BY

Printed On

Type : OP

Ref. Dr : MediWheel

PID No.



<u>Investigation</u>	Observed Unit	<u>Biological</u>
	<u>Value</u>	Reference Interval

: 25/03/2024 11:17 AM

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.23 ng/ml 0.7 - 2.04

(Serum/Chemiluminescent Immunometric Assay (CLIA))

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total 11.06 Microg/dl 4.2 - 12.0

(Serum/Chemiluminescent Immunometric Assay

(CLIA))

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 2.343 µIU/mL 0.35 - 5.50

(Serum/Chemiluminescent Immunometric Assay

(CLIA))

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values & amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

×



VERIFIED BY

APPROVED BY

The results pertain to sample tested.

Page 9 of 11

PID No. : MED112126388

: 712409379 SID No.

Age / Sex : 27 Year(s) / Female

Type : OP

Ref. Dr : MediWheel Register On : 23/03/2024 9:38 AM

Collection On : 23/03/2024 10:12 AM

Report On : 23/03/2024 6:14 PM

: 25/03/2024 11:17 AM **Printed On**



Investigation	<u>Observed</u> <u>Unit</u>	<u>Biological</u>
	<u>Value</u>	Reference Interval

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION

Colour Pale Yellow Yellow to Amber

(Urine/Physical examination)

25 Volume ml

(Urine/Physical examination)

Slightly Turbid Appearance

(Urine)

CHEMICAL EXAMINATION

6.5 4.5 - 8.0pН

(Urine)

Specific Gravity 1.015 1.002 - 1.035

(Urine/Dip Stick o''Reagent strip method)

Negative Negative

(Urine/Dip Stick o''Reagent strip method)

Nil Nil Glucose

(Urine)

Nil Nil Ketone

(Urine/Dip Stick oʻ'Reagent strip method)

Negative leuco/uL Leukocytes Negative

(Urine)

Nil Nil Nitrite

(Urine/Dip Stick o''Reagent strip method)

Bilirubin Negative mg/dL Negative

(Urine)

Blood Nil Nil

(Urine)





VERIFIED BY

APPROVED BY

The results pertain to sample tested.

Page 10 of 11

Printed On

Type : OP

Ref. Dr : MediWheel



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Urobilinogen (Urine/Dip Stick oʻ'Reagent strip method)	Normal		Within normal limits
<u>Urine Microscopy Pictures</u>			
RBCs (Urine/Microscopy)	Nil	/hpf	NIL
Pus Cells (Urine/Microscopy)	2-3	/hpf	< 5
Epithelial Cells (Urine/Microscopy)	3-4	/hpf	No ranges
Others (Urine)	Nil		Nil

: 25/03/2024 11:17 AM

×



VERIFIED BY

APPROVED BY

-- End of Report --

Name	MRS.APOORVA H R	ID	MED112126388
Age & Gender	27Y/FEMALE	Visit Date	23/03/2024
Ref Doctor Name	MediWheel		



2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA : 2.6cms

LEFT ATRIUM : 2.6cms

LEFT VENTRICLE (DIASTOLE) : 4.0cms

(SYSTOLE) : 2.0cms

VENTRICULAR SEPTUM (DIASTOLE) : 0.7cms

(SYSTOLE) : 1.0cms

POSTERIOR WALL (DIASTOLE) : 0.7cms

(SYSTOLE) : 1.1cms

EDV: 63ml

ESV : 25ml

FRACTIONAL SHORTENING : 33%

EJECTION FRACTION : 62%

RVID : 1.0cms

DOPPLER MEASUREMENTS:

MITRAL VALVE : E' - 0.81m/s A' - 0.35m/s NO MR

AORTIC VALVE : 0.80m/s NO AR

TRICUSPID VALVE : E' - 0.63m/s A' - 0.20m/s NO TR

PULMONARY VALVE : 0.70m/s NO PR

2D ECHOCARDIOGRAPHY FINDINGS:

Name	MRS.APOORVA H R	ID	MED112126388
Age & Gender	27Y/FEMALE	Visit Date	23/03/2024
Ref Doctor Name	MediWheel		



Left ventricle : Normal size, Normal systolic function.

No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapse.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF: 62%.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS/ PERICARDIAL EFFUSION VEGETATION.



DR. NIKHIL B
INTERVENTIONAL CARDIOLOGIST
NB/SV



Name	Mrs. APOORVA H R	ID	MED112126388
Age & Gender	27Y/F	Visit Date	Mar 23 2024 9:37AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: No significant abnormality detected.

DR. MOHAN, B

(DMRD, DNB, EDIR, FELLOW IN CARDIAC

MRI)

CONSULTANT RADIOLOGIST

Name	MRS.APOORVA H R	ID	MED112126388
Age & Gender	27Y/FEMALE	Visit Date	23/03/2024
Ref Doctor Name	MediWheel		



2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA : 2.6cms

LEFT ATRIUM : 2.6cms

LEFT VENTRICLE (DIASTOLE) : 4.0cms

(SYSTOLE) : 2.0cms

VENTRICULAR SEPTUM (DIASTOLE) : 0.7cms

(SYSTOLE) : 1.0cms

POSTERIOR WALL (DIASTOLE) : 0.7cms

(SYSTOLE) : 1.1cms

EDV: 63ml

ESV : 25ml

FRACTIONAL SHORTENING : 33%

EJECTION FRACTION : 62%

RVID : 1.0cms

DOPPLER MEASUREMENTS:

MITRAL VALVE : E' - 0.81m/s A' - 0.35m/s NO MR

AORTIC VALVE : 0.80m/s NO AR

TRICUSPID VALVE : E' - 0.63m/s A' - 0.20m/s NO TR

PULMONARY VALVE : 0.70m/s NO PR

2D ECHOCARDIOGRAPHY FINDINGS:

Name	MRS.APOORVA H R	ID	MED112126388
Age & Gender	27Y/FEMALE	Visit Date	23/03/2024
Ref Doctor Name	MediWheel		



Left ventricle : Normal size, Normal systolic function.

No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapse.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF: 62%.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS/ PERICARDIAL EFFUSION VEGETATION.



DR. NIKHIL B
INTERVENTIONAL CARDIOLOGIST
NB/SV