



R

E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 17-Jan-2024 / 08:58 :17-Jan-2024 / 11:22

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood			
PARAMETER	<u>RESULTS</u>	<b>BIOLOGICAL REF RANGE</b>	<u>METHOD</u>
<b>RBC PARAMETERS</b>			
Haemoglobin	14.1	13.0-17.0 g/dL	Spectrophotometric
RBC	4.88	4.5-5.5 mil/cmm	Elect. Impedance
PCV	42.4	40-50 %	Measured
MCV	87	80-100 fl	Calculated
MCH	28.9	27-32 pg	Calculated
MCHC	33.3	31.5-34.5 g/dL	Calculated
RDW	15.3	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	5720	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABS	OLUTE COUNTS		
Lymphocytes	37.0	20-40 %	
Absolute Lymphocytes	2116.4	1000-3000 /cmm	Calculated
Monocytes	8.6	2-10 %	
Absolute Monocytes	491.9	200-1000 /cmm	Calculated
Neutrophils	52.8	40-80 %	
Absolute Neutrophils	3020.2	2000-7000 /cmm	Calculated
Eosinophils	1.4	1-6 %	
Absolute Eosinophils	80.1	20-500 /cmm	Calculated
Basophils	0.2	0.1-2 %	
Absolute Basophils	11.4	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

## PLATELET PARAMETERS

Platelet Count	196000	150000-400000 /cmm	Elect. Impedance
MPV	9.8	6-11 fl	Calculated
PDW	17.5	11-18 %	Calculated
RBC MORPHOLOGY			
Hypochromia	-		
Microcytosis	-		

Page 1 of 12

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2<sup>rd</sup> Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



AGNOSII			Defense of the second second	
COISE TESTING - HEAL	THER LIVING			P
CID	: 2401708873			0
Name	: MR.SHEKHAR SINHA		回诊察器构建器研究	R
Age / Gender	:46 Years / Male		Use a QR Code Scanner Application To Scan the Code	т
Consulting Dr.	: -	Collected	:17-Jan-2024 / 08:58	
Reg. Location	: Borivali West (Main Centre)	Reported	:17-Jan-2024 / 11:00	

Macrocytosis	-
Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	Normocytic,Normochromic
WBC MORPHOLOGY	-
PLATELET MORPHOLOGY	-
COMMENT	-
Specimen: EDTA Whole Blood	

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

2-15 mm at 1 hr.

#### Interpretation:

ESR, EDTA WB-ESR

Factors that increase ESR: Old age, Pregnancy, Anemia Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

14

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

## Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*\*



Authenticity Check

R

Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP( Medical Services)

Sedimentation

Page 2 of 12



Authenticity Check

R

E


P

0

R

т

CID : 2401708873 Name : MR.SHEKHAR SINHA Age / Gender : 46 Years / Male Consulting Dr. : -Reg. Location : Borivali West (Main Centre)



Collected Reported :17-Jan-2024 / 08:58 :17-Jan-2024 / 17:19

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO			
PARAMETER	<u>RESULTS</u>	<b>BIOLOGICAL REF RANGE</b>	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	109.2	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	103.1	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	
*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West			

\*\*\* End Of Report \*\*\*



Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 3 of 12



CID	: 2401708873
Name	: MR.SHEKHAR SINHA
Age / Gender	:46 Years / Male
Consulting Dr. Reg. Location	: - : Borivali West (Main Centre)



E P O R T

R

Use a QR Code Scanner Application To Scan the Code

Collected Reported :17-Jan-2024 / 08:58 :17-Jan-2024 / 13:39

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BLOOD UREA, Serum	20.1	12.8-42.8 mg/dl	Kinetic
BUN, Serum	9.4	6-20 mg/dl	Calculated
CREATININE, Serum	0.98	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	96	(ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45- 59 Moderate to severe decrease:3 -44 Severe decrease: 15-29 Kidney failure:<15	

## Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

	5	•	
TOTAL PROTEINS, Serum	7.3	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.3	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3.0	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.4	1 - 2	Calculated
URIC ACID, Serum	6.9	3.5-7.2 mg/dl	Enzymatic
PHOSPHORUS, Serum	4.1	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	8.9	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	136	135-148 mmol/l	ISE
POTASSIUM, Serum	4.5	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	99	98-107 mmol/l	ISE

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*\*



Bmhaskav

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 4 of 12





R

Е

P

Use a QR Code Scanner Application To Scan the Code

Collected Reported :17-Jan-2024 / 08:58 :17-Jan-2024 / 13:16

# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c) PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD Glycosylated Hemoglobin 6.6 Non-Diabetic Level: < 5.7 %</td> HPLC

Glycosylated Hemoglobin<br/>(HbA1c), EDTA WB - CC6.6Estimated Average Glucose142.7

Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 % mg/dl

Calculated

## Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

#### **Clinical Significance:**

(eAG), EDTA WB - CC

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

#### Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

#### Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

**Decreased in:** Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*\*

Dr.JYOT THAKKER.. M.D. (PATH), DPB Pathologist & AVP( Medical Services)

Page 5 of 12

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2<sup>rd</sup> Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053.

CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbal - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com





R

Е

 MEDIWHEEL FULL BODY
 HEALTH CHECKUP MALE ABOVE 40/2D ECHO

 PROSTATE SPECIFIC ANTIGEN (PSA)

 PARAMETER
 RESULTS

 BIOLOGICAL REF RANGE
 METHOD

TOTAL PSA, Serum

<4.0 ng/ml

Collected

Reported

CLIA

Clinical Significance:

• PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.

0.434

- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

#### Interpretation:

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta ,Acute renal failure, Acute myocardial infarction,

**Decreased In**- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α-reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

#### Reflex Tests: % FREE PSA , USG Prostate

#### Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be
  the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then
  the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods.
  Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization,
  ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing
- immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

#### Reference:

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab \*\*\* End Of Report \*\*\*



Anto

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2<sup>rd</sup> Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086. HEALTHLINE: 022-6170-0000 [ E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



Authenticity Check

E P O R T

R

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 17-Jan-2024 / 08:58 :17-Jan-2024 / 14:32

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	7.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	40	-	-
<b>CHEMICAL EXAMINATION</b>			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	0-1		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	3-4	Less than 20/hpf	
Othere			

Others

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein ( 1 + = 25 mg/dl , 2 + = 75 mg/dl , 3 + = 150 mg/dl , 4 + = 500 mg/dl )
- Glucose(1+ = 50 mg/dl , 2+ =100 mg/dl , 3+ =300 mg/dl ,4+ =1000 mg/dl )
- Ketone (1+ =5 mg/dl , 2+ = 15 mg/dl , 3+= 50 mg/dl , 4+ = 150 mg/dl )

Reference: Pack inert

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*\*



Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 7 of 12





Collected Reported :17-Jan-2024 / 08:58 :17-Jan-2024 / 12:50

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO BLOOD GROUPING & Rh TYPING

PARAMETER

## <u>RESULTS</u>

ABO GROUP B Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

### Clinical significance:

ABO system is most important of all blood group in transfusion medicine

#### Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

### Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

\*\*\* End Of Report \*\*\*



June Sumal

Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Page 8 of 12



CID	: 2401708873
Name	: MR.SHEKHAR SINHA
Age / Gender	:46 Years / Male
Consulting Dr.	: -
Reg. Location	: Borivali West (Main Centre)



R

E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code

Collected Reported :17-Jan-2024 / 08:58 :17-Jan-2024 / 13:39

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	178.0	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	117.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	43.6	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	134.4	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	111.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	23.4	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.1	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.5	0-3.5 Ratio	Calculated

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*\*



Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 9 of 12



CID	: 2401708873
Name	: MR.SHEKHAR SINHA
Age / Gender	:46 Years / Male
Consulting Dr. Reg. Location	: - : Borivali West (Main Centre)



R

E

P

0

R

т

Collected Reported :17-Jan-2024 / 08:58 :17-Jan-2024 / 13:32

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.6	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	13.4	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	5.38	0.35-5.5 microIU/ml mIU/ml	ECLIA

Page 10 of 12



Е CID :2401708873 Name : MR.SHEKHAR SINHA Use a QR Code Scanner Application To Scan the Code Age / Gender :46 Years / Male Consulting Dr. : -Collected : 17-Jan-2024 / 08:58 Reg. Location : Borivali West (Main Centre) Reported :17-Jan-2024 / 13:32

#### Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

#### **Clinical Significance:**

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non- thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

#### Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours

following the last biotin administration.

2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

#### Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

#### \*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*\*





Bmhaskar

Authenticity Check

R

**Dr.KETAKI MHASKAR** M.D. (PATH) Pathologist

Page 11 of 12

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2<sup>rd</sup> Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Omart, Premier Road, Vidyavihar (W), Mumbai - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



CID	: 2401708873
Name	: MR.SHEKHAR SINHA
Age / Gender	:46 Years / Male
Consulting Dr. Reg. Location	: - : Borivali West (Main Centre)



R

E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 17-Jan-2024 / 08:58 :17-Jan-2024 / 15:56

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.45	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.25	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.20	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.3	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.3	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3.0	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.4	1 - 2	Calculated
SGOT (AST), Serum	25.9	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	51.9	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	34.6	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	67.9	40-130 U/L	Colorimetric

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*\*




Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP( Medical Services)

Page 12 of 12

## SUBURBAN DIAGNOSTICS - BORIVALI WEST



Patient Name: SHEKHAR SINHA Patient ID: 2401708873 Date and Time: 17th Jan 24 10:39 AM



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

REPORTED BY

The.

Dr Nitin Sonavane M.B.B.S.AFLH, D.DIAB,D.CARD Consultant Cardiologist 87714

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.





D	ate	•	-

Date:-Name:- Shekhar, Sinha Sex/Age: 49 M

R

E

P

R

Т

EYE CHECK UP

NO

Chief complaints:

Systemic Diseases:

Past history:

Unaided Vision:

Aided Vision:

**Refraction:** 

RE LE 6/12 .6/12 H12 N12

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance		2						1
Near	-				8 2 C			

Colour Vision: Normal/ Abnormal

(Right Eye)

Remark:

Suburban Dispectice () Pet Ltd. 3014 Just and three, the Elegenmore Above The sea invester, L. T. River, Borivali (West), Mumber - 400 092.

S	U	E	SL	JF	R	3	Α		5
DI	-							 S	

CID NO: 2401708873	
PATIENT'S NAME: MR.SHEKHAR SINHA	AGE/SEX: 46 Y/M
REF BY:	DATE: 17/01/2024

F

## **2-D ECHOCARDIOGRAPHY**

- 1. RA, LA RV is Normal Size.
- 2. No LV Hypertrophy.
- 3. Normal LV systolic function. LVEF 60 % by bi-plane
- 4. No RWMA at rest.
- 5. Aortic, Mitral, Tricuspid valves normal, Trivial PR.
- 6. Great arteries: Aorta: Normal a. No mitral valve prolaps.
- 7. Inter-ventricular septum is intact and normal.
- 8. Intra Atrial Septum intact.
- 9. Pulmonary vein, IVC, hepatic are normal.

10.No LV clot.

11.No Pericardial Effusion

12.No Diastolic disfunction. No Doppler evidence of raised LVEDP.



ral.	IENT'S NAME: MR.SHEKHA		AGE/SEX: 46 Y/M				
REF	BY:		-		DATE: 17/01/202	.4	
1.	AO root diameter	3.2 cm					
2.	IVSd	1.0 cm					
3.	LVIDd	4.4 cm			the second se		
4.	LVIDs	1.9 cm			4.4		
5.	LVPWd	1.0 cm					
6.	LA dimension	3.5 cm			and the second second		
7.	RA dimension	3.5 cm					
8.	RV dimension	3.0 cm					
9.	Pulmonary flow vel:	0.8 m/s					
10.	Pulmonary Gradient	2.4 m/s					
11.	Tricuspid flow vel	1.4 m/s					
	Tricuspid Gradient	8 m/s					
	PASP by TR Jet .	18 mm Hg					
	TAPSE	3.0 cm					
	Aortic flow vel	1.2 m/s					
	Aortic Gradient	6 m/s					
	MV:E						
	A vel	0.8 m/s		*			
	IVC	0.7 m/s					
		16 mm					
20.	E/E' -	10					

# <u>Impression:</u> Normal 2d echo study.

## Disclaimer

Echo may have inter/Intra observer variations in measurements as the study is observer dependent and changes with Pt's hemodynamics. Please co-relate findings with patients clinical status.

\*\*\*End of Report\*\*\*

R

DR. S. NITIN Consultant Cardiologist Reg. No. 87714

Collected	: 17-Jan-2024 / 08:48
Reported	: 17-Jan-2024 / 16:47

# PHYSICAL EXAMINATION REPORT

History and Complaints: Nil

EXAMINATION F					
Height (cms):	169		Mainht (ka)	00	
,			Weight (kg):	96	
Temp (0c):	Afebrile		Skin:	NAD	
	(mm/hg): 140/90		Nails:	NAD	
Pulse:	76/min		Lymph Node:	Not palpable	Э
Systems Cardiovascular:	S1S2 Normal				
			*		
Respiratory:	Chest Clear				
Genitourinary:	NAD				
GI System:	NAD				
CNS:	NAD				
IMPRESSION: ADVICE:	USG- 6bcsity CXR- HDAIC	physician k	Lef Y		/
<ul> <li>CHIEF COMPLAN</li> <li>1) Hypertension</li> <li>2) IHD</li> <li>3) Arrhythmia</li> </ul>		No No No			
4) Diabetes Mel	litus	No			
5) Tuberculosis	5	No			
6) Asthama		No			
7) Pulmonary D	Disease	No			

Name SING HEALMR.SHEKHAR SINHA				
Age / Gender : 46 Years/Male				
Consulting Dr. :	Collected	: 17-Jan-2024 / 08:48		
Reg.Location : Borivali West (Main Centre)	Reported			
			1. A. A. S. A.	
			and the second s	
8) Thyroid/ Endocrine disorders	No			
9) Nervous disorders	No			
10) GI system	No			
11) Genital urinary disorder	No			
12) Rheumatic joint diseases or sympto	ms No			
<ol><li>Blood disease or disorder</li></ol>	No			
14) Cancer/lump growth/cyst	No			
15) Congenital disease	No			
16) Surgeries	No			
17) Musculoskeletal System	No			

## PERSONAL HISTORY:


1)	Alcohol		No
2)	Smoking		No
3)	Diet	-	Mix
4)	Medication		No

\*\*\* End Of Report \*\*\*

Dr.NITIN SONAVANE PHYSICIAN

Sobustian Dispironalios () Pv4. Ltd. 3814 302, 3rd Pusor, Viri Elegomence, Alaona Tarung, Instear, L. T. Rosd, Boriveli (Wost), Member - 409 692.

DR. NITIN SONAVANE M.B.B.S.AFLH D.D.AS. C.CAFD. CONSULTANT-CARDICILORIST RECD. NO. 197714



# **USG WHOLE ABDOMEN**

**LIVER:** Liver is enlarged in size 18.2 cm with mild generalized increase in parenchymal echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

**<u>GALL BLADDER</u>**: Gall bladder is distended and appears normal. No obvious wall thickening is noted. There is no evidence of any calculus.

**PORTAL VEIN:** Portal vein is normal. <u>CBD:</u> CBD is normal.

PANCREAS: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification.


**<u>KIDNEYS</u>**: Right kidney measures 10.4 x 4.9 cm. Left kidney measures 9.9 x 4.8 cm. Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size 9.9 cm , shape and echotexture. No focal lesion is seen.

**URINARY BLADDER:** Urinary bladder is distended and normal. Wall thickness is within normal limits.

**PROSTATE:** Prostate is normal in size and echotexture. Prostate measures 4.1 x 3.7 x 3.0 cm and prostatic weight is 25 gm. No evidence of any obvious focal lesion.

No free fluid or size significant lymphadenopathy is seen.



## **Opinion:**

## • Grade I fatty infiltration of liver with mild hepatomegaly, Advice LFT & Lipid profile correlation.

#### For clinical correlation and follow up.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Patient was explained in detail verbally about the USG findings, USG measurements and its limitations. In case of any typographical error in the report, patient is requested to immediately contact the center for rectification within 7 days post which the center will not be responsible for any rectification. Please interpret accordingly.

-----End of Report-----

DR.SUDHANSHU SAXENA Consultant Radiologist M.B.B.S DMRE (RadioDiagnosis) RegNo .MMC 2016061376.



: Mr SHEKHAR SINHA

: 46 Years/Male

: Borivali West

:

Name

Age / Sex

**Reg.** Location

Ref. Dr



R

E

Р

0

R

Т

Use a QR Code Scanner Application To Scan the Code Reg. Date : 17-Jan-2024 : 17-Jan-2024/10:07

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2024011708491224



CID: 2401708873Name: Mr SHEKHAR SINHAAge / Sex: 46 Years/MaleRef. Dr:Reg. Location: Borivali West



R

E

Р

O

R

Т

Reg. Date Reported : 17-Jan-2024 : 17-Jan-2024/10:31

## X-RAY CHEST PA VIEW

Prominent bronchovascular markings are seen bilaterally in both lower zones.

Rest of the lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

-----End of Report-----

DR.SUDHANSHU SAXENA Consultant Radiologist M.B.B.S DMRE (RadioDiagnosis) RegNo .MMC 2016061376.

