



Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT SINGH Registered On : 10/Mar/2024 11:29:04 Age/Gender Collected : 10/Mar/2024 11:59:50 : 33 Y O M O D /M UHID/MR NO : CHFD.0000285908 Received : 10/Mar/2024 12:02:54 Visit ID Reported : 10/Mar/2024 13:17:23 : CHFD0638722324

# DEPARTMENT OF HAEMATOLOGY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

PDW (Platelet Distribution width) 16.70 fL 9-17 ELECTRONIC IMPEDANCE	Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group  POSITIVE  Rh ( Anti-D)  POSITIVE  POSITIVE  POSITIVE  Rh ( Anti-D)  POSITIVE  Rh ( Anti-D)  POSITIVE  P					
Blood Group  POSITIVE  Rh ( Anti-D)  POSITIVE  POSITIVE  POSITIVE  Rh ( Anti-D)  POSITIVE  Rh ( Anti-D)  POSITIVE  P	Blood Group (ABO & Rh typing) * Blo	od			
Rh ( Anti-D)  POSITIVE  POSITIVE  Rh ( Anti-D)  POSITIVE  POSITIVE					FDVTUDOCVTF
RRY ( Anti-D)	віоод Сіоир	O			MAGNETIZED TECHNOLOGY / TUBE
Complete Blood Count (CBC) * , Whole Blood	Rh ( Anti-D)	POSITIVE	,		ERYTHROCYTE MAGNETIZED
Haemoglobin					
1 WK- 13.5-19.5 g/dl   1 Mo- 10.0-18.0 g/dl   3-6 Mo- 9.5-13.5 g/dl   0.5-2 Yr- 10.5-13.5 g/dl   2-6 Yr- 11.5-15.5 g/dl   2-6 Yr- 11.5-15.5 g/dl   0.5-2 Yr- 10.5-13.5 g/dl   2-6 Yr- 11.5-15.5 g/dl   0.5-2 Yr- 10.5-13.5 g/dl   0.5-13.5 g/dl   0.5-2 Yr- 10.5-13.5	Complete Blood Count (CBC) * , Whole	Blood			
1 Mo- 10.0-18.0 g/dl   3-6 Mo- 9.5-13.5 g/dl   0.5-2 Yr- 10.5-13.5 g/dl   0.5-2 Yr- 10.5-13.5 g/dl   0.5-2 Yr- 10.5-13.5 g/dl   0.5-2 Yr- 11.5-15.5 g/dl   6-12 Yr- 11.5-15.5 g/dl   6-12 Yr- 11.5-15.5 g/dl   12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   Female- 12.0-15.5 g/dl   12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   Female- 12.0-15.5 g/dl   Female- 12.0-1	Haemoglobin	14.00	g/dl		
			The state of the s	1 Mo- 10.0-18.0 g/dl	
2-6 Yr- 11.5-15.5 g/dl   6-12 Yr- 11.5-15.5 g/dl   6-12 Yr- 11.5-15.5 g/dl   12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   Female- 12.0-15.5					
Contracted   Con					
12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   Female- 12.0-15.5 g/					
Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl F					
TLC (WBC) 6,500.00 /Cu mm 4000-10000 ELECTRONIC IMPEDANCE DLC  Polymorphs (Neutrophils) 66.00 % 55-70 ELECTRONIC IMPEDANCE Lymphocytes 32.00 % 25-40 ELECTRONIC IMPEDANCE Monocytes 1.00 % 3-5 ELECTRONIC IMPEDANCE Eosinophils 1.00 % 1-6 ELECTRONIC IMPEDANCE Basophils 0.00 % <1 ELECTRONIC IMPEDANCE ESR  Observed 18.00 Mm for 1st hr. <9 PCV (HCT) 41.10 % 40-54  Platelet count  Platelet Count  PDW (Platelet Distribution width) 16.70 fL 9-17 ELECTRONIC IMPEDANCE IMPED				•	
TLC (WBC) 6,500.00 /Cu mm 4000-10000 ELECTRONIC IMPEDANCE DLC  Polymorphs (Neutrophils) 66.00 % 55-70 ELECTRONIC IMPEDANCE Lymphocytes 32.00 % 25-40 ELECTRONIC IMPEDANCE Monocytes 11.00 % 3-5 ELECTRONIC IMPEDANCE Eosinophils 1.00 % 1-6 ELECTRONIC IMPEDANCE Basophils 0.00 % <1 ELECTRONIC IMPEDANCE ESR  Observed 18.00 Mm for 1st hr. Corrected 10.00 Mm for 1st hr. <9 PCV (HCT) 41.10 % 40-54  Platelet count  Platelet Count 2.12 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE IMPEDANC					
Polymorphs (Neutrophils ) 66.00 % 55-70 ELECTRONIC IMPEDANCE Lymphocytes 32.00 % 25-40 ELECTRONIC IMPEDANCE Monocytes 1.00 % 3-5 ELECTRONIC IMPEDANCE Eosinophils 1.00 % 1-6 ELECTRONIC IMPEDANCE Basophils 0.00 % <1 ELECTRONIC IMPEDANCE ESR  Observed 18.00 Mm for 1st hr. Corrected 10.00 Mm for 1st hr. <9 PCV (HCT) 41.10 % 40-54  Platelet count  Platelet Count 2.12 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE I	TLC (WBC)	6,500.00	/Cu mm	•	
Lymphocytes 32.00 % 25-40 ELECTRONIC IMPEDANCE Monocytes 1.00 % 3-5 ELECTRONIC IMPEDANCE Eosinophils 1.00 % 1-6 ELECTRONIC IMPEDANCE Basophils 0.00 % <1 ELECTRONIC IMPEDANCE ESR  Observed 18.00 Mm for 1st hr. Corrected 10.00 Mm for 1st hr. <9 PCV (HCT) 41.10 % 40-54  Platelet count  Platelet Count 2.12 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE IMPEDANCE IMPEDANCE IMPEDANCE MICROSCOPIC IMPEDANCE	<u>DLC</u>				
Monocytes Eosinophils 1.00 % 3-5 ELECTRONIC IMPEDANCE Esonophils 0.00 % <1 ELECTRONIC IMPEDANCE ESR Observed 18.00 Mm for 1st hr. Corrected 10.00 Mm for 1st hr. <9 PCV (HCT) 41.10 % 40-54  Platelet count  Platelet Count  PDW (Platelet Distribution width) 16.70 fL 9-17 ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE IMPEDANCE	Polymorphs (Neutrophils )	66.00	%	55-70	ELECTRONIC IMPEDANCE
Eosinophils Basophils 0.00 % 1-6 ELECTRONIC IMPEDANCE ESR  Observed 18.00 Mm for 1st hr. Corrected 10.00 Mm for 1st hr. <9 PCV (HCT) 41.10 % 40-54  Platelet count  Platelet Count  2.12 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC	Lymphocytes	32.00	%	25-40	ELECTRONIC IMPEDANCE
Basophils 0.00 % <1 ELECTRONIC IMPEDANCE  ESR  Observed 18.00 Mm for 1st hr.  Corrected 10.00 Mm for 1st hr. <9  PCV (HCT) 41.10 % 40-54  Platelet count  Platelet Count 2.12 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE IM	Monocytes	1.00	%	3-5	ELECTRONIC IMPEDANCE
ESR Observed 18.00 Mm for 1st hr. Corrected 10.00 Mm for 1st hr. < 9 PCV (HCT) 41.10 % 40-54  Platelet count Platelet Count 2.12 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE/MICROSCOPIC IMPEDANCE DISTRIBUTION WIGHTH 16.70 FL 9-17 ELECTRONIC IMPEDANCE	Eosinophils	1.00	%	1-6	ELECTRONIC IMPEDANCE
Observed 18.00 Mm for 1st hr.  Corrected 10.00 Mm for 1st hr. < 9  PCV (HCT) 41.10 % 40-54  Platelet count  Platelet Count 2.12 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE/MICROSCOPIC IMPEDANCE DISTRIBUTION WIGHTH 16.70 FL 9-17 ELECTRONIC IMPEDANCE	Basophils	0.00	%	< 1	ELECTRONIC IMPEDANCE
Corrected 10.00 Mm for 1st hr. <9 PCV (HCT) 41.10 % 40-54  Platelet count  Platelet Count 2.12 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE/MICROSCOPIC IMPEDANCE PDW (Platelet Distribution width) 16.70 fL 9-17 ELECTRONIC IMPEDANCE	ESR				
PCV (HCT) 41.10 % 40-54  Platelet count  Platelet Count 2.12 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC IMPEDANCE MICROSCOPIC MICROSC	Observed	18.00	Mm for 1st hr.		
Platelet count       Platelet Count     2.12     LACS/cu mm     1.5-4.0     ELECTRONIC IMPEDANCE/MICROSCOPIC IMPEDANCE IMPEDANCE       PDW (Platelet Distribution width)     16.70     fL     9-17     ELECTRONIC IMPEDANCE	Corrected	10.00	Mm for 1st hr.	< 9	
Platelet Count 2.12 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE/MICROSCOPIC PDW (Platelet Distribution width) 16.70 fL 9-17 ELECTRONIC IMPEDANCE	PCV (HCT)	41.10	%	40-54	
PDW (Platelet Distribution width)  16.70  fL  9-17  ELECTRONIC IMPEDANCE					
PDW (Platelet Distribution width) 16.70 fL 9-17 ELECTRONIC IMPEDANCE	Platelet Count	2.12	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
· ·	PDW (Platelet Distribution width)	16.70	fL	9-17	
	P-LCR (Platelet Large Cell Ratio)	30.70	%	35-60	ELECTRONIC IMPEDANCE











Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT SINGH Registered On : 10/Mar/2024 11:29:04 Age/Gender : 33 Y O M O D /M Collected : 10/Mar/2024 11:59:50 UHID/MR NO Received : CHFD.0000285908 : 10/Mar/2024 12:02:54 Visit ID : CHFD0638722324 Reported : 10/Mar/2024 13:17:23

# DEPARTMENT OF HAEMATOLOGY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.22	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	10.30	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.77	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	86.10	fl	80-100	CALCULATED PARAMETER
MCH	28.40	pg	28-35	CALCULATED PARAMETER
MCHC	31.50	%	30-38	CALCULATED PARAMETER
RDW-CV	12.90	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	42.70	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	2,112.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	66.00	/cu mm	40-440	









Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT SINGH : 10/Mar/2024 11:29:06 Registered On Age/Gender : 33 Y O M O D /M Collected : 10/Mar/2024 11:59:50 UHID/MR NO : CHFD.0000285908 Received : 10/Mar/2024 12:15:52 Visit ID : CHFD0638722324 Reported : 10/Mar/2024 13:18:35

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

#### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Uı	nit Bio. Ref. Inte	rval Method	
GLUCOSE FASTING , Plasma					
Glucose Fasting	114.43	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD	

#### **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

#### GLYCOSYLATED HAEMOGLOBIN (HBA1C) \*, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	4.30	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	23.60	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	77	mg/dl	

# **Interpretation:**

#### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level









Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT SINGH Registered On : 10/Mar/2024 11:29:06 Age/Gender : 33 Y O M O D /M Collected : 10/Mar/2024 11:59:50 UHID/MR NO : CHFD.0000285908 Received : 10/Mar/2024 12:15:52 Visit ID : CHFD0638722324 Reported : 10/Mar/2024 13:18:35

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

# **DEPARTMENT OF BIOCHEMISTRY**

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **Clinical Implications:**

- \*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- \*With optimal control, the HbA 1c moves toward normal levels.
- \*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- \*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- \*Pregnancy d. chronic renal failure. Interfering Factors:
- \*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) Sample:Serum	7.69	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	0.99	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid Sample:Serum	6.32	mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	52.83	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	105.73	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	44.02	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.76	gm/dl	6.2-8.0	BIURET
Albumin	3.80	gm/dl	3.4-5.4	B.C.G.
Globulin	2.96	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.28		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	125.70	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.67	mg/dl	0.3-1.2	Jendrassik & Grof
Bilirubin (Direct)	0.33	mg/dl	< 0.30	Jendrassik & Grof
Bilirubin (Indirect)	0.34	mg/dl	< 0.8	Jendrassik & Grof





1800-419-0002



<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name

: Mr.AMIT SINGH

Registered On

: 10/Mar/2024 11:29:06

Age/Gender UHID/MR NO : 33 Y O M O D /M

Collected Received : 10/Mar/2024 11:59:50 : 10/Mar/2024 12:15:52

Visit ID

: CHFD.0000285908 : CHFD0638722324

Reported

: 10/Mar/2024 13:18:35

Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -

Status

: Final Report

# **DEPARTMENT OF BIOCHEMISTRY**

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	nit Bio. Ref. Interv	val Method
LIPID PROFILE ( MINI ) * , Serum				
Cholesterol (Total)	193.49	mg/dl	<200 Desirable 200-239 Borderline Hig > 240 High	CHOD-PAP h
HDL Cholesterol (Good Cholesterol)	76.62	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	87	mg/dl	< 100 Optimal 100-129 Nr.	CALCULATED
			Optimal/Above Optim	
			130-159 Borderline Hig	n
			160-189 High > 190 Very High	
VLDL	30.04	mg/dl	10-33	CALCULATED
Triglycerides	150.21	mg/dl	< 150 Normal 150-199 Borderline Hig 200-499 High >500 Very High	GPO-PAP h











Test Name

Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Method

Patient Name : Mr.AMIT SINGH Registered On : 10/Mar/2024 11:29:05 Age/Gender Collected : 10/Mar/2024 11:59:50 : 33 Y O M O D /M UHID/MR NO : CHFD.0000285908 Received : 10/Mar/2024 12:03:11 Visit ID : CHFD0638722324 Reported : 10/Mar/2024 13:38:57

# DEPARTMENT OF CLINICAL PATHOLOGY

Result

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Unit

Rio Ref Interval

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE * , Urin	ne			
Color	PALE YELLOW			
Specific Gravity	1.015			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	′ mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
	ADOENIT	0,	> 500 (++++)	DIDOTION
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++) 1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT		The state of the s	DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	OCCASIONAL			MICROSCOPIC
				EXAMINATION
Pus cells	ABSENT			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
Others	ABSENT			EXAMINATION
Others	ADSEIVI			
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		
ougu. [ . dotting oldgo	, ISSELVI	9111370		

**Interpretation:** 









Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name

: Mr.AMIT SINGH

Registered On

: 10/Mar/2024 11:29:05

Age/Gender

: 33 Y O M O D /M

Collected

: 10/Mar/2024 11:59:50 : 10/Mar/2024 12:03:11

UHID/MR NO Visit ID

: CHFD.0000285908 : CHFD0638722324 Received Reported

: 10/Mar/2024 13:38:57

Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -

Status

: Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2













Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT SINGH : 10/Mar/2024 11:29:05 Registered On Age/Gender Collected : 33 Y O M O D /M : 10/Mar/2024 11:59:50 UHID/MR NO : CHFD.0000285908 Received : 10/Mar/2024 12:14:07 Visit ID : CHFD0638722324 Reported : 10/Mar/2024 13:46:25

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

#### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	119.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	6.60	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.600	μIU/mL	0.27 - 5.5	CLIA
Interpretation:				
		0.3-4.5 μIU/m	L First Trimes	ter
		0.5-4.6 μIU/m	L Second Trin	nester
		0.8-5.2 μIU/m	L Third Trimes	ster
		0.5-8.9 µIU/m	nL Adults	55-87 Years
		0.7-27 μIU/m	nL Premature	28-36 Week
		2.3-13.2 μIU/m	L Cord Blood	> 37Week
		0.7-64 μIU/m	L Child(21 wk	- 20 Yrs.)
		1.7-9.1 μIU/m		2-20 Week
		2.3-13.2 μIU/m 0.7-64 μIU/m 1-39 μIU/	L Cord Blood L Child(21 wk mL Child	> 37Week - 20 Yrs.) 0-4 Days

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.







# CHANDAN DIAGNOSTIC CENTRE



Add: Mukut Complex, Rekabganj,Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name

: Mr.AMIT SINGH

Registered On

: 10/Mar/2024 11:29:06

Age/Gender

: 33 Y O M O D /M

Collected

: N/A

UHID/MR NO Visit ID

: CHFD.0000285908 : CHFD0638722324 Received Reported

: 10/Mar/2024 19:15:32

Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -

Status

: Final Report

: N/A

#### **DEPARTMENT OF X-RAY**

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

#### X-RAY DIGITAL CHEST PA \*

#### X-RAY REPORT

# (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

#### **IMPRESSION:**

NO SIGNIFICANT RADIOLOGICAL ABNORMALITY SEEN ON PRESENT STUDY.

Adv: clinico-pathological correlation and further evaluation.

Manufunda Sift

Page 9 of 11





# CHANDAN DIAGNOSTIC CENTRE



Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT SINGH Registered On : 10/Mar/2024 11:29:06

 Age/Gender
 : 33 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : CHFD.0000285908
 Received
 : N/A

Visit ID : CHFD0638722324 Reported : 10/Mar/2024 12:38:11

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

#### DEPARTMENT OF ULTRASOUND

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

# **ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \***

#### WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

#### LIVER

• Liver is enlarged in size 15.91cm and shows diffuse increase in echogenecity s/o fatty liver grade-I. No obvious focal lesion is seen.

#### PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- The portal vein is not dilated.
- Porta hepatis is normal.

#### **BILIARY SYSTEM**

- The intra-hepatic biliary radicles are normal.
- Common duct is not dilated.
- The gall bladder is normal in size. GB Wall thicknes is normal.

#### **PANCREAS**

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

#### GREAT VESSELS

• Great vessels are normal.

#### KIDNEYS

- Both the kidneys are normal in size and cortical echotexture.
- The collecting system of both the kidneys is normal and cortico-medullary demarcation is clear.

#### **SPLEEN**

• The spleen is normal in size and has a normal homogenous echo-texture.

### LYMPH NODES

• No pre- or para - aortic lymph node mass is seen.

#### RETROPERITONEUM

• Retroperitoneum is free.

# ILIAC FOSSAE & PERITONEUM

• Scan over the iliac fossae does not reveal any fluid collection or mass.



Home Sample Collection 1800-419-0002



# CHANDAN DIAGNOSTIC CENTRE

Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name

: Mr.AMIT SINGH

Registered On

: 10/Mar/2024 11:29:06

Age/Gender

: 33 Y O M O D /M

Collected Received : N/A

UHID/MR NO Visit ID : CHFD.0000285908 : CHFD0638722324

Reported

: 10/Mar/2024 12:38:11

Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -

Status

: Final Report

: N/A

#### DEPARTMENT OF ULTRASOUND

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

• No free fluid is noted in peritoneal cavity.

#### **URETERS**

- The upper parts of both the ureters are normal.
- Thevesico ureteric junctions are normal.

#### URINARY BLADDER

• The urinary bladder is normal.

#### PROSTATE

• The Prostate gland is normal in size.

# FINAL IMPRESSION:-

MILD HEPATOMEGALY WITH GRADE-I FATTY LIVER.

Adv: Clinico-pathological correlation and follow-up.

\*\*\* End Of Report \*\*\*

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, GLUCOSE PP, SUGAR, PP STAGE, ECG / EKG



Dr. R. B. Varshney

Ultrasonologist

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \*

\*\*Facilities Available at Select Location\*\*





