

## Health Check up Booking Confirmed Request(22E36886), Package Code-PKG10000377, Beneficiary Code-289613

1 message

Mediwheel <wellness@mediwheel.in>

To: bcfagra@gmail.com

Cc: customercare@mediwheel.in

Thu, Oct 24, 2024 at 12:22 PM



011-41195959

#### Hi Blossoms Hospital,

The following booking has been confirmed. It is requested to honor the said booking & provide priority services to our client

Hospital Package

Name

: Mediwheel Full Body Health Annual Plus Check

Patient Package

Name

: Mediwheel Full Body Health Checkup Female Below 40

**Contact Details** 

: 7455096256

Appointment Date: 26-10-2024

Confirmation

Status

: Booking Confirmed

**Preferred Time** 

: 09:00 AM - 09:30 AM

Member Information				
Booked Member Name	Age	Gender		
MRS. SUMAN SHWETA	34 year	Female		

We request you to facilitate the employee on priority.

Thanks, Mediwheel Team Please Download Mediwheel App






You have received this mail because your e-mail ID is registered with Arcofemi Healthcare Limited This is a system-generated e-mail please don't reply to this message.

Please visit to our Terms & Conditions for more information. Click here to unsubscribe.



Justino.





	}	3	1	<u> </u>
	\times_{			1
Diagnosis Information: Sinus Arrhythmia ***Normal ECG***  Report Confirmed by:		The state of the s		
: 74 bpm Diagn : 97 ms Sm: : 128 ms *** : 84,423 ms : 60/36/26 ° : 1.304/0.640 mV Repo		\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	EX.	4
HR PR QRS QT/QTC P/QRS/T RV5/SV1	AV.	awt. A	AVF.	
06-10-2024 09:40:46 AM ID: 34 mrs shweta suman Female 34Years			] mywyr when	





# BLOSSOMS HOSPITAL



# **ULTRASOUND REPORT**

NAME-SHWETA W/O HARENDRA

DATE-26/10/2024

(1)LIVER- is normal in size however echotexture is well maintained. No evidence of any focal space occupying lesion seen. IHBR are not dilated. Hepatic veins are normal. PV is normal in caliber.

(2)GALL BLADDER- GB is normal in size shape & echotexture. No stone or mass present within the lumen of gall bladder. CBD is normal.

(3)PANCREAS- contracted. No stone or mass is eviodenced. Main pancreatic duct is not dilated. No evidence of peripancreatic collection.

(4)SPLEEN-apears normal in size shape and echotexture. Splenic vein is normal.

**(5)BOTH KIDNEYS-** appears normal in size , shape and echotexture. Corticomedullary differentiation is well maintained. There is no evidence of hydronephrosis.no stone or mass present.

**(6)URINARY BLADDER-**is normally distended with residues present in bladder wall thickness. No mass lesion or calculus is seen.

(7)UTERUS- is normal in size measuring 8.0x4.1X5.5cm with echogenic myometrium. Endometrial thickness 2.15mm.cervix is normal


(8)BOTH OVARIES- Both ovaries are normal.

IMPRESSION -NORMAL SCAN.

ULTRASONOLOGIST

DR SUNITA MALHOTRA







Unit I- Dutta Complex, Rajpur Chungi, Shamshabad Road, Agra Ph. 0562-4040090, 4061894 Reg. No.: RMEE2227060

Unit II- LG 01, Shanti Madhuvan Plaza, Deihi Gate, Agra Ph.: 0562- 4040026 Reg. NO.: RMEE2111808

**Booking Time** 

12:41:46

26/10/2024 12:45:38

Sample Drawn: Sample Received: Print Date & Time:

26/10/2024 12:45:40 26/10/2024 15:07:13

Refd by Lab: OUT SIDE SAMPLE

Age:31 Yrs

Sex: Female

26/10/2024 Patient ID: 102467689 Name: MRS. SHWEETA

BLOOD GROUP (ABO)

Ref. By: DR. SACHIN MALHOTRA

EDTA Sample Type:

Date:

Investigation:

**Test Name** 

BLOOD GROUP (ABO Rh), COLLECTION

Unit

**Biological Ref Interval** 

**HAEMATOLOGY** 

'B'

**RH TYPING** 

**POSITIVE** 

Value

ADVISE: BLOOD GROUP (ABO / Rh) CONFIRMATION BY BLOOD BANK.

The upper agglutination test for grouping has some limitations. It is not a confirmatory method. Before transusion of blood, blood group must be checked & confirmed by Blood Bank. For further confirmation Reverse typing card (Dia clon ABO/D) method is suggested.


\*\*\*\* End Of Report \*\*\*\*



Page No: 1 of 1

Dr. Sakshi Mishra M.D. (Path.)

E-mail - standardpathology@gmail.com





Unit I- Dutta Complex, Rajpur Chungi, Shamshabad Road, Agra Ph. 0562-4040090, 406189 Lyman-Los 01, Shanti Madhuvan Plaza, Delhi Gate, Agra Ph.: 0562-404002

Refd by Lab:

Age:



**Booking Time** Sample Drawn: Sample Received: Print Date & Time:

19:03:31 26/10/2024 19:07:06 26/10/2024 19:07:07 26/10/2024 19:11:42

Sex: Female

Date:

26/10/2024

Patient ID: 10246913

Name: MRS. SHWEETA

Ref. By: BLOSSOM'S SUPER SPECIALITIES HOSPITAL

Urine, SERUM, EDTA, Flouride Fasting

C.B.C.,E.S.R.,FT3, FT4 & TSH,HbA1C,LIPID PROFILE,LIVER FUNCTION TEST,RENAL FUNCTION TEST,SUGAR FASTING

	R FUNCTION TEST, RENAL FL	FUNCTION TEST, RENAL FUNCTION TEST, SUGAR FASTING			
Test Name	Value	Unit	<b>Biological Ref Interval</b>		
	HAEMATOL	OGY			
COMPLETE BLOOD COUNT					
HAEMOGLOBIN (Hb) Method: Non Cyanide.	9.8	gm/dl	12.0 - 15.0		
TLC (Total Leucocyte Count ) Method: DC Detection	5800	/cu mm	4000 - 10000		
DIFFERENTIAL LEUCOCYTE COUNT Method: Method: Flowcytometry / Microscopy NEUTROPHILS Method: Flow cytometry / Microscopy	61	%	45 - 70		
LYMPHOCYTES Method: Flow cytometry / Microscopy	34	%	20 - 45		
MONOCYTES Method: Flow cytometry / Microscopy	03	%	00 - 10		
EOSINOPHILS Method: Flow cytometry / Microscopy	02	%	01 - 06		
R B C (Red Blood Cell Count) Method: DC Detection	3.99	Millions/cm m	3.80 - 4.80		
PCV / HCt (Hematocrit) Method: Electrical Impedance	37.8	%	36.0 - 46.0		
M C V (Mean Corp Volume) Method: Calculated.	89.4	Femtoliter	82.0 - 101.0		
M C H (Mean Corp Hb) Method: Calculated	29.1	Picogram	27.0 - 32.0		
M C H C (Mean Corp Hb Conc) Method: Calculated.	33.1	gm/dl	31.5 - 34.5		









Dr. Sakshi Mishra M.D. (Path.)

All tests have technical limitations, Corroborative clinicopathological interpretation is indicated. In case of any disparity including machine error or typing error the test should be repeated immediately. NOT VALID FOR MEDICO LEGAL PURPOSE.

SAMPLE COLLECTION FACILITY AVAILABLE FROM HOME & NURSING HOME. HELP LINE NO.: Delhi Gate: 7534855577, Rajpur Chungi: 7534955577 E-mail - standardpathology@gmail.com





Unit I- Dutta Complex, Rajpur Chungi, Shamshabad Road, Agra Ph: 0562-4040090, 4061894 Unit Hat G 01, Shanti Madhuvan Plaza, Delhi Gate, Agra Ph.: 0562-4040026

MC-5622

Age:

Refd by Lab:

**Booking Time** Sample Drawn: Sample Received: Print Date & Time:

19:03:31 26/10/2024 19:07:06 26/10/2024 19:07:07 26/10/2024 19:11:42

Sex: Female

Date:

26/10/2024

Patient ID: 10246913

Name: MRS. SHWEETA

Ref. By: BLOSSOM'S SUPER SPECIALITIES HOSPITAL

Urine, SERUM, EDTA, Flouride Fasting

C.B.C.,E.S.R.,FT3, FT4 & TSH,HbA1C,LIPID PROFILE,LIVER FUNCTION TEST,RENAL FUNCTION TEST,SUGAR FASTING

Test Name	Value	Unit	Biological Ref Interval
PLATELET COUNT Method: DC Detection & Microscopy	198	Χ10³/μL	150 - 450
ABSOLUTE NEUTROPHIL COUNT Method: Calculated	3.54	X10³/μL	2.00 - 7.00
ABSOLUTE LYMPHOCYTE COUNT Method: Calculated	1.97	X10³/μL	1.00 - 3.00
ABSOLUTE MONOCYTE COUNT Method: Calculated	0.17	X10³/μL	0.20 - 1.00
ABSOLUTE EOSINOPHIL COUNT Method: Microscopy	0.12	X10³/μL	0.04 - 0.44
E.S.R. (Westergren) Method: Sedimentation	10	mm Ist hr.	00 - 20
GLYCOSYLATED HAEMOGLOBIN (HbA1c) GLYCOSYLATED HAEMOGLOBIN (HbA1c)	5.21	%	Non Diabetic: <6.00 Good Control: 6.00 - 7.00 Fair Control: 7.00 - 8.00 Poor Control: >8.00
ESTIMATED AVERAGE GLUCOSE (eAG)	102.83	mg/dl	65.00 - 135.00

#### REMARKS:

In vitro quantititative determination of HbA1c in whole blood is utilized in long term monitoring of glycemia. The HbA1c livevel correlates with the mean glucose concentration prevailing in the course of the patient's recent history (apporx - 8-12 weeks) and therefore provides much more reliable information for glycemia monitoring than determination of blood glucose or urinary glocose. It is recommended that the determination of HbA1c be performed at intervals of 3-6 months during diabetes



Dr. Sakshi Mishra M.D. (Path.)



All tests have technical limitations, Corroborative clinicopathological interpretation is indicated. In case of any disparity including machine error or typing error the test should be repeated immediately. NOT VALID FOR MEDICO LEGAL PURPOSE.

SAMPLE COLLECTION FACILITY AVAILABLE FROM HOME & NURSING HOME. HELP LINE NO.: Delhi Gate: 7534855577, Rajpur Chungi: 7534955577

E-mail - standardpathology@gmail.com





# ISO 9001: 2015 Certified Lab

Unit I- Dutta Complex, Rajpur Chungi, Shamshabad Road, Agra Ph: 0562-4040090, 4061894 Unit Golf, Shanti Madhuvan Plaza, Delhi Gate, Agra Ph.: 0562-4040026



**Booking Time** Sample Drawn: Sample Received:

Print Date & Time:

19:03:31 26/10/2024 19:07:06 26/10/2024 19:07:07 26/10/2024 19:11:42

**Test Name** 

26/10/2024 Date:

Patient ID: 10246913

Age:

Refd by Lab:

Sex: Female

Name: MRS. SHWEETA

Ref. By: BLOSSOM'S SUPER SPECIALITIES HOSPITAL

Urine,SERUM,EDTA,Flouride Fasting

C.B.C.,E.S.R.,FT3, FT4 & TSH,Hba1C,LIPID PROFILE,LIVER FUNCTION TEST,RENAL FUNCTION TEST,SUGAR FASTING

Unit

**Biological Ref Interval** 

mellitus therapy. Results of HbA1c should be assessed in conjunction with the patient's medical history, clinical examinations and other findings.

Estimated average glucose (eAG) - There is a predictable relationship between HbA1c and eAG. It helps people with diabetes to correlate their A1c to daily glucose monitoring levels. It reflects the average glucose levels in the past 2-3 months. The eAG calculation convets the A1c percentage to the same units used by glucometers mg/dl. The following table shows the relationship of eAG and A1c.

HbA1c	eAG (mg/dl
5	97
6	126
7	154
8	183
9	212
10	240
11	269
12	298

### **BIOCHEMISTRY**

BLOOD SUGAR FASTING Method: Hexokinase

79.00

Value

mg/dl

70.00 - 100.00

Glucose Fasting: <100.0 Impaired Glu. Tolerance:101.0-125.0

Diabeties: >125.0

#### LIPID PROFILE

CHOLESTEROL Method: Enzymatic Colorimetric 133.00

mg/dl

82.00 - 200.00

Optimal: < 200.00

Border line High Risk: 200.0 - 239.0

High Risk: >240.0

TRIGLYCERIDES Method: Enzymatic Colorimetric 110.00

mg/dl

0.00 - 150.00







Dr. Sakshi Mishra M.D. (Path.)


All tests have technical limitations, Corroborative clinicopathological interpretation is indicated. In case of any disparity including machine error or typing error the test should be repeated immediately. NOT VALID FOR MEDICO LEGAL PURPOSE.

SAMPLE COLLECTION FACILITY AVAILABLE FROM HOME & NURSING HOME.

HELP LINE NO.: Delhi Gate: 7534855577, Rajpur Chungi: 7534955577

E-mail - standardpathology@gmail.com









Unit I- Dutta Complex, Rajpur Chungi, Shamshabad Road, Agra Ph. 0562-4040090, 4061894 hittle 1 G 01, Shanti Madhuvan Plaza, Delhi Gate, Agra Ph.: 0562-4040026

**Booking Time** Sample Drawn: Sample Received: Print Date & Time:

Refd by Lab:

19:03:31 26/10/2024 19:07:06 26/10/2024 19:07:07 26/10/2024 19:11:42

26/10/2024

Patient ID: 10246913

Age:

Sex: Female

Name: MRS. SHWEETA

Ref. By: BLOSSOM'S SUPER SPECIALITIES HOSPITAL

C.B.C.,E.S.R.,FT3, FT4 & TSH,HbA1C,LIPID PROFILE,LIVER FUNCTION TEST,RENAL FUNCTION TEST,SUGAR FASTING

nvestigation : C.B.C.,E.S.R.,FT3, FT4 & TSH,HbA1C,LIPID PROFI	Value	Unit	Biological Ref Interval
Test Name			
			Optimal: < 150.0 Borderline High Risk:150.0 - 199.0 High Risk :200.0 - 499.0 Very High Risk :>500.0
HDL CHOLESTEROL Method: CHOD-PAP	76.20	mg/dl	42.00 - 88.00
LDL CHOLESTEROL	34.80	mg/dl	0.00 - 129.00
Method: CHOD-PAP			Optimal: < 100.0 Near Optimal: 100.0 - 129.0 Border line High Risk: 130.0 - 159.0 High Risk: 160.0 - 189.0 Very High Risk: >190.0
V L D L CHOLESTEROL Method: Calculated	22.00	mg/dl	25.00 - 40.00
CHOLESTEROL / HDL RATIO	1.75	mg/dl	0.00 - 4.90
Method: Calculated			Low Risk: 3.3-4.4 Avg. Risk: 4.5-7.1 Mod. Risk: 7.2-11.0
LDL / HDL RATIO Method: Calculated	0.46	mg/dl	0.00 - 3.50
NON-HDL CHOLESTEROL Method: Calculated	56.80	mg/dl	<130.0
RENAL FUNCTION TEST			
BLOOD UREA	29.00	mg/dl	17.00 - 43.00
Method: Urease			






Dr. Sakshi Mish M.D. (Patl



All tests have technical limitations, Corroborative clinicopathological interpretation is indicated. In case of any disparity including machine error or typing error the test should be repeated immediately. NOT VALID FOR MEDICO LEGAL PURPOSE. SAMPLE COLLECTION FACILITY AVAILABLE FROM HOME & NURSING HOME.

HELP LINE NO.: Delhi Gate: 7534855577, Rajpur Chungi: 7534955577 E-mail - standardpathology@gmail.com







Unit I- Dutta Complex, Rajpur Chungi, Shamshabad Road, Agra Ph. 0562-4040090, 4061894 Unit 1 C 01, Shanti Madhuvan Plaza, Delhi Gate, Agra Ph.: 0562-4040026

Booking Time Sample Drawn: Sample Received: MC-5622

Age:

19:03:31 26/10/2024 19:07:06 26/10/2024 19:07:07 Print Date & Time: 26/10/2024 19:11:42

Refd by Lab:

Sex: Female

Date: 26/10/2024

Patient ID: 10246913

Name: MRS. SHWEETA

Ref. By: BLOSSOM'S SUPER SPECIALITIES HOSPITAL

Urine,SERUM,EDTA,Flouride Fasting Sample Type:

C.B.C., E.S.R., FT3, FT4 & TSH HbA1C LIP

Investigation: C.B.C.,E.S.R.,FT3, FT4 & TSH,HbA1C,LIPID PROFILE,LIVER FUNCTION TEST,RENAL FUNCTION TEST,SUGAR FASTING					
Test Name	Value	Unit	Biological Ref Interval		
SERUM CREATININE Method: Jaffe's reaction.	0.78	mg/dl	0.00 - 0.90		
SERUM URIC ACID Method: Uricase-Peroxidase	5.28	mg/dl	2.30 - 6.10		
S. ALKALINE PHOSPHATASE Method: Colorimetric Assay	78.10	U/L	37.00 - 103.00		
			Male (Adult): 25.0 - 140.0 Female (Adult): 37.0 - 103.0 Child( 10 -17) : 350.0 - 500.0 2-10 Yrs : 100.0 - 350.0 New Born: 1-4 Times the Adult Values		
TOTAL PROTEIN Method: Biuret	6.87	gm/dl	6.40 - 8.30		
ALBUMIN Method: BCG	4.69	gm/dl	3.47 - 4.94		
GLOBULIN Method: Calculated	2.18	gm/dl	1.50 - 6.80		
A/G RATIO Method: Calculated	2.15	gm/dl	1.00 - 2.30		
SERUM SODIUM Method: Indirect ISE	135.00	mmol/L	132.00 - 146.00		
SERUM POTASSIUM Method: Indirect ISE	3.77	mmol /L	3.40 - 5.40		
SERUM CALCIUM Method: NM-BAPTA	9.88	mg/dl	8.60 - 10.20		










Dr. Sakshi Mishra M.D. (Path.)

All tests have technical limitations, Corroborative clinicopathological interpretation is indicated. In case of any disparity including machine error or typing error the test should be repeated immediately. NOT VALID FOR MEDICO LEGAL PURPOSE.

SAMPLE COLLECTION FACILITY AVAILABLE FROM HOME & NURSING HOME. HELP LINE NO.: Delhi Gate: 7534855577, Rajpur Chungi: 7534955577 E-mail - standardpathology@gmail.com







Unit I- Dutta Complex, Rajpur Chungi, Shamshabad Road, Agra Ph: 0562-4040090, 4061894

Booking Time Sample Drawn: Sample Received: Print Date & Time:

19:03:31 26/10/2024 19:07:06 26/10/2024 19:07:07 26/10/2024 19:11:42



Date:

26/10/2024

Patient ID: 10246913

Name: MRS. SHWEETA

Age:

Refd by Lab:

Sex: Female

Ref. By: BLOSSOM'S SUPER SPECIALITIES HOSPITAL

Urine, SERUM, EDTA, Flouride Fasting

nyestication : C.B

C.B.C., E.S.R., FT3, FT4 & TSH, HbA1C, LIPID PROFILE, LIVER FUNCTION TEST, RENAL FUNCTION TEST, SUGAR FASTING

**Test Name** 

Value

Unit

MC-5622

**Biological Ref Interval** 

SERUM PHOSPHORUS Method: UV Molybdate 4.69

mg/dl

2.50 - 4.50

#### **URINE EXAMINATION REPORT**

	ORNINE EXPANSION IN	ar ord
PHYSICAL		
COLOUR Method: Visual	STRAW	Pale Yellow
TRANSPARENCY Method: Visual	CLEAR	Clear
SPECIFIC GRAVITY Method: Strip	1.025	1.001 - 1.030
PH Method: pH paper	6.5	5.0 - 8.0
DEPOSIT	ABSENT	Absent
BIOCHEMICAL		
ALBUMIN Method: Heat Coagulation	FINE TRACE	Nil
SUGAR Method: Benedict's	NIL	Nil
BILE SALTS (BS) Method: Hay's sulphur	ABSENT	Absent
BILE PIGMENT (BP) Method: Fouchet's	ABSENT	Absent
MICROSCOPIC		
PUS CELLS Method: Microscopy	2-3 /H	PF 0-5
EPITHELIAL CELLS Method: Microscopy	1-2 /H	PF 0-5
RBC'S Method: Microscopy	NIL /H	PF 0-2
CASTS Method: Microscopy	ABSENT	Absent







2

Dr. Sakshi Mishra M.D. (Path.)

All tests have technical limitations, Corroborative clinicopathological interpretation is indicated. In case of any disparity including machine error or typing error the test should be repeated immediately. NOT VALID FOR MEDICO LEGAL PURPOSE.

SAMPLE COLLECTION FACILITY AVAILABLE FROM HOME & NURSING HOME.

HELP LINE NO.: Delhi Gate: 7534855577, Rajpur Chungi: 7534955577

E-mail - standardpathology@gmail.com



Unit II- LG 01, Shanti Madhuvan Plaza, Delhi Gate, Agra Ph.: 0562-4040026 Reg. NO.: RMEE2111808



Refd by Lab:

Age:

**Booking Time** Sample Drawn: Sample Received: Print Date & Time:

19:03:31 26/10/2024 19:07:06 26/10/2024 19:07:07 26/10/2024 19:11:42

Sex: Female

26/10/2024

Patient ID: 10246913

Name: MRS. SHWEETA

Ref. By: BLOSSOM'S SUPER SPECIALITIES HOSPITAL

Urine,SERUM,EDTA,Flouride Fasting

C.B.C.,E.S.R.,FT3, FT4 & TSH,HbA1C,LIPID PROFILE,LIVER FUNCTION TEST,RENAL FUNCTION TEST,SUGAR FASTING

Test Name	Value	Unit	Biological Ref Interval
CRYSTALS Method: Microscopy	NIL		Nil
BACTERIA Method: Microscopy	ABSENT		ABSENT
OTHERS Method: Microscopy	NIL		Nil
	BIOCHEM	ISTRY	
LIVER FUNCTION TEST			
SERUM BILIRUBIN (TOTAL) Method: Colorimetric-Diazo	0.69	mg/dl	0.00 - 1.10
CONJUGATED ( Direct ) Method: Colorimetric-Diazo	0.22	mg/dl	0.00 - 0.30
UNCONJUGATED (Indirect) Method: Calculated	0.47	mg/dl	0.10 - 1.00
		<b>3</b> 1	Full Term Age of New Born 24 hrs: 2 - 6 mg/dl 48 hrs: 6 - 7 mg/dl 3-5 Days: 4 - 12 mg/dl Premature Age of New Born 24 hrs: 1 - 6 mg/dl 48 hrs: 6 - 8 mg/dl 3-5 Days: 10 - 15 mg/dl
SGOT /AST Method: without P5P	19.00	U/L	0.00 - 35.00
SGPT /ALT Method: without P5P	14.80	U/L	0.00 - 35.00
GLOBULIN Method: Calculated	2.18	gm/dl	1.50 - 6.80




Page No: 7 of 8



Dr. Sakshi Mishra M.D. (Path.)







Unit I- Dutta Complex, Rajpur Chungi, Shamshabad Road, Agra Ph: 0562-4040090, 4061894 21, Shanti Madhuvan Plaza, Delhi Gate, Agra Ph.: 0562-4040026

19:03:31 **Booking Time** Sample Drawn:

Sample Received: Print Date & Time:

Refd by Lab:

26/10/2024 19:07:06 26/10/2024 19:07:07 26/10/2024 19:11:42

26/10/2024 Date:

Patient ID: 10246913

Name: MRS. SHWEETA

Age:

Sex: Female

Ref. By: BLOSSOM'S SUPER SPECIALITIES HOSPITAL

Sample Type: Urine, SERUM, EDTA, Flouride Fasting

C.B.C.,E.S.R.,FT3, FT4 & TSH,HbA1C,LIPID PROFILE,LIVER FUNCTION TEST,RENAL FUNCTION TEST,SUGAR FASTING

Test Name	Value	Unit	Biological Ref Interval
A/G RATIO Method: Calculated	2.15	gm/dl	1.00 - 2.30
Gamma GT Method: Enzymatic colorimetric assay	23.00	U/L	0.00 - 36.00
	ENDOCRIN	NOLOGY	
FREE TRIIODOTHYRONINE (FT3)	3.88	pmol/l	3.10 - 6.80
FREE THYROXINE (FT4)	1.07	ng/dl	0.89 - 1.76
THYROID STIMULATING HORMONE (TSH)	1.98	uIU/mL	0.27 - 5.50

Adults > 20 Yrs: 0.270 - 5.500

Children

1-3 Days : 5.17 - 14.6 4 - 30 Days : 0.43 - 16.1 2 -12 Months: 0.62 - 8.05 2 - 6 Yrs : 0.54 - 4.53 7 - 11Yrs : 0.66 - 4.14 12 - 19 Yrs: 0.53 - 3.59

The new recommendations for TSH levels during pregnancy are the following:

First trimester: less than 2.5 with a range of 0.1-2.5.

Second trimester: 0.2-3.0

Note: TSH levels are subject to circadian variation, reaching peak levels between 2-4 am and at a minimum 6-10 pm The variation is of the order of 50%, hence time of the day has influence on the meaured TSH concentrations.

\*\*\*\* End Of Report \*\*\*\*

Result Awaited: LIVER FUNCTION TEST(ALKALINE PHOSPHATASE, TOTAL PROTEIN, ALBUMIN)





Dr. Sakshi Mishra M.D. (Path.)



All tests have technical limitations, Corroborative clinicopathological interpretation is indicated. In case of any disparity including machine error or typing error the test should be repeated immediately. NOT VALID FOR MEDICO LEGAL PURPOSE.