Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name

: Miss.ANITA AGRAWAL - 66093

Registered On

: 10/Feb/2024 10:52:07

Age/Gender UHID/MR NO : 54 Y 1 M 2 D /F : ALDP.0000100831 Collected Received

: N/A : N/A

Visit ID

: ALDP0358342324

Reported

: 11/Feb/2024 10:16:26

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

DEPARTMENT OF CARDIOLOGY-ECG

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ECG/ EKG*

1. Machnism, Rhythm

Sinus, Regular

2. Atrial Rate

77

/mt

3. Ventricular Rate

77

/mt

4. P - Wave

Normal

5. P R Interval

Normal

6. Q R S

Axis:

Normal

R/S Ratio: **Configuration:** Normal Normal

7. Q T c Interval

Normal

8. S - T Segment

Normal

9. T - Wave

Normal

FINAL IMPRESSION

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

Dr. R K VERMA MBBS, PGDGM











Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Miss.ANITA AGRAWAL - 66093 Registered On : 10/Feb/2024 10:52:01 Age/Gender : 54 Y 1 M 2 D /F Collected : 10/Feb/2024 11:29:54 UHID/MR NO : ALDP.0000100831 Received : 10/Feb/2024 12:13:50 Visit ID : ALDP0358342324 Reported : 10/Feb/2024 16:42:42

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

DEPARTM ENT OF HABMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Discribed (ADO 0 Distancias) *				
Blood Group (ABO & Rh typing) * , Blo	od			
Blood Group	Α			ERYTHROCYTE
				MAGNETIZED TECHNOLOGY / TUBE
				AGGLUTINA
Rh (Anti-D)	NEGATIVE	¥		ERYTHROCYTE
,				MAGNETIZED
				TECHNOLOGY / TUBE
				AGGLUTINA
Complete Blood Count (CBC) * , Whole	Blood			
	12.00	g/dl	1 Day- 14.5-22.5 g/dl	
Haemoglobin	12.00	g/dl	1 Wk- 13.5-19.5 g/dl	
			1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl	
			0.5-2 Yr- 10.5-13.5 g/dl	
			2-6 Yr- 11.5-15.5 g/dl	
			6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl	
			Male- 13.5-17.5 g/dl	
			Female- 12.0-15.5 g/dl	
TLC (WBC)	8,200.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC				
Polymorphs (Neutrophils)	58.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	38.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	2.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	2.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	<1	ELECTRONIC IMPEDANCE
ESR .				
Observed	16.00	Mm for 1st hr.		
Corrected	, 4. 5	Mm for 1st hr.		
PCV (HCT)	37.00	%	40-54	
Platelet count				
Platelet Count	1.50	LACS/cu mm	1.5-4.0	ELECTRONIC
	45	6.	0.47	IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	15.70	fL 04	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Miss.ANITA AGRAWAL - 66093 Registered On : 10/Feb/2024 10:52:01 Age/Gender : 54 Y 1 M 2 D /F Collected : 10/Feb/2024 11:29:54 UHID/MR NO : ALDP.0000100831 Received : 10/Feb/2024 12:13:50 Visit ID : ALDP0358342324 Reported : 10/Feb/2024 16:42:42

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF HABMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.22	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume) RBCCount	14.70	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count	4.25	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	88.20	fΙ	80-100	CALCULATED PARAMETER
MCH	28.30	pg	28-35	CALCULATED PARAMETER
MCHC	32.10	%	30-38	CALCULATED PARAMETER
RDW-CV	13.90	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	46.20	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,756.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	164.00	/cu mm	40-440	

Dr. Akanksha Singh (MD Pathology)









Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Miss.ANITA AGRAWAL - 66093

Registered On

: 10/Feb/2024 10:52:05 : 10/Feb/2024 11:29:51

Age/Gender UHID/MR NO : 54 Y 1 M 2 D /F : ALDP.0000100831 Collected Received

: 10/Feb/2024 12:13:50

Visit ID

: ALDP0358342324

Reported

: 10/Feb/2024 14:09:09

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

GLUCOSE FASTING * , Plasma

Glucose Fasting

107.70

mg/dl

< 100 Normal

GOD POD

100-125 Pre-diabetes

≥ 126 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP*

169.80

mg/dl

<140 Normal

GOD POD

140-199 Pre-diabetes

>200 Diabetes

Interpretation:

Sample:Plasma After Meal

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.70	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	38.50	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	116	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.



Home Sample Collection 1800-419-0002





Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



: 10/Feb/2024 10:52:05 Patient Name : Miss.ANITA AGRAWAL - 66093 Registered On Collected Age/Gender : 54 Y 1 M 2 D /F : 10/Feb/2024 11:29:51 UHID/MR NO : ALDP.0000100831 Received : 10/Feb/2024 12:13:50 Visit ID : ALDP0358342324 Reported : 10/Feb/2024 14:09:09

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEDART ARIT OF BLOCK IR

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	10.83	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	0.80	mg/dl	0.5-1.20	MODIFIED JAFFES
Uric Acid * Sample:Serum	6.35	mg/dl	2.5-6.0	URICASE

LFT (WITH GAMMA GT) *, Serum





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

^{*}Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

^{*}With optimal control, the HbA 1c moves toward normal levels.

^{*}A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Miss.ANITA AGRAWAL - 66093 Registered On : 10/Feb/2024 10:52:05 Age/Gender : 54 Y 1 M 2 D /F Collected : 10/Feb/2024 11:29:51 UHID/MR NO : ALDP.0000100831 Received : 10/Feb/2024 12:13:50 Visit ID : ALDP0358342324 Reported : 10/Feb/2024 14:09:09

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	ι	Jnit Bio. Ref. Interva	l Method
SGOT / Aspartate Aminotransferase (AST)	31.90	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	37.10	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	37.10	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.80	gm/dl	6.2-8.0	BIURET
Albumin	4.50	gm/dl	3.4-5.4	B.C.G.
Globulin	2.30	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.96	,	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	78.70	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.30	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.10	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.20	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI)*, Serum				
Cholesterol (Total)	168.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	48.50	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	89	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optimal 130-159 Borderline High 160-189 High > 190 Very High	
VLDL	30.30	mg/dl	10-33	CALCULATED
Triglycerides	151.50	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO-PAP

Dr. Akanksha Singh (MD Pathology)









Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Miss.ANITA AGRAWAL - 66093 Registered On : 10/Feb/2024 10:52:03 Age/Gender Collected : 54 Y 1 M 2 D /F : 10/Feb/2024 12:37:50 UHID/MR NO : ALDP.0000100831 Received : 10/Feb/2024 14:03:55

Visit ID : ALDP0358342324 Reported : 10/Feb/2024 16:20:02

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report CARE LTD -

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Result Unit Bio. Ref. Interval Method

Specific Gravity 1.015 Acidic (5.0) DIPSTICK Appearance CLEAR ABSENT mg % < 10 Absent DIPSTICK Appearance CLEAR ABSENT mg % < 10 Absent DIPSTICK Appearance ABSENT mg % < 10.40 (+) 40-200 (++) 200-500 (+++) > 500 (++++) > 500 (++++) > 500 (++++) > 200-500 (++++) > 500 (++++) > 200-500 (++++) > 500 (++++) > 200-500 (+++++) > 200-500 (+++++++++++++++++++++++++++++++++++	Test Name	Result	Unit	Bio. Ref. Interval	Method
Pale yellow					
Specific Gravity 1.015 Reaction PH	RINE EXAMINATION, ROUTINE*	, Urine			
Acidic (5.0)	Color	PALE YELLOW			
Appearance CLEAR ABSENT mg % <10 Absent DIPSTICK 10-40 (+) 40-200 (++) 200-500 (+++) >500 (+++++) >500 (+++++++++++++++++++++++++++++++++++	Specific Gravity	1.015			
ABSENT mg % < 10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) 500 (+++++) 500 (+++++) 500 (+++++) 500 (+++++) 500 (+++++) 500 (+++++) 500 (+++++) 500 (+++++) 500 (+++++) 500 (+++++) 500 (+++++++) 500 (++++++) 500 (++++++++++++++++++++++++++++++++++	Reaction PH	Acidic (5.0)			DIPSTICK
10-40 (+) 40-200 (++) 200-500 (+++) 200-500 (+++) 200-500 (+++) 200-500 (+++) 200-500 (+++) 200-500 (+++) 200-500 (+++) 200-500 (+++) 200-500 (+++++++++++++++++++++++++++++++++++	Appearance	CLEAR			
A0-200 (++) 200-500 (+++) 200-500 (+++) > 500 (++++) > 500 (++++) > 500 (++++) > 500 (++++) > 500 (++++) > 500 (++++) > 500 (++++) > 500 (++++) > 500 (++++) > 500 (++++) > 500 (++++) > 500 (++++) > 500 (++++) > 500 (+++++) > 500 (+++++) > 500 (+++++) > 500 (++++++) > 500 (++++++++++++++++++++++++++++++++++	Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
200-500 (+++)				• • • • • • • • • • • • • • • • • • • •	
ABSENT gms% < 0.5 (+) DIPSTICK 0.5-1.0 (++) 1-2 (+++) 2 (++++) 3 (etone ABSENT mg/dl 0.1-3.0 BIOCHEMISTRY Bile Salts ABSENT Mg/dl 0.1-3.0 BIOCHEMISTRY Bile Pigments ABSENT DIPSTICK Billirubin ABSENT DIPSTICK Beucocyte Esterase ABSENT DIPSTICK Drobilinogen(1:20 dilution) ABSENT DIPSTICK Billirubin ABSENT DIPSTICK BILDIRUBING ABSENT BILDIRUBING ABSENT DIPSTICK BILDIRUBING ABSENT DIPSTICK BILDIRUBING ABSENT BILDIRUBING ABSENT DIPSTICK BILDIRUBING ABSENT BILDIRUBING				· ·	
ABSENT gms% <0.5 (+) DIPSTICK 0.5-1.0 (++) 1-2 (+++) > 2 (++++) > 2 (++++) Sile Salts ABSENT Bilirubin ABSENT BIPSTICK DIPSTICK DIPSTICK DIPSTICK DIPSTICK Blood ABSENT BIPSTICK BIOOD BIOCHEMISTRY BIOCHE					
O.5-1.0 (++) 1-2 (+++) > 2 (++++) > 2 (++++) Sile Salts ABSENT Bile Pigments ABSENT Billirubin ABSENT DIPSTICK DIPSTICK DIPSTICK DIPSTICK DIPSTICK DIPSTICK Blood ABSENT DIPSTICK DIPSTICK ABSENT DIPSTICK Blood ABSENT DIPSTICK Blood ABSENT DIPSTICK ABSENT DIPSTICK Blood ABSENT DIPSTICK ABSENT ABSENT ABSENT MICROSCOPIC EXAMINATION Cast ABSENT ABSENT MICROSCOPIC EXAMINATION Cast Crystals		ADCENIT	0/		DIRECTION
ABSENT mg/dl 0.1-3.0 BIOCHEMISTRY Bile Salts ABSENT Bile Pigments ABSENT Bilirubin ABSENT DIPSTICK Duccocyte Esterase ABSENT Directory D	ougar	ABSENT	gms%		DIPSTICK
ABSENT mg/dl 0.1-3.0 BIOCHEMISTRY Bile Salts Bile Pigments Bilicubin ABSENT ABSENT Bilicubin ABSENT DIPSTICK DIPS					
ABSENT mg/dl 0.1-3.0 BIOCHEMISTRY Bile Salts Bile Pigments Bili Pigments					
ABSENT Bile Pigments ABSENT Bilirubin ABSENT DIPSTICK DIPSTICK DIPSTICK DIPSTICK DIPSTICK DIPSTICK Blood ABSENT DIPSTICK Blood ABSENT DIPSTICK ABSENT DIPSTICK DIPSTICK DIPSTICK DIPSTICK DIPSTICK ABSENT DIPSTICK DIPSTICK ABSENT DIPSTICK DIPSTICK ABSENT DIPSTICK DIPSTICK ABSENT DIPSTICK ABSENT DIPSTICK DIPSTICK ABSENT DIPSTICK DIPSTICK DIPSTICK ABSENT DIPSTICK DIPSTICK DIPSTICK DIPSTICK ABSENT DIPSTICK D	(etone	ABSENT	mg/dl		BIOCHEMISTRY
Bile Pigments Bilirubin ABSENT Bilirubin ABSENT Bilirubin ABSENT Bilirubin ABSENT DIPSTICK DI	Bile Salts		استعرفها		
Bilirubin ABSENT DIPSTICK Beucocyte Esterase ABSENT DIPSTICK Drobilinogen(1:20 dilution) ABSENT DiPSTICK Blood ABSENT DIPSTICK Blood ABSENT DIPSTICK Microscopic Examination: Epithelial cells 1-2/h.p.f MICROSCOPIC EXAMINATION Pus cells 1-2/h.p.f MICROSCOPIC EXAMINATION Cast ABSENT MICROSCOPIC EXAMINATION Cast ABSENT MICROSCOPIC EXAMINATION Cast ABSENT MICROSCOPIC EXAMINATION Cast ABSENT MICROSCOPIC EXAMINATION					
ABSENT Nitrite ABSENT Blood ABSENT DIPSTICK MICROSCOPIC EXAMINATION DIPSTICK DI		ABSENT		1	DIPSTICK
ABSENT ABSENT ABSENT DIPSTICK MICROSCOPIC EXAMINATION DIPSTICK DIPSTI	eucocyte Esterase				
ABSENT DIPSTICK Microscopic Examination: pithelial cells 1-2/h.p.f ABSENT MICROSCOPIC EXAMINATION Pus cells 1-2/h.p.f ABSENT ABSENT ABSENT MICROSCOPIC EXAMINATION MICROSCOPIC EXAMINATION MICROSCOPIC EXAMINATION MICROSCOPIC EXAMINATION MICROSCOPIC EXAMINATION		ABSENT			
Microscopic Examination: Epithelial cells 1-2/h.p.f Pus cells 1-2/h.p.f RBCs 1-2/h.p.f MICROSCOPIC EXAMINATION MICROSCOPIC EXAMINATION Cast ABSENT MICROSCOPIC EXAMINATION Crystals MICROSCOPIC EXAMINATION MICROSCOPIC EXAMINATION	litrite	ABSENT			DIPSTICK
Tipithelial cells 1-2/h.p.f Pus cells 1-2/h.p.f ABCs 1-2/h.p.f Tipithelial cells 1-2/h.p.f ABSENT ABSENT MICROSCOPIC EXAMINATION MICROSCOPIC EXAMINATION MICROSCOPIC EXAMINATION MICROSCOPIC EXAMINATION	Blood	ABSENT			DIPSTICK
EXAMINATION Pus cells 1-2/h.p.f BCs 1-2/h.p.f EXAMINATION EXAMINATION Cast ABSENT ABSENT MICROSCOPIC EXAMINATION EXAMINATION EXAMINATION	licroscopic Examination:				
Pus cells 1-2/h.p.f RBCs 1-2/h.p.f MICROSCOPIC EXAMINATION Cast ABSENT Crystals ABSENT MICROSCOPIC EXAMINATION	pithelial cells	1-2/h.p.f			MICROSCOPIC
RBCs 1-2/h.p.f MICROSCOPIC EXAMINATION Cast ABSENT Crystals ABSENT MICROSCOPIC EXAMINATION EXAMINATION					EXAMINATION
EXAMINATION Cast ABSENT Crystals ABSENT MICROSCOPIC EXAMINATION	Pus cells	1-2/h.p.f			
Cast ABSENT Crystals ABSENT MICROSCOPIC EXAMINATION	RBCs	1-2/h.p.f			MICROSCOPIC
Crystals ABSENT MICROSCOPIC EXAMINATION					EXAMINATION
EXAMINATION	Cast	ABSENT			
	Crystals	ABSENT			
Others ABSENT ABSENT					EXAMINATION
	Others	ABSENT			
	·				

SUGAR, FASTING STAGE*, Urine

Sugar, Fasting stage **ABSENT** gms%







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name

: Miss.ANITA AGRAWAL - 66093

Registered On

: 10/Feb/2024 10:52:03

Age/Gender

: 54 Y 1 M 2 D /F

CARE LTD -

Collected

: 10/Feb/2024 12:37:50 : 10/Feb/2024 14:03:55

UHID/MR NO Visit ID : ALDP.0000100831 : ALDP0358342324 Received Reported

: 10/Feb/2024 16:20:02

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2



Dr. Akanksha Singh (MD Pathology)

Page 8 of 12









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Miss.ANITA AGRAWAL - 66093 Registered On : 10/Feb/2024 10:52:05 Age/Gender Collected : 54 Y 1 M 2 D /F : 10/Feb/2024 11:29:51 UHID/MR NO : ALDP.0000100831 Received : 10/Feb/2024 12:13:50 Visit ID : 10/Feb/2024 16:09:55 : ALDP0358342324 Reported

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL*, Serum				
T3, Total (tri-iodothyronine)	134.00	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	7.90	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	4.800	μlU/mL	0.27 - 5.5	CLIA
Interpretation:		,		
		0.3-4.5 μIU/n	nL First Trimes	ter
		0.5-4.6 μIU/n	nL Second Trim	nester
		0.8-5.2 μIU/n	nL Third Trimes	ster
		0.5-8.9 μIU/n	nL Adults	55-87 Years
		0.7-27 μIU/n	nL Premature	28-36 Week
		2.3-13.2 μIU/n	nL Cord Blood	> 37Week
		0.7-64 μIU/n		- 20 Yrs.)
		1-39 µIU		0-4 Days
		1.7-9.1 μIU/n		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Akanksha Singh (MD Pathology)

Page 9 of 12







Age/Gender

UHID/MR NO

Ref Doctor

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Miss.ANITA AGRAWAL - 66093

: 54 Y 1 M 2 D /F

: ALDP.0000100831

Visit ID : ALDP0358342324

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Registered On

: 10/Feb/2024 10:52:08

: N/A : N/A

Received Reported

Collected

: 10/Feb/2024 13:34:02

Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) CHEST P-A VIEW

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

DR K N SINGH (MBBS,DMRE)











Age/Gender

UHID/MR NO

Ref Doctor

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Miss.ANITA AGRAWAL - 66093

: 54 Y 1 M 2 D /F

: ALDP.0000100831

Visit ID : ALDP0358342324

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Registered On

: 10/Feb/2024 10:52:08

Collected : N/A Received : N/A

Reported : 10/Feb/2024 12:29:08

Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - Normal in size (11.8 cm), shape and shows diffuse increase in the liver parenchymal echogenicity suggestive of grade I fatty changes. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER: Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

CBD:- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size, shape and echogenicity.

RIGHT KIDNEY: - Normal in size (8.4 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size (8.6 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

URINARY BLADDER: Normal in shape, outline and distension. No e/o wall thickening / calculus.

UTERUS: - Atrophic normal for age.

OVARIES: Right ovary is normal in size, shape and echogenicity. Left ovary not visualized.

ADNEXA: No obvious adnexal pathology

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION: Grade I fatty liver.

Please correlate clinically.

DR K N SINGH (MBBS,DMRE)



Home Sample Collection 1800-419-0002





Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name

: Miss.ANITA AGRAWAL - 66093

Registered On

: 10/Feb/2024 10:52:08

Age/Gender

: 54 Y 1 M 2 D /F

Collected

: N/A

UHID/MR NO Visit ID

: ALDP.0000100831 : ALDP0358342324

Received Reported

: 11/Feb/2024 10:20:15

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

CARE LTD -

Status

: Final Report

: N/A

DEPARTMENT OF TMT

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Tread Mill Test (TMT) *

NORMAL

End Of Report ***

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, SUGAR, PP STAGE, PAP SMEAR FOR CYTOLOGICAL EXAMINATION





Dr. R K VERMA

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing 365 Days Open *Facilities Available at Select Location

Page 12 of 12







LETTER OF APPROVAL / RECOMMENDATION

To.

The Coordinator,

Mediwheel (Arcofemi Healthcare Limited)

Helpline number: 011-41195959

Dear Sir / Madam,

Sub: Annual Health Checkup for the employees of Bank of Baroda

This is to inform you that the following employee wishes to avail the facility of Cashless Annual Health Checkup provided by you in terms of our agreement.

PARTICULARS	EMPLOYEE DETAILS
NAME	MS. AGRAWAL ANITA
EC NO.	66093
DESIGNATION	SPECIAL ASSISTANT
PLACE OF WORK	MIRZAPUR
BIRTHDATE	12-07-1968
PROPOSED DATE OF HEALTH CHECKUP	10-02-2024
BOOKING REFERENCE NO.	23M66093100089680E

This letter of approval / recommendation is valid if submitted along with copy of the Bank of Baroda employee id card. This approval is valid from 09-02-2024 till 31-03-2024 The list of medical tests to be conducted is provided in the annexure to this letter. Please note that the said health checkup is a cashless facility as per our tie up arrangement. We request you to attend to the health checkup requirement of our employee and accord your top priority and best resources in this regard. The EC Number and the booking reference number as given in the above table shall be mentioned in the invoice, invariably.

We solicit your co-operation in this regard.

Yours faithfully,

Sd/-

Chief General Manager
HRM Department
Bank of Baroda

BAROO ASTOR

(Note: This is a computer generated letter. No Signature required. For any clarification, please contact Mediwheel (Arcofemi Healthcare Limited))



