Patient Name UHID	Mrs. CHETNA MEENA 40001633			Lab No Collection Date	4002144 19/04/2023 9:59AM
Age/Gender	27 Yrs/Female			Receiving Date	19/04/2023 9:59AM
IP/OP Location	O-OPD			Report Date	19/04/2023 2:34PM
Referred By	EHS CONSUTANT			Report Status	Final
Mobile No.	925222228				
			BIOCHEMISTR	Ŷ	
Test Name		Result	Unit	Bi	ological Ref. Range
BLOOD GLUCOSE (F	ASTING)				Sample: Fl. Plasma

Interpretation:-Diagnosis and monitoring of treatment in diabetes mellitus and evaluation of carbohydrate metabolism in various diseases.

101.5

<u>BLOOD GLUCOSE (PP )</u>				Sample: PLASMA
BLOOD GLUCOSE (PP )	117.7	mg/dl	Non – Diabetic: - < 140 mg/dl Pre – Diabetic: - 140-199 mg/dl Diabetic: - >=200 mg/dl	

mg/dl

74 - 106

Method: Hexokinase assay.

BLOOD GLUCOSE (FASTING)

Method: Hexokinase assay.

Interpretation:-Diagnosis and monitoring of treatment in diabetes mellitus and evaluation of carbohydrate metabolism in various diseases.

THYROID T3 T4 TSH				Sample: Serum
ТЗ	1.25	ng/mL	0.970 - 1.690	
Τ4	13.9 H	ug/dl	5.53 - 11.00	
TSH	0.1548 L	μIU/mL	0.40 - 4.05	

**RESULT ENTERED BY : VINAY SHROTRIYA** 

enveres to

Dr. MUDITA SHARMA

Patient Name	Mrs. CHETNA MEENA	Lab N
UHID	40001633	Collec
Age/Gender	27 Yrs/Female	Recei <sup>.</sup>
IP/OP Location	O-OPD	Repoi
Referred By	EHS CONSUTANT	Repo
Mobile No.	925222228	

Lab No Collection Date Receiving Date Report Date Report Status 4002144 19/04/2023 9:59AM 19/04/2023 9:59AM 19/04/2023 2:34PM Final

### BIOCHEMISTRY

T3:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T3 is utilized in the diagnosis of T3-hyperthyroidism the detection of early stages of hyperthyroidism and for indicating a diagnosis of thyrotoxicosis factitia.

T4:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T4 assay employs acompetitive test principle with an antibody specifically directed against T4.

TSH - THYROID STIMULATING HORMONE :- ElectroChemiLuminescenceImmunoAssay - ECLIA

Interpretation:-The determination of TSH serves as theinitial test in thyroid diagnostics. Even very slight changes in theconcentrations of the free thyroid hormones bring about much greater oppositechanges in the TSH levels.

#### LFT (LIVER FUNCTION TEST)

BILIRUBIN TOTAL	0.90	mg/dl	0.00 - 1.20
BILIRUBIN INDIRECT	0.61	mg/dl	0.20 - 1.00
BILIRUBIN DIRECT	0.29	mg/dl	0.00 - 0.40
SGOT	26.8	U/L	0.0 - 40.0
SGPT	42.4 H	U/L	0.0 - 40.0
TOTAL PROTEIN	7.62	g/dl	6.6 - 8.7
ALBUMIN	4.37	g/dl	3.5 - 5.2
GLOBULIN	3.3		1.8 - 3.6
ALKALINE PHOSPHATASE	163.1 H	U/L	42 - 98
A/G RATIO	1.3 L	Ratio	1.5 - 2.5
GGTP	21.7	U/L	6.0 - 38.0

#### **RESULT ENTERED BY : VINAY SHROTRIYA**

Concerto

Dr. MUDITA SHARMA

Patient Name	Mrs. CHETNA MEENA	Lab No	4002144
UHID	40001633	Collection Date	19/04/2023 9:59AM
Age/Gender	27 Yrs/Female	Receiving Date	19/04/2023 9:59AM
IP/OP Location	O-OPD	Report Date	19/04/2023 2:34PM
Referred By	EHS CONSUTANT	Report Status	Final
Mobile No.	925222228		

#### BIOCHEMISTRY

**BILIRUBIN TOTAL** :- Method: DPD assay. Interpretation:-Total Bilirubin measurements are used in the diagnosis and treatment of various liver diseases, and of haemolytic and metabolic disorders in adults and newborns. Both obstruction damage to hepatocellular structive.

**BILIRUBIN DIRECT** :- Method: Diazo method Interpretation:-Determinations of direct bilirubin measure mainly conjugated, water soluble bilirubin.

SGOT - AST :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGOT(AST) measurements are used in the diagnosis and treatment of certain types of liver and heart disease.

SGPT - ALT :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGPT(ALT) Ratio Is Used For Differential Diagnosis In Liver Diseases.

TOTAL PROTEINS :- Method: Biuret colorimetric assay. Interpretation:-Total protein measurements are used in the diagnosis and treatment of a variety of liver and kidney diseases and bone marrow as well as metabolic and nutritional disorder. ALBUMIN :- Method: Colorimetric (BCP) assay. Interpretation:-For Diagnosis and monitoring of liver diseases, e.g. liver cirrhosis, nutritional status.

ALKALINE PHOSPHATASE :- Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in hepatitis, cirrhosis, obstructive jaundice, carcinoma of the liver, and chronic alcohol abuse. ALT is only slightly elevated in patients who have an uncomplicated myocardial infarction. GCTP-GAMMA GLUTAMYL TRANSPEPTIDASE :- Method: Enzymetic colorimetric assay. Interpretation:-y-glutamyltransferase is used in the diagnosis and monitoring of hepatobiliary disease. Enzymatic activity of GGT is often the only parameter with increased values when testing for such diseases and is one of the most sensitive indicator known.

#### LIPID PROFILE

TOTAL CHOLESTEROL	134		<200 mg/dl :- Desirable 200-240 mg/dl :- Borderline >240 mg/dl :- High
HDL CHOLESTEROL	32.3		High Risk :-<40 mg/dl (Male), <40 mg/dl (Female) Low Risk :->=60 mg/dl (Male), >=60 mg/dl (Female)
LDL CHOLESTEROL	93.6		Optimal :- <100 mg/dl Near or Above Optimal :- 100-129 mg/dl Borderline :- 130-159 mg/dl High :- 160-189 mg/dl Very High :- >190 mg/dl
CHOLESTERO VLDL	27	mg/dl	10 - 50
TRIGLYCERIDES	134.5		Normal :- <150 mg/dl Border Line:- 150 - 199 mg/dl High :- 200 - 499 mg/dl Very high :- > 500 mg/dl
CHOLESTEROL/HDL RATIO	4.1	%	

#### **RESULT ENTERED BY : VINAY SHROTRIYA**

Concerto

**Dr. MUDITA SHARMA** 

Patient Name	Mrs. CHETNA MEENA	Lab No	4002144
UHID	40001633	Collection Date	19/04/2023 9:59AM
Age/Gender	27 Yrs/Female	Receiving Date	19/04/2023 9:59AM
	O-OPD	Report Date	19/04/2023 2:34PM
Referred By	EHS CONSUTANT	Report Status	Final
Mobile No.	925222228		

#### BIOCHEMISTRY

CHOLESTEROL TOTAL :- Method: CHOD-PAP enzymatic colorimetric assay.

interpretation:-The determination of the individual total cholesterol (TC) level is used for screening purposes while for a better risk assessment it is necessary to measure additionally lipid & lipoprotein metabolic disorders.

HDL CHOLESTEROL :- Method:-Homogenous enzymetic colorimetric method. Interpretation:-HDL-cholesterol has a protective against coronary heart disease, while reduced HDL-cholesterol concentrations, particularly in conjunction with elevated triglycerides, increase the cardiovascular disease.

LDL CHOLESTEROL :- Method: Homogenous enzymatic colorimetric assay. Interpretation:-LDL play a key role in causing and influencing the progression of atherosclerosis and in particular coronary sclerosis. The LDL are derived form VLDL rich in TG by the action of various lipolytic enzymes and are

Synthesized in the liver. CHOLESTEROL VLDL :- Method: VLDL Calculative

Interpretation:-High triglycerde levels also occur in various diseases of liver, kidneys and pancreas.

DM, nephrosis, liver obstruction.

CHOLESTEROL/HDL RATIO :- Method: Cholesterol/HDL Ratio Calculative

н	D	۸	1	$\boldsymbol{r}$
	D	м	т	C

4.9

%

< 5.7% Nondiabetic 5.7-6.4% Pre-diabetic Indicate Diabetes > 6.4%

#### **Known Diabetic Patients**

< 7 %	Excellent Control
7 - 8 %	Good Control
>8%	Poor Control

Method : - High - performance liquid chromatography HPLC

Interpretation:-Monitoring long term glycemic control, testing every 3 to 4 months is generally sufficient.

The approximate relationship between HbAlC and mean blood glucose values during the preceding 2 to 3 months.

**RESULT ENTERED BY : VINAY SHROTRIYA** 

Concerto

**Dr. MUDITA SHARMA** 

MBBS | MD | PATHOLOGY

Sample: WHOLE BLOOD EDTA

Patient Name	Mrs. CHETNA MEENA	Lab No	4002144	
UHID	40001633	Collection Date	19/04/2023 9:59AM	
Age/Gender	27 Yrs/Female	Receiving Date	19/04/2023 9:59AM	
IP/OP Location	O-OPD	Report Date	19/04/2023 2:34PM	
Referred By	EHS CONSUTANT	Report Status	Final	
Mobile No.	925222228			

#### BIOCHEMISTRY

Test Name	Result	Unit	Biological Ref. Range	
RENAL PROFILE TEST				Sample: Serum
UREA	20.1	mg/dl	16.60 - 48.50	
BUN	9.4	mg/dl	6 - 20	
CREATININE	0.50	mg/dl	0.50 - 0.90	
SODIUM	150.1 H	mmol/L	136 - 145	
POTASSIUM	4.73	mmol/L	3.50 - 5.50	
CHLORIDE	106.1	mmol/L	98 - 107	
URIC ACID	3.88	mg/dl	2.6 - 6.0	
CALCIUM	8.45 L	mg/dl	8.60 - 10.30	

CREATININE - SERUM :- Method:-Jaffe method, Interpretation:-To differentiate acute and chronic kidneydisease.

URIC ACID :- Method: Enzymatic colorimetric assay. Interpretation:- Elevated blood concentrations of uricacid are renal diseases with decreased excretion of waste products, starvation, drug abuse and increased alcohol consume. SODIUM:- Method: ISE electrode. Interpretation:-Decrease: Prolonged vomiting or diarrhea, diminished reabsorption in the kidney and excessive fluid retention. Increase: excessive fluid loss, high salt intake andkidney reabsorption. POTASSIUM :- Method: ISE electrode. Intrpretation:-Low level: Intake excessive loss formbodydue to diarrhea, vomiting

renal failure, High level: Dehydration, shock severe burns, DKA, renalfailure. CHLORIDE - SERUM :- Method: ISE electrode. Interpretation:-Decrease: reduced dietary intake,prolonged vomiting and reduced

renal reabsorption as well as forms of acidosisand alkalosis. Increase: dehydration, kidney failure, some form ofacidosis, high dietary or parenteral chloride intake, and salicylate

poisoning.

UREA:- Method: Urease/GLDH kinetic assay. Interpretation:-Elevations in blood urea nitrogenconcentration are seen in inadequate renal perfusion, shock, diminished bloodvolume, chronic nephritis, nephrosclerosis, tubular necrosis, glomerularnephritis and UTI.

CALCIUM TOTAL :- Method: O-Cresolphthaleine complexone. Interpretation:-Increase in serum PTH or vit-D are

usuallyassociated with hypercalcemia. Increased serum calcium levels may also beobserved in multiple myeloma and other neoplastic diseases. Hypocalcemia may

beobserved in hypoparathyroidism, nephrosis, and pancreatitis.

**RESULT ENTERED BY : VINAY SHROTRIYA** 

Corrector to

**Dr. MUDITA SHARMA** 

Patient Name	Mrs. CHETNA MEENA	Lab No	4002144
UHID	40001633	Collection Date	19/04/2023 9:59AM
Age/Gender	27 Yrs/Female	Receiving Date	19/04/2023 9:59AM
<b>IP/OP</b> Location	O-OPD	Report Date	19/04/2023 2:34PM
Referred By	EHS CONSUTANT	Report Status	Final
Mobile No.	925222228		

### **BLOOD BANK INVESTIGATION**

Test Name	Result	Unit	Biological Ref. Range
BLOOD GROUPING	"B" Rh Positive		

**BLOOD GROUPING** 

Note :

Both forward and reverse grouping performed.
Test conducted on EDTA whole blood.

**RESULT ENTERED BY : VINAY SHROTRIYA** 

enre co

Dr. MUDITA SHARMA

Patient Name	Mrs. CHETNA MEENA	Lab No	4002144
UHID	40001633	Collection Date	19/04/2023 9:59AM
Age/Gender	27 Yrs/Female	Receiving Date	19/04/2023 9:59AM
IP/OP Location	O-OPD	Report Date	
Referred By	EHS CONSUTANT	Report Status	19/04/2023 2:34PM Final
Mobile No.	925222228		

#### **CLINICAL PATHOLOGY**

Test Name	Result	Unit	Biological Ref. Range	
URINE SUGAR (POST PRANDIAL)	Nesun	onit	biological Net. Nalige	Sample: Urine
URINE SUGAR (POST PRANDIAL)	Negative			Sample. Onne
UNINE SUGAR (FUST FRANDIAL)	Negative			
URINE SUGAR (RANDOM)				Sample: Urine
URINE SUGAR (RANDOM)	NEGATIVE			
<b>ROUTINE EXAMINATION - URINE</b>				Sample: Urine
PHYSICAL EXAMINATION				
VOLUME	10	ml		
COLOUR	PALE YELLOW		P YELLOW	
APPEARANCE	HAZY		CLEAR	
CHEMICAL EXAMINATION				
PH	6.0		5.5 - 7.0	
SPECIFIC GRAVITY	1.015		1.016-1.022	
PROTEIN	NEGATINE		NEGATIVE	
SUGAR	NEGATINE		NEGATIVE	
BILIRUBIN	NEGATINE		NEGATIVE	
BLOOD	NEGATINE			
KETONES	NEGATINE		NEGATIVE	
NITRITE	+		NEGATIVE	
UROBILINOGEN	NEGATINE		NEGATIVE	
LEUCOCYTE	NEGATINE		NEGATIVE	
MICROSCOPIC EXAMINATION				
WBCS/HPF	2-4	/hpf	0 - 3	
RBCS/HPF	1-2	/hpf	0 - 2	
EPITHELIAL CELLS/HPF	8-10	/hpf	0 - 1	
CASTS	NIL		NIL	
CRYSTALS	NIL		NIL	

**RESULT ENTERED BY : VINAY SHROTRIYA** 

enree to

Dr. MUDITA SHARMA

Patient Name	Mrs. CHETNA MEENA	Lab No	4002144
UHID	40001633	Collection Date	19/04/2023 9:59AM
Age/Gender	27 Yrs/Female	Receiving Date	19/04/2023 9:59AM
IP/OP Location	O-OPD	Report Date	19/04/2023 2:34PM
Referred By	EHS CONSUTANT	Report Status	Final
Mobile No.	925222228		

#### **CLINICAL PATHOLOGY**

BACTERIA	PRESENT	NIL
OHTERS	NIL	NIL

Methodology:-

Methodology:-Glucose: GOD-POD, Bilirubin: Diazo-Azo-coupling reaction with a diazonium, Ketone: Nitro Pruside reaction, Specific Gravity: Proton re;ease from ions, Blood: Psuedo-Peroxidase activity oh Haem moiety, pH: Methye Red-Bromothymol Blue (Double indicator system), Protein: H+ Release by buffer, microscopic & chemical method. interpretation: Diagnosis of Kidney function, UTI, Presence of Protein, Glucoses, Blood. Vocubulary syntax: Kit insert

**RESULT ENTERED BY : VINAY SHROTRIYA** 

Con conner

Dr. MUDITA SHARMA

Patient Name	Mrs. CHETNA MEENA	Lab No	4002144
UHID	40001633	Collection Date	19/04/2023 9:59AM
Age/Gender	27 Yrs/Female	Receiving Date	19/04/2023 9:59AM
IP/OP Location	O-OPD	Report Date	19/04/2023 2:34PM
Referred By	EHS CONSUTANT	Report Status	Final
Mobile No.	925222228		

#### HEMATOLOGY

Test Name	Result	Unit	Biological Ref. Ra	nge
CBC (COMPLETE BLOOD COUNT)				Sample: WHOLE BLOOD EDTA
HAEMOGLOBIN	10.2 L	g/dl	12.0 - 15.0	
PACKED CELL VOLUME(PCV)	32.1 L	%	36.0 - 46.0	
MCV	88.9	fl	82 - 92	
МСН	28.3	pg	27 - 32	
МСНС	31.8 L	g/dl	32 - 36	
RBC COUNT	3.61 L	millions/cu.mm	3.80 - 4.80	
TLC (TOTAL WBC COUNT)	8.19	10^3/ uL	4 - 10	
DIFFERENTIAL LEUCOCYTE COUNT				
NEUTROPHILS	62.6	%	40 - 80	
LYMPHOCYTE	24.8	%	20 - 40	
EOSINOPHILS	8.2 H	%	1 - 6	
MONOCYTES	4.3	%	2 - 10	
BASOPHIL	0.1 L	%	1 - 2	
PLATELET COUNT	3.03	lakh/cumm	1.500 - 4.500	

HAEMOGLOBIN :- Method:-SLS HemoglobinMethodology by Cell Counter.Interpretation:-Low-Anemia, High-Polycythemia. MCV :- Method:- Calculation bysysmex. MCH :- Method:- Calculation bysysmex. MCHC :- Method:- Calculation bysysmex.

RBC COUNT :- Method:-Hydrodynamicfocusing.Interpretation:-Low-Anemia,High-Polycythemia.

TLC (TOTAL WBC COUNT) :- Method:-Optical Detectorblock based on Flowcytometry.Interpretation:-High-Leucocytosis, Low-Leucopenia.

NEUTROPHILS :- Method: Optical detectorblock based on Flowcytometry

LYMPHOCYTS :- Method: Optical detectorblock based on Flowcytometry

EOSINOPHILS :- Method: Optical detectorblock based on Flowcytometry MONOCYTES :- Method: Optical detectorblock based on Flowcytometry

BASOPHIL :- Method: Optical detectorblock based on Flowcytometry

PLATELET COUNT :- Method:-Hydrodynamicfocusing method.Interpretation:-Low-Thrombocytopenia, High-Thrombocytosis.

HCT: Method:- Pulse Height Detection. Interpretation:-Low-Anemia, High-Polycythemia. NOTE: CH- CRITICAL HIGH, CL: CRITICAL LOW, L: LOW, H: HIGH

ESR (ERYTHROCYTE SEDIMENTATION RATE)

55 H

mm/1st hr 0 - 15

**RESULT ENTERED BY : VINAY SHROTRIYA** 

Concerto to

**Dr. MUDITA SHARMA** 

Patient Name	Mrs. CHETNA MEENA	Lab No	4002144
UHID	40001633	Collection Date	19/04/2023 9:59AM
Age/Gender	27 Yrs/Female	Receiving Date	19/04/2023 9:59AM
IP/OP Location	O-OPD	Report Date	
Referred By	EHS CONSUTANT	Report Status	19/04/2023 2:34PM Final
Mobile No.	925222228		

Method:-Modified Westergrens. Interpretation:-Increased in infections, sepsis, and malignancy.

**RESULT ENTERED BY : VINAY SHROTRIYA** 

Patient Name	Mrs. CHETNA MEENA	Lab No	4002144
UHID	40001633	Collection Date	19/04/2023 9:59AM
Age/Gender	27 Yrs/Female	Receiving Date	19/04/2023 9:59AM
<b>IP/OP</b> Location	O-OPD	Report Date	19/04/2023 2:34PM
Referred By	EHS CONSUTANT	Report Status	Final
Mobile No.	925222228		

Test Name

Result

Unit

**Biological Ref. Range** 

## **USG REPORT - ABDOMEN AND PELVIS**

### LIVER:

Is normal in size measure **152 mm and shows diffuse increased echogenicity**. No obvious focal lesion seen. No intra - Hepatic biliary radical dilatation seen.

### GALL BLADDER:

Adequately distended with no obvious wall thickening/pericholecystic fat stranding/fluid. No obvious calculus/polyp/mass seen within.

### PANCREAS:

Appears normal in size and it shows uniform echo texture.

### SPLEEN:

Is normal in size measure 103 mm and shows uniform echogenicity.

### RIGHT KIDNEY:

Right kidney measures 91 x 47 mm.

The shape, size and contour of the right kidney appear normal.

Corticomedullary differentiation is maintained. No evidence of pelvicalyceal dilatation.

No calculi seen.

### LEFT KIDNEY:

**RESULT ENTERED BY : VINAY SHROTRIYA** 

Patient Name UHID	Mrs. CHETNA MEENA 40001633	Lab No Collection Date	4002144 19/04/2023 9:59AM
Age/Gender	27 Yrs/Female	Receiving Date	19/04/2023 9:59AM
IP/OP Location	O-OPD	Report Date	19/04/2023 2:34PM
Referred By	EHS CONSUTANT	Report Status	Final
Mobile No.	925222228		

Left kidney measures 106 x 52 mm and shows a 33 x 31 mm periovarian simple cyst.

The shape, size and contour of the left kidney appear normal.

Corticomedullary differentiation is maintained. No evidence of pelvicalyceal dilatation.

No calculi seen.

### **BLADDER**:

Is normal contour. No intra luminal echoes are seen.

### UTERUS:

### Normal for the age.

Endometrial thickness measures 10.8 mm.

No focal lesion noted.

OVARIES:

Both ovaries are normal in size and echoes.

Right ovary measures 29 x 19 mm.

Left ovary measures 35 x 25 mm.

**RIGHT ILIAC FOSSA:** 

No focal fluid collections seen.

**IMPRESSION:** 

Diffuse grade I fatty liver.

Left periovarian simple cyst.

**RESULT ENTERED BY : VINAY SHROTRIYA** 

Patient Name	Mrs. CHETNA MEENA	Lab No	4002144
UHID	40001633	Collection Date	19/04/2023 9:59AM
Age/Gender	27 Yrs/Female	Receiving Date	19/04/2023 9:59AM
IP/OP Location	O-OPD	Report Date	19/04/2023 2:34PM
Referred By	EHS CONSUTANT	Report Status	Final
Mobile No.	925222228		

USG

**RESULT ENTERED BY : VINAY SHROTRIYA** 

Rendered

Dr. RENU JADIYA MBBS, DNB RADIOLOGIST

Patient Name	Mrs. CHETNA MEENA	Lab No	4002144	
UHID	40001633	Collection Date	19/04/2023 9:59AM	
Age/Gender	27 Yrs/Female	<b>Receiving Date</b>	19/04/2023 9:59AM	
<b>IP/OP</b> Location	O-OPD	Report Date	19/04/2023 2:34PM	
Referred By	EHS CONSUTANT	Report Status	Final	
Mobile No.	925222228			
	V Boy			

X Ray

Unit

Test Name

Result

**Biological Ref. Range** 

# X-RAY - CHEST PA VIEW

## **OBSERVATION:**

The trachea is central.

The mediastinal and cardiac silhouette are normal.

Cardiothoracic ratio is normal.

Cardiophrenic and costophrenic angles are normal.

Both hila are normal.

The lung fields are clear.

Bones of the thoracic cage are normal.

Soft tissues of the chest wall are normal.

**IMPRESSION:** 

No significant abnormality seen.

\*\*End Of Report\*\*

**RESULT ENTERED BY : VINAY SHROTRIYA** 

Renzalis

Dr. RENU JADIYA MBBS, DNB RADIOLOGIST

# **DEPARTMENT OF CARDIOLOGY**

UHID / IP NO	40001633 (1860)	<b>RISNo./Status :</b>	4002144/
Patient Name :	Mrs. CHETNA MEENA	Age/Gender :	27 Y/F
<b>Referred By :</b>	EHS CONSUTANT	Ward/Bed No :	OPD
Bill Date/No :	19/04/2023 8:34AM/ OPSCR23- 24/129	Scan Date :	
<b>Report Date :</b>	19/04/2023 11:05AM	Company Name:	Provisional

### **REFERRAL REASON: - HYPOTHYROIDISM, HEALTH CHECK UP**

### 2D ECHOCARDIOGRAPHY WITH COLOR DOPPLER

### **M MODE DIMENSIONS: -**

			No	rmal			Normal	
IVSD	11.3	6-12mm		LVIDS	28.1	20-40mm		
LVIDD	43.1	32-57mm		LVPWS	17.7	mm		
LVPWD	10.9	6-12mm		AO	29.0	19-37mm		
IVSS	17.2	mm		LA	30.8	19-40mm		
LVEF	62-64	>55%		RA	-	mm		
DOPPLER MEASUREMENTS & CALCULATIONS:								
STRUCTURE	MORPHOLOGY	VELOCITY (m/s)		GRAD	IENT	REGURGITATION		
				(mm	H <u>g)</u>			
MITRAL	NORMAL	Е	1.22	e'			NIL	
VALVE			0.01	<b>D( )</b>				
		Α	0.81	E/e'				
TRICUSPID	NORMAL		Е	0.64	-	-	NIL	
VALVE			A	0.54				
AORTIC	NORMAL	1.38				NIL		
VALVE				-				
PULMONARY	NORMAL	0.75				NIL		
VALVE					-			

#### **COMMENTS & CONCLUSION: -**

- NO RWMA, LVEF 62-64%
- NORMAL LV DIASTOLIC FUNCTIONS
- ALL CARDIAC VALVES ARE NORMAL
- ALL CARDIAC CHAMBERS ARE NORMAL
- NO EVIDENCE OF CLOT/VEGETATION/PE
- INTACT IVS/IAS

#### **IMPRESSION: - NORMAL BI VENTRICULAR FUNCTIONS**

DR ROOPAM SHARMA MBBS, PGDCC, FIAE CONSULTANT & INCHARGE EMERGENCY, PREVENTIVE CARDIOLOGY AND WELLNESS CENTER.