

Visit ID	: YOD623695	UHID/MR No	: YOD.0000601668
Patient Name	: Mrs. PATI SRAVALLI	Client Code	: YOD-DL-0021
Age/Gender	: 31 Y 8 M 10 D /F	Barcode No	: 10921489
DOB	: 01/Jun/1992	Registration	: 10/Feb/2024 08:08AM
Ref Doctor	: SELF	Collected	: 10/Feb/2024 08:17AM
Client Name	: MEDI WHEELS	Received	: 10/Feb/2024 08:49AM
Client Add	: F-701, Lado Sarai, Mehravli, N	Reported	: 10/Feb/2024 10:17AM
Hospital Name	:		

DEPARTMENT OF HAEMATOLOGY							
Test NameResultUnitBiological Ref. RangeMethod							

ESR (ERYTHROCYTE SEDIMENTATION RATE)								
Sample Type : WHOLE BLOOD EDTA								
ERYTHROCYTE SEDIMENTATION RATE	13	mm/1st hr	0 - 15	Capillary Photometry				
COMMENTS: ESR is an acute phase reactant which indicates of a specific disease. It is used to monitor the o are found in cases of malignancy, hematologic	course or res	ponse to treatment of	certain diseases. E					

Increased levels may indicate: Chronic renal failure (e.g., nephritis, nephrosis), malignant diseases (e.g., multiple myeloma, Hodgkin disease, advanced Carcinomas), bacterial infections (e.g., abdominal infections, acute pelvic inflammatory disease, syphilis, pneumonia), inflammatory diseases (e.g. temporal arteritis, polymyalgia rheumatic, rheumatoid arthritis, rheumatic fever, systemic lupus erythematosus [SLE]), necrotic diseases (e.g., acute myocardial infarction, necrotic tumor, gangrene of an extremity), diseases associated with increased proteins (e.g., hyperfibrinogenemia, macroglobulinemia), and severe anemias (e.g., iron deficiency or B12 deficiency).

Falsely decreased levels may indicate: Sickle cell anemia, spherocytosis, hypofibrinogenemia, or polycythemia vera.

Verified By : Medidha Raghubabu Approved By :

A. Pa

DR PRANITHA ANAPINDI MD, CONSULTANT PATHOLOGIST





Visit ID	: YOD623695	UHID/MR No	: YOD.0000601668
Patient Name	: Mrs. PATI SRAVALLI	Client Code	: YOD-DL-0021
Age/Gender	: 31 Y 8 M 10 D /F	Barcode No	: 10921489
DOB	: 01/Jun/1992	Registration	: 10/Feb/2024 08:08AM
Ref Doctor	: SELF	Collected	: 10/Feb/2024 08:17AM
Client Name	: MEDI WHEELS	Received	: 10/Feb/2024 08:49AM
Client Add	: F-701, Lado Sarai, Mehravli, N	Reported	: 10/Feb/2024 11:49AM
Hospital Name	:		

DEPARTMENT OF HAEMATOLOGY								
Test NameResultUnitBiological Ref. RangeMethod								

BLOOD GROUP ABO & RH Typing					
Sample Type : WHOLE BLOO	DD EDTA				
ABO	A				
Rh Typing	POSITIVE				
Method : Hemagglutination T	ube method by forward and reverse grou	uping			
COMMENTS:					

The test will detect common blood grouping system A, B, O, AB and Rhesus (RhD). Unusual blood groups or rare subtypes will not be detected by this method. Further investigation by a blood transfusion laboratory, will be necessary to identify such groups.

Disclaimer: There is no trackable record of previous ABO & RH test for this patient in this lab. Please correlate with previous blood group findings. Advsied cross matching before transfusion

Verified By : Medidha Raghubabu Approved By :

A. Pa

DR PRANITHA ANAPINDI MD, CONSULTANT PATHOLOGIST





Visit ID	: YOD623695	UHID/MR No	: YOD.0000601668
Patient Name	: Mrs. PATI SRAVALLI	Client Code	: YOD-DL-0021
Age/Gender	: 31 Y 8 M 10 D /F	Barcode No	: 10921489
DOB	: 01/Jun/1992	Registration	: 10/Feb/2024 08:08AM
Ref Doctor	: SELF	Collected	: 10/Feb/2024 08:17AM
Client Name	: MEDI WHEELS	Received	: 10/Feb/2024 08:49AM
Client Add	: F-701, Lado Sarai, Mehravli, N	Reported	: 10/Feb/2024 10:17AM
Hospital Name	:		

DEPARTMENT OF HAEMATOLOGY							
Test NameResultUnitBiological Ref. RangeMethod							

СВС	CCOMPLE	TE BLOOD CO	DUNT)	
Sample Type : WHOLE BLOOD EDTA				
HAEMOGLOBIN (HB)	11.9	g/dl	12.0 - 15.0	Cyanide-free SLS method
RBC COUNT(RED BLOOD CELL COUNT)	4.43	million/cmm	3.80 - 4.80	Impedance
PCV/HAEMATOCRIT	35.9	%	36.0 - 46.0	RBC pulse height detection
MCV	81	fL	83 - 101	Automated/Calculated
MCH	26.9	pg	27 - 32	Automated/Calculated
MCHC	33.1	g/dl	31.5 - 34.5	Automated/Calculated
RDW - CV	13	%	11.0-16.0	Automated Calculated
RDW - SD	39.1	fl	35.0-56.0	Calculated
MPV	11.0	fL	6.5 - 10.0	Calculated
PDW	13.9	fL	8.30-25.00	Calculated
PCT	0.25	%	0.15-0.62	Calculated
TOTAL LEUCOCYTE COUNT	5,420	cells/ml	4000 - 11000	Flow Cytometry
DLC (by Flow cytometry/Microscopy)				
NEUTROPHIL	60.6	%	40 - 80	Impedance
LYMPHOCYTE	32.3	%	20 - 40	Impedance
EOSINOPHIL	1.1	%	01 - 06	Impedance
MONOCYTE	5.4	%	02 - 10	Impedance
BASOPHIL	0.6	%	0 - 1	Impedance
PLATELET COUNT	2.31	Lakhs/cumm	1.50 - 4.10	Impedance

Approved By :

A. Pas +

DR PRANITHA ANAPINDI MD, CONSULTANT PATHOLOGIST





Visit ID	: YOD623695	UHID/MR No	: YOD.0000601668
Patient Name	: Mrs. PATI SRAVALLI	Client Code	: YOD-DL-0021
Age/Gender	: 31 Y 8 M 10 D /F	Barcode No	: 10921489
DOB	: 01/Jun/1992	Registration	: 10/Feb/2024 08:08AM
Ref Doctor	: SELF	Collected	: 10/Feb/2024 08:17AM
Client Name	: MEDI WHEELS	Received	: 10/Feb/2024 08:53AM
Client Add	: F-701, Lado Sarai, Mehravli, N	Reported	: 10/Feb/2024 11:37AM
Hospital Name	:		

DEPARTMENT OF BIOCHEMISTRY							
Test NameResultUnitBiological Ref. RangeMethod							

THYROID PROFILE (T3,T4,TSH)					
Sample Type : SERUM					
T3	1.07	ng/ml	0.60 - 1.78	CLIA	
T4	10.60	ug/dl	4.82-15.65	CLIA	
TSH	1.43	ulU/mL	0.30 - 5.60	CLIA	
				•	

INTERPRETATION:

1. Serum T3, T4 and TSH are the measurements form three components of thyroid screening panel and are useful in diagnosing various disorders of thyroid gland function.

2. Primary hyperthyroidism is accompanied by elevated serum T3 and T4 values along with depressed TSH levels.

3. Primary hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH levels.

4. Normal T4 levels accompanied by high T3 levels are seen in patients with T3 thyrotoxicosis. Slightly elevated T3 levels may be found in pregnancy and in estrogen therapy while depressed levels may be encountered in severe illness, mainutrition, renal failure and during therapy with drugs like propanolol and propylthiouracil.

5. Although elevated TSH levels are nearly always indicative of primary hypothyroidism, rarely they can result from TSH secreting pituitary tumors (secondary hyperthyroidism)

6. Low levels of Thyroid hormones (T3, T4 & FT3, FT4) are seen in cases of primary, secondary and tertiary hypothyroidism and sometimes In non-thyroidal lilness also.
 Increased levels are found in Grave's disease, hyperthyroidism and thyroid hormone resistance.

8. TSH levels are raised in primary hypothyroidism and are low in hyperthyroidism and secondary hypothyroidism.

9.	REFERENCE RANGE :				
	PREGNANCY	TSH in ul U/mL			
	1st Trimester	0.60 - 3.40			
	2nd Trimester	0.37 - 3.60			
	3rd Trimester	0.38 - 4.04			

(References range recommended by the American Thyroid Association) Comments:

1. During pregnancy, Free thyroid profile (FT3, FT4 & TSH) is recommended.

2. TSH levels are subject to circadian variation, reaches peak levels between 2-4 AM and at a minimum between 6-10 PM. The variation of the day has influence on the measured serum TSH concentrations.

Verified By : Medidha Raghubabu	Approve	d By :





Visit ID	: YOD623695	UHID/MR No	: YOD.0000601668
Patient Name	: Mrs. PATI SRAVALLI	Client Code	: YOD-DL-0021
Age/Gender	: 31 Y 8 M 10 D /F	Barcode No	: 10921489
DOB	: 01/Jun/1992	Registration	: 10/Feb/2024 08:08AM
Ref Doctor	: SELF	Collected	: 10/Feb/2024 08:17AM
Client Name	: MEDI WHEELS	Received	: 10/Feb/2024 08:52AM
Client Add	: F-701, Lado Sarai, Mehravli, N	Reported	: 10/Feb/2024 11:37AM
Hospital Name	:		

DEPARTMENT OF BIOCHEMISTRY					
Test Name	Result	Unit	Biological Ref. Range	Method	

	LIVER FUNC	FION TEST(LFT)		
Sample Type : SERUM	1			
TOTAL BILIRUBIN	1.03	mg/dl	0.3 - 1.2	JENDRASSIK & GROFF
CONJUGATED BILIRUBIN	0.21	mg/dl	0 - 0.2	DPD
UNCONJUGATED BILIRUBIN	0.82	mg/dl		Calculated
AST (S.G.O.T)	25	U/L	< 35	KINETIC WITHOUT P5P- IFCC
ALT (S.G.P.T)	15	U/L	< 35	KINETIC WITHOUT P5P- IFCC
ALKALINE PHOSPHATASE	51	U/L	30 - 120	IFCC-AMP BUFFER
TOTAL PROTEINS	7.4	gm/dl	6.6 - 8.3	Biuret
ALBUMIN	4.4	gm/dl	3.5 - 5.2	BCG
GLOBULIN	3	gm/dl	2.0 - 3.5	Calculated
A/G RATIO	1.47			Calculated





Visit ID	: YOD623695	UHID/MR No	: YOD.0000601668
Patient Name	: Mrs. PATI SRAVALLI	Client Code	: YOD-DL-0021
Age/Gender	: 31 Y 8 M 10 D /F	Barcode No	: 10921489
DOB	: 01/Jun/1992	Registration	: 10/Feb/2024 08:08AM
Ref Doctor	: SELF	Collected	: 10/Feb/2024 08:17AM
Client Name	: MEDI WHEELS	Received	: 10/Feb/2024 08:53AM
Client Add	: F-701, Lado Sarai, Mehravli, N	Reported	: 10/Feb/2024 11:37AM
Hospital Name	:		

DEPARTMENT OF BIOCHEMISTRY					
Test Name	Result	Unit	Biological Ref. Range	Method	

		LIPID PF	ROFILE			
Sample Type : SER	UM					
TOTAL CHOLESTE	EROL	116	mg/dl	Refere Table	Below	Cholesterol oxidase/peroxidase
H D L CHOLESTER	ROL	39	mg/dl	>40		Enzymatic/ Immunoinhibiton
L D L CHOLESTER	OL	67	mg/dl	Refere Table	Below	Enzymatic Selective Protein
TRIGLYCERIDES		50	mg/dl	See Tab	le	GPO
VLDL		10.0	mg/dl	< 35		Calculated
T. CHOLESTEROL/	HDL RATIO	2.97		Refere Table	Below	Calculated
TRIGLYCEIDES/ H	DL RATIO	1.28	Ratio	< 2.0		Calculated
NON HDL CHOLES	STEROL	77	mg/dl	< 130		Calculated
Interpretation						
NATIONAL CHOLEST PROGRAMME (NCEP)		TOTAL CHOLESTEROL	TRIGLYCERI	DE LDL CHOLESTEROL	NON HD CHOLESTEI	-
Optimal		<200	<150	< 100	<130	
Above Optimal		-		100-129	130 - 15	9
Borderline High		200-239	150-199	130-159	160 - 18	
High		>=240	200-499	160-189	190 - 21	
Very High		-	>=500	>=190	>=220	
REMARKS	Cholesterol : HD	L Ratio				
Low risk	3.3-4.4					
Average risk	4.5-7.1			_		
Moderate risk	7.2-11.0			_		
High risk	>11.0					

Note:

1. Measurements in the same patient can show physiological& analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL& LDL Cholesterol

2. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogenic lipoproteins such as LDL , VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL &Non HDL.

3.Apolipoprotein B is an optional, secondary lipid target for treatment once LDL & Non HDL goals have been achieved

4. Additional testing for Apolipoprotein B, hsCRP, Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement

Verified By : Medidha Raghubabu





Visit ID	: YOD623695	UHID/MR No	: YOD.0000601668
Patient Name	: Mrs. PATI SRAVALLI	Client Code	: YOD-DL-0021
Age/Gender	: 31 Y 8 M 10 D /F	Barcode No	: 10921489
DOB	: 01/Jun/1992	Registration	: 10/Feb/2024 08:08AM
Ref Doctor	: SELF	Collected	: 10/Feb/2024 08:17AM
Client Name	: MEDI WHEELS	Received	: 10/Feb/2024 08:53AM
Client Add	: F-701, Lado Sarai, Mehravli, N	Reported	: 10/Feb/2024 11:37AM
Hospital Name	:		

DEPARTMENT OF BIOCHEMISTRY						
Test Name	Result	Unit	Biological Ref. Range	Method		

HBA1C						
Sample Type : WHOLE BLOOD EDTA						
HBA1c RESULT	5.1	%	Normal Glucose tolerance (non-diabetic): <5.7% Pre-diabetic: 5.7-6.4% Diabetic Mellitus: >6.5%	HPLC		
ESTIMATED AVG. GLUCOSE	100	mg/dl				

Note:

1. Since HbA1c reflects long term fluctuations in the blood glucose concentration, a diabetic patient who is recently under good control may still have a high concentration of HbA1c. Converse is true for a diabetic previously under good control but now poorly controlled .

2. Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive co-morbid conditions, targeting a goal of < 7.0 % may not be appropriate.

HbA1c provides an index of average blood glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control.

Verified By : Medidha Raghubabu



Visit ID	: YOD623695	UHID/MR No	: YOD.0000601668
Patient Name	: Mrs. PATI SRAVALLI	Client Code	: YOD-DL-0021
Age/Gender	: 31 Y 8 M 10 D /F	Barcode No	: 10921489
DOB	: 01/Jun/1992	Registration	: 10/Feb/2024 08:08AM
Ref Doctor	: SELF	Collected	: 10/Feb/2024 08:17AM
Client Name	: MEDI WHEELS	Received	: 10/Feb/2024 08:53AM
Client Add	: F-701, Lado Sarai, Mehravli, N	Reported	: 10/Feb/2024 11:37AM
Hospital Name	:		

DEPARTMENT OF BIOCHEMISTRY					
Test NameResultUnitBiological Ref. RangeMethod					

BLOOD UREA NITROGEN (BUN)				
			Sample Type : Serum	
dL 13 - 43 Urease GLDH		22	SERUM UREA	
/dl 5 - 25 GLDH-UV		10.3	Blood Urea Nitrogen (BUN)	
/dl 5 - 25 GI		10.3	Blood Urea Nitrogen (BUN)	

Increased In:

Impaired kidney function, Reduced renal blood flow {CHF, Salt and water depletion, (vomiting, diarrhea, diuresis, sweating), Shock}, Any obstruction of urinary tract, Increased protein catabolism, AMI, Stress

Decreased In:

Diuresis (e.g. with over hydration), Severe liver damage, Late pregnancy, Infancy, Malnutrition, Diet (e.g., low-protein and high-carbohydrate, IV feedings only), Inherited hyperammonemias (urea is virtually absent in blood)

Limitations:

Urea levels increase with age and protein content of the diet.

Verified By : Medidha Raghubabu






Visit ID	: YOD623695	UHID/MR No	: YOD.0000601668
Patient Name	: Mrs. PATI SRAVALLI	Client Code	: YOD-DL-0021
Age/Gender	: 31 Y 8 M 10 D /F	Barcode No	: 10921489
DOB	: 01/Jun/1992	Registration	: 10/Feb/2024 08:08AM
Ref Doctor	: SELF	Collected	: 10/Feb/2024 08:17AM
Client Name	: MEDI WHEELS	Received	: 10/Feb/2024 08:52AM
Client Add	: F-701, Lado Sarai, Mehravli, N	Reported	: 10/Feb/2024 11:37AM
Hospital Name	:		

DEPARTMENT OF BIOCHEMISTRY					
Test Name Result Unit Biological Ref. Range Metho					

	FBS (GLUC	OSE FASTING)		
Sample Type : FLOURIDE PLASMA				
FASTING PLASMA GLUCOSE	91	mg/dl	70 - 100	HEXOKINASE
INTERPRETATION:				
Diabetes Mellitus				
 Stress (e.g., emotion, burns, shock 	anesthesia)			
Acute pancreatitis				
Chronic pancreatitis				
 Wernicke encephalopathy (vitamin E 	31 deficiency)			
• Effect of drugs (e.g. corticosteroids	estrogens, alcoho	l, phenytoin, thiazi	des)	
Decreased In				
Pancreatic disorders				
 Extrapancreatic tumors 				
Endocrine disorders				
Malnutrition				
 Hypothalamic lesions 				
Alcoholism				







Visit ID	: YOD623695	UHID/MR No	: YOD.0000601668
Patient Name	: Mrs. PATI SRAVALLI	Client Code	: YOD-DL-0021
Age/Gender	: 31 Y 8 M 10 D /F	Barcode No	: 10921489
DOB	: 01/Jun/1992	Registration	: 10/Feb/2024 08:08AM
Ref Doctor	: SELF	Collected	: 10/Feb/2024 08:17AM
Client Name	: MEDI WHEELS	Received	: 10/Feb/2024 08:53AM
Client Add	: F-701, Lado Sarai, Mehravli, N	Reported	: 10/Feb/2024 11:37AM
Hospital Name	:		

DEPARTMENT OF BIOCHEMISTRY						
Test NameResultUnitBiological Ref. RangeMethod						

SERUM CREATININE					
Sample Type : SERUM					
SERUM CREATININE	0.54	mg/dl	0.60 - 1.10	KINETIC-JAFFE	
Increased In:					
Diet: ingestion of creatinine (roImpaired kidney function.	ast meat), Muscle disea	ise: gigantism, acr	romegaly,		
Decreased In:					
 Pregnancy: Normal value is 0.4 diagnostic evaluation. Creatinine secretion is inhibited 	0	0		clinician to further	





Visit ID	: YOD623695	UHID/MR No	: YOD.0000601668
Patient Name	: Mrs. PATI SRAVALLI	Client Code	: YOD-DL-0021
Age/Gender	: 31 Y 8 M 10 D /F	Barcode No	: 10921489
DOB	: 01/Jun/1992	Registration	: 10/Feb/2024 08:08AM
Ref Doctor	: SELF	Collected	: 10/Feb/2024 08:17AM
Client Name	: MEDI WHEELS	Received	: 10/Feb/2024 08:53AM
Client Add	: F-701, Lado Sarai, Mehravli, N	Reported	: 10/Feb/2024 11:37AM
Hospital Name	:		

DEPARTMENT OF BIOCHEMISTRY					
Test NameResultUnitBiological Ref. RangeMethod					

GGT (GAMMA GLUTAMYL TRANSPEPTIDASE)					
Sample Type : SERUM					
GGT	13	U/L	0 - 55.0	KINETIC-IFCC	
INTERPRETATION:					

GGT functions in the body as a transport molecule, helping to move other molecules around the body. It plays a significant role in helping the liver metabolize drugs and other toxins. Increased GGT include overuse of alcohol, chronic viral hepatitis, lack of blood flow to the liver, liver tumor, cirrhosis, or scarred liver, overuse of certain drugs or other toxins, heart failure, diabetes, pancreatitis, fatty liver disease.

Verified By : Medidha Raghubabu





Visit ID	: YOD623695	UHID/MR No	: YOD.0000601668
Patient Name	: Mrs. PATI SRAVALLI	Client Code	: YOD-DL-0021
Age/Gender	: 31 Y 8 M 10 D /F	Barcode No	: 10921489
DOB	: 01/Jun/1992	Registration	: 10/Feb/2024 08:08AM
Ref Doctor	: SELF	Collected	: 10/Feb/2024 08:17AM
Client Name	: MEDI WHEELS	Received	: 10/Feb/2024 08:53AM
Client Add	: F-701, Lado Sarai, Mehravli, N	Reported	: 10/Feb/2024 11:37AM
Hospital Name	:		

DEPARTMENT OF BIOCHEMISTRY					
Test Name	Test NameResultUnitBiological Ref. RangeMethod				

URIC ACID -SERUM						
Sample Type : SERUM						
SERUM URIC ACID	4.1	mg/dl	2.6 - 6.0	URICASE - PAP		
Interpretation						

Uric acid is the final product of purine metabolism in the human organism. Uric acid measurements are used in the diagnosis and treatment of numerous renal and metabolic disorders, including renal failure, gout, leukemia, psoriasis, starvation or other wasting conditions, and of patients receiving cytotoxic drugs.

Verified By : Medidha Raghubabu





Visit ID	: YOD623695	UHID/MR No	: YOD.0000601668
Patient Name	: Mrs. PATI SRAVALLI	Client Code	: YOD-DL-0021
Age/Gender	: 31 Y 8 M 10 D /F	Barcode No	: 10921489
DOB	: 01/Jun/1992	Registration	: 10/Feb/2024 08:08AM
Ref Doctor	: SELF	Collected	: 10/Feb/2024 08:17AM
Client Name	: MEDI WHEELS	Received	: 10/Feb/2024 08:53AM
Client Add	: F-701, Lado Sarai, Mehravli, N	Reported	: 10/Feb/2024 11:37AM
Hospital Name	:		

DEPARTMENT OF BIOCHEMISTRY					
Test Name	Result	Unit	Biological Ref. Range	Method	

BUN/CREATININE RATIO						
Sample Type : SERUM						
Blood Urea Nitrogen (BUN)	10.3	mg/dl	5 - 25	GLDH-UV		
SERUM CREATININE	0.54	mg/dl	0.60 - 1.10	KINETIC-JAFFE		
BUN/CREATININE RATIO	19.03	Ratio	6 - 25	Calculated		

Approved By :





Visit ID	: YOD623695	UHID/MR No	: YOD.0000601668
Patient Name	: Mrs. PATI SRAVALLI	Client Code	: YOD-DL-0021
Age/Gender	: 31 Y 8 M 10 D /F	Barcode No	: 10921489
DOB	: 01/Jun/1992	Registration	: 10/Feb/2024 08:08AM
Ref Doctor	: SELF	Collected	: 10/Feb/2024 08:08AM
Client Name	: MEDI WHEELS	Received	:
Client Add	: F-701, Lado Sarai, Mehravli, N	Reported	: 10/Feb/2024 01:49PM
Hospital Name	:		

DEPARTMENT OF RADIOLOGY

	2D ECHO DOPPLER STUDY
MITRAL VALVE	: Normal
AORTIC VALVE	: Normal
TRICUSPID VALVE	: Normal
PULMONARY VALVE	: Normal
RIGHT ATRIUM	: Normal
RIGHT VENTRICLE	: Normal
LEFT ATRIUM	: 2.4 cms
LEFT VENTRICLE	: :
	EDD:3.8 cm IVS(d):0.9 cm LVEF:68 % ESD:2.2 cm PW (d):0.8 cm FS :34 % No RWMA
IAS	: Intact
IVS	: Intact
AORTA	: 2.3cms
PULMONARY ARTERY	: Normal
PERICARDIUM	: Normal
IVS/ SVC/ CS	: Normal

Verified By : Medidha Raghubabu



Approved By :

Dr.D. Masilsay Rumar PGDDRM (U.K.) MBMS, PGDCC (Dip. Cardiology) Cardiologiat





Visit ID	: YOD623695	UHID/MR No	: YOD.0000601668
Patient Name	: Mrs. PATI SRAVALLI	Client Code	: YOD-DL-0021
Age/Gender	: 31 Y 8 M 10 D /F	Barcode No	: 10921489
DOB	: 01/Jun/1992	Registration	: 10/Feb/2024 08:08AM
Ref Doctor	: SELF	Collected	: 10/Feb/2024 08:08AM
Client Name	: MEDI WHEELS	Received	:
Client Add	: F-701, Lado Sarai, Mehravli, N	Reported	: 10/Feb/2024 01:49PM
Hospital Name	:		

DEPARTMENT OF RADIOLOGY

1	
PULMONARY VEINS	: Normal
INTRA CARDIAC MASSE	S : No
DOPPLER STUDY :	
DOFFLER STODT :	
MITRAL FLOW	: E 1.0 m/sec, A 0.6 m/sec.
AORTIC FLOW	: 1.1m/sec
PULMONARY FLOW	: 0.7m/sec
TRICUSPID FLOW	: NORMAL
COLOUR FLOW MAPPI	<u>NG:</u> TRIVIAL TR
IMPRESSION :	
* NO RWMA OF LV * NORMAL LV SYSTOL * NORMAL LV FILLING * TRIVIAL TR * NO PE / CLOT / PAH	G PATTERN

Verified By : Medidha Raghubabu Approved By :

Dr.D.Masibay Roman PGDORM (U.K.) MIMMS, PGDCC (Dip. Cardiology) Cardiologia





Visit ID	: YOD623695	UHID/MR No	: YOD.0000601668
Patient Name	: Mrs. PATI SRAVALLI	Client Code	: YOD-DL-0021
Age/Gender	: 31 Y 8 M 10 D /F	Barcode No	: 10921489
DOB	: 01/Jun/1992	Registration	: 10/Feb/2024 08:08AM
Ref Doctor	: SELF	Collected	: 10/Feb/2024 08:17AM
Client Name	: MEDI WHEELS	Received	: 10/Feb/2024 08:48AM
Client Add	: F-701, Lado Sarai, Mehravli, N	Reported	: 10/Feb/2024 10:32AM
Hospital Name	:		

DEPARTMENT OF CLINICAL PATHOLOGY						
Test Name	Result	Unit	Biological Ref. Range	Method		

(CUE (COMPLETE U	RINE EXAM	INATION)	
Sample Type : SPOT URINE				
PHYSICAL EXAMINATION				
TOTAL VOLUME	20 ML	ml		
COLOUR	PALE YELLOW	$\Lambda \hat{\Lambda}$		
APPEARANCE	CLEAR			
SPECIFIC GRAVITY	1.019		1.003 - 1.035	Bromothymol Blue
CHEMICAL EXAMINATION	1.1			
рН	5.5		4.6 - 8.0	Double Indicator
PROTEIN	NEGATIVE		NEGATIVE	Protein - error of Indicators
GLUCOSE(U)	NEGATIVE		NEGATIVE	Glucose Oxidase
UROBILINOGEN	0.1	mg/dl	< 1.0	Ehrlichs Reaction
KETONE BODIES	NEGATIVE		NEGATIVE	Nitroprasside
BILIRUBIN - TOTAL	NEGATIVE		Negative	Azocoupling Reaction
BLOOD	NEGATIVE		NEGATIVE	Tetramethylbenzidine
LEUCOCYTE	NEGATIVE		Negative	Azocoupling reaction
NITRITE	NEGATIVE		NEGATIVE	Diazotization Reaction
MICROSCOPIC EXAMINATION	÷			·
PUS CELLS	2-3	cells/HPF	0-5	
EPITHELIAL CELLS	1-2	/hpf	0 - 15	
RBCs	NIL	Cells/HPF	Nil	
CRYSTALS	NIL	Nil	Nil	
CASTS	NIL	/HPF	Nil	
BUDDING YEAST	NIL		Nil	
BACTERIA	NIL		Nil	
OTHER	NIL			



Approved By :

A. Pas +

DR PRANITHA ANAPINDI MD, CONSULTANT PATHOLOGIST





Visit ID	: YOD623695	UHID/MR No	: YOD.0000601668	
Patient Name	: Mrs. PATI SRAVALLI	Client Code	: YOD-DL-0021	
Age/Gender	: 31 Y 8 M 10 D /F	Barcode No	: 10921489	
DOB	: 01/Jun/1992	Registration	: 10/Feb/2024 08:08AM	
Ref Doctor	: SELF	Collected	: 10/Feb/2024 08:17AM	
Client Name	: MEDI WHEELS	Received	: 10/Feb/2024 08:48AM	
Client Add	: F-701, Lado Sarai, Mehravli, N	Reported	: 10/Feb/2024 10:32AM	
Hospital Name	:			

DEPARTMENT OF CLINICAL PATHOLOGY							
Test Name	Result	Unit	Biological Ref. Range	Method			

*** End Of Report ***

Verified By : Medidha Raghubabu Approved By :

A. Pas

DR PRANITHA ANAPINDI MD, CONSULTANT PATHOLOGIST



yoda diagnostics

DEPARTMENT OF RADIOLOGY									
Patient Name	Mrs. PATI SRAVALLI	Visit ID	YOD623695	Registration Date	10-02-2024 08:08 AM				
Age / Gender	31/FEMALE	UHID	YOD.0000601668	Collection Date	10-02-2024 08:08 AM				
Ref Doctor	SELF	Hospital Name		Received Date					
Barcode	10921489	Sample Type		Reported Date	10-02-2024 09:37 AM				
X-RAY CHEST PA VIEW									

FINDINGS:

Trachea is midline.

Mediastinal outline, and cardiac silhouette are normal.

Bilateral lung fields show normal vascular pattern with no focal lesion.

Bilateral hila are normal in density.

Bilateral costo-phrenic angles and domes of diaphragms are normal.

The rib cage and visualized bones appear normal.

IMPRESSION:

• No significant abnormality detected.

*** End Of Report ***

Suggested clinical correlation & follow up



0

Approved by

NON

S. SHRAVAN KUMAR (DNB) CONSULTANT RADIOLOGIST

YODA DIAGNOSTICS DEPARTMENT OF RADIOLOGY Visit ID Mrs. PATI SRAVALLI YOD623695 **Registration Date** 10-02-2024 08:08 AM Patient Name 31/FEMALE UHID YOD.0000601668 Collection Date 10-02-2024 08:08 AM Age / Gender **Ref Doctor** SELF **Hospital Name Received Date** Barcode 10921489 Sample Type **Reported Date** 10-02-2024 10:15 AM

ULTRASOUND WHOLE ABDOMEN & PELVIS

Clinical Details : General check-up.

LIVER: Normal in size (126mm) and echo-texture. No focal lesion is seen. Intra hepatic biliary channels are not dilated. Visualized common bile duct & portal vein appears normal.

GALL BLADDER: Well distended. No evidence of calculi / wall thickening.

PANCREAS: Normal in size and echotexture. No ductal dilatation. No calcifications / calculi.

SPLEEN: Normal in size (76mm) and echotexture. No focal lesion is seen.

RIGHT KIDNEY: measures 105x35mm. Normal in size and echotexture. Cortico-medullary differentiation well maintained. No focal lesion is seen. Collecting system does not show any dilatation or calculus.

LEFT KIDNEY: measures 110x45mm. Normal in size and echotexture. Cortico-medullary differentiation well

maintained. No focal lesion is seen. Collecting system does not show any dilatation or calculus.

URINARY BLADDER: Well distended. No evidence of calculi or wall thickening.

UTERUS: Anteverted, measures 90x40x54mm, normal in size. Myometrium shows normal echo-texture. No focal lesion is seen. Endometrial thickness is normal (10.5mm).

OVARIES: Both ovaries are normal in size & echotexture. No adnexal lesion seen.

Right ovary measures 25x11mm and left ovary measures 39x26mm.

No enlarged nodes are visualized. No retro-peritoneal lesion is identified. Great vessels appear normal. No free fluid is seen in pelvis.

IMPRESSION:

• No obvious sonographic abnormality detected.

*** End Of Report ***

Suggested clinical correlation & follow up



Approved by

S. SHRAVAN KUMAR (DNB) CONSULTANT RADIOLOGIST

Page 1 of 1