PID No.
 : MED120841310
 Register On
 : 26/02/2022 10:04 AM

 SID No.
 : 522210070
 Collection On
 : 26/02/2022 11:32 AM

 Age / Sex
 : 52 Year(s) / Female
 Report On
 : 01/03/2022 1:35 PM

 Type
 : OP
 Printed On
 : 07/03/2022 3:43 PM

Ref. Dr : MediWheel

| Investigation  | Observed<br>Value | <u>Unit</u> | <u>Biological</u><br><u>Reference Interval</u> |
|--|-------------------|-------------|--|
| <b>HAEMATOLOGY</b>   |                   |             |  |
| Complete Blood Count With - ESR  |                   |             |  |
| Haemoglobin (EDTA Blood/Spectrophotometry)   | 12.7              | g/dL        | 12.5 - 16.0                                    |
| Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)              | 39.5              | %           | 37 - 47  |
| RBC Count (EDTA Blood/Impedance Variation)   | 4.43              | mill/cu.mm  | 4.2 - 5.4                                      |
| Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)                     | 89.0              | fL          | 78 - 100                                       |
| Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)                | 28.7              | pg          | 27 - 32  |
| Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance) | 32.2              | g/dL        | 32 - 36  |
| RDW-CV (Derived from Impedance)  | 14.1              | %           | 11.5 - 16.0                                    |
| RDW-SD<br>(Derived from Impedance)   | 43.92             | fL          | 39 - 46  |
| Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)                          | 8520              | cells/cu.mm | 4000 - 11000                                   |
| Neutrophils (Blood/Impedance Variation & Flow Cytometry)                             | 56.74             | %           | 40 - 75  |
| Lymphocytes (Blood/Impedance Variation & Flow Cytometry)                             | 28.79             | %           | 20 - 45  |
| Eosinophils (Blood/Impedance Variation & Flow Cytometry)                             | 7.54              | %           | 01 - 06  |



**VERIFIED BY** 



 PID No.
 : MED120841310
 Register On
 : 26/02/2022 10:04 AM

 SID No.
 : 522210070
 Collection On
 : 26/02/2022 11:32 AM

 Age / Sex
 : 52 Year(s) / Female
 Report On
 : 01/03/2022 1:35 PM

 Type
 : OP
 Printed On
 : 07/03/2022 3:43 PM

Ref. Dr : MediWheel

| Investigation   | <u>Observed</u><br><u>Value</u> | <u>Unit</u> | <u>Biological</u><br><u>Reference Interval</u> |
|---|---------------------------------|-------------|--|
| Monocytes (Blood/Impedance Variation & Flow Cytometry)                            | 6.58                            | %           | 01 - 10  |
| Basophils (Blood/Impedance Variation & Flow Cytometry)                            | 0.34                            | %           | 00 - 02  |
| Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)       | 4.83                            | 10^3 / μl   | 1.5 - 6.6                                      |
| Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)       | 2.45                            | 10^3 / μl   | 1.5 - 3.5                                      |
| Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry) | 0.64                            | 10^3 / µl   | 0.04 - 0.44                                    |
| Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)         | 0.56                            | 10^3 / µl   | < 1.0  |
| Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)         | 0.03                            | 10^3 / µl   | < 0.2  |
| Platelet Count (EDTA Blood/Impedance Variation)                                   | 227.0                           | 10^3 / μ1   | 150 - 450                                      |
| MPV (Blood/Derived from Impedance)  | 9.24                            | fL          | 8.0 - 13.3                                     |
| PCT<br>(Automated Blood cell Counter)   | 0.21                            | %           | 0.18 - 0.28                                    |
| ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/Modified Westergren)         | 26                              | mm/hr       | < 30   |



**VERIFIED BY** 



 PID No.
 : MED120841310
 Register On
 : 26/02/2022 10:04 AM

 SID No.
 : 522210070
 Collection On
 : 26/02/2022 11:32 AM

 Age / Sex
 : 52 Year(s) / Female
 Report On
 : 01/03/2022 1:35 PM

 Type
 : OP
 Printed On
 : 07/03/2022 3:43 PM

Ref. Dr : MediWheel

| Investigation   | Observed<br>Value | <u>Unit</u> | <u>Biological</u><br><u>Reference Interval</u> |
|---|-------------------|-------------|--|
| <b>BIOCHEMISTRY</b>   |                   |             |  |
| Liver Function Test   |                   |             |  |
| Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)               | 0.3               | mg/dL       | 0.1 - 1.2                                      |
| Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)              | 0.1               | mg/dL       | 0.0 - 0.3                                      |
| Bilirubin(Indirect) (Serum/Derived)                               | 0.2               | mg/dL       | 0.1 - 1.0                                      |
| Total Protein (Serum/Biuret)                                      | 7.9               | gm/dL       | 6.0 - 8.0                                      |
| Albumin (Serum/Bromocresol green)                                 | 4.9               | gm/dL       | 3.5 - 5.2                                      |
| Globulin (Serum/Derived)  | 3.0               | gm/dL       | 2.3 - 3.6                                      |
| A : G Ratio (Serum/Derived)                                       | 1.6               |             | 1.1 - 2.2                                      |
| SGOT/AST (Aspartate Aminotransferase)<br>(Serum/IFCC Kinetic)     | 32                | U/L         | 5 - 40   |
| SGPT/ALT (Alanine Aminotransferase)<br>(Serum/IFCC / Kinetic)     | 21                | U/L         | 5 - 41   |
| Alkaline Phosphatase (SAP)<br>(Serum/IFCC Kinetic)                | 121               | U/L         | 53 - 141                                       |
| GGT(Gamma Glutamyl Transpeptidase) (Serum/SZASZ standarised IFCC) | 13                | U/L         | < 38   |



**VERIFIED BY** 



 PID No.
 : MED120841310
 Register On
 : 26/02/2022 10:04 AM

 SID No.
 : 522210070
 Collection On
 : 26/02/2022 11:32 AM

 Age / Sex
 : 52 Year(s) / Female
 Report On
 : 01/03/2022 1:35 PM

 Type
 : OP
 Printed On
 : 07/03/2022 3:43 PM

Ref. Dr : MediWheel

| Investigation   | Observed<br><u>Value</u> | <u>Unit</u> | <u>Biological</u><br><u>Reference Interval</u>                                  |
|---|--------------------------|-------------|---|
| <u>Lipid Profile</u>  |                          |             |   |
| Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)      | 275                      | mg/dL       | Optimal: < 200<br>Borderline: 200 - 239<br>High Risk: >= 240                    |
| Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase) | 250                      | mg/dL       | Optimal: < 150<br>Borderline: 150 - 199<br>High: 200 - 499<br>Very High: >= 500 |

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

| HDL Cholesterol (Serum/Immunoinhibition) | 58    | mg/dL | Optimal(Negative Risk Factor): >= 60<br>Borderline: 50 - 59<br>High Risk: < 50                                   |
|--|-------|-------|--|
| LDL Cholesterol (Serum/Calculated)       | 167   | mg/dL | Optimal: < 100<br>Above Optimal: 100 - 129<br>Borderline: 130 - 159<br>High: 160 - 189<br>Very High: >= 190      |
| VLDL Cholesterol (Serum/Calculated)      | 50    | mg/dL | < 30   |
| Non HDL Cholesterol (Serum/Calculated)   | 217.0 | mg/dL | Optimal: < 130<br>Above Optimal: 130 - 159<br>Borderline High: 160 - 189<br>High: 190 - 219<br>Very High: >= 220 |



**VERIFIED BY** 



 PID No.
 : MED120841310
 Register On
 : 26/02/2022 10:04 AM

 SID No.
 : 522210070
 Collection On
 : 26/02/2022 11:32 AM

 Age / Sex
 : 52 Year(s) / Female
 Report On
 : 01/03/2022 1:35 PM

 Type
 : OP
 Printed On
 : 07/03/2022 3:43 PM

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed</u> <u>Unit</u> <u>Biological</u> <u>Value</u> <u>Reference Interval</u>

**INTERPRETATION:** 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio 4.7 Optimal: < 3.3 (Serum/Calculated) Low Risk: 3.4 - 4.4

Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0

Triglyceride/HDL Cholesterol Ratio 4.3 Optimal: < 2.5

(TG/HDL) Mild to moderate risk: 2.5 - 5.0

(Serum/Calculated) High Risk: > 5.0

LDL/HDL Cholesterol Ratio 2.9 Optimal: 0.5 - 3.0

(Serum/Calculated)
Borderline: 3.1 - 6.0
High Risk: > 6.0



**VERIFIED BY** 



 PID No.
 : MED120841310
 Register On
 : 26/02/2022 10:04 AM

 SID No.
 : 522210070
 Collection On
 : 26/02/2022 11:32 AM

 Age / Sex
 : 52 Year(s) / Female
 Report On
 : 01/03/2022 1:35 PM

 Type
 : OP
 Printed On
 : 07/03/2022 3:43 PM

Ref. Dr : MediWheel

| Investigation                    | <u>Observed</u><br><u>Value</u> | <u>Unit</u> | <u>Biological</u><br><u>Reference Interval</u>                  |
|----------------------------------|---------------------------------|-------------|---|
| Glycosylated Haemoglobin (HbA1c) |                                 |             |   |
| HbA1C (Whole Blood/HPLC)         | 6.5                             | %           | Normal: 4.5 - 5.6<br>Prediabetes: 5.7 - 6.4<br>Diabetic: >= 6.5 |

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 139.85 mg/dL

(Whole Blood)

#### **INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbAlc.



**VERIFIED BY** 



 PID No.
 : MED120841310
 Register On
 : 26/02/2022 10:04 AM

 SID No.
 : 522210070
 Collection On
 : 26/02/2022 11:32 AM

 Age / Sex
 : 52 Year(s) / Female
 Report On
 : 01/03/2022 1:35 PM

**Printed On** 

Ref. Dr : MediWheel

**Type** 

: OP

<u>Investigation</u> <u>Observed</u> <u>Unit</u> <u>Biological</u>
<u>Value</u> <u>Reference Interval</u>

: 07/03/2022 3:43 PM

## **IMMUNOASSAY**

#### THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.20 ng/mL 0.4 - 1.81

(Serum/CMIA)

#### INTERPRETATION:

**Comment:** 

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is

Metabolically active.

T4 (Thyroxine) - Total 11.67 μg/dL 4.2 - 12.0

(Serum/CMIA)

#### INTERPRETATION:

**Comment:** 

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 3.41 µIU/mL 0.35 - 5.50

(Serum/Chemiluminescent Microparticle

Immunoassay(CMIA))

#### INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

#### **Comment:**

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



 PID No.
 : MED120841310
 Register On
 : 26/02/2022 10:04 AM

 SID No.
 : 522210070
 Collection On
 : 26/02/2022 11:32 AM

 Age / Sex
 : 52 Year(s) / Female
 Report On
 : 01/03/2022 1:35 PM

 Type
 : OP
 Printed On
 : 07/03/2022 3:43 PM

Ref. Dr : MediWheel

| Investigation | <u>Observed</u> | <u>Unit</u> | <u>Biological</u>  |
|---------------|-----------------|-------------|--------------------|
|               | Value           |             | Reference Interval |

# **CLINICAL PATHOLOGY**

#### PHYSICAL EXAMINATION

| Colour    | Pale Yellow |
|-----------|-------------|
| (I Inima) |             |

(Urine)

Appearance Clear Clear

(Urine)

Volume 20 mL

(Urine)

#### CHEMICAL EXAMINATION(Automated-

<u>Urineanalyser)</u>

| pH | 6.5 | 4.5 - 8.0 |
|----|-----|-----------|
|----|-----|-----------|

(Urine/AUTOMATED URINANALYSER)

Specific Gravity 1.02 1.002 - 1.035

(Urine)

Ketones Negative Negative

(Urine)

Urobilinogen 0.2 0.2 - 1.0

(Urine/AUTOMATED URINANALYSER)

Blood Negative Negative

(Urine/AUTOMATED URINANALYSER)

Nitrite Negative Negative

(Urine/AUTOMATED URINANALYSER)

Bilirubin Negative Negative

(Urine/AUTOMATED URINANALYSER)

Protein Negative Negative

(Urine)



**VERIFIED BY** 



 PID No.
 : MED120841310
 Register On
 : 26/02/2022 10:04 AM

 SID No.
 : 522210070
 Collection On
 : 26/02/2022 11:32 AM

 Age / Sex
 : 52 Year(s) / Female
 Report On
 : 01/03/2022 1:35 PM

 Type
 : OP
 Printed On
 : 07/03/2022 3:43 PM

Ref. Dr : MediWheel

| Investigation                                  | <u>Observed</u><br><u>Value</u> | <u>Unit</u> | <u>Biological</u><br><u>Reference Interval</u> |
|--|---------------------------------|-------------|--|
| Glucose<br>(Urine)                             | Negative                        |             | Negative                                       |
| Leukocytes (Urine)  MICROSCOPY(URINE DEPOSITS) | Negative                        | leuco/uL    | Negative                                       |
| Pus Cells<br>(Urine/Flow cytometry)            | 2-3                             | /hpf        | 3-5  |
| Epithelial Cells (Urine)                       | 2-4                             | /hpf        | 1-2  |
| RBCs (Urine/Flow cytometry)                    | Nil                             | /hpf        | 2-3  |
| Others<br>(Urine)                              | Nil                             |             | Nil  |



**VERIFIED BY** 



 PID No.
 : MED120841310
 Register On
 : 26/02/2022 10:04 AM

 SID No.
 : 522210070
 Collection On
 : 26/02/2022 11:32 AM

 Age / Sex
 : 52 Year(s) / Female
 Report On
 : 01/03/2022 1:35 PM

 Type
 : OP
 Printed On
 : 07/03/2022 3:43 PM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

# **IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING 'B' 'Positive'

(EDTA Blood/Agglutination)

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.



**VERIFIED BY** 



 PID No.
 : MED120841310
 Register On
 : 26/02/2022 10:04 AM

 SID No.
 : 522210070
 Collection On
 : 26/02/2022 11:32 AM

 Age / Sex
 : 52 Year(s) / Female
 Report On
 : 01/03/2022 1:35 PM

 Type
 : OP
 Printed On
 : 07/03/2022 3:43 PM

Ref. Dr : MediWheel

| Investigation                                   | <u>Observed</u><br><u>Value</u> | <u>Unit</u> | <u>Biological</u><br><u>Reference Interval</u>         |
|---|---------------------------------|-------------|--|
| <b>BIOCHEMISTRY</b>                             |                                 |             |  |
| BUN / Creatinine Ratio                          | 11                              |             | 6 - 22   |
| Glucose Fasting (FBS)<br>(Plasma - F/GOD - POD) | 90                              | mg/dL       | Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126 |

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

| Glucose Fasting - Urine (Urine - F)                    | Negative |       | Negative |
|--|----------|-------|----------|
| Glucose Postprandial (PPBS)<br>(Plasma - PP/GOD - POD) | 83       | mg/dL | 70 - 140 |

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

| Blood Urea Nitrogen (BUN)    | 12  | mg/dL | 7.0 - 21  |
|------------------------------|-----|-------|-----------|
| (Serum/ <i>Urease-GLDH</i> ) |     |       |           |
| Creatinine                   | 1.1 | mg/dL | 0.6 - 1.1 |
| (Serum/Jaffe Kinetic)        |     |       |           |

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine

Uric Acid 5.7 mg/dL 2.6 - 6.0

(Serum/Uricase/Peroxidase)



VERIFIED BY



APPROVED BY

-- End of Report --

Name : Mrs. MANORAMA TIWARI Register On : 26/02/2022 10:04 AM

Ref. Dr : MediWheel OP / IP : OP

## Pap Smear

Nature of Specimen: Cervical smear.

Lab NO: GC-218/22

Specimen type: Conventional.

Specimen adequacy: Satisfactory for evaluation.

Endocervical / Transformation zone cells : Present.

General categorization: Within normal limits.

DESCRIPTION: Smear shows predominantly parabasal cells, intermediate cells and

superficial squamous cells in a background of sheets of neutrophils.

INTERPRETATION: Negative for intraepithelial lesion or malignancy

Non neoplastic cellular changes: Squamous metaplasia&Atrophy.

Reactive cellular changes associated with Inflammation.

Advised: Follow up smears.





| Name            | MRS.MANORAMA TIWARI | ID         | MED120841310 |
|-----------------|---------------------|------------|--------------|
| Age & Gender    | 52Y/FEMALE          | Visit Date | 26 Feb 2022  |
| Ref Doctor Name | MediWheel           |            |              |

X-ray mammogram (mediolateral oblique & craniocaudal views) followed by Sonomammography.

## **BILATERAL MAMMOGRAPHY**

Breast composition :Type C (The breasts are heterogeneously dense, which may obscure small masses).

No evidence of focal soft tissue lesion.

No evidence of cluster microcalcification.

Subcutaneous fat deposition is within normal limits.

Bilateral axillary lymphnodes are seen.

## BILATERAL SONOMAMMOGRAPHY

Both the breasts show normal echopattern.

No evidence of focal solid / cystic areas.

No evidence of ductal dilatation.

Bilateral subcentimeter sized axillary lymphnodes are noted with preserved fatty hilum.

## **IMPRESSION:**

- No breast lesion.
- Bilateral benign axillary lymphnodes.

**ASSESSMENT: BI-RADS CATEGORY -2** 

## **BI-RADS CLASSIFICATION**

#### **CATEGORY RESULT**

2 Benign finding. Routine mammogram in 1 year recommended.

DR. H.K. ANAND DR. C.R RAMACHANDRA DR. LOHITH H.P DR. VARSHA KALE

| Name            | MRS.MANORAMA TIWARI | ID         | MED120841310 |
|-----------------|---------------------|------------|--------------|
| Age & Gender    | 52Y/FEMALE          | Visit Date | 26 Feb 2022  |
| Ref Doctor Name | MediWheel           | -          |              |

# **CONSULTANT RADIOLOGISTS**

Vk/sm

| Name            | MRS.MANORAMA TIWARI | ID         | MED120841310 |
|-----------------|---------------------|------------|--------------|
| Age & Gender    | 52Y/FEMALE          | Visit Date | 26 Feb 2022  |
| Ref Doctor Name | MediWheel           |            |              |

#### ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** is normal in shape, size (13.4cm) and shows mild diffusely increased echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

**GALL BLADDER** show normal shape and has clear contents. Wall is of normal thickness. CBD is of normal calibre.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** show normal shape, size (7.9cm) and echopattern.

No demonstrable Para-aortic lymphadenopathy.

#### **KIDNEYS**

**Right kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

**Left kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

|              | Bipolar length (cm) | Parenchymal thickness (cm) |  |
|--------------|---------------------|----------------------------|--|
| Right Kidney | 9.5                 | 1.4                        |  |
| Left Kidney  | 9.8                 | 1.6                        |  |

**URINARY BLADDER** show normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS -Post menopausal status.

Endometrial echo is of normal thickness - 5 mm.

**OVARIES** are not visualized - could ne atrophic.

No adnexal mass.

No evidence of ascites.

#### **IMPRESSION:**

- Grade I fatty infiltration of liver.
- No other significant abnormality detected.

# DR. H.K. ANAND DR. C.R RAMACHANDRA DR. LOHITH H.P DR. VARSHA KALE CONSULTANT RADIOLOGISTS

| Name            | MRS.MANORAMA TIWARI | ID         | MED120841310 |
|-----------------|---------------------|------------|--------------|
| Age & Gender    | 52Y/FEMALE          | Visit Date | 26 Feb 2022  |
| Ref Doctor Name | MediWheel           | -          |              |

Vk/sm

| Name            | MRS.MANORAMA TIWARI | ID         | MED120841310 |
|-----------------|---------------------|------------|--------------|
| Age & Gender    | 52Y/FEMALE          | Visit Date | 26 Feb 2022  |
| Ref Doctor Name | MediWheel           | -          |              |

## **2D ECHOCARDIOGRAPHIC STUDY**

## **M-mode measurement:**

**AORTA** 2.21 cms. LEFT ATRIUM 3.43 cms. **AVS** 1.48 cms. LEFT VENTRICLE (DIASTOLE) 4.32 cms. (SYSTOLE) 2.18 cms. **VENTRICULAR SEPTUM** (DIASTOLE) 0.81 cms. (SYSTOLE) 1.17 cms. **POSTERIOR WALL** (DIASTOLE) 1.04 cms. (SYSTOLE) 1.44 cms. **EDV** 84 ml. **ESV** 32 ml. FRACTIONAL SHORTENING 30 % **EJECTION FRACTION** 60 % **EPSS** cms. **RVID** 1.80 cms.

# **DOPPLER MEASUREMENTS:**

MITRAL VALVE: E - 0.9 m/s A - 0.6 m/s TRIVIAL MR.

AORTIC VALVE: 1.0 m/s NO AR.

TRICUSPID VALVE: E - 0.5 m/s A - 0.3 m/s, MILD TR, PASP 19mmHg.

PULMONARY VALVE: 0.8 m/s NO PR.

| Name            | MRS.MANORAMA TIWARI | ID         | MED120841310 |
|-----------------|---------------------|------------|--------------|
| Age & Gender    | 52Y/FEMALE          | Visit Date | 26 Feb 2022  |
| Ref Doctor Name | MediWheel           |            |              |

## **2D ECHOCARDIOGRAPHY FINDINGS:**

Left Ventricle : Normal size, Normal systolic function.

: No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral Valve : Normal. No mitral valve prolapsed.

Aortic Valve : Normal.Trileaflet.

Tricuspid Valve : Normal.

Pulmonary Valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

## **IMPRESSION:**

- NORMAL SIZED CARDIAC CHAMBERS.
- NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.
- NO REGIONAL WALL MOTION ABNORMALITIES.
- NORMAL VALVES.
- NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. YASHODA RAVI CONSULTANT CARDIOLOGIST

| Name            | MRS.MANORAMA TIWARI | ID         | MED120841310 |
|-----------------|---------------------|------------|--------------|
| Age & Gender    | 52Y/FEMALE          | Visit Date | 26 Feb 2022  |
| Ref Doctor Name | MediWheel           | -          |              |



| Name         | MANORAMA TIWARI | ID         | MED120841310        |
|--------------|-----------------|------------|---------------------|
| Age & Gender | 52Y/F           | Visit Date | Feb 26 2022 10:02AM |
| Ref Doctor   | MediWheel       |            |                     |

# X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

# **IMPRESSION:**

• No significant abnormality detected.

DR. H.K. ANAND

DR. C.R. RAMACHANDRA

DR. VARSHA KALE

DR. LOHITH H.

CONSULTANT RADIOLOGISTS