Name	: Mr. DEVAN C		
PID No.	: MED111767677	Register On : 18/07/2023 8:58 AM	
SID No.	: 223011501	Collection On : 18/07/2023 9:18 AM	
Age / Sex	: 43 Year(s) / Male	Report On : 18/07/2023 4:23 PM medal	1
Туре	: OP	Printed On : 10/10/2023 2:35 PM DIAGNOSTIC	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BLOOD GROUPING AND Rh TYPING	'B' 'Positive'		
(EDTA Blood/Agglutination)			
INTERPRETATION: Reconfirm the Blood group ar	nd Typing before blood	l transfusion	
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	15.0	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	44.1	%	42 - 52
RBC Count (EDTA Blood/Impedance Variation)	5.05	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	87.3	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	29.7	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	34.0	g/dL	32 - 36
RDW-CV (EDTA Blood/Derived from Impedance)	14.5	%	11.5 - 16.0
RDW-SD (EDTA Blood/Derived from Impedance)	44.30	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	8000	cells/cu.m m	4000 - 11000
Neutrophils (EDTA Blood/Impedance Variation & Flow Cytometry)	60.0	%	40 - 75
Lymphocytes (EDTA Blood/Impedance Variation & Flow	29.6	%	20 - 45

(EDTA Blood/Impedance Variation & Flow Cytometry)



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 1 of 8

Name	: Mr. DEVAN C		
PID No.	: MED111767677	Register On : 18/07/2023 8:58 AM	
SID No.	: 223011501	Collection On : 18/07/2023 9:18 AM	
Age / Sex	: 43 Year(s) / Male	Report On : 18/07/2023 4:23 PM	medall
Туре	: OP	Printed On : 10/10/2023 2:35 PM	DIAGNOSTICS
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	2.0	%	01 - 06
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	7.6	%	01 - 10
Basophils (EDTA Blood/Impedance Variation & Flow Cytometry)	0.8	%	00 - 02
INTERPRETATION: Tests done on Automated F	ive Part cell counter. Al	l abnormal results are re	eviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	4.80	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.37	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.16	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.61	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.06	10^3 / µl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	301	10^3 / µl	150 - 450
MPV (EDTA Blood/Derived from Impedance)	9.6	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.29	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated - Westergren method)	2	mm/hr	< 15

R. A SARAVANA KUMAR.R

Quality Manager

VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 2 of 8

Name	: Mr. DEVAN C		
PID No.	: MED111767677	Register On : 18/07/2023 8:58 AM	
SID No.	: 223011501	Collection On : 18/07/2023 9:18 AM	\mathbf{O}
Age / Sex	: 43 Year(s) / Male	Report On : 18/07/2023 4:23 PM	medall
Туре	: OP	Printed On : 10/10/2023 2:35 PM	DIAGNOSTICS
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BUN / Creatinine Ratio	17.3		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	99.1	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	130.3	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	17.9	mg/dL	7.0 - 21
Creatinine (Serum/ <i>Modified Jaffe</i>)	1.03	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcysteine, chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/ <i>Enzymatic)</i> Liver Function Test	6.9 mg/dL	3.5 - 7.2
Bilirubin(Total) (Serum/DCA with ATCS)	0.62 mg/dL	0.1 - 1.2
PQ mil		

SARAVANA KUMAR.R Quality Manager

VERIFIED BY





APPROVED BY

The results pertain to sample tested.

Page 3 of 8

Name	: Mr. DEVAN C		
PID No.	: MED111767677	Register On : 18/07/2023 8:58 AM	
SID No.	: 223011501	Collection On : 18/07/2023 9:18 AM	
Age / Sex	: 43 Year(s) / Male	Report On : 18/07/2023 4:23 PM	r
Туре	: OP	Printed On : 10/10/2023 2:35 PM	0
Ref. Dr	: MediWheel		



Observed Unit **Biological** Investigation Reference Interval Value 0.15 mg/dL 0.0 - 0.3 Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid) Bilirubin(Indirect) 0.47 mg/dL 0.1 - 1.0 (Serum/Derived) SGOT/AST (Aspartate 23.9 U/L 5 - 40 Aminotransferase) (Serum/Modified IFCC) SGPT/ALT (Alanine Aminotransferase) 27.7 U/L 5 - 41 (Serum/Modified IFCC) U/L GGT(Gamma Glutamyl Transpeptidase) 32.6 < 55 (Serum/IFCC / Kinetic) Alkaline Phosphatase (SAP) 84.6 U/L 53 - 128 (Serum/Modified IFCC) **Total Protein** 6.83 gm/dl 6.0 - 8.0 (Serum/Biuret) Albumin 3.99 gm/dl 3.5 - 5.2(Serum/Bromocresol green) 2.3 - 3.6 Globulin 2.84 gm/dL (Serum/Derived) 1.1 - 2.2 A: G RATIO 1.40 (Serum/Derived) Lipid Profile Optimal: < 200 **Cholesterol Total** 192.1 mg/dL Borderline: 200 - 239 (Serum/CHOD-PAP with ATCS) High Risk: ≥ 240 Triglycerides 109.9 mg/dL Optimal: < 150Borderline: 150 - 199 (Serum/GPO-PAP with ATCS) High: 200 - 499 Very High: ≥ 500

Rat -10-SARAVANA KUMAR.R Quality Manager

VERIFIED BY





APPROVED BY

The results pertain to sample tested.

Page 4 of 8

Name	: Mr. DEVAN C		
PID No.	: MED111767677	Register On : 18/07/2023 8:58 AM	
SID No.	: 223011501	Collection On : 18/07/2023 9:18 AM	
Age / Sex	: 43 Year(s) / Male	Report On : 18/07/2023 4:23 PM	medall
Туре	: OP	Printed On : 10/10/2023 2:35 PM	DIAGNOSTICS
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	55.7	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	114.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	22	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i>)	136.4	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >=220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

3.4

Total Cholesterol/HDL Cholesterol Ratio (Serum/*Calculated*) Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0

Rat SARAVANA KUMAR.R Quality Manager

VERIFIED BY



at Pat ologist Reg No : 79967

APPROVED BY

The results pertain to sample tested.

Page 5 of 8

Name	: Mr. DEVAN C		
PID No.	: MED111767677	Register On : 18/07/2023 8:58 AM	
SID No.	: 223011501	Collection On : 18/07/2023 9:18 AM	\mathbf{O}
Age / Sex	: 43 Year(s) / Male	Report On : 18/07/2023 4:23 PM	medall
Туре	: OP	Printed On : 10/10/2023 2:35 PM	DIAGNOSTICS
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	2		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/ <i>Calculated</i>)	2.1		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/HPLC)	5.9	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
INTERPRETATION: If Diabetes - Good control :	6.1 - 7.0 % , Fair contro	ol : 7.1 - 8.0 % , Po	por control >= 8.1%
Estimated Average Glucose (Whole Blood)	122.63	mg/dL	
INTERPRETATION: Comments HbA1c provides an index of Average Blood Glucoss control as compared to blood and urinary glucose de Conditions that prolong RBC life span like Iron defi hypertriglyceridemia,hyperbilirubinemia,Drugs, Alc Conditions that shorten RBC survival like acute or co ingestion, Pregnancy, End stage Renal disease can c	eterminations. Iciency anemia, Vitamir cohol, Lead Poisoning, A chronic blood loss, hem	n B12 & Folate def Asplenia can give olytic anemia, Her	ficiency, falsely elevated HbA1C values.
Prostate specific antigen - Total(PSA) (Serum/ <i>Manometric method</i>)	0.45	ng/mL	Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of

INTERPRETATION: REMARK : PSA alone should not be used as an absolute indicator of malignancy. <u>THYROID PROFILE / TFT</u>



VERIFIED BY





Prostate: > 10.0

APPROVED BY

The results pertain to sample tested.

Page 6 of 8

Name	: Mr. DEVAN C		
PID No.	: MED111767677	Register On : 18/07/2023 8:58 AM	
SID No.	: 223011501	Collection On : 18/07/2023 9:18 AM	
Age / Sex	: 43 Year(s) / Male	Report On : 18/07/2023 4:23 PM	medall
Туре	: OP	Printed On : 10/10/2023 2:35 PM	DIAGNOSTICS
Ref. Dr	: MediWheel		

Unit Investigation Observed **Biological** Value Reference Interval 0.91 0.7 - 2.04 T3 (Triiodothyronine) - Total ng/ml (Serum/Chemiluminescent Immunometric Assay (CLIA)) **INTERPRETATION: Comment :** Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active. T4 (Tyroxine) - Total 5.91 µg/dl 4.2 - 12.0 (Serum/Chemiluminescent Immunometric Assay (CLIA)) **INTERPRETATION: Comment :** Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active. 0.73 0.35 - 5.50 TSH (Thyroid Stimulating Hormone) µIU/mL (Serum/Chemiluminescent Immunometric Assay (CLIA)) **INTERPRETATION:** Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) Comment : 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI. 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations. 3. Values&lt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals. **Urine Analysis - Routine** Yellow to Amber COLOUR Yellow (Urine) **Slightly turbid** Clear

APPEARANCE (Urine)

R. Q. SARAVANA KUMAR.R Quality Manager VERIFIED BY



h. Jul
Dr Archana K MD Ph.D
Consultant Pathologist
Reg No : 79967

APPROVED BY

The results pertain to sample tested.

Page 7 of 8

Name	: Mr. DEVAN C
PID No.	: MED111767677
SID No.	: 223011501
Age / Sex	: 43 Year(s) / Male
Туре	: OP
Ref. Dr	: MediWheel

Register On	: 18/07/2023 8:58 AM
Collection On	: 18/07/2023 9:18 AM
Report On	: 18/07/2023 4:23 PM
Printed On	: 10/10/2023 2:35 PM



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Protein (Urine/Protein error of indicator)	Negative		Negative
Glucose (Urine/GOD - POD)	Negative		Negative
Pus Cells (Urine/Automated ⁻ Flow cytometry)	1 - 3	/hpf	NIL
Epithelial Cells (Urine/Automated ⁻ Flow cytometry)	0 - 1	/hpf	NIL
RBCs (Urine/Automated ⁻ Flow cytometry)	2 - 4	/HPF	NIL
Casts (Urine/Automated ⁻ Flow cytometry)	NIL	/hpf	NIL
Crystals (Urine/Automated ⁻ Flow cytometry)	Calcium oxalate Crystal Present.	/hpf	NIL
Others (Urine)	Mucus threads present. Occasional Budding yeast cells present.		

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

RG SARAVANA KUMAR.R Quality Manager

VERIFIED BY



D h.D Consultant Pathologist Reg No : 79967

APPROVED BY

-- End of Report --

The results pertain to sample tested.

Page 8 of 8

Name	DEVAN C	ID	MED111767677	
Age & Gender	43-Male		7/19/2023 9:21:50 AM	N
Ref Doctor Name	MediWheel			IV

SONOGRAM REPORT

WHOLE ABDOMEN

The liver is enlarged in size 16.3 cm and shows diffuse fatty changes. No focal lesion is seen.

The gall bladder is normal sized, smooth walled and contains no calculus.

There is no intra or extra hepatic biliary ductal dilatation.

The pancreas shows a normal configuration and echotexture. The pancreatic duct is normal.

The portal vein and IVC are normal.

The spleen is normal.

There is no free or loculated peritoneal fluid.

No para aortic lymphadenopathy is seen.

No abnormality is seen in the region of the adrenal glands.

The right kidney measures 11.1 x 5.2 cm.

The left kidney measures 12.1 x 5.8 cm.

A microlith measuring 4.4 mm noted in the upper pole of left kidney.

Both kidneys are normal in size, shape and position. Cortical echoes are normal bilaterally.

There is no calyceal dilatation.

The ureters are not dilated.

The bladder is smooth walled and uniformly transonic. There is no intravesical mass or calculus.

The prostate measures $3.0 \times 3.0 \times 2.9 \text{ cm}$ (Vol ~ 13.9 ml) and is normal sized.

The echotexture is homogeneous.

REPORT DISCLAIMER

 This is only a radiologincal imperssion.Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
 The results reported here in are subject to interpretation by qualified medical

5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.

7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,

8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.

9.Liability is limited to the extend of amount billed.

10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.

11. Disputes, if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

^{2.} The results reported here in are subject to interpretation by qualined medical professionals only.

^{3.}Customer identities are accepted provided by the customer or their representative. 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.

^{6.}Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.

Name	DEVAN C	ID	MED111767677
Age & Gender	43-Male		7/19/2023 9:21:50 AM
Ref Doctor Name	MediWheel		



The seminal vesicles are normal.

Iliac fossae are normal.

IMPRESSION:

- Fatty liver.
- Left renal microlith.

Ina

DR. UMALAKSHMI SONOLOGIST

REPORT DISCLAIMER

1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.

2.The results reported here in are subject to interpretation by qualified medical professionals only.

3.Customer identities are accepted provided by the customer or their representative. 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.

5. If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.

6. Test results should be interpreted in context of clinical and other findings if any. In case of any clarification / doubt, the refrering doctor/patient can contact the respective section head of the laboratory.

7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,

8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.

9.Liability is limited to the extend of amount billed.

10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.

11.Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name	DEVAN C	ID MED111767677	
Age & Gender	43-43-Male	Visit Date 7/19/2023 9:21:50 AM	MEDALL
Ref Doctor Name	MediWheel		

<u>ECHOCARDIOGRAPHY</u>

<u>M-MODE MEASUREMENTS:-</u>

VALUES	
AO	3.0 cm
LA	3.3 cm
LVID(D)	4.7 cm
LVID (S)	2.9 cm
IVS (D)	1.2 cm
IVS (S)	1.2 cm
LVPW (D)	1.2 cm
LVPW (S)	1.2 cm
EF	67 %
FS	37 %
TAPSE	1.9 mm

DOPPLER AND COLOUR FLOW PARAMETERS :-

Aortic Valve Gradient	: V max - 1.02 m/	'sec
Pulmonary Valve Gradient	: V max - 0.76 m/s	sec
Mitral Valve Gradient	: E: 0.72 m/sec	A: 0.56 m/sec
Tricuspid Valve Gradient	: E:0.46 m/sec	

VALVE MORPHOLOGY :-

Aortic valve - Normal

Mitral valve - Normal

Tricuspid valve - Normal

REPORT DISCLAIMER

- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.

7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,

8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.

9.Liability is limited to the extend of amount billed.

10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.

11.Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

^{4.}information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.

^{5.}If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.

^{6.}Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.

Name	DEVAN C	ID	MED111767677	1
Age & Gender	43-43-Male	Visit Date	7/19/2023 9:21:50 AM	
Ref Doctor Name	MediWheel			

(*) MEDALL

Pulmonary valve - Normal

CHAMBERS		
LEFT ATRIUM	NORMAL	
LEFT VENTRICLE	NORMAL	
RIGHT ATRIUM	NORMAL	
RIGHT VENTRICLE	NORMAL	
INTER ATRIAL SEPTUM	INTACT	
INTERVENTRICULAR SEPTUM	INTACT	

ECHO FINDINGS:

Mild Left ventricular hypertrophy.

No Regional Wall Motion Abnormality (RWMA)

Normal Left Ventricular systolic function, EF 67%.

Mild Mitral Regurgitation.

No Aortic Stenosis / Aortic Regurgitation.

Normal RV Function / Trivial Tricuspid Regurgitation - 2.0 m/s.

No Pulmonary Artery Hypertension.

No LA/LV Clot.

No Vegetation / Pericardial Effusion.

REPORT DISCLAIMER

- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- The results reported here in are subject to interpretation by qualified medical professionals only.
 Customer identities are accepted provided by the customer or their representative.

consumption about the casomer scontrol at the time of sample concernor such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness. 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,

8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.

9.Liability is limited to the extend of amount billed.

10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.

11.Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

^{4.}information about the customer's condition at the time of sample collection such as fasting, food

^{5.}If any specimen/sample is received from any others laboratory/hospital, its is presumed that the sample belongs to the patient identified or named.

^{6.}Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt, the refrering doctor/patient can contact the respective section head of the laboratory.

Name	DEVAN C	ID	MED111767677	
Age & Gender	43-43-Male		7/19/2023 9:21:50 AM	MEDALL
Ref Doctor Name	MediWheel			WEDALL

No ASD/VSD/ PDA/ CoA.

<u>IMPRESSION:</u> * STRUCTURALLY NORMAL HEART. * NORMAL LEFT VENTRICULAR SYSTOLIC FUNCTION, EF 67%



MOHANRAJ ECHO TECHNOLOGIST

REPORT DISCLAIMER

- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its ruthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.



Name	Mr. DEVAN C	ID	MED111767677
Age & Gender	43Y/M	Visit Date	Jul 18 2023 8:57AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Poor inspiratory effort showing cardiomegaly. CTR measures 15.4 : 29.6

Bilateral lung fields appear normal.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

- please clinically correlate

DR.B.C.SRIDHAR., DMRD., DNB CONSULTANT RADIOLOGIST

Name	DEVAN C	ID	MED111767677	I
Age & Gender	43-43-43-Male	Visit Date	7/19/2023 9:21:50 AM	L N
Ref Doctor Name	MediWheel			

MEDALL

PERSONAL HEALTH REPORT

General Examination:

 $\begin{array}{ll} Height : 188\ cms\\ Weight : 90.3\ kg\\ BMI & : 25.4\ kg/m^2 \end{array}$

BP: 160/100 mmhg Pulse: 84 / min, regular

Systemic Examination:

CVS: S1 S2 heard; RS : NVBS +. Abd : Soft. CNS : NAD

Blood report:

HDL cholesterol - 55.7 mg/dl - Slightly low.

HbA1C test- 5.9 % Prediabetes.

All blood parameters are well within normal limits. (Report enclosed).

Urine analysis - Within normal limits.

X-Ray Chest - Abnormal study.

ECG - Normal ECG.

ECHO - Normal Study

USG - Abnormal Study.

DENTAL - Normal .

Eye Test - Abnormal study.

Vision	Right eye	Left eye
Distant Vision	6/9	6/9
Near Vision	N6	N6
Colour Vision	Normal	Normal

Impression & Advice:

REPORT DISCLAIMER

1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings. 2. The results reported here in are subject to interpretation by qualified medical

 The results reported here in are subject to interpretation by qualined medical professionals only.
 Customer identities are accepted provided by the customer or their representative.

4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.

5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.

6.Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt, the refrering doctor/patient can contact the respective section head of the laboratory.

7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,

8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.

9.Liability is limited to the extend of amount billed.

10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.

11. Disputes, if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name	DEVAN C	ID	MED111767677	
Age & Gender	43-43-43-Male		7/19/2023 9:21:50 AM	M
Ref Doctor Name	MediWheel			



HDL cholesterol - 55.7 mg/dl - Slightly low . To be increased to the desirable level of 80mg/dl by adding almond, walnut, flax seeds 2 teaspoonful and olive oil in your daily diet.

HbA1C test- 5.9 % Prediabetes. To consult a diabetologist for further evaluation and management.

X-ray chest - Abnormal study - To consult a cardiologist.

USG whole abdomen - Fatty liver. To take low fat diet and high fibre diets. Regular brisk walking for 45 minutes daily, 5 days a week is essential.

USG whole abdomen - Left renal microlith - To consult a nephrologist.

Eye Test - Distant vision defect. To consult an ophthalmologist for further evaluation and management.

All health parameters are well within normal limits.

DR. NOOR MOHAMMED RIZWAN A. M.B.B.S, FDM MHC Physician Consultant

REPORT DISCLAIMER

1. This is only a radiologincal imperssion.Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.

2.The results reported here in are subject to interpretation by qualified medical professionals only.

3.Customer identities are accepted provided by the customer or their representative. 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.

5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.

6.Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt, the refrering doctor/patient can contact the respective section head of the laboratory.

7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,

8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.

9.Liability is limited to the extend of amount billed.

10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.

11.Disputes, if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.