

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.KIRTI BALA - 160816	Registered On	: 26/Aug/2023 09:12:36
Age/Gender	: 34 Y O M 14 D /F	Collected	: N/A
UHID/MR NO	: ALDP.0000104366	Received	: N/A
Visit ID	: ALDP0155172324	Reported	: 26/Aug/2023 12:38:02
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CARDIOLOGY-ECG

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ECG / EKG *

1. Machnism, Rhythm	Sinus, Regular	
2. Atrial Rate	95	/mt
3. Ventricular Rate	95	/mt
4. P - Wave	Normal	
5. P R Interval	Normal	
6. Q R S Axis : R/S Ratio : Configuration :	Normal Normal Normal	
7. Q T c Interval	Normal	
8. S - T Segment	Normal	
9. T – Wave <u>FINAL IMPRESSION</u>	Normal	and a second

ECG Within Normal Limits: Limb Lead Reversal Suspected, Sinus Rhythm. rsr' Pattern in V1. Please correlate clinically.







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.KIRTI BALA - 160816	Registered On	: 26/Aug/2023 09:12:33
Age/Gender	: 34 Y O M 14 D /F	Collected	: 26/Aug/2023 09:39:36
UHID/MR NO	: ALDP.0000104366	Received	: 26/Aug/2023 10:17:55
	: ALDP0155172324	Reported	: 26/Aug/2023 14:22:50
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , B	lood			
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE
Rh (Anti-D)	POSITIVE			AGGLUTINA ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Who	le Blood			
Haemoglobin	10.40	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/d	
			12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/d	
TLC (WBC) <u>DLC</u>	8,700.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils)	62.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	33.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	3.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	2.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	30.00	Mm for 1st hr.		
Corrected	-	Mm for 1st hr.	< 20	
PCV (HCT) Platelet count	33.00	%	40-54	
Platelet Count	3.03	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.00	fL	9-17	ELECTRONIC IMPEDANCE





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.KIRTI BALA - 160816	Registered On	: 26/Aug/2023 09:12:33
Age/Gender	: 34 Y O M 14 D /F	Collected	: 26/Aug/2023 09:39:36
UHID/MR NO	: ALDP.0000104366	Received	: 26/Aug/2023 10:17:55
Visit ID	: ALDP0155172324	Reported	: 26/Aug/2023 14:22:50
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
P-LCR (Platelet Large Cell Ratio)	38.90	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.35	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	11.50	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.13	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)		,		
MCV	80.40	fl	80-100	CALCULATED PARAMETER
MCH	25.30	pg	28-35	CALCULATED PARAMETER
МСНС	31.50	%	30-38	CALCULATED PARAMETER
RDW-CV	16.20	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	49.10	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	5,394.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	174.00	/cu mm	40-440	

AS





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.KIRTI BALA - 160816	Registered On	: 26/Aug/2023 09:12:35
Age/Gender	: 34 Y O M 14 D /F	Collected	: 26/Aug/2023 09:39:34
UHID/MR NO	: ALDP.0000104366	Received	: 26/Aug/2023 10:17:56
Visit ID	: ALDP0155172324	Reported	: 26/Aug/2023 13:01:00
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	al Method
GLUCOSE FASTING * , Plasma	98.60	ma (dl	100 Normal	GOD POD
Glucose Fasting	90.00	1	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD FOD
Interpretation: a) Kindly correlate clinically with intake of hypogly b) A negative test result only shows that the person will never get diabetics in future, which is why and c) I.G.T = Impared Glucose Tolerance.	n does not have diab	betes at the tim	ne of testing. It does not	

Glucose PP * Sample:Plasma After Meal	129.50	mg/dl	<140 Normal 140-199 Pre-diabetes >200 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) * ,	EDTA BLOOD
--------------------------------------	------------

Glycosylated Haemoglobin (HbA1c)	5.70	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	38.50	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	116	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.KIRTI BALA - 160816	Registered On	: 26/Aug/2023 09:12:35
Age/Gender	: 34 Y O M 14 D /F	Collected	: 26/Aug/2023 09:39:34
UHID/MR NO	: ALDP.0000104366	Received	: 26/Aug/2023 10:17:56
Visit ID	: ALDP0155172324	Reported	: 26/Aug/2023 13:01:00
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

	Test Name	Result	Unit	Bio. Ref. Interval	Method
--	-----------	--------	------	--------------------	--------

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	7.05	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	0.80	mg/dl	Serum 0.5-1.2 Spot Urine-Male- 20- 275 Female-20-320	MODIFIED JAFFES
Uric Acid * Sample:Serum	6.51	mg/dl	2.5-6.0	URICASE







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.KIRTI BALA - 160816	Registered On	: 26/Aug/2023 09:12:35
Age/Gender	: 34 Y O M 14 D /F	Collected	: 26/Aug/2023 09:39:34
UHID/MR NO	: ALDP.0000104366	Received	: 26/Aug/2023 10:17:56
Visit ID	: ALDP0155172324	Reported	: 26/Aug/2023 13:01:00
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	nit Bio. Ref. Interv	val Method
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	32.40	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	37.50	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	43.20	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.50	gm/dl	6.2-8.0	BIURET
Albumin	4.10	gm/dl	3.4-5.4	B.C.G.
Globulin	3.40	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.21		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	126.90	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.50	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.20	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.30	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) * , Serum			SPACE AND	
Cholesterol (Total)	202.00	mg/dl	<200 Desirable 200-239 Borderline Hig	CHOD-PAP
	and the		> 240 High	,
HDL Cholesterol (Good Cholesterol)	62.30	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	96	mg/dl	< 100 Optimal	CALCULATED
And the second second		J	100-129 Nr.	
			Optimal/Above Optima	al
			130-159 Borderline Hig	Jh
			160-189 High	
			> 190 Very High	
VLDL	43.66	mg/dl	10-33	CALCULATED
Triglycerides	218.30	mg/dl	< 150 Normal	GPO-PAP
			150-199 Borderline Hig	jr i
			200-499 High >500 Very High	



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.KIRTI BALA - 160816	Registered On	: 26/Aug/2023 09:12:34
Age/Gender	: 34 Y 0 M 14 D /F	Collected	: 26/Aug/2023 15:40:13
UHID/MR NO	: ALDP.0000104366	Received	: 26/Aug/2023 16:07:27
Visit ID	: ALDP0155172324	Reported	: 26/Aug/2023 19:50:51
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE *	*, Urine			
Color	PALE YELLOW			
Specific Gravity	1.020			
Reaction PH	Acidic (5.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++) > 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
	ADJENT	giii370	0.5-1.0 (++)	DIFUTION
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT		and the second second	
Microscopic Examination:				
Epithelial cells	1-3/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	0-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC
Cost	ABSENT			EXAMINATION
Cast Crystals	YEAST CELL SEEN			MICROSCOPIC
CI ystais	TLAST GLLL SLLIN			EXAMINATION
Others	ABSENT			
Urine Microscopy is done on centrifug	red urine sediment			
onne wheroscopy is done on centring	zeu unne seument.			
SUGAR, FASTING STAGE * , Urine				
JUGAK, FAJI ING JIAGE , Urine				

Interpretation:	

Sugar, Fasting stage

 $\begin{array}{ll} (+) &< 0.5 \\ (++) & 0.5 \\ (++) & 1 \\ \end{array}$

Page 7 of 11



ABSENT

gms%



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.KIRTI BALA - 160816	Registered On	: 26/Aug/2023 09:12:34
Age/Gender	: 34 Y O M 14 D /F	Collected	: 26/Aug/2023 15:40:13
UHID/MR NO	: ALDP.0000104366	Received	: 26/Aug/2023 16:07:27
Visit ID	: ALDP0155172324	Reported	: 26/Aug/2023 19:50:51
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
(++++) > 2					
SUGAR, PP STAGE * , Urine					
Sugar, PP Stage	ABSENT				
Interpretation: (+) < 0.5 gms%					
		12			

AS







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.KIRTI BALA - 160816	Registered On	: 26/Aug/2023 09:12:35
Age/Gender	: 34 Y O M 14 D /F	Collected	: 26/Aug/2023 09:39:34
UHID/MR NO	: ALDP.0000104366	Received	: 26/Aug/2023 10:17:56
Visit ID	: ALDP0155172324	Reported	: 26/Aug/2023 15:19:26
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
THYROID PROFILE - TOTAL * , Serum					
T3, Total (tri-iodothyronine)	148.00	ng/dl	84.61-201.7	CLIA	
T4, Total (Thyroxine)	7.00	ug/dl	3.2-12.6	CLIA	
TSH (Thyroid Stimulating Hormone)	3.60	μIU/mL	0.27 - 5.5	CLIA	
		5			
Interpretation:					

0.3-4.5	µIU/mL	First Trimester	
0.5-4.6	µIU/mL	Second Trimester	
0.8-5.2	µIU/mL	Third Trimester	
0.5-8.9	µIU/mL	Adults 55-87 Years	
0.7-27	µIU/mL	Premature 28-36 Week	
2.3-13.2	µIU/mL	Cord Blood > 37Week	
0.7-64	µIU/mL	Child(21 wk - 20 Yrs.)	
1-39	µIU/mL	Child 0-4 Days	
1.7-9.1	µIU/mL	Child 2-20 Week	

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.KIRTI BALA - 160816	Registered On	: 26/Aug/2023 09:12:36
Age/Gender	: 34 Y 0 M 14 D /F	Collected	: N/A
UHID/MR NO	: ALDP.0000104366	Received	: N/A
Visit ID	: ALDP0155172324	Reported	: 26/Aug/2023 14:11:36
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Right incomplete cervical rib.
- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.

Please correlare clinically.

Nidhikant.

Dr Nidhikant (MBBS, DMRD, DNB)

Page 10 of 11







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Γ	Patient Name	: Mrs.KIRTI BALA - 160816	Registered On	: 26/Aug/2023 09:12:36
	Age/Gender	: 34 Y O M 14 D /F	Collected	: N/A
	UHID/MR NO	: ALDP.0000104366	Received	: N/A
	Visit ID	: ALDP0155172324	Reported	: 26/Aug/2023 12:29:00
	Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - **Enlarged in size 15.5 cm** with normal shape and **shows diffuse increase in the liver parenchymal echogenicity suggestive of grade I fatty changes**. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER :- Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

CBD :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size, shape and echogenicity.

RIGHT KIDNEY: - Normal in size , shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size, shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Normal in shape, outline and distension. No e/o wall thickening / calculus.

UTERUS :- Anteverted, and is normal in size . No focal myometrial lesion seen. Endometrium is normal in thickness.


OVARIES :- Bilateral ovaries are normal in size, shape and echogenicity.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION : Mild hepatomegaly with grade I fatty liver.

Please correlate clinically.



dan.co.in Web.: www.chandan.co.in 1800-41