

: 2203100013 Reg. No

Name : Jaspreet Kaur Age/Sex

: 28 Years / Female

Ref. By

Client : MEDIWHEEL WELLNESS Reg. Date : 01-Mar-2022

Collected On : 01-Mar-2022 09:53

**Approved On** : 01-Mar-2022 12:40 : 08-Mar-2022 14:58

**Printed On** 

<u>Parameter</u>	<u>Result</u>	<u>Unit</u>	Reference Interval		
KIDNEY FUNCTION TEST					
UREA (Urease & glutamate dehydrogenase)	16.7	mg/dL	10 - 50		
Creatinine (Jaffe method)	0.54	mg/dL	0.5 - 1.2		
Uric Acid (Enzymatic colorimetric)	4.5	mg/dL	2.5 - 7.0		

----- End Of Report -----

Reg. No : 2203100013 Name : Jaspreet Kaur Age/Sex : 28 Years / Female

Ref. By

**Parameter** 

Client : MEDIWHEEL WELLNESS Reg. Date : 01-Mar-2022

Collected On : 01-Mar-2022 09:53 **Approved On** : 01-Mar-2022 12:39

**Printed On** : 08-Mar-2022 14:58

Result	<u>Unit</u>	Reference Interval			
COMPLETE BLOOD COLINT (CBC)					

COMPLETE BLOOD COUNT (CBC)  SPECIMEN: EDTA BLOOD					
Hemoglobin	11.1	g/dL	12.0 - 15.0		
RBC Count	4.91	million/cmm	3.8 - 4.8		
Hematrocrit (PCV)	34.4	%	40 - 54		
MCH	22.6	Pg	27 - 32		
MCV	70.1	fL	83 - 101		
MCHC	32.3	%	31.5 - 34.5		
RDW	13.5	%	11.5 - 14.5		
WBC Count	8060	/cmm	4000 - 11000		
DIFFERENTIAL WBC COUNT (Flow	cytometry)				
Neutrophils (%)	73	%	38 - 70		
Lymphocytes (%)	19	%	20 - 40		
Monocytes (%)	06	%	2 - 8		
Eosinophils (%)	02	%	0 - 6		
Basophils (%)	00	%	0 - 2		
Neutrophils	5884	/cmm			
Lymphocytes	1531	/cmm			
Monocytes	484	/cmm			
Eosinophils	161	/cmm			
Basophils	0	/cmm			
Platelet Count (Flow cytometry)	231000	/cmm	150000 - 450000		
MPV	10.1	fL	7.5 - 11.5		

----- End Of Report -----

		TEST REPORT				
Reg. No	: 2203100013		<b>Reg. Date</b> : 01-Mar-2022			
Name	: Jaspreet Kaur		Collected On : 01-Mar-2022 09:53			
Age/Sex	: 28 Years / Female		<b>Approved On</b> : 01-Mar-2022 12:39			
Ref. By	:		<b>Printed On</b> : 08-Mar-2022 14:58			
Client	: MEDIWHEEL WELLNESS					
Paramet	<u>er</u>	Result				
BLOOD GROUP & RH  Specimen: EDTA and Serum; Method: Haemagglutination						
ABO		'O'				
Rh (D)		Positive				
End Of Report						



: 2203100013 Reg. No

Name : Jaspreet Kaur Age/Sex : 28 Years / Female

Ref. By

Client : MEDIWHEEL WELLNESS Reg. Date

: 01-Mar-2022

**Collected On** 

: 01-Mar-2022 09:53

Approved On

: 01-Mar-2022 12:40

**Printed On** : 08-Mar-2022 14:58

<u>Unit</u> Reference Interval **Parameter** Result

### **PLASMA GLUCOSE**

Fasting Blood Sugar (FBS)

74.2

mg/dL

70 - 110

Hexokinase Method

Criteria for the diagnosis of diabetes1. HbA1c >/= 6.5 \*

Or 2. Fasting plasma glucose >126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.

Or

3. Two hour plasma glucose >/= 200mg/dL during an oral glucose tolerence test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water. Or

4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose >/= 200 mg/dL. \*In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing.

American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

----- End Of Report -----

Page 4 of 10

This is an electronically authenticated report.

Approved by: DR PS RAO MD Pathologist



 Reg. No
 : 2203100013

 Name
 : Jaspreet Kaur

 Age/Sex
 : 28 Years / Female

**Collected On** : 01-Mar-2022 09:53 **Approved On** : 01-Mar-2022 12:40

: 01-Mar-2022

Ref. By

**Printed On** : 08-Mar-2022 14:58

Reg. Date

Client : MEDIWHEEL WELLNESS

<u>Parameter</u>	<u>Result</u>	<u>Unit</u>	Reference Interval		
LIPID PROFILE					
Cholesterol (Enzymatic colorimetric)	195.5	mg/dL	Desirable : < 200.0 Borderline High : 200-239 High : > 240.0		
Triglyceride (Enzymatic colorimetric)	144.2	mg/dL	Normal : < 150.0 Borderline : 150-199 High : 200-499 Very High : > 500.0		
VLDL	28.84	mg/dL	15 - 35		
Calculated					
LDL CHOLESTEROL	116.56	mg/dL	Optimal: < 100.0 Near / above optimal: 100-129 Borderline High: 130-159 High: 160-189 Very High: >190.0		
HDL Cholesterol	50.1	mg/dL	30 - 85		
Homogeneous enzymatic colorin	netric				
Cholesterol /HDL Ratio Calculated	3.90		0 - 5.0		
LDL / HDL RATIO Calculated	2.33		0 - 3.5		



2203100013 Reg. No Name Jaspreet Kaur Age/Sex 28 Years / Female

Approved On : 01-Mar-2022 12:40

: 08-Mar-2022 14:58

: 01-Mar-2022 09:53

: 01-Mar-2022

Ref. By

Client

MEDIWHEEL WELLNESS

**Printed On** 

Reg. Date

Collected On

**Parameter** Result <u>Unit</u> Reference Interval NEW ATP III GUIDELINES (MAY 2001), MODIFICATION OF NCEP<?xml:namespace prefix = "o" ns = "urn:schemas-

microsoft-com:office:office" />

LDL CHOLESTEROL **CHOLESTEROL HDL CHOLESTEROL TRIGLYCERIDES** 

Optimal<100 Desirable<200 Low<40 Normal<150 Near Optimal 100-129 Border Line 200-239 High >60 Border High 150-199 Borderline 130-159 High >240 High 200-499 High 160-189

LDL Cholesterol level is primary goal for treatment and varies with risk category and assesment

For LDL Cholesterol level Please consider direct LDL value

Risk assessment from HDL and Triglyceride has been revised. Also LDL goals have changed.

- Detail test interpreation available from the lab
- All tests are done according to NCEP guidelines and with FDA approved kits.
- LDL Cholesterol level is primary goal for treatment and varies with risk category and assesment

# For test performed on specimens received or collected from non-KSHIPRA locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender.

KSHIPRA will be responsible Only for the analytical part of test carried out. All other responsibility will be of referring Laboratory.

. All other responsibility will be of referring Laboratory.

----- End Of Report -----

This is an electronically authenticated report.

Page 6 of 10

Reg. No : 2203100013 Name : Jaspreet Kaur Reg. Date : 01-Mar-2022 **Collected On** : 01-Mar-2022 09:53

Age/Sex : 28 Years / Female

**Approved On** : 01-Mar-2022 12:40

Ref. By

**Printed On** : 08-Mar-2022 14:58

Client : MEDIWHEEL WELLNESS

<u>Parameter</u>	Result	<u>Unit</u>	Reference Interval			
LIVER FUNCTION TEST						
Total Bilirubin	0.31	mg/dL	0.20 - 1.0			
Colorimetric diazo method						
Conjugated Bilirubin	0.12	mg/dL	0.0 - 0.3			
Sulph acid dpl/caff-benz						
Unconjugated Bilirubin	0.19	mg/dL	0.0 - 1.1			
Sulph acid dpl/caff-benz						
SGOT	17.0	U/L	0 - 31			
(Enzymatic)						
SGPT	19.2	U/L	0 - 31			
(Enzymatic)						
Alakaline Phosphatase	60.6	U/L	42 - 141			
(Colorimetric standardized method)						
Protien with ratio						
Total Protein	6.4	g/dL	6.5 - 8.7			
(Colorimetric standardized method)						
Albumin	4.3	mg/dL	3.5 - 4.94			
(Colorimetric standardized method)						
Globulin	2.10	g/dL	2.3 - 3.5			
Calculated						
A/G Ratio	2.05		0.8 - 2.0			
Calculated						

----- End Of Report -----

MD Pathologist

# 

### **TEST REPORT**

Reg. No : 2203100013 Name : Jaspreet Kaur

28 Years / Female

Age/Sex Ref. By

Client: MEDIWHEEL WELLNESS

Reg. Date : 01-

: 01-Mar-2022

**Collected On** : 01-Mar-2022 09:53 **Approved On** : 01-Mar-2022 12:40

Printed On : 08-Mar-2022 14:58

<u>Parameter</u> <u>Result</u> <u>Unit</u> <u>Reference Interval</u>

### **HEMOGLOBIN A1 C ESTIMATION**

Specimen: Blood EDTA

Hb A1C

5.3

% of Total Hb

Poor Control: > 7.0 % Good Control: 6.2-7.0 % Non-diabetic Level: 4.3-6.2 %

Boronate Affinity with Fluorescent Quenching

111.38

mg/dL

**Degree of Glucose Control Normal Range:** 

Poor Control >7.0% \*

Mean Blood Glucose

Calculated

Good Control 6.0 - 7.0 %\*\*Non-diabetic level < 6.0 %

- \* High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy, etc.
- \* Some danger of hypoglycemic reaction in Type I diabetics.
- \* Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

### **EXPLANATION:-**

\*Total haemoglobin A1 c is continuously symthesised in the red blood cell throught its 120 days life span. The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.

\*The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose oncentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels.

\*The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days, HbA1c has been accepted as a measurnment which effects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

\*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures.

#### **HbA1c assay Interferences:**

\*Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

----- End Of Report -----

Page 8 of 10

This is an electronically authenticated report.

Approved by: DR PS RAO MD Pathologist

 Reg. No
 : 2203100013

 Name
 : Jaspreet Kaur

 Age/Sex
 : 28 Years / Female

**Collected On** : 01-Mar-2022 09:53 **Approved On** : 01-Mar-2022 12:39

Reg. Date

Ref. By

Client

: MEDIWHEEL WELLNESS

**Printed On** : 08-Mar-2022 14:58

: 01-Mar-2022

<u>Parameter</u>	Result	<u>Unit</u>	Reference Interval		
THYROID FUNCTION TEST					
T3 (Triiodothyronine)	1.73	ng/mL	0.87 - 1.78		
Chemiluminescence					
T4 (Thyroxine)	12.74	μg/dL	5.89 - 14.9		
Chemiluminescence					
TSH ( ultra sensitive )	1.690	μIU/ml	0.34 - 5.6		
Chemiluminescence					

SUMMARY The hypophyseal release of TSH (thyrotropic hormone) is the central regulating mechanism for the biological action of thyroid hormones. TSH is a very sensitive and specific parameter for assessing thyroid function and is particularly suitable for early detection or exclusion of disorders in the central regulating circuit between the hypothalamus, pituitary and thyroid. LIMITATION Presence of autoantibodies may cause unexpected high value of TSH

----- End Of Report -----

MD Pathologist

Reg. No : 2203100013 Name Jaspreet Kaur Age/Sex : 28 Years / Female

**Collected On** : 01-Mar-2022 09:53 Approved On : 01-Mar-2022 10:35

Reg. Date

: 01-Mar-2022

Ref. By

**Parameter** 

Client

: MEDIWHEEL WELLNESS

**Printed On** : 08-Mar-2022 14:58

Result <u>Unit</u> Reference Interval

### URINE ROUTINE EXAMINATION

**PHYSICAL EXAMINATION** 

Quantity 20 cc

Pale Yellow Colour

Clear **Appearance** 

CHEMICAL EXAMINATION (BY REFLECTANCE PHOTOMETRIC METHOD)

рΗ 6.0 5.0 - 8.01.020 1.002 - 1.03 Sp. Gravity

Nil Protein Glucose Nil **Ketone Bodies** Nil Urine Bile salt and Bile Pigment Nil Urine Bilirubin Nil Nitrite Nil Leucocytes Nil Blood Nil

## MICROSCOPIC EXAMINATION (MANUAL BY MCIROSCOPY)

Leucocytes (Pus Cells) 18 - 20/hpf

Erythrocytes (Red Cells) Nil **Epithelial Cells** 1-2/hpf **Amorphous Material** Nil Casts Nil Nil Crystals

**Bacteria** Nil Monilia Nil

----- End Of Report -----

Page 10 of 10

DR PS RAO Approved by:

MD Pathologist