

R

E

0

	PHYSICAL EXAMINATION REPORT
Patient Name Date	Nisha Pesaul Sex/Age 7/48 Nisha Pesaul Sex/Age 7/48 Location Thane
History and Co	omplaints (as pommsM) selegged (videngenez es) year x sale) (
	Clo-RecurserA Lough, cold Variose Jeius
EXAMINATIO	ON FINDINGS:
Height (cms):	Temp (Oc): Skin: Narrose Pignientation 62-3 Skin:
Weight (kg):	62-3 Skin:
Blood Pressure	CO OO Nails:
Pulse	Lymph Node:
Systems:	Esitesaya IAMSESSEMAN AND SERVICES
Cardiovascular:	
Respiratory:	Lump in 12. Breast (1.)
Genitourinary:	- Lump in 17. Breast (1.)
GI System:	
CNS:	
Impression:	- 1 B'P'
	Hb. 2DEHO-LVH (mild) 2DEHO-LVH (mild) ramography- (ysts in Left Breast.
- 1	ramograply - (95ts 1016)



Marcian's Consultation of tron Supplement.

Diet, Low Sugar Diet, Exerci Advice: Hypertension: 1) IHD 2) Arrhythmia 3) **Diabetes Mellitus** 4) **Tuberculosis** 5) Asthama 6) **Pulmonary Disease** 7) Thyroid/ Endocrine disorders 8) Nervous disorders 9) GI system 10) Genital urinary disorder 11) Rheumatic joint diseases or symptoms 12) Blood disease or disorder 13) o-fibroids. (3 Back) Cancer/lump growth/cyst 14) Congenital disease 15) Surgeries 16) Musculoskeletal System 17) PERSONAL HISTORY: Alcohol 1) **Smoking** 2) 3) Diet Medication 4)



E

R

Isha Desau AGE/SEX:

REGN NO: -

REF DR :-

GYNECOLOGICAL EXAMINATION REPORT

OBSERVED VALUE

TEST DONE

CHIEF COMPLANTS:-

MARITAL STATUS:-

MENSTRUAL HISTORY:-

PRESENT MENSTRUAL HISTORY:- POST - HYSTAR (HOWY

PAST MENSTRUAL HISTORY:-

OBSTERIC HISTORY: -

PREVIOUS SURGERIES

ALLERGIES :-

FAMILY HOSTORY:-

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



REPOR

• DRUG HISTORY:-

BOWEL HABITS :-

BLADDER HABITS :-

PERSONAL HISTORY:-

TEMPRATURE:

CVS :-

PULSE / MIN :-

BP (mm of hg):-

BREAST EXAMINATION:-

PER ABDOMEN:-

PRE VAGINAL:-

RECOMMENDATION :-

RS:- 1 INV

76 July 160 100

PINA. Breast

MAD.

Je Je



R E

0

R

Date: 21/3/23 Name: Xlithe 7

CID:

Sex / Age:

EYE CHECK UP

Chief complaints:

Systemic Diseases:

Past history:

Unaided Vision:

Aided Vision:

Ruder 21293 XNBC12 13696 AND 046

Refraction:

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	СуІ	Axis	Vn
Distance				Alhaaa				
Near								

Colour Vision: Normal / Abnormal


Remark: Usc on Speels

SUBURBAN STICS

SUBURBAN DIAGNOSTICS - G B ROAD, THANE WEST

Date and Time: 25th Mar 23 12:57 PM

Patient Name: NISHA.
Patient ID: 2308421925



ECG Within Normal Limits: Sinus Rhythm,. Please correlate clinically.

25.0 mm/s 10.0 mm/mV

П

H

П

REPORTED BY

Copyright 2014-2023 Tricog Health, All Rights Reserved.

tricog

QT: QTo: PR: P-R-T:

172ms 49° -2° 20° 382ms 409ms

DR SHAILAJA PILLAJ MBBS, MD Physican MD Physican 49972

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical physician. 2) Putient vitals are as entered by the clinician and not decived from the ECG.



: 2308421925

Name

: MRS.NISHA .

Age / Gender

: 48 Years / Female

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 25-Mar-2023 / 10:00 :25-Mar-2023 / 12:13 R

E

0

R

T

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/TMT

alata Blood Count) Blood

	CBC (Complet	e Blood Count), Blood	
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
RBC PARAMETERS			Spectrophotometric
Haemoglobin	10.2	12.0-15.0 g/dL	
RBC	4.87	3.8-4.8 mil/cmm	Elect. Impedance
PCV	32.8	36-46 %	Measured
MCV	67.4	80-100 fl	Calculated
MCH	20.9	27-32 pg	Calculated
MCHC	31.0	31.5-34.5 g/dL	Calculated
RDW	14.6	11.6-14.0 %	Calculated
WBC PARAMETERS			Fleet Impedance
WBC Total Count	4570	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND A	ABSOLUTE COUNTS		
Lymphocytes	34.3	20-40 %	Calculated
Absolute Lymphocytes	1567.5	1000-3000 /cmm	Calculated
Monocytes	7.6	2-10 %	Caladasad
Absolute Monocytes	347.3	200-1000 /cmm	Calculated
Neutrophils	51.8	40-80 %	C. I. I. I. d.
Absolute Neutrophils	2367.3	2000-7000 /cmm	Calculated
Eosinophils	6.3	1-6 %	
Absolute Eosinophils	287.9	20-500 /cmm	Calculated
Basophils	0.0	0.1-2 %	
Absolute Basophils	0.0	20-100 /cmm	Calculated
Immature Leukocytes			

WBC Differential Count by Absorbance & Impedance method/Microscopy.

						Minute Sales
mi	ATEL	ET	DA	PAN	METE	RS

PLATELLITANAMETE		150000-400000 /cmm	Elect. Impedance
Platelet Count	230000	130000-400000 7 611111	Calaulated
A Very Action (Inc. of Control of	9.4	6-11 fl	Calculated
MPV		11-18 %	Calculated
DDM	15.0	11-10 /0	

RBC MORPHOLOGY

Page 1 of 11



: 2308421925

Name

: MRS.NISHA .

Age / Gender

: 48 Years / Female

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Use a QR Code Scanner Application To Scan the Code

Authenticity Check

Collected Reported

: 25-Mar-2023 / 10:00 :25-Mar-2023 / 12:56 R

E

0

R

Т

Hypochromia

Microcytosis

Macrocytosis

Anisocytosis Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others

Elliptocytes-occasional

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Features suggest iron deficiency anemia

Advice: Iron studies, Serum ferritin & Reticulocyte count estimation recommended. Stool for occult blood.

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR

13


2-20 mm at 1 hr.

Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***







Dr.AMIT TAORI M.D (Path) Pathologist

Page 2 of 11



: 2308421925

Name

: MRS.NISHA .

Age / Gender

: 48 Years / Female

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 25-Mar-2023 / 10:00 :25-Mar-2023 / 13:04

Hexokinase

Hexokinase

R

E

0

R

T

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/TMT

PARAMETER

RESULTS

GLUCOSE (SUGAR) FASTING, 93.0

GLUCOSE (SUGAR) PP, Fluoride 116.2

Fluoride Plasma

Plasma PP/R

BIOLOGICAL REF RANGE METHOD

Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose:

100-125 mg/dl

Diabetic: >/= 126 mg/dl

Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance:

Diabetic: >/= 200 mg/dl

140-199 mg/dl

Urine Sugar (Fasting) Urine Ketones (Fasting) Absent

Absent

Absent

Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***





Donist Jaan

Dr.AMIT TAORI M.D (Path) Pathologist

Page 3 of 11



: 2308421925

Name

: MRS.NISHA .

Age / Gender

: 48 Years / Female

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 25-Mar-2023 / 10:00 :25-Mar-2023 / 14:36 R

E

0

R

T

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/TMT KIDNEY FUNCTION TESTS

DARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PARAMETER		12.8-42.8 mg/dl	Urease & GLDH
BLOOD UREA, Serum	19.0		Calculated
BUN, Serum	8.9	6-20 mg/dl	Enzymatic
CREATININE, Serum	0.59	0.51-0.95 mg/dl	
eGFR, Serum	116	>60 ml/min/1.73sqm	Calculated
	ulated using MDRD (Modificat	tion of diet in renal disease study group) eq	uation
MOTO PLACE PALIFICACION IS CORE	MINION METERS		and the second

Note: eGFR estimation is

Note: eGFR estimation is calcula	6.8 (MOCH)	6.4-8.3 g/dL	Biuret
TOTAL PROTEINS, Serum		3.5-5.2 g/dL	BCG
ALBUMIN, Serum	4.6		Calculated
GLOBULIN, Serum	2.2	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.1	1 - 2	
URIC ACID, Serum	3.6	2.4-5.7 mg/dl	Uricase
PHOSPHORUS, Serum	3.5	2.7-4.5 mg/dl	Ammonium molybdate
	9.1	8.6-10.0 mg/dl	N-BAPTA
CALCIUM, Serum		135-148 mmol/l	ISE
SODIUM, Serum	138	3.5-5.3 mmol/l	ISE
POTASSIUM, Serum	4.5		ISE
CHLORIDE, Serum	103	98-107 mmol/l	

*Sample processed at SUBURBAN DIAGNOSTICS (IND!A) PVT. LTD G B Road Lab, Thane West *** End Of Report ***





Donit Toom

Dr.AMIT TAORI M.D (Path) Pathologist

Page 4 of 11



: 2308421925

Name

: MRS.NISHA .

Age / Gender

: 48 Years / Female

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 25-Mar-2023 / 10:00 :25-Mar-2023 / 12:38

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/TMT

GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER

RESULTS

METHOD **BIOLOGICAL REF RANGE**

R

E

0

R

T

Glycosylated Hemoglobin (HbA1c), EDTA WB - CC

Estimated Average Glucose

5.5

111.1

Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % HPLC

Diabetic Level: >/= 6.5 %

mg/dl

Calculated

(eAG), EDTA WB - CC

Intended use:

In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Test Interpretation: Glycosylated hemoglobin in the blood.

HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.

To monitor compliance and long term blood glucose level control in patients with diabetes.

Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDÍA) PVT. LTD G B Road Lab, Thane West ** End Of Report ***

Amit Toom

Dr.AMIT TAORI M.D (Path) Pathologist

Page 5 of 11



: 2308421925

Name

: MRS.NISHA .

Age / Gender

: 48 Years / Female

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 25-Mar-2023 / 10:00

:25-Mar-2023 / 13:37

R

E

R

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/TMT URINE EXAMINATION REPORT

Collected

Reported

MEDITITIES	URINE EXAMIN	NATION REPORT	METHOD
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Color Reaction (pH) Specific Gravity Transparency Volume (ml)	Pale yellow Acidic (5.0) 1.020 Slight hazy 20	Pale Yellow 4.5 - 8.0 1.010-1.030 Clear	Chemical Indicato Chemical Indicato
CHEMICAL EXAMINATION Proteins Glucose Ketones Blood Bilirubin Urobilinogen Nitrite	Absent Absent Absent Absent Absent Normal Absent	Absent Absent Absent Absent Absent Normal Absent	pH Indicator GOD-POD Legals Test Peroxidase Diazonium Salt Diazonium Salt Griess Test
MICROSCOPIC EXAMINATION Leukocytes(Pus cells)/hpf Red Blood Cells / hpf Epithelial Cells / hpf Casts Crystals Amorphous debris	1-2 Absent 4-5 Absent Absent Absent 8-10	0-5/hpf 0-2/hpf Absent Absent Absent Less than 20/hpf responding to the grading given in the report	are as follows:

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein:(1+ -25 mg/dl, 2+ -75 mg/dl, 3+ 150 mg/dl, 4+ 500 mg/dl)
- Glucose: (1+ 50 mg/dl, 2+ -100 mg/dl, 3+ -300 mg/dl, 4+ -1000 mg/dl)
- Ketone: (1+ -5 mg/dl, 2+ -15 mg/dl, 3+ 50 mg/dl, 4+ 150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West







Donit Taam

Dr.AMIT TAORI M.D (Path) Pathologist

Page 6 of 11



: 2308421925

Name

: MRS.NISHA .

Age / Gender

: 48 Years / Female

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Collected

Reported

Use a QR Code Scanner Application To Scan the Code :25-Mar-2023 / 10:00

Authenticity Check

:25-Mar-2023 / 13:10

R

E

R

T

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/TMT **BLOOD GROUPING & Rh TYPING**

RESULTS

PARAMETER

ABO GROUP

B

Rh TYPING

Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Specimen: EDTA Whole Blood and/or serum

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia Refernces: 1.
 - AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West







Amit Toom Dr.AMIT TAORI M.D (Path)

Pathologist

Page 7 of 11



: 2308421925

Name

: MRS.NISHA .

Age / Gender

: 48 Years / Female

Consulting Dr.

: G B Road, Thane West (Main Centre) Reg. Location

Collected

Use a QR Code Scanner Application To Scan the Code :25-Mar-2023 / 10:00

Authenticity Check

R

E

P

0

R

Reported

:25-Mar-2023 / 14:36

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/TMT LIPID PROFILE

MEDIT	RESULTS	BIOLOGICAL REF RANGE	METHOD
PARAMETER	KESULIS		CHOD-POD
CHOLESTEROL, Serum	152.5	Borderline High: 200-239mg/dt	200
TRIGLYCERIDES, Serum	63.1	Normal: <150 mg/dl Borderline-high: 150 - 199	GPO-POD
		mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	
HDL CHOLESTEROL, Serum	53.8	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	98.7	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl	Calculated
LDL CHOLESTEROL, Serum	86.0	Very high: >/=190 mg/dl Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl	Calculated
	12.7	High: 160 - 189 mg/dl Very High: >/= 190 mg/dl < /= 30 mg/dl	Calculated Calculated
VLDL CHOLESTEROL, Serum	2.8	0-4.5 Ratio	
CHOL / HDL CHOL RATIO,		0-3.5 Ratio	Calculated
Serum LDL CHOL / HDL CHOL RATIO,	1.6	0-3.3 Ratio	
Serum		TID G B Road Lab. Thane West	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West





Daniel a am Dr.AMIT TAORI M.D (Path)

Pathologist

Page 8 of 11



: 2308421925

Name

: MRS.NISHA .

Age / Gender

: 48 Years / Female

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Certre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 25-Mar-2023 / 10:00 :25-Mar-2023 / 13:04 R

E

R

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/TMT THYROID FUNCTION TESTS

111	THYROID	FUNCTION 1ESTS	METHOD
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	-
-	4.9	3.5-6.5 pmol/L	ECLIA
Free T3, Serum		11.5-22.7 pmol/L	ECLIA
Free T4, Serum	15.3	First Trimester: 9.0-24.7 Second Trimester: 6.4-20.59 Third Trimester: 6.4-20.59	
sensitiveTSH, Serum	2.75	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA



: 2308421925

Name

: MRS.NISHA .

Age / Gender

: 48 Years / Female

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:25-Mar-2023 / 10:00 :25-Mar-2023 / 13:04 R

Е

0

R

т

Collected Reported

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders. Interpretation:

1)TSH Values between high abnormal upto 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological Clinical Significance:

2)TSH values may be trasiently altered because of non thyroidal illness like severe infections, liver disease, renal and heart severe burns,

trauma	and surgery	etc.	Interpretation
rsh	FT4/T4	FT3/T3	Interpretation = Interp
High	Normal		
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, All Hypothyroidism. Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, All Hypothyroidism. Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, All Hypothyroidism. Hypothyroidism, Autoimmune thyroidism, post radio iodine Rx, post thyroidism. Hypothyroidism, Autoimmune thyroidism, post radio iodine Rx, post thyroidectomy, All Hypothyroidism. Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, All Hypothyroidism. Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, All Hypothyroidism. Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, All Hypothyroidism. Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, All Hypothyroidism. Hypothyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, hypothyroidism, disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, hypothyroidism, disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, hypothyroidism, disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, hypothyroidism, disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, hypothyroidism, disease, hypothyroidism, disease, hypothyroidism, disease, hypothyroidism, disease, hypothyroidism, disease, hypothyroidism, hypoth
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular gotter, toxic descriptions, Graves disease, Graves di
Low	Normal	Normal	Subclinical Hyperthyroidism, recent RX for Hyperthyroidism,
Low	Low	Low	illness. Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism. Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism. Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti-
High	High	High	Interfering anti TPO antibodies, Drug interference. Interfe

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.
- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013) Reference:
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)
- *Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West







Donit Toon Dr.AMIT TAORI M.D (Path)

Pathologist

Page 10 of 11



: 2308421925

Name

: MRS.NISHA .

Age / Gender

: 48 Years / Female

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 25-Mar-2023 / 10:00 :25-Mar-2023 / 14:36

R

E

P

0

R

T

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/TMT LIVER FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
	0.39	0.1-1.2 mg/dl	Diazo
BILIRUBIN (TOTAL), Serum	0.15	0-0.3 mg/dl	Diazo
BILIRUBIN (DIRECT), Serum	0.24	0.1-1.0 mg/dl	Calculated
BILIRUBIN (INDIRECT), Serum TOTAL PROTEINS, Serum	6.8	6.4-8.3 g/dL	Biuret
	4.6	3.5-5.2 g/dL	BCG
ALBUMIN, Serum	2.2	2.3-3.5 g/dL	Calculated
GLOBULIN, Serum	2.1	1 - 2	Calculated
A/G RATIO, Serum SGOT (AST), Serum	16.2	5-32 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	13.6	5-33 U/L	IFCC without pyridoxal phosphate activation
GAMMA GT, Serum	8.9	3-40 U/L	IFCC
ALKALINE PHOSPHATASE,	84.7	35-105 U/L	PNPP
Serum			

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***







Amit Taam Dr.AMIT TAORI

M.D (Path) Pathologist

Page 11 of 11



: Mrs NISHA. Name

: 48 Years/Female Age / Sex

Ref. Dr

: 2308421925

Reg. Location : G B Road, Thane West Main Centre Authenticity Check



Use a QR Code Scanner Application To Scan the Code R

E

0

R

: 25-Mar-2023

: 25-Mar-2023 / 12:47

X-RAY CHEST PA VIEW

Reg. Date

Reported

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-End of Report--

Dr Gauri Varma **Consultant Radiologist** MBBS / D!MRE MMC- 2007/12/4113

PRoces

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032509441386



REPOR

REG NO.: 2308421925	SEX : FEMALE
NAME : MRS. NISHA	AGE: 48 YRS
REF BY :	DATE: 25.03.2023

2D ECHOCARDIOGRAPHY

M - MODE FINDINGS:

LVIDD	41	mm
LVIDS	22	mm
LVEF	60	%
IVS	12	mm
PW	6	mm
AO	14	mm
LA	28	mm

2D ECHO:

- All cardiac chambers are normal in size
- Left ventricular contractility: Normal
- Regional wall motion abnormality: Absent.
- Systolic thickening: Normal. LVEF = 60%
- · tricuspid, aortic, pulmonary valves are: Normal.
- Great arteries: Aorta and pulmonary artery are: Normal.
- Inter artrial and inter ventricular septum are intact.
- Pulmonary veins, IVC, hepatic veins are normal.
- No pericardial effusion. No intracardiac clots or vegetation.

022-6170-0000



PATIENT NAME: MRS.NISHA

COLOR DOPPLER:

- Mitral valve doppler E- 1.1 m/s, A 0.7 m/s.
- · Mild TR.
- No aortic / mitral regurgition. Aortic velocity 1.9 m/s, PG 14.5 mmHg
- No significant gradient across aortic valve.
- No diastolic dysfunction.

IMPRESSION:

- MILD CONCENTRIC HYPERTROPHY OF LV
- NO REGIONAL WALL MOTION ABNORMALITY AT REST.
- NORMAL LV SYSTOLIC FUNCTION.

----- END OF THE REPORT-----

DR.YOGESH KHARCHE
DNB(MEDICINE) DNB (CARDIOLOGY)

CONSULTANAT INTERVENTIONAL CARDIOLOGIST.

022-6170-0000

R

E

0

R



Reg. No.: 2308421925	Sex : FEMALE
NAME : MRS.NISHA	Age: 48 YRS
Ref. By :	Date: 25.03.2023

USG ABDOMEN AND PELVIS

LIVER: Liver appears normal in size and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is contracted. (Not evaluated).

PORTAL VEIN: Portal vein is normal. **CBD:** CBD is normal.

<u>PANCREAS</u>: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

KIDNEYS: Right kidney measures 9.0 x 4.5 cm. Left kidney measures 10.1 x 3.9 cm. Both kidneys are normal in size, shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

<u>URINARY BLADDER:</u> Urinary bladder is distended and normal. Wall thickness is within normal limits.

<u>UTERUS AND OVARIES</u>: Post hysterectomy status. No adnexal mass seen.

No free fluid or significant lymphadenopathy is seen.

IMPRESSION: NO SIGNIFICANT ABNORMALITY IS DETECTED.

Note:Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

Advice: Clinical co-relation and further evaluation.

DR.DEVENDRA PATIL
MD (RADIO DIAGNOSIS)
(CONSULTANT RADIOLOGIST)



Reg. No.: 2308421925	Sex : FEMALE
NAME : MRS. NISHA	Age: 48 YRS
Ref. By :	Date: 25.03.2023

MAMMOGRAPHY

Bilateral mammograms have been obtained using a low radiation dose film screen technique in the cranio-caudal and oblique projections. Film markers are in the axillary / lateral portions of the breasts.

Dense fibroglandular pattern is noted in both breasts limiting optimal evaluation. No evidence of any abnormal density mass lesion / nipple retraction is seen. No architectural distortion is seen.

Both nipple shadows and subcutaneous soft tissue shadows appear normal .No abnormal skin thickening is seen.

On Sonomammography of both breasts mixed fibroglandular tissues are seen . Few cysts largest measuring 2.3 x 0.9 cm at 2 - 3 o'clock position in left breast. No focal soildmass lesion is seen in both breasts. No duct ectasia is seen. Both retromammary regions appear normal. No siginificant axillary lymphadenopathy is seen.

IMPRESSION:

FEW CYSTS LARGEST MEASURING 2.3 X 0.9 CM AT 2 - 3 O'CLOCK POSITION IN LEFT BREAST. ACR BIRADS CATEGORY II LEFT BREAST.

ACR BIRADS CATEGORY I RIGHT BREAST.

SUGGEST CHNICAL CORRELATION AND FOLLOW UP.

Note:Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations.

> DR.GAURI VARMA MBBS, DMRE (CONSULTANT RADIOLOGIST)

R

E