



Age/Gender : 35 Y 9 M 0 D/F UHID/MR No : CINR.0000157410

Visit ID : CINROPV206922

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 9855043666 Collected : 04/Oct/2023 09:43AM

Received : 04/Oct/2023 02:37PM

Reported : 04/Oct/2023 04:56PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY	HEALTH ANNUAL	PLUS CHECK -	FEMALE - 2D ECHO - F	PAN INDIA - FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method

HAEMOGLOBIN	12.2	g/dL	12-15	Spectrophotometer
PCV	38.30	%	36-46	Electronic pulse & Calculation
RBC COUNT	4.2	Million/cu.mm	3.8-4.8	Electrical Impedence
MCV	91.1	fL	83-101	Calculated
MCH	29	pg	27-32	Calculated
MCHC	31.9	g/dL	31.5-34.5	Calculated
R.D.W	15.4	%	11.6-14	Calculated
TOTAL LEUCOCYTE COUNT (TLC)	8,550	cells/cu.mm	4000-10000	Electrical Impedance
DIFFERENTIAL LEUCOCYTIC COUNT (D	LC)			
NEUTROPHILS	69.1	%	40-80	Electrical Impedance
LYMPHOCYTES	21.8	%	20-40	Electrical Impedance
EOSINOPHILS	2.9	%	1-6	Electrical Impedance
MONOCYTES	5.9	%	2-10	Electrical Impedance
BASOPHILS	0.3	%	<1-2	Electrical Impedance
ABSOLUTE LEUCOCYTE COUNT				
NEUTROPHILS	5908.05	Cells/cu.mm	2000-7000	Electrical Impedance
LYMPHOCYTES	1863.9	Cells/cu.mm	1000-3000	Electrical Impedance
EOSINOPHILS	247.95	Cells/cu.mm	20-500	Electrical Impedance
MONOCYTES	504.45	Cells/cu.mm	200-1000	Electrical Impedance
BASOPHILS	25.65	Cells/cu.mm	0-100	Electrical Impedance
PLATELET COUNT	260000	cells/cu.mm	150000-410000	Electrical impedence
ERYTHROCYTE SEDIMENTATION RATE (ESR)	60	mm at the end	0-20	Modified Westegren

RBCs: Predominantly normocytic normochromic.

WBCs: Normal in number, distribution and morphology.

Platelets : Normal in number. Hemoparasites : Are not seen.

IMPRESSION: WITHIN NORMAL LIMITS.

Page 1 of 11



SIN No:BED230241603 NABL renewal accreditation under process









: Mrs.SMRITI CHHAYA

Age/Gender

: 35 Y 9 M 0 D/F

UHID/MR No Visit ID

: CINR.0000157410

Ref Doctor

: CINROPV206922

: Dr.SELF Emp/Auth/TPA ID : 9855043666 Collected

: 04/Oct/2023 09:43AM

Received

: 04/Oct/2023 02:37PM : 04/Oct/2023 07:07PM

Reported Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED


DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY	HEALTH ANNUAL	PLUS CHECK -	FEMALE - 2D ECHO - F	AN INDIA - FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method

BLOOD GROUP ABO AND RH FACTOR , WHOLE BLOOD EDTA				
BLOOD GROUP TYPE	0	Microplate Hemagglutination		
Rh TYPE	Positive	Microplate Hemagglutination		

Page 2 of 11











Age/Gender : 35 Y 9 M 0 D/F

UHID/MR No : CINR.0000157410 Visit ID : CINROPV206922

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 9855043666 Collected : 04/Oct/2023 12:38PM Received : 04/Oct/2023 05:05PM

Reported : 04/Oct/2023 06:11PM

: Final Report Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

Status

ARCOFEMI - MEDIWHEEL - FULL BODY	HEALTH ANNUAL	PLUS CHECK -	FEMALE - 2D ECHO - F	PAN INDIA - FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method

GLUCOSE, FASTING , NAF PLASMA	94	mg/dL	70-100	HEXOKINASE
-------------------------------	----	-------	--------	------------

Comment:

As per American Diabetes Guidelines, 2023

Fasting Glucose Values in mg/dL	Interpretation
70-100 mg/dL	Normal
100-125 mg/dL	Prediabetes
≥126 mg/dL	Diabetes
<70 mg/dL	Hypoglycemia

Note:

1.The diagnosis of Diabetes requires a fasting plasma glucose of > or = 126 mg/dL and/or a random / 2 hr post glucose value of > or = 200 mg/dL on at least 2

2. Very high glucose levels (>450 mg/dL in adults) may result in Diabetic Ketoacidosis & is considered critical.

GLUCOSE, POST PRANDIAL (PP), 2	121	mg/dL	70-140	HEXOKINASE
HOURS , SODIUM FLUORIDE PLASMA (2				
HR)				

Comment:

It is recommended that FBS and PPBS should be interpreted with respect to their Biological reference ranges and not with each

Conditions which may lead to lower postprandial glucose levels as compared to fasting glucose levels may be due to reactive hypoglycemia, dietary meal content, duration or timing of sampling after food digestion and absorption, medications such as insulin preparations, sulfonylureas, amylin analogues, or conditions such as overproduction of insulin.

Page 3 of 11









Age/Gender : 35 Y 9 M 0 D/F UHID/MR No : CINR.0000157410

Visit ID : CINROPV206922

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 9855043666 Collected : 04/Oct/2023 09:43AM

Received : 04/Oct/2023 02:33PM Reported : 04/Oct/2023 05:15PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324 **Test Name** Result Unit Bio. Ref. Range Method

HBA1C, GLYCATED HEMOGLOBIN , WHOLE BLOOD EDTA	5.4	%	HPLC
ESTIMATED AVERAGE GLUCOSE (eAG),	108	mg/dL	Calculated
WHOLE BLOOD EDTA			

Comment:

Reference Range as per American Diabetes Association (ADA) 2023 Guidelines:

REFERENCE GROUP	HBA1C %
NON DIABETIC	<5.7
PREDIABETES	5.7 – 6.4
DIABETES	≥ 6.5
DIABETICS	
EXCELLENT CONTROL	6 – 7
FAIR TO GOOD CONTROL	7 – 8
UNSATISFACTORY CONTROL	8 – 10
POOR CONTROL	>10

Note: Dietary preparation or fasting is not required.

- 1. HbA1C is recommended by American Diabetes Association for Diagnosing Diabetes and monitoring Glycemic Control by American Diabetes Association guidelines 2023.
- 2. Trends in HbA1C values is a better indicator of Glycemic control than a single test.
- 3. Low HbA1C in Non-Diabetic patients are associated with Anemia (Iron Deficiency/Hemolytic), Liver Disorders, Chronic Kidney Disease. Clinical Correlation is advised in interpretation of low Values.
- 4. Falsely low HbA1c (below 4%) may be observed in patients with clinical conditions that shorten erythrocyte life span or decrease mean erythrocyte age. HbA1c may not accurately reflect glycemic control when clinical conditions that affect erythrocyte survival are present.
- 5. In cases of Interference of Hemoglobin variants in HbA1C, alternative methods (Fructosamine) estimation is recommended for Glycemic Control
 - B: Homozygous Hemoglobinopathy.
 - (Hb Electrophoresis is recommended method for detection of Hemoglobinopathy)

Page 4 of 11









Age/Gender : 35 Y 9 M 0 D/F UHID/MR No : CINR.0000157410

Visit ID : CINROPV206922

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 9855043666 Collected : 04/Oct/2023 09:43AM
Received : 04/Oct/2023 02:31PM
Reported : 04/Oct/2023 05:12PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY	HEALTH ANNUAL	PLUS CHECK -	FEMALE - 2D ECHO - F	AN INDIA - FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method

LIPID PROFILE, SERUM				
TOTAL CHOLESTEROL	176	mg/dL	<200	CHO-POD
TRIGLYCERIDES	154	mg/dL	<150	GPO-POD
HDL CHOLESTEROL	45	mg/dL	40-60	Enzymatic Immunoinhibition
NON-HDL CHOLESTEROL	131	mg/dL	<130	Calculated
LDL CHOLESTEROL	100.4	mg/dL	<100	Calculated
VLDL CHOLESTEROL	30.8	mg/dL	<30	Calculated
CHOL / HDL RATIO	3.92		0-4.97	Calculated

Comment:

Reference Interval as per National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.

Actorities interval as per rational envisorer Education Program (TeEr) Frank Program and Interval Report.				
	Desirable	Borderline High	High	Very High
TOTAL CHOLESTEROL	< 200	200 - 239	≥ 240	
TRIGLYCERIDES	<150	150 - 199	200 - 499	≥ 500
LDL	Optimal < 100 Near Optimal 100-129	130 - 159	160 - 189	≥ 190
HDL	≥ 60			
NON-HDL CHOLESTEROL	Optimal <130; Above Optimal 130-159	160-189	190-219	>220

- 1. Measurements in the same patient on different days can show physiological and analytical variations.
- 2. NCEP ATP III identifies non-HDL cholesterol as a secondary target of therapy in persons with high triglycerides.
- 3. Primary prevention algorithm now includes absolute risk estimation and lower LDL Cholesterol target levels to determine eligibility of drug therapy.
- 4. Low HDL levels are associated with Coronary Heart Disease due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.
- 5. As per NCEP guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.
- 6. VLDL, LDL Cholesterol Non HDL Cholesterol, CHOL/HDL RATIO, LDL/HDL RATIO are calculated parameters when Triglycerides are below 350mg/dl. When Triglycerides are more than 350 mg/dl LDL cholesterol is a direct measurement.

Page 5 of 11



SIN No:SE04501121





Age/Gender : 35 Y 9 M 0 D/F
UHID/MR No : CINR.0000157410

Visit ID : CINROPV206922

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 9855043666 Collected : 04/Oct/2023 09:43AM
Received : 04/Oct/2023 02:31PM
Reported : 04/Oct/2023 05:12PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY	HEALTH ANNUAL	PLUS CHECK -	FEMALE - 2D ECHO - F	AN INDIA - FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method

LIVER FUNCTION TEST (LFT), SERUM				
BILIRUBIN, TOTAL	0.50	mg/dL	0.3–1.2	DPD
BILIRUBIN CONJUGATED (DIRECT)	0.10	mg/dL	<0.2	DPD
BILIRUBIN (INDIRECT)	0.40	mg/dL	0.0-1.1	Dual Wavelength
ALANINE AMINOTRANSFERASE (ALT/SGPT)	20	U/L	<35	IFCC
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	19.0	U/L	<35	IFCC
ALKALINE PHOSPHATASE	120.00	U/L	30-120	IFCC
PROTEIN, TOTAL	7.95	g/dL	6.6-8.3	Biuret
ALBUMIN	4.28	g/dL	3.5-5.2	BROMO CRESOL GREEN
GLOBULIN	3.67	g/dL	2.0-3.5	Calculated
A/G RATIO	1.17		0.9-2.0	Calculated

Comment:

LFT results reflect different aspects of the health of the liver, i.e., hepatocyte integrity (AST & ALT), synthesis and secretion of bile (Bilirubin, ALP), cholestasis (ALP, GGT), protein synthesis (Albumin)

Common patterns seen:

1. Hepatocellular Injury:

- AST Elevated levels can be seen. However, it is not specific to liver and can be raised in cardiac and skeletal injuries.
- ALT Elevated levels indicate hepatocellular damage. It is considered to be most specific lab test for hepatocellular injury. Values also correlate well with increasing BMI.
- Disproportionate increase in AST, ALT compared with ALP.
- · Bilirubin may be elevated.
- AST: ALT (ratio) In case of hepatocellular injury AST: ALT > 1In Alcoholic Liver Disease AST: ALT usually >2. This ratio is also seen to be increased in NAFLD, Wilsons's diseases, Cirrhosis, but the increase is usually not >2.

2. Cholestatic Pattern:

- ALP Disproportionate increase in ALP compared with AST, ALT.
- Bilirubin may be elevated.
- ALP elevation also seen in pregnancy, impacted by age and sex.
- To establish the hepatic origin correlation with GGT helps. If GGT elevated indicates hepatic cause of increased ALP.

3. Synthetic function impairment:

- · Albumin- Liver disease reduces albumin levels.
- Correlation with PT (Prothrombin Time) helps.

Page 6 of 11

SIN No:SE04501121





: Mrs.SMRITI CHHAYA

Age/Gender

: 35 Y 9 M 0 D/F

UHID/MR No Visit ID

: CINR.0000157410 : CINROPV206922

Ref Doctor

Emp/Auth/TPA ID

: Dr.SELF

: 9855043666

Collected

: 04/Oct/2023 09:43AM

Received

: 04/Oct/2023 02:31PM

Reported Status

: 04/Oct/2023 05:12PM

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BOD	Y HEALTH ANNUAL	PLUS CHECK -	FEMALE - 2D ECHO - F	PAN INDIA - FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method

RENAL PROFILE/KIDNEY FUNCTION 1	TEST (RFT/KFT) , SER	JM		
CREATININE	0.66	mg/dL	0.72 – 1.18	JAFFE METHOD
UREA	16.30	mg/dL	17-43	GLDH, Kinetic Assay
BLOOD UREA NITROGEN	7.6	mg/dL	8.0 - 23.0	Calculated
URIC ACID	5.71	mg/dL	2.6-6.0	Uricase PAP
CALCIUM	10.00	mg/dL	8.8-10.6	Arsenazo III
PHOSPHORUS, INORGANIC	3.59	mg/dL	2.5-4.5	Phosphomolybdate Complex
SODIUM	137	mmol/L	136–146	ISE (Indirect)
POTASSIUM	4.1	mmol/L	3.5–5.1	ISE (Indirect)
CHLORIDE	106	mmol/L	101–109	ISE (Indirect)

Page 7 of 11









: Mrs.SMRITI CHHAYA

Age/Gender

: 35 Y 9 M 0 D/F

UHID/MR No Visit ID : CINR.0000157410

Ref Doctor

: CINROPV206922

Emp/Auth/TPA ID

: Dr.SELF : 9855043666 Collected

: 04/Oct/2023 09:43AM

Received

: 04/Oct/2023 02:31PM : 04/Oct/2023 05:12PM

Reported Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNU	IAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324
--	--

Test Name	Result	Unit	Bio. Ref. Range	Method
-----------	--------	------	-----------------	--------

GAMMA GLUTAMYL TRANSPEPTIDASE	24.00	U/L	<38	IFCC	
(GGT), SERUM					

Page 8 of 11









Age/Gender : 35 Y 9 M 0 D/F UHID/MR No : CINR.0000157410

Visit ID : CINROPV206922

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 9855043666 Collected : 04/Oct/2023 09:43AM

Received : 04/Oct/2023 02:31PM Reported : 04/Oct/2023 04:24PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF IMMUNOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY	HEALTH ANNUAL	PLUS CHECK -	FEMALE - 2D ECHO - F	PAN INDIA - FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method

THYROID PROFILE TOTAL (T3, T4, TSH),	SERUM			
TRI-IODOTHYRONINE (T3, TOTAL)	0.83	ng/mL	0.7-2.04	CLIA
THYROXINE (T4, TOTAL)	9.10	μg/dL	5.48-14.28	CLIA
THYROID STIMULATING HORMONE (TSH)	2.169	μIU/mL	0.34-5.60	CLIA

Comment:

ikar aregnant temates	Bio Ref Range for TSH in uIU/ml (As per American Thyroid Association)
First trimester	0.1 - 2.5
Second trimester	0.2 - 3.0
Third trimester	0.3 - 3.0

- 1. TSH is a glycoprotein hormone secreted by the anterior pituitary. TSH activates production of T3 (Triiodothyronine) and its prohormone T4 (Thyroxine). Increased blood level of T3 and T4 inhibit production of TSH.
- **2.** TSH is elevated in primary hypothyroidism and will be low in primary hyperthyroidism. Elevated or low TSH in the context of normal free thyroxine is often referred to as sub-clinical hypo- or hyperthyroidism respectively.
- **3.** Both T4 & T3 provides limited clinical information as both are highly bound to proteins in circulation and reflects mostly inactive hormone. Only a very small fraction of circulating hormone is free and biologically active.

4. Significant variations in TSH can occur with circadian rhythm, hormonal status, stress, sleep deprivation, medication & circulating antibodies.

TSH	Т3	T4	FT4	Conditions
High	Low	Low	Low	Primary Hypothyroidism, Post Thyroidectomy, Chronic Autoimmune Thyroiditis
High	N	N	N	Subclinical Hypothyroidism, Autoimmune Thyroiditis, Insufficient Hormone Replacement Therapy.
N/Low	Low	Low	Low	Secondary and Tertiary Hypothyroidism
Low	High	High	High	Primary Hyperthyroidism, Goitre, Thyroiditis, Drug effects, Early Pregnancy
Low	N	N	N	Subclinical Hyperthyroidism
Low	Low	Low	Low	Central Hypothyroidism, Treatment with Hyperthyroidism
Low	N	High	High	Thyroiditis, Interfering Antibodies
N/Low	High	N	N	T3 Thyrotoxicosis, Non thyroidal causes
High	High	High	High	Pituitary Adenoma; TSHoma/Thyrotropinoma

Page 9 of 11



SIN No:SPL23141402





Age/Gender : 35 Y 9 M 0 D/F UHID/MR No : CINR.0000157410

Visit ID : CINROPV206922

Ref Doctor : Dr.SELF Emp/Auth/TPA ID : 9855043666 Collected : 04/Oct/2023 09:42AM

Received : 04/Oct/2023 01:26PM

Reported : 04/Oct/2023 02:41PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF CLINICAL PATHOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY	/ HEALTH ANNUAL	DI IIS CHECK -	FEMALE - 2D ECHO - E	AN INDIA - EV2324
AIGOI LIVII - IVILDIVVIILLE - I OLL BOD	I IILALIII ANNOAL	LOS CILCR -	I LIVIALL - 2D LOTTO - I	AN INDIA - 1 12324
Test Name	Result	Unit	Pio Pof Pango	Method
rest Name	Result	Unit	Bio. Ref. Range	Welliou

COMPLETE URINE EXAMINATION (C	UE) , URINE			
PHYSICAL EXAMINATION				
COLOUR	PALE YELLOW		PALE YELLOW	Visual
TRANSPARENCY	HAZY		CLEAR	Visual
pН	5.5		5-7.5	DOUBLE INDICATOR
SP. GRAVITY	1.010		1.002-1.030	Bromothymol Blue
BIOCHEMICAL EXAMINATION				
URINE PROTEIN	NEGATIVE		NEGATIVE	PROTEIN ERROR OF INDICATOR
GLUCOSE	NEGATIVE		NEGATIVE	GLUCOSE OXIDASE
URINE BILIRUBIN	NEGATIVE		NEGATIVE	AZO COUPLING REACTION
URINE KETONES (RANDOM)	NEGATIVE		NEGATIVE	SODIUM NITRO PRUSSIDE
UROBILINOGEN	NORMAL		NORMAL	MODIFED EHRLICH REACTION
BLOOD	POSITIVE +++		NEGATIVE	Peroxidase
NITRITE	NEGATIVE		NEGATIVE	Diazotization
LEUCOCYTE ESTERASE	NEGATIVE		NEGATIVE	LEUCOCYTE ESTERASE
CENTRIFUGED SEDIMENT WET MO	OUNT AND MICROSCOPY			
PUS CELLS	2-3	/hpf	0-5	Microscopy
EPITHELIAL CELLS	5-6	/hpf	<10	MICROSCOPY
RBC	25-30	/hpf	0-2	MICROSCOPY
CASTS	NIL		0-2 Hyaline Cast	MICROSCOPY
CRYSTALS	ABSENT		ABSENT	MICROSCOPY

Page 10 of 11



SIN No:UR2195825





: Mrs.SMRITI CHHAYA

Age/Gender

: 35 Y 9 M 0 D/F

UHID/MR No

: CINR.0000157410

Visit ID

: CINROPV206922

Ref Doctor Emp/Auth/TPA ID : Dr.SELF : 9855043666 Collected

: 04/Oct/2023 09:42AM

Received

: 04/Oct/2023 01:26PM

Reported Status : 04/Oct/2023 03:36PM

Sponsor Name

: Final Report : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT	LOF CLINICA	L PATHOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
-----------	--------	------	-----------------	--------

URINE GLUCOSE(POST PRANDIAL) NEGATIVE NEGATIVE Dipstick

NEGATIVE NEGATIVE Dipstick

*** End Of Report ***

Result/s to Follow:

Olia Mass

URINE GLUCOSE(FASTING)


Dr. Anisha Hari
MBBS, MD(Pathology)
Consultant Pathologist

DR.SHIVARAJA SHETTY M.B.B.S,M.D(Biochemistry)

CONSULTANT BIOCHEMIST

Dr.Shobha Emmanuel M.B.B.S,M.D(Pathology) Consultant Pathologist Dr PRASANNA B.K.P Md.Path.Pathologist

Page 11 of 11





Name : Mrs. Smriti Chhaya

: ARCOFEMI MEDIWHEEL FEMALE AHC CREDIT PAN

Address: bangalore

Plan

Age: 35 Y

Sex: F

UHID:CINR.0000157410



OP Number: CINROPV206922 Bill No :CINR-OCR-89480

Plan	INDIA OP AGREEMENT	Bill No :CINR-OCR-89	480
		Date : 04.10.2023 09	:36
Sno	Serive Type/ServiceName	D	epartment
1	ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK -	FEMALE - 2D ECHO -	PAN INDIA - FV2324
	URINE GLUCOSE(FASTING)		7711 11 12 12 12 12 12 12 12 12 12 12 12 1
2	GAMMA GLUTAMYL TRANFERASE (GGT)		
	HIDAIC, GLYCATED HEMOGLOBIN	****	
The state of the s	2D ECHO		
	LIVER FUNCTION TEST (LFT)		
	X-RAY CHEST PA		
7	GLUÇOSÈ, FASTING		
	HEMOGRAM + PERIPHERAL SMEAR		
9	ENT CONSULTATION		
10	FITNESS BY GENERAL PHYSICIAN		
11	GYNAECOLOGY CONSULTATION = 3		
	DIET CONSULTATION		
13	COMPLETE URINE EXAMINATION		
14	URINE GLYCOSE(POST PRANDIAL)		
15	PERIPHERAL SMEAR		
16	EQ Q 7		
17	BLOOD GROUP ABO AND RH FACTOR		
18	LIPID PROFILE		
19	BODY MASS INDEX (BMI)		
	LBC PAP TEST- PAPSURE X Denico J	0.00	
24	OPTHAL BY GENERAL PHYSICIAN ,	n papsna	&
22	RENAL PROFILE/RENAL FUNCTION TEST (RFT/KFT)	J	
	ULTRASOUND - WHOLE ABDOMEN - 9 1 PM		
	THYROID PROFILE (TOTAL T3, TOTAL T4, TSH)		
25	DENTAL CONSULTATION ~ \		
	GLUCOSE, POST PRANDIAL (PP), 2 HOURS (POST MEAL)		
W.	(1-), 1 (1 OUT MEAL)		





Date

: 04-10-2023

Department

: GENERAL

MR NO

CINR.0000157410

Doctor

Name

: Mrs. Smriti Chhaya

Registration No

Qualification

Age/ Gender

35 Y / Female

Consultation Timing: 09:36

Temp: 98-606

Weight: \$3,90 kg Pulse: 78.600

BMI: Resp: -Waist Circum : 107

General Examination / Allergies

History

Clinical Diagnosis & Management Plan

3 syn Acc Lock. Rhycher, comp-D2 Apromen & presides.

wor Reductions
Years
Exercise

Follow up date:


Doctor Signature

BOOK YOUR APPOINTMENT TODAY!

Whatsapp Number: 970 100 3333

Toll Number : 1860 500 7788

Website : www.apolloclinic.com



OPTHAL PRESCRIPTION

PATIENT NAME: MRS Smith chhaya.

DATE: 4 /2 3

UHID NO: 15740.

AGE 35

OPTOMETRIST NAME: Ms Swathi V M

9849043666.

GENDER: F

This is to certify that I have examined

years and findings of his/her eye examination are as follows,

	RIGHT EYE			LEFT EYE				
	SPH	CYL	AXIS	BCVA	SPH	CYL	AXIS	BCVA
Distance	-						and the second and th	
Add	100	-01-1-0			1700	<		*****

PD - RE: 31 LE: 31

Colour Vision:

Remarks:

Apollo clinic Indiranagar





NAME: MRS SMRITI CHHAYA

AGE/SEX: 35Y/M

OP NUMBER: 157410

Ref By: SELF

DATE: 04-10-2023

M mode and doppler measurements:

CM	CM	M/sec		
AO: 2.4	IVS(D): 0.9	MV: E Vel: 0.5	A Vel : 0.4	
LA: 3.1	LVIDD(D): 4.4		!	
	LVPW(D): 0.8			
11 - 11 - 11 - 11 - 11 - 11 - 11 - 11	IVS(S): 1.0	!	: •	
	LVID(S):2.9	; į	!	!
	LVEF: 64%			

Descriptive findings:

Normal	
Normal	
	Normal Normal Normal Normal Normal Normal Normal Normal

Apollo Health and Lifestyle Limited

(CIN - U85110TG2000PLC115819)

Regd. Office: 1-10-60/62, Ashoka Raghupathi Chambers, 5th Floor, Begumpet, Hyderabad, Telangana - 500 016. Ph No: 040-4904 7777, Fax No: 4904 7744 | Email ID: enquiry@apollohl.com | www.apollohl.com

APOLLO CLINICS NETWORK KARNATAKA

Bangalore (Basavanagudi | Bellandur | Electronic City | Fraser Town | HSR Layout | Indira Nagar | JP Nagar | Kundalahalli | Koramangala | Sarjapur Road) Mysore (VV Mohalla)

Online appointments: www.apolloclinic.com

TO BOOK AN APPOINTMENT







 IVC:	Normal	
Others	; ; ;	
·	*	
		į

IMPRESSION:

Normal cardiac chamber and valves

No Regional wall motion abnormality

No MR/AR/TR

No clot/vegetation/pericardial effusion

Normal LV systolic function - LVEF= 64%

DR ROCKEY KATHERIA MD DM **CONSULTANT CARDIOLOGIST**

Apollo Health and Lifestyle Limited

(CIN - U85110TG2000PLC115819)

Regd. Office: 1-10-60/62, Ashoka Raghupathi Chambers, 5th Floor, Begumpet, Hyderabad, Telangana - 500 016. Ph No: 040-4904 7777, Fax No: 4904 7744 | Email ID: enquiry@apollohl.com | www.apollohl.com


APOLLO CLINICS NETWORK KARNATAKA


Bangalore (Basavanagudi | Bellandur | Electronic City | Fraser Town | HSR Layout | Indira Nagar | JP Nagar | Kundalahalli | Koramangala | Sarjapur Road) Mysore (VV Mohalla)


Online appointments: www.apolloclinic.com













To,

The Coordinator,

Mediwheel (Arcofemi Healthcare Limited)

Helpline number: 011-41195959

Dear Sir / Madam.

Sub: Annual Health Checkup for the employees of Bank of Baroda

This is to inform you that the following spouse of our employee wishes to avail the facility of Cashless Annual Health Checkup provided by you in terms of our agreement.

PARTICULARS OF HEALTH CHECK UP BENEFICIARY		
NAME	SMRITI CHHAYA	
DATE OF BIRTH	04-01-1988	
PROPOSED DATE OF HEALTH	26-08-2023	
CHECKUP FOR EMPLOYEE		
SPOUSE		
BOOKING REFERENCE NO.	23S165409100067810S	
	SPOUSE DETAILS	
EMPLOYEE NAME	MR. SINGH DEVASHISH KUMAR	
EMPLOYEE EC NO.	165409	
EMPLOYEE DESIGNATION	FOREX BACK OFFICE	
EMPLOYEE PLACE OF WORK	BANGALORE, VT, NATIONAL SHARED S	
EMPLOYEE BIRTHDATE	21-02-1983	

This letter of approval / recommendation is valid if submitted along with copy of the Bank of Baroda employee id card. This approval is valid from 25-08-2023 till 31-03-2024. The list of medical tests to be conducted is provided in the annexure to this letter. Please note that the said health checkup is a cashless facility as per our tie up arrangement. We request you to attend to the health checkup requirement of our employee's spouse and accord your top priority and best resources in this regard. The EC Number and the booking reference number as given in the above table shall be mentioned in the invoice, invariably.

We solicit your co-operation in this regard.

Yours faithfully,

Sd/-

Chief General Manager HRM Department Bank of Baroda

(Note: This is a computer generated letter. No Signature required. For any clarification, please contact Mediwheel (Arcofemi Healthcare Limited))





भारत सरकार Government of India



म्मृति छाया Smriti Chhaya जन्म तिथि/ DOB: 04/01/1988 महिला / FEMALE



8856 5519 3625 मेरा आधार, मेरी पहचान