



CID : 2432016088  
Name : MR.NAGINBHAI GOHIL  
Age / Gender : 41 Years / Male  
Consulting Dr. : -  
Reg. Location : Borivali West (Main Centre)

Collected : 15-Nov-2024 / 09:08  
Reported : 15-Nov-2024 / 14:25

Use a QR Code Scanner  
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO**

**CBC (Complete Blood Count), Blood**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
<b><u>RBC PARAMETERS</u></b>			
Haemoglobin	15.1	13.0-17.0 g/dL	Spectrophotometric
RBC	4.75	4.5-5.5 mil/cmm	Elect. Impedance
PCV	44.3	40-50 %	Measured
MCV	93	80-100 fl	Calculated
MCH	31.7	27-32 pg	Calculated
MCHC	34.1	31.5-34.5 g/dL	Calculated
RDW	15.0	11.6-14.0 %	Calculated
<b><u>WBC PARAMETERS</u></b>			
WBC Total Count	5970	4000-10000 /cmm	Elect. Impedance
<b><u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u></b>			
Lymphocytes	38.5	20-40 %	
Absolute Lymphocytes	2298.4	1000-3000 /cmm	Calculated
Monocytes	8.5	2-10 %	
Absolute Monocytes	507.4	200-1000 /cmm	Calculated
Neutrophils	41.9	40-80 %	
Absolute Neutrophils	2501.4	2000-7000 /cmm	Calculated
Eosinophils	9.9	1-6 %	
Absolute Eosinophils	591.0	20-500 /cmm	Calculated
Basophils	1.2	0.1-2 %	
Absolute Basophils	71.6	20-100 /cmm	Calculated
Immature Leukocytes	-		
WBC Differential Count by Absorbance & Impedance method/Microscopy.			
<b><u>PLATELET PARAMETERS</u></b>			
Platelet Count	246000	150000-400000 /cmm	Elect. Impedance
MPV	9.0	6-11 fl	Calculated
PDW	15.0	11-18 %	Calculated
<b><u>RBC MORPHOLOGY</u></b>			
Hypochromia	-		
Microcytosis	-		



Use a QR Code Scanner  
Application To Scan the Code

CID : 2432016088  
Name : MR.NAGINBHAI GOHIL  
Age / Gender : 41 Years / Male  
Consulting Dr. : -  
Reg. Location : Borivali West (Main Centre)

Collected : 15-Nov-2024 / 09:08  
Reported : 15-Nov-2024 / 14:18

Macrocytosis -  
Anisocytosis -  
Poikilocytosis -  
Polychromasia -  
Target Cells -  
Basophilic Stippling -  
Normoblasts -  
Others Normocytic, Normochromic  
WBC MORPHOLOGY -  
PLATELET MORPHOLOGY -  
COMMENT Eosinophilia

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 15 2-15 mm at 1 hr. Sedimentation

**Clinical Significance:** The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

**Interpretation:**

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

**Limitations:**

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

**Reflex Test:** C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

**Reference:**

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

\*\*\* End Of Report \*\*\*



*J Thakker*

**Dr. JYOT THAKKER..**  
M.D. (PATH), DPB  
Pathologist & AVP( Medical Services)



Use a QR Code Scanner  
Application To Scan the Code

CID : 2432016088  
Name : MR.NAGINBHAI GOHIL  
Age / Gender : 41 Years / Male  
Consulting Dr. : -  
Reg. Location : Borivali West (Main Centre)

Collected : 15-Nov-2024 / 14:00  
Reported : 15-Nov-2024 / 19:00

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
GLUCOSE (SUGAR) FASTING, Fluoride Plasma Fasting	90.3	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase

Note: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

GLUCOSE (SUGAR) PP, Fluoride Plasma PP	105.3	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
--	-------	---	------------

Note: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West  
\*\*\* End Of Report \*\*\*



*Bmhasakar*

**Dr.KETAKI MHASKAR**  
M.D. (PATH)  
Pathologist



CID : 2432016088  
Name : MR.NAGINBHAI GOHIL  
Age / Gender : 41 Years / Male  
Consulting Dr. : -  
Reg. Location : Borivali West (Main Centre)

Collected : 15-Nov-2024 / 09:08  
Reported : 15-Nov-2024 / 15:39

Use a QR Code Scanner  
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO**  
**KIDNEY FUNCTION TESTS**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	26.8	12.8-42.8 mg/dl	Kinetic
BUN, Serum	12.5	6-20 mg/dl	Calculated
CREATININE, Serum	0.92	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	107	(ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45-59 Moderate to severe decrease: 30-44 Severe decrease: 15-29 Kidney failure: <15	Calculated

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation

TOTAL PROTEINS, Serum	7.6	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.4	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3.2	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.4	1 - 2	Calculated
URIC ACID, Serum	4.4	3.5-7.2 mg/dl	Enzymatic
PHOSPHORUS, Serum	3.1	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	10.5	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	141	135-148 mmol/l	ISE
POTASSIUM, Serum	5.2	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	103	98-107 mmol/l	ISE

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West  
\*\*\* End Of Report \*\*\*



*Bmhasakar*

**Dr.KETAKI MHASKAR**  
M.D. (PATH)  
Pathologist



CID : 2432016088  
Name : MR.NAGINBHAI GOHIL  
Age / Gender : 41 Years / Male  
Consulting Dr. : -  
Reg. Location : Borivali West (Main Centre)

Use a QR Code Scanner  
Application To Scan the Code  
Collected : 15-Nov-2024 / 09:08  
Reported : 15-Nov-2024 / 15:51

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO**  
**GLYCOSYLATED HEMOGLOBIN (HbA1c)**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.7	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	116.9	mg/dl	Calculated

**Intended use:**

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

**Clinical Significance:**

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

**Test Interpretation:**

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

**Factors affecting HbA1c results:**

**Increased in:** High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

**Decreased in:** Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

**Reflex tests:** Blood glucose levels, CGM (Continuous Glucose monitoring)

**References:** ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West  
\*\*\* End Of Report \*\*\*



*Bmhasakar*

**Dr.KETAKI MHASKAR**  
M.D. (PATH)  
Pathologist



CID : 2432016088  
Name : MR.NAGINBHAI GOHIL  
Age / Gender : 41 Years / Male  
Consulting Dr. : -  
Reg. Location : Borivali West (Main Centre)

Collected : 15-Nov-2024 / 09:08  
Reported : 15-Nov-2024 / 14:28

Use a QR Code Scanner  
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO**  
**PROSTATE SPECIFIC ANTIGEN (PSA)**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
TOTAL PSA, Serum	0.879	<4.0 ng/ml	CLIA

**Clinical Significance:**

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100 ), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

**Interpretation:**

**Increased In-** Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial infarction,

**Decreased In-** Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artfactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5- $\alpha$ -reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

**Reflex Tests:** % FREE PSA , USG Prostate

**Limitations:**

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallel measurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

**Note :** The concentration of PSA in a given specimen, determined with assay from different manufacturers, may not be comparable due to differences in assay methods and reagent specificity.

**Reference:**

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert



Use a QR Code Scanner  
Application To Scan the Code

CID : 2432016088  
Name : MR.NAGINBHAI GOHIL  
Age / Gender : 41 Years / Male  
Consulting Dr. : -  
Reg. Location : Borivali West (Main Centre)

Collected : 15-Nov-2024 / 09:08  
Reported : 15-Nov-2024 / 14:28

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab  
\*\*\* End Of Report \*\*\*



**Dr. ANUPA DIXIT**  
**M.D.(PATH)**  
**Consultant - Pathologist**



CID : 2432016088  
Name : MR.NAGINBHAI GOHIL  
Age / Gender : 41 Years / Male  
Consulting Dr. : -  
Reg. Location : Borivali West (Main Centre)

Collected : 15-Nov-2024 / 09:08  
Reported : 15-Nov-2024 / 15:17

Use a QR Code Scanner  
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO**  
**URINE EXAMINATION REPORT**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<b><u>PHYSICAL EXAMINATION</u></b>			
Color	Pale yellow	Pale Yellow	-
Transparency	Clear	Clear	-
<b><u>CHEMICAL EXAMINATION</u></b>			
Specific Gravity	1.010	1.002-1.035	Chemical Indicator
Reaction (pH)	6.5	5-8	pH Indicator
Proteins	Absent	Absent	Protein error principle
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
<b><u>MICROSCOPIC EXAMINATION</u></b>			
(WBC)Pus cells / hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	0-1	0-5/hpf	
Hyaline Casts	Absent	Absent	
Pathological cast	Absent	Absent	
Calcium oxalate monohydrate crystals	Absent	Absent	
Calcium oxalate dihydrate crystals	Absent	Absent	
Triple phosphate crystals	Absent	Absent	
Uric acid crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	1-2	0-20/hpf	
Yeast	Absent	Absent	
Others	-		





Use a QR Code Scanner  
Application To Scan the Code

CID : 2432016088  
Name : MR.NAGINBHAI GOHIL  
Age / Gender : 41 Years / Male  
Consulting Dr. : -  
Reg. Location : Borivali West (Main Centre)

Collected : 15-Nov-2024 / 09:08  
Reported : 15-Nov-2024 / 15:17

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West  
\*\*\* End Of Report \*\*\*



*Bmhasakar*

**Dr.KETAKI MHASKAR**  
**M.D. (PATH)**  
**Pathologist**



Use a QR Code Scanner  
Application To Scan the Code

CID : 2432016088  
Name : MR.NAGINBHAI GOHIL  
Age / Gender : 41 Years / Male  
Consulting Dr. : -  
Reg. Location : Borivali West (Main Centre)

Collected : 15-Nov-2024 / 09:08  
Reported : 15-Nov-2024 / 15:23

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO**  
**BLOOD GROUPING & Rh TYPING**

<u>PARAMETER</u>	<u>RESULTS</u>
ABO GROUP	AB
Rh TYPING	Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

**Clinical significance:**

ABO system is most important of all blood group in transfusion medicine

**Limitations:**

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

**References:**

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
2. AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

\*\*\* End Of Report \*\*\*



*Anupa*

**Dr. ANUPA DIXIT**  
**M.D.(PATH)**  
**Consultant Pathologist**



CID : 2432016088  
Name : MR.NAGINBHAI GOHIL  
Age / Gender : 41 Years / Male  
Consulting Dr. : -  
Reg. Location : Borivali West (Main Centre)

Use a QR Code Scanner Application To Scan the Code  
Collected : 15-Nov-2024 / 09:08  
Reported : 15-Nov-2024 / 15:39

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO**  
**LIPID PROFILE**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	243.0	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	160.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	44.5	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	198.5	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	167.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	31.5	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	5.5	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.8	0-3.5 Ratio	Calculated

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West  
\*\*\* End Of Report \*\*\*



*Bmhasakar*

**Dr.KETAKI MHASKAR**  
M.D. (PATH)  
Pathologist



Use a QR Code Scanner  
 Application To Scan the Code

CID : 2432016088  
 Name : MR.NAGINBHAI GOHIL  
 Age / Gender : 41 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Borivali West (Main Centre)

Collected : 15-Nov-2024 / 09:08  
 Reported : 15-Nov-2024 / 15:26

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO**  
**THYROID FUNCTION TESTS**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Free T3, Serum	5.5	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	17.8	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	1.29	0.35-5.5 microIU/ml microU/ml	ECLIA



CID : 2432016088  
Name : MR.NAGINBHAI GOHIL  
Age / Gender : 41 Years / Male  
Consulting Dr. : -  
Reg. Location : Borivali West (Main Centre)

Collected : 15-Nov-2024 / 09:08  
Reported : 15-Nov-2024 / 15:26

Use a QR Code Scanner  
Application To Scan the Code

**Interpretation:**

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

**Clinical Significance:**

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuae of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

**Diurnal Variation:**TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

**Reflex Tests:**Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

**Limitations:**

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

**Reference:**

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West  
\*\*\* End Of Report \*\*\*



*Bmhasakar*

**Dr.KETAKI MHASKAR**  
M.D. (PATH)  
Pathologist



CID : 2432016088  
Name : MR.NAGINBHAI GOHIL  
Age / Gender : 41 Years / Male  
Consulting Dr. : -  
Reg. Location : Borivali West (Main Centre)

Collected : 15-Nov-2024 / 09:08  
Reported : 15-Nov-2024 / 15:26

Use a QR Code Scanner  
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO**  
**LIVER FUNCTION TESTS**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.6	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.21	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.39	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.6	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.4	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3.2	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.4	1 - 2	Calculated
SGOT (AST), Serum	22.6	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	21.3	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	18.7	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	80.2	40-130 U/L	Colorimetric

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West  
\*\*\* End Of Report \*\*\*



*Bmhasakar*

**Dr.KETAKI MHASKAR**  
**M.D. (PATH)**  
**Pathologist**



Use a QR Code Scanner  
Application To Scan the Code

CID : 2432016088  
Name : MR.NAGINBHAI GOHIL  
Age / Gender : 41 Years / Male  
Consulting Dr. : -  
Reg. Location : Borivali West (Main Centre)

Collected : 15-Nov-2024 / 14:00  
Reported : 15-Nov-2024 / 16:52

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	
Urine Sugar (PP)	Absent	Absent	
Urine Ketones (PP)	Absent	Absent	

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West  
\*\*\* End Of Report \*\*\*



*M Jain*

**Dr.MILLU JAIN**  
M.D.(PATH)  
Pathologist

Name : MR. NAGINBHAI GOHIL

Age / Gender : 41 Years/Male

Consulting Dr. :

Reg. Location : Borivali West (Main Centre)

Collected : 15-Nov-2024 / 09:05

Reported : 16-Nov-2024 / 12:29

## PHYSICAL EXAMINATION REPORT

### History and Complaints:

No Complaint

### EXAMINATION FINDINGS:

Height (cms): 157  
Temp (0c): Afebrile  
Blood Pressure (mm/hg): 100/70  
Pulse: 86/min

Weight (kg): 40  
Skin: NAD  
Nails: NAD  
Lymph Node: Not palpable

### Systems

Cardiovascular: S1S2-Normal  
Respiratory: Chest-Clear  
Genitourinary: NAD  
GI System: NAD  
CNS: NAD

### IMPRESSION:

*VSG  
Lipid profile  
or Calcium T*

*physician ref.*

### ADVICE:

### CHIEF COMPLAINTS:

- 1) Hypertension: No
- 2) IHD: No
- 3) Arrhythmia: No
- 4) Diabetes Mellitus: No
- 5) Tuberculosis: No
- 6) Asthama: No
- 7) Pulmonary Disease: No



Name : MR. NAGINBHAI GOHIL

Age / Gender : 41 Years / Male

Consulting Dr. :

Reg. Location : Borivali West (Main Centre)

Collected  
Reported

: 15-Nov-2024 / 09:05  
: 16-Nov-2024 / 12:29

- 8) Thyroid/ Endocrine disorders No
- 9) Nervous disorders No
- 10) GI system No
- 11) Genital urinary disorder No
- 12) Rheumatic joint diseases or symptoms No
- 13) Blood disease or disorder No
- 14) Cancer/lump growth/cyst No
- 15) Congenital disease No
- 16) Surgeries No
- 17) Musculoskeletal System No

**PERSONAL HISTORY:**

- 1) Alcohol No
- 2) Smoking No
- 3) Diet Mixed
- 4) Medication No

\*\*\* End Of Report \*\*\*

  
**Dr. NITIN SONAVANE**  
PHYSICIAN

**Suburban Diagnostics (I) Pvt. Ltd.**  
301& 302, 3rd Floor, Vast Elegance  
Above Tanishq, L. T. Road,  
Borivali (West), Mumbai - 400092

**DR. NITIN SONAVANE**  
M.D.B.S.AFLH, D.DIAB, D.CARD.  
CONSULTANT CARDIOLOGIST  
REGD. NO: 67714

Age **41** NA NA  
years months days

Gender **Male**


Heart Rate **55bpm**

Patient Vitals

BP: NA  
Weight: NA  
Height: NA  
Pulse: NA  
SpO2: NA  
Resp: NA  
Others:

Measurements

QRSD: 64ms  
QT: 382ms  
QTcB: 365ms  
PR: 164ms  
P-R-T: 58° 64° 48°



ECG Within Normal Limits: Sinus Bradycardia Sinus Arrhythmia Seen. Please correlate clinically.

REPORTED BY

*[Signature]*

D. Nalin Sreenivasulu  
M.D. S. A. F. L. S. D. I. M. A. B. D. (CARD)  
Consultant Cardiologist  
8714

Disclaimer: 1. Analysis is not meant to be a substitute for clinical judgment. 2. Interpretation of ECG should be done in conjunction with clinical history, symptoms, and results of other investigations. 3. Interpretation of ECG should be done by a qualified physician.

Authenticity Check



Use a QR Code Scanner  
Application To Scan the Code

CID : 2432016088  
Name : Mr Naginbhai Gohil  
Age / Sex : 41 Years/Male  
Ref. Dr :  
Reg. Location : Borivali West

Reg. Date : 15-Nov-2024  
Reported : 15-Nov-2024 / 13:14

### X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

#### **IMPRESSION:**

**NO SIGNIFICANT ABNORMALITY IS DETECTED.**

Kindly correlate clinically.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. X ray is known to have inter-observer variations. Further / follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Please interpret accordingly. In case of any typographical error / spelling error in the report, patient is requested to immediately contact the centre within 7 days post which the center will not be responsible for any rectification.

-----End of Report-----

**Dr. Pranali Mahale**  
MD, Radiodiagnosis  
Consultant Radiologist  
Reg no. 2019/07/5682

Click here to view images [http://3.111.232.119/jRISViewer/NeoradViewer?](http://3.111.232.119/jRISViewer/NeoradViewer?Access)

Report No-2024111509062302

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL190001071

MUMBAI OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2<sup>nd</sup> Floor, Sundarvan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053.

WEST REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Spaza Building, Near Dmart, Premier Road, Vidyawihar West, Mumbai - 400086.

HEALTHLINE: 022-61700000 | E-MAIL: [customerservice@suburbandiagnostics.com](mailto:customerservice@suburbandiagnostics.com) | WEBSITE: [www.suburbandiagnostics.com](http://www.suburbandiagnostics.com)

Authenticity Check



Use a QR Code Scanner  
Application To Scan the Code

**CID** : 2432016088

**Name** : Mr Naginbhai Gohil

**Age / Sex** : 41 Years/Male

**Ref. Dr** :

**Reg. Location** : Borivali West

**Reg. Date** : 15-Nov-2024

**Reported** : 15-Nov-2024 / 10:58

## USG WHOLE ABDOMEN

**LIVER:** Liver is normal in size, shape and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any obvious focal lesion.

**GALL BLADDER:** Gall bladder is minimally distended.

(Tiny polyps/calculi may be missed due to technical limitations, sub-optimal distension of GB, adjacent gases and inter-machine variability in resolution settings)

**PORTAL VEIN:** Portal vein is normal. **CBD:** CBD is normal.

**PANCREAS:** Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification.

**KIDNEYS:** Right kidney measures 9.4 x 4.6 cm. Left kidney measures 9.5 x 4.7 cm.

**Simple renal cyst of size 1.0 x 1.0 cm seen in mid pole right kidney.**

**A calculus of size 3.7 mm seen in mid pole right kidney.**

Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter.

**SPLEEN:** Spleen is normal in size, shape and echotexture. No focal lesion is seen.

**URINARY BLADDER:** Urinary bladder is distended and normal. Wall thickness is within normal limits.

**PROSTATE:** Prostate is normal in size and echotexture. Prostate measures 2.8 x 4.6 x 3.5 cm and prostatic weight is 24-25 gm. No evidence of any obvious focal lesion.

No free fluid or size significant lymphadenopathy is seen.

Click here to view images [http://3.111.232.119/IRISViewer/NeoradViewer?](http://3.111.232.119/IRISViewer/NeoradViewer?Access)

sessionNo=2024111509062338

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: U74899DL1995PL005306

Page no 1 of 2

MUMBAI OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Acon, 2<sup>nd</sup> Floor, Sundarvan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053.

WEST REFERENCE LABORATORY: Shop No- 9, 101 to 108, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar West, Mumbai - 400096.

HEALTHLINE: 022-61700002 | E-MAIL: [customerservice@suburbandiagnostics.com](mailto:customerservice@suburbandiagnostics.com) | WEBSITE: [www.suburbandiagnostics.com](http://www.suburbandiagnostics.com)

Authenticity Check



Use a QR Code Scanner  
Application To Scan the Code

CID : 2432016088

Name : Mr Naginbhai Gohil

Age / Sex : 41 Years/Male

Ref. Dr :

Reg. Location : Borivali West

Reg. Date : 15-Nov-2024

Reported : 15-Nov-2024 / 10:58

**Opinion:**

- Right renal calculus.
- Right simple renal cyst.

***For clinical correlation and follow up.***

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Patient was explained in detail verbally about the USG findings, USG measurements and its limitations. In case of any typographical error in the report, patient is requested to immediately contact the center for rectification within 7 days post which the center will not be responsible for any rectification. Please interpret accordingly.

-----End of Report-----

**Dr. Pranali Mahale**  
**MD, Radiodiagnosis**  
**Consultant Radiologist**  
**Reg no. 2019/07/5682**

**Click here to view images** [http://3.111.232.119:81RISViewer/NeoradViewer?](http://3.111.232.119:81RISViewer/NeoradViewer?Access)

sessionNo=2024111509062338

Date:-

CID:

Name:- *Nagibhai. Rohil*

Sex / Age: *41/ m*

**EYE CHECK UP**

Chief complaints:

Systemic Diseases:

Past history:

Unaided Vision:

Aided Vision:

Refraction:

*NFI*

*RE LE*

*6/6 6/6*

*H/6 H/6*

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance								
Near								

Colour Vision: Normal / Abnormal

Remark:

**Suburban Diagnostics (I) Pvt. Ltd.**  
301 & 302, 3rd Floor, Vast Elegance  
Above Tanish Jeweller, L. T. Road,  
Borivali (West), Mumbai - 400 092

**SUBURBAN DIAGNOSTICS PVT. LTD.**

**Name: NAGINBHAI GOHIL**

Date: 15-11-2024 Time: 16:55

Age: 41 Gender: M Height: 157 cms Weight: 46 Kg ID: 2432016088

Clinical History:

Medications:

**Test Details:**

Protocol: Bruce Predicted Max HR: 179 Target HR: 152 (85% of Pr. MHR)  
 Exercise Time: 0:08:02 Achieved Max HR: 160 (89% of Pr. MHR)  
 Max BP: 140/80 Max BP Δ HR: 22400 Max Mets: 9

Test Termination Criteria:

**Protocol Details:**

Stage Name	Stage Time	METS	Speed kmph	Grade %	Heart Rate bpm	BP mmHg	RPP	Max ST Level mm	Max ST Slope mV/s
Supine	00:26	1	0	0	60	100/70	6000	0.8 V3	0.2 V2
Standing	00:33	1	0	0	59	100/70	5900	0.7 V2	0.2 V2
Hypo/Ventilation	00:08	1	0	0	61	100/70	6100	0.8 V2	+0.2 III
PreTest	00:06	1	1.6	0	70	100/70	7000	1.6 V3	0.2 V1
Stage: 1	01:00	4.7	2.7	10	103	100/70	10300	0.6 V2	0.8 V3
Stage: 2	03:00	7	4	12	132	120/70	15840	-1.2 V5	0.5 V4
Peak Exercise	02:02	9	3.5	14	160	130/80	20800	0.7 III	0.9 I
Recovery1	01:30	1	0	0	117	140/80	16380	1.2 II	1 II
Recovery2	01:00	1	0	0	91	130/80	11820	-1.4 V6	0.4 V4
Recovery3	01:00	1	0	0	89	120/80	10680	-0.4 V6	0.2 I
Recovery4	00:04	1	0	0	90	120/80	10800	0.6 V2	0.3 V2

**Interpretation**

The Patient Exercised according to Bruce Protocol for 0:08:02 achieving a work level of 9 METS  
 Resting Heart Rate, initially 60 bpm rose to a max. heart rate of 160bpm (89% of Predicted Maximum Heart Rate).  
 Resting Blood Pressure of 100/70 mmHg, rose to a maximum Blood Pressure of 140/80 mmHg

Good Effort tolerance  
 Normal HR & BP Response  
 No Angina or Arrhythmias  
 No Significant ST-T Change Noted During Exercise

**IMPRESSION:**

Stress test Negative for Stress-inducible ischaemia.

DISCLAIMER: Negative stress test does not rule out ischemic heart disease and visa versa.  
 Clinical correlation is important

*Suburban Diagnostics Pvt. Ltd.*  
 3015 302, 2nd Flr,  
 Above Taxis Stand, Esplanade  
 Borjanda, Gandhinagar, J. Road,  
 Gandhinagar, Ahmedabad - 380 092

*Sneha Shetty*  
**Dr. Sneha Shetty**  
 MBBS, PGDCC  
 Clinical Cardiology  
 Reg. No. 2003/03/0660  
 Doctor DR SNEHA SHETTY

Ref. Doctor: ARCOFEMI

**SCHILLER**  
 The Art of Diagnostics



# SUBURBAN DIAGNOSTICS PVT. LTD.

**NAGINBHAI GOHIL (41 M)**

Bruce Protocol  
STLead(m) ST Slope(mV/s)

ID: 2432016088  
Stage: Supine

Date: 15-11-2024  
Speed: 0 km/h

Exec Time: 0:00:40  
Slope: 0%

Stage Time: 00:26  
THR: 152 bpm

**HR: 60 bpm**  
3% of THR  
B.P.: 100/70 mmHg  
STLead(m) ST Slope(mV/s)




Chart Speed: 25 mm/sec

Amplitude: 10mm/mV

Filter: 35 Hz Main Filter: ON

ISO - R - 60 ms, J - R - 60 ms, Post J - J + 60 ms

Shiller Cardiotek CS-20 Version 3.6





# SUBURBAN DIAGNOSTICS PVT. LTD.

**NAGINBHAI GOHIL (41 M)**

Bruce Protocol  
SITLase(tim) STSlope(mV/s)

ID: 2432016088  
Stage: Standing

Date: 15-11-2024  
Speed: 0

Exec Time: 00:00:00  
Skip: 0%

Stage Time: 00:11  
THR: 152 bpm

**HR: 59 bpm**  
37% of THR  
BP: 100/70 mmHg  
SITLase(tim) STSlope(mV/s)




Chart Speed: 25 mm/sec

Ampl: 10mm/mV

Filter: 35 Hz

Main: Filter: ON

ECG: R - 60 mm, L - R - 0 mm, Pch 1 - L + 60 mm

Schiller CardioVet (SS-20) Version 1.6



# SUBURBAN DIAGNOSTICS PVT. LTD.

**NAGINBHAI GOHIL (41 M)**

Brace Protocol  
STLeads(12) STSlope(mV/s)

ID: 2432016088  
Stage: HyperVentilation Speed: 0

Date: 15-11-2024  
Exec Time: 0:00:00  
Slope: 0%

Stage Time: 00:18  
THR: 152 bpm

**HR: 61 bpm**  
40% of HR  
BP: 100/70 mmHg  
STLeads(12) STSlope(mV/s)




Chart Speed: 25 mm/sec

Amplitude: 10mm/mV

Filter: 35 Hz

Main Filter: QN

ISO = R - 60 ms, J - R + 60 ms, Post J - J + 60 ms

Shillit Carinet QS-20 Version 3.6



**NAGINBHAI GOHIL (41 M)**

**SUBURBAN DIAGNOSTICS PVT. LTD.**

Blank Protocol

ID: 2452016088

Date: 15-11-2024

Exec Time: 01:03:00

Stage Time: 01:00

**HR: 103 bpm**

88% Q/T/ER

HR: 100/70 mmHg

ST: 2.7 mm ST Slope: V's

ST: 2.7 mm ST Slope: V's

Stage: 1

Speed: 2.7 kmph

Slope: 10 %

THR: 152 bpm




Chart Speed: 25 mm/sec

Amplitude: 10mm/mV

Filter: 3.5 Hz Mains Filter: ON

ISO - R - 60 ms, J - R - 60 ms, Post J - J + 60 ms

Software: CHRYSEER CS-30 Version: 3.6



# SUBURBAN DIAGNOSTICS PVT. LTD.

**NAGINBHAI GOHIL (41 M)**

Patient Protocol  
STLevel(mm) STSlope(mV/s)

ID: 2432016088  
Stage: 2

Date: 15-11-2024  
Speed: 4 mmph

Exec Time: 09:06:00  
Slope: 12%

Stage Time: 03:00  
THR: 152 bpm

**HR: 132 bpm**  
87% of THR  
BP: 120/70 mmHg  
STLevel(mm) STSlope(mV/s)

-I2 0.1 I



V1 0 -0.1

-0.5 0.3 II



V2 -0.3 -0.1

-0.1 0.1 III



V3 -0.5 -0.4

0 -0.1 aVR



V4 -0.3 -0.5

-0.1 -0.1 aVL



V5 -1.2 -0.4

-0.2 0.2 aVF



V6 -1.2 -0.4



Chart Speed: 25 mm/sec

Amplitude: 1mm/mV

Filter: 35 Hz Main Filter: ON

100 - R - 60 (b) - I - R + 60 (ms) (P) = 1 + 60 ms

# SUBURBAN DIAGNOSTICS PVT. LTD.

**NAGINBHAI COHIL (41 M)**

Bruet Protocol  
STLevel(mm) STSlope(V/s)

ID: 2432016038  
Stage: 3 Peak Exercise  
Speed: 4.5 kmph

Date: 15-11-2024  
Exec Time: 00:08:02  
Slope: 14 %

Stage Time: 02:02  
THR: 152 bpm

**HR: 160 bpm**  
169% of THR  
BP: 130/80 mmHg  
STLevel(mm) STSlope(V/s)




Chart Speed: 25 mm/sec

Amplitude: 10mm/mV

Filter: 35 Hz, Medics Filter, CN

ISO-R 10 ms, I-R+60ms, Post I-J+60ms

Shih Hui Cardiotek (S-20) Version 3.6



**NAGINBHAI GOHIL (41 M)**

**SUBURBAN DIAGNOSTICS PVT. LTD.**

Print Protocol

ST1 (e:1mm) ST1 Speed (mm/s)

ID: 2432016088

Stage: Recovery/1

Date: 15-11-2024

Speed: 0 kmph

Exec Time: 00:00

Slope: 0%

Stage Time: 01:00

THR: 152 bpm

**HR: 117 bpm**

75% of HR  
BP: 140/80 mmHg  
ST1 (e:1mm) ST1 Speed (mm/s)



Chart Speed: 25 mm/sec

Amplitude: 10mm/mV

Filter: 35 Hz Main Filter: ON

ISD + R - 60 ms, J - R + 60 ms, Post J - J + 65 ms

Scanner: Cardiovit CS-20 Version: 3.6

**NAGINBHAI GOHIL (41 M)**

**SL BURBAN DIAGNOSTICS PVT. LTD.**

Bruce Protocol

ID: 2432016088

Date: 15-11-2024

Exec Time : 00:00

Stage Time: 01:00

**HR: 91 bpm**

STLeads(mV) S1S2aVF(mV/s)

Stage: Recover/2

Speed: 0 kmph

Slope: 0 %

THR: 152 bpm

67% of THR  
BP: 130/80 mmHg  
STLeads(mV) S1S2aVF(mV/s)

0.5 0.2 I



V1 -0.1 0.1



0.6 0.1 II



V2 0.0 0.2




0.1 0.1 III



V3 0.0 0.3



0.1 -0.1 aVR



V4 0.0 0.4




0.2 0.1 aVL



V5 0.7 0.4



0.3 0 aVF



V6 0.5 0.3



V5



Chart Speed: 25 mm/sec

Amplitude: 10mm/mV

Filter: 35 Hz Main Filter: ON

SP - R - 60 ms, J - R + 66 ms, PostJ - J + 60 ms

Software: Cardiotrac CS-20 Version: 2.6



# SUBURBAN DIAGNOSTICS PVT. LTD.

**NAGINBHAI GOHIL (41 M)**

BP: Preload

STL: (mm) ST: Slope (aV%)

ID: 2432016088

Stage: Recover3

Date: 15-11-2024

Speed: 0 kmp/h

Exec Time: 00:00


Slope: 0%

Stage Time: 01:00

THR: 152 bpm

**HR: 89 bpm**

59% of THR  
BP: 120/80 mmHg  
STL: (mm) ST: Slope (aV%)







**NAGINBHAI GOHIL (41 M)**

**SUBURBAN DIAGNOSTICS PVT. LTD.**

Brice Protocol

ID: 2452016088

Date: 15-11-2024

Exec Time: 00:00

Stage Time: 00:04

**HR: 90 bpm**

STLeads(m): STISupravV9

Stage: ReacwV4

Speed: 0.1m/s

Slope: 0%

TI RR: 152 bpm

99% aTIR  
BP: 120/80 mmHg  
STLeads(m): STISupravV9




Chart Speed: 25 mm/sec

Amplitude: 10mm/mV

Filter: 35 Hz Main Filter ON

NO + R - 60 ms J - R + 60 ms Pw J - J + 60 ms

Software: Standard CS-2.0, Version 1.5