
Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com | Date of Examination:





भारत सरकार GOVERNMENT OF INDIA




हर्षित अग्रानाल Harshit Agrawa! जन्म तिथि / DOB : 22/10/1991 पुरुष / MALE

8696 2358 0617

मेरा आधार, मेरी पहचान



DR.GOYAL PATH LAB & IMAGING CENTER, JAIPUR
1728 / MR HARSHIT AGARWAL / 30 Yrs / M/ Non Smoker
Heart Rate: 80 bpm / Tested On: 09-Jul-22 11:01:05 / HF 0.05 Hz - LF 35 Hz / Notch 50 Hz / Sn 1.00 Cm/mV / Sw 25 mm/s / Refd By: BOB





Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jainur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com





:- 09/07/2022 09:50:25 Date

NAME :- Mr. HARSHIT AGARWAL

Sex / Age :- Male 30 Yrs

Company:- MediWheel

Sample Type :- EDTA

Patient ID: -12221203 Ref. By Dr:- BOB

Lab/Hosp :-

Sample Collected Time 09/07/2022 10:01:59

Final Authentication: 09/07/2022 13:52:23

HARMATOLOGY

HAEMATOLOGI				
Test Name	Value Unit		Biological Ref Interval	
BOB PACKAGE BELOW 40MALE GLYCOSYLATED HEMOGLOBIN (HbA1C) Method:- HPLC	5.6	%	Non-diabetic: < 5.7 Pre-diabetics: 5.7-6.4 Diabetics: = 6.5 or higher ADA Target: 7.0 Action suggested: > 6.5	

Instrument name: ARKRAY's ADAMS Lite HA 8380V, JAPAN.

Test Interpretation:

HbA1C is formed by the condensation of glucose with n-terminal valine residue of each beta chain of HbA to form an unstable schiff base. It is the major fraction, constituting approximately 80% of HbA1c. Formation of glycated hemoglobin (GHb) is essentially irreversible and the concentration in the blood depends on both the lifespan of the red blood cells (RBC) (120 days) and the blood glucose concentration. The GHb concentration represents the integrated values for glucose overthe period of 6 to 8 weeks. GHb values are free of day to day glucose fluctuations and are unaffected by recent exercise or food ingestion. Concentration of plasmaglucose concentration in GHb depends on the time interval, with more recent values providing a larger contribution than earlier values. The interpretation of GHbdepends on RBC having a normal life span. Patients with hemolytic disease or other conditions with shortened RBC survival exhibit a substantial reduction of GHb.High GHb have been reported in iron deficiency anemia. GHb has been firmly established as an index of long term blood glucose concentrations and as a measure of the risk for the development of complications in patients with diabetes mellitus. The absolute risk of retinopathy and nephropathy are directly proportional to themean of HbA1C.Genetic variants (e.g. HbS trait, HbC trait), elevated HbF and chemically modified derivatives of hemoglobin can affect the accuracy of HbA1cmeasurements. The effects vary depending on the specific Hb vatiant or derivative and the specific HbA1c method.

Ref by ADA 2020

MEAN PLASMA GLUCOSE

Method:- Calculated Parameter

mg/dL

Non Diabetic < 100 mg/dL Prediabetic 100- 125 mg/dL Diabetic 126 mg/dL or Higher

AJAYSINGH Technologist

Page No: 1 of 16



Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019 Tele: 0141-2293346, 4049787, 9887049787 Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

:- 09/07/2022 09:50:25

NAME :- Mr. HARSHIT AGARWAL Sex / Age :- Male 30 Yrs

Company:- MediWheel

Sample Type :- EDTA

Patient ID: -12221203 Ref. By Dr:- BOB

MC - 2300

Lab/Hosp :-

Final Authentication: 09/07/2022 13:52:23

Sample Collected Time 09/07/2022 10:01:59

	HAEMATC	DLOGY	
Test Name	Value	Unit	Biological Ref Interval
HAEMOGARAM		-	4
HAEMOGLOBIN (Hb)	15.2	g/dL	13.0 - 17.0
TOTAL LEUCOCYTE COUNT	7.31	/cumm	4.00 - 10.00
DIFFERENTIAL LEUCOCYTE COUNT	7.51	Cumin	4.00 - 10.00
NEUTROPHIL	59.5	%	40.0 - 80.0
LYMPHOCYTE	31.5	%	20.0 - 40.0
EOSINOPHIL	5.8	%	1.0 - 6.0
MONOCYTE	3.0	%	2.0 - 10.0
BASOPHIL	0.2	%	0.0 - 2.0
NEUT#	4.35	10^3/uL	1.50 - 7.00
LYMPH#	2.31	10^3/uL	1.00 - 3.70
EO#	0.43 H	10^3/uL	0.00 - 0.40
MONO#	0.21	10^3/uL	0.00 - 0.40
BASO#	0.01	10^3/uL	Accept to the control of the control
TOTAL RED BLOOD CELL COUNT (RBC)	5.13		0.00 - 0.10
HEMATOCRIT (HCT)	44.40	x10^6/uL	4.50 - 5.50
MEAN CORP VOLUME (MCV)		%	40.00 - 50.00
	86.5	fL	83.0 - 101.0
MEAN CORP HB (MCH)	29.6	pg	27.0 - 32.0
MEAN CORP HB CONC (MCHC)	34.2	g/dL	31.5 - 34.5
PLATELET COUNT	230	$x10^3/uL$	150 - 410
RDW-CV	13.4	%	11.6 - 14.0
MENTZER INDEX	16.86		

The Mentzer index is used to differentiate iron deficiency anemia from beta thalassemia trait. If a CBC indicates microcytic anemia, these are two of the most likely causes, making it necessary to distinguish between them.

If the quotient of the mean corpuscular volume divided by the red blood cell count is less than 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anemia is more likely.

AJAYSINGH Technologist

Page No: 2 of 16



Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

:- 09/07/2022 09:50:25

NAME :- Mr. HARSHIT AGARWAL

Sex / Age :- Male

30 Yrs

Company :- MediWheel Sample Type :- EDTA

Patient ID: -12221203

Ref. By Dr:- BOB

Lab/Hosp:-

Final Authentication: 09/07/2022 13:52:11

HAEMATOLOGY

Sample Collected Time 09/07/2022 10:01:59

Test Name Value Unit **Biological Ref Interval**

Erythrocyte Sedimentation Rate (ESR)

14 H

mm/hr.

00 - 13

(ESR) Methodology: Measurment of ESR by cells aggregation.

Instrument Name : Indepedent form Hematocrit value by Automated Analyzer (Roller-20)

Interpretation

: ESR test is a non-specific indicator ofinflammatory disease and abnormal protein states.

The test in used to detect, follow course of a certain disease (e.g-tuberculosis, rheumatic fever, myocardial infarction Levels are higher in pregnency due to hyperfibrinogenaemia.

The "3-figure ESR " x>100 value nearly always indicates serious disease such as a serious infection, malignant paraproteinaemia (FBC). Methodology disease all paraproteinaemia (FBC). Methodology disease all paraproteinaemia (FBC), Methodology disease all paraproteinaemi

AJAYSINGH Technologist

Page No: 3 of 16



Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

:- 09/07/2022 09:50:25 Date

NAME :- Mr. HARSHIT AGARWAL

Sex / Age :- Male

30 Yrs

Company:- MediWheel Sample Type :- PLAIN/SERUM Patient ID: -12221203 Ref. By Dr:- BOB

Lab/Hosp :-



Final Authentication: 09/07/2022 13:39:37

RIOCHEMISTRY

Sample Collected Time 09/07/2022 10:01:59

1)	DIOCHENI	ISTRY	
Test Name	Value	Unit	Biological Ref Interval
LIPID PROFILE			
TOTAL CHOLESTEROL Method:- Enzymatic Endpoint Method	166.78	mg/dl	Desirable <200 Borderline 200-239 High> 240
TRIGLYCERIDES Method:- GPO-PAP	108.87	mg/dl	Normal <150 Borderline high 150-199 High 200-499 Very high >500
VLDL CHOLESTEROL Method:- Calculated	21.77	mg/dl	0.00 - 80.00

JITENDRAKUMAWAT

Page No: 4 of 16



Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 09/07/2022 09:50:25

NAME :- Mr. HARSHIT AGARWAL

Sex / Age :- Male 30 Yrs

Company :- MediWheel
Sample Type :- PLAIN/SERUM

Patient ID: -12221203

Ref. By Dr:- BOB

Lab/Hosp :-



Final Authentication: 09/07/2022 13:39:37

BIOCHEMISTRY

Sample Collected Time 09/07/2022 10:01:59

Test Name	Value Unit		Biological Ref Interval	
DIRECT HDL CHOLESTEROL Method:- Direct clearance Method	32.63	mg/dl	Low < 40 High > 60	
DIRECT LDL CHOLESTEROL Method:- Direct clearance Method	116.00	mg/dl	Optimal <100 Near Optimal/above optimal	
			100-129 Borderline High 130-159 High 160-189 Very High > 190	
T.CHOLESTEROL/HDL CHOLESTEROL RATIO Method:- Calculated	5.11 H		0.00 - 4.90	
LDL / HDL CHOLESTEROL RATIO Method:- Calculated	3.56 H		0.00 - 3.50	
TOTAL LIPID Method:- CALCULATED TOTAL CHOLESTEROL Instrument Name: Panday Py Impla	504.90	mg/dl	400.00 - 1000.00	

 $\textbf{TOTAL CHOLESTEROL\ InstrumentName}: Randox\ Rx\ Imola\ \ \textbf{Interpretation}: Cholesterol\ measurements\ are\ used\ in\ the\ diagnosis\ and\ treatments\ of\ lipid\ lipoprotein\ metabolism\ disorders.$

 $\textbf{TRIGLYCERIDES InstrumentName}: Randox \ Rx \ Imola \ \textbf{Interpretation}: \ Triglyceride \ measurements \ are used in the diagnosis and treatment of diseases involving lipid metabolism and various endocrine disorders e.g. diabetes mellitus, nephrosis and liver obstruction.$

DIRECT HDLCHOLESTERO InstrumentName: Randox Rx Imola Interpretation: An inverse relationship between HDL-cholesterol (HDL-C) levels in serum and the incidence/prevalence of coronary heart disease (CHD) has been demonstrated in a number of epidemiological studies. Accurate measurement of HDL-C is of vital importance when assessing patient risk from CHD. Direct measurement gives improved accuracy and reproducibility when compared to precipitation methods.

DIRECT LDL-CHOLESTEROLInstrumentName: Randox Rx Imola Interpretation: Accurate measurement of LDL-Cholesterol is of vital importance in therapies which focus on lipid reduction to prevent atherosclerosis or reduce its progress and to avoid plaque rupture.

TOTAL LIPID AND VLDL ARE CALCULATED

JITENDRAKUMAWAT

Page No: 5 of 16



Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

30 Yrs

Date :- 09/07/2022 09:50:25

NAME :- Mr. HARSHIT AGARWAL

Sex / Age :- Male

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Patient ID :-12221203 Ref. By Dr:- BOB

MC - 2300

Lab/Hosp :-



Sample Collected Time 09/07/2022 10:01:59

Final Authentication: 09/07/2022 13:39:37

BIOCHEMISTRY

Value	Unit	Biological Ref Interval
1.44	mg/dl	Up to - 1.0 Cord blood <2 mg/dL Premature < 6 days <16mg/dL Full-term < 6 days= 12 mg/dL 1month - <12 months <2 mg/dL 1-19 years <1.5 mg/dL Adult - Up to - 1.2 Ref-(ACCP 2020)
28.8	U/L	Men- Up to - 37.0 Women - Up to - 31.0
34.4	U/L	Men- Up to - 40.0 Women - Up to - 31.0
56.70	IU/L	30.00 - 120.00
7.36	g/dl	6.40 - 8.30
4.39	g/dl	3.80 - 5.00
2.97	gm/dl	2.20 - 3.50
1.48		1.30 - 2.50
	28.8 34.4 56.70 7.36 4.39 2.97	1.44 mg/dl 28.8 U/L 34.4 U/L 56.70 IU/L 7.36 g/dl 4.39 g/dl 2.97 gm/dl

JITENDRAKUMAWAT

Page No: 6 of 16





Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

30 Yrs

:- 09/07/2022 09:50:25

NAME :- Mr. HARSHIT AGARWAL

Sex / Age :- Male

Company:- MediWheel Sample Type :- PLAIN/SERUM Patient ID: -12221203

Ref. By Dr:- BOB

Lab/Hosp :-

Final Authentication: 09/07/2022 13:39:37

RIOCHEMISTRY

Sample Collected Time 09/07/2022 10:01:59

DIOCHEMISTRI				
Test Name	Value	Unit	Biological Ref Interval	
SERUM BILIRUBIN (DIRECT) Method:- Colorimetric Method	0.48	mg/dL	Adult - Up to 0.25 Newborn - <0.6 mg/dL >- 1 month - <0.2 mg/dL	
SERUM BILIRUBIN (INDIRECT) Method:- Calculated	0.96	mg/dl	0.30-0.70	
SERUM GAMMA GT Method:- IFCC	19.40	U/L	11.00 - 50.00	

Total BilirubinMethodology:Colorimetric method InstrumentName:Randox Rx Imola Interpretation An increase in bilirubin concentration in the serum occurs in toxic or infectious diseases of the liver e.g. hepatitis B or obstruction of the bile duct and in rhesus incompatible babies. High levels of unconjugated bilirubin indicate that too much haemoglobin is being destroyed or that the liver is not actively treating the haemoglobin it is receiving.

AST Aspartate Aminotransferase Methodology: IFCC InstrumentName: Randox Rx Imola Interpretation: Elevated levels of AST can signal myocardial infarction, hepatic disease, muscular dystrophy and organ damage. Although heart muscle is found to have the most activity of the enzyme, significant activity has also been seen in the brain, liver, gastric mucosa, adipose tissue and kidneys of humans

ALT Alanine Aminotransferase Methodology: IFCCInstrumentName:Randox Rx Imola Interpretation: The enzyme ALT has been found to be in highest concentrations in the liver, with decreasing concentrations found in kidney, heart, skeletal muscle, pancreas, spleen and lung tissue respectively. Elevated levels of the transaminases can indicate myocardial infarction, hepatic disease, muscular

Alkaline Phosphatase Methodology: AMP Buffer InstrumentName: Randox Rx Imola Interpretation: Measurements of alkaline phosphatase are of use in the diagnosis, treatment and investigation of hepatobilary disease and in bone disease associated with increased osteoblastic activity. Alkaline phosphatase is also used in the diagnosis of parathyroid and intestinal disease.

TOTAL PROTEIN Methodology:Biuret Reagent InstrumentName:Randox Rx Imola Interpretation: Measurements obtained by this method are used in the diagnosis and treatment of a variety of diseases involving the liver, kidney and bone marrow as well as other metabolic or nutritional disorders.

ALBUMIN (ALB) Methodology: Bromocresol Green InstrumentName:Randox Rx Imola Interpretation: Albumin measurements are used in the diagnosis and treatment of numerous diseases involving primarily the liver or kidneys. Globulin & A/G ratio is calculated.

Instrument Name Randox Rx Imola Interpretation: Elevations in GGT levels are seen earlier and more pronounced than those with other liver enzymes in cases of obstructive jaundice and

metastatic neoplasms. It may reach 5 to 30 times normal levels in intra-or post-hepatic biliary obstruction. Only moderate elevations in the enzyme level (2 to 5 times normal) are observed with infectious hepatitis.

JITENDRAKUMAWAT


Page No: 7 of 16



Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



NAME :- Mr. HARSHIT AGARWAL

Sex / Age :- Male 30 Yrs

Company:- MediWheel Sample Type :- PLAIN/SERUM Patient ID: -12221203

MC - 2300

Ref. By Dr:- BOB

Lab/Hosp :-

Final Authentication: 09/07/2022 13:14:43

IMMUNOASSAY

Sample Collected Time 09/07/2022 10:01:59

Test Name Value Unit **Biological Ref Interval**

TOTAL THYROID PROFILE

SERUM TSH ULTRA
Method:- Enhanced Chemiluminescence Immunoassay

1.689

μIU/mL

0.400 - 4.649

C.L.SAINI **Technologist**

Page No: 8 of 16



Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

:- 09/07/2022 09:50:25

NAME :- Mr. HARSHIT AGARWAL

Sex / Age :- Male 30 Yrs

Company:- MediWheel Sample Type :- PLAIN/SERUM Patient ID: -12221203

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Collected Time 09/07/2022 10:01:59

Final Authentication: 09/07/2022 13:14:43

IMMUNOASSAY

Test Name	Value	Unit	Biological Ref Interval
SERUM TOTAL T3 Method:- Chemiluminescence(Competitive immunoassay)	1.520	ng/ml	0.970 - 1.690
SERUM TOTAL T4	10.100	ug/dl	5.530 - 11.000

InstrumentName: VITROS ECI Interpretation: Triiodothyronine (T3) contributes to the maintenance of the euthyroid state. A decrease in T3 concentration of up to 50% occurs in a variety of clinical situations, including acute and chronic disease. Although T3 results alone cannot be used to diagnose hypothyroidism, T3 concentration may be more sensitive than thyroxine (T4) for hyperthyroidism. Consequently, the total T3 assay can be used in conjunction with other assays to aid in the differential diagnosis of thyroid disease. T3 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, Free T3 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake, or T4 uptake can be used with the total T3 result to calculate the free T3 index and estimate the concentration of free T3.

InstrumentName: VITROS ECI Interpretation: The measurement of Total T4 aids in the differential diagnosis of thyroid disease. While >99.9% of T4 is protein-bound, primarily to thyroxine-binding globulin (TBG), it is the free fraction that is biologically active. In most patients, the total T4 concentration is a good indicator of thyroid status. T4 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, free T4 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake may be used with the total T4 result to calculate the free T4 index (FT4I) and estimate the concentration of free T4.Some drugs and some nonthyroidal patient conditions are known to alter TT4 concentrations in vivo.

InstrumentName: VITROS ECI Interpretation: TSH stimulates the production of thyroxine (T4) and triiodothyronine (T3) by the thyroid gland. The diagnosis of overt hypothyroidism by the finding of a low total T4 or free T4 concentration is readily confirmed by a raised TSH concentration. Measurement of low or undetectable TSH concentrations may assist the diagnosis of hyperthyroidism, where concentrations of T4 and T3 are elevated and TSH secretion is suppressed. These have the advantage of discriminating between the concentrations of TSH observed in thyrotoxicosis, compared with the low, but detectable, concentrations that occur in subclinical hyperthyroidism. The performance of this assay has not been established for neonatal specimens. Some drugs and some nonthyroidal patient conditions are known to alter TSH concentrations in vivo.

INTERPRETATION

PREGNANCY	REFERENCE RANGE FOR TSH IN uIU/mL (As per American Thyroid
	Association)
1st Trimester	0.10-2.50
2nd Trimester	0.20-3.00
3rd Trimester	0.30-3.00

C.L.SAINI **Technologist**


Page No: 9 of 16



Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



NAME: Mr. HARSHIT AGARWAL
Sex / Age: Male 30 Yrs

Company :- MediWheel

Sample Type :- URINE

अप्रतायम् प्रतायम् प्रतायम्यम् प्रतायम् प्रतायम् प्रतायम् प्रतायम् प्रतायम् प्रतायम् प्रतायम



Patient ID :-12221203 Ref. By Dr:- BOB

Lab/Hosp :-

Sample Collected Time 09/07/2022 12:59:44

Final Authentication: 09/07/2022 14:04:45

CLINICAL PATHOLOGY

Test Name	Value	Unit	Biological Ref Interval
Urine Routine MICROSCOPY EXAMINATION			
RBC/HPF	NIL	/HPF	NIL
WBC/HPF	2-3	/HPF	2-3
EPITHELIAL CELLS	1-2	/HPF	2-3
CRYSTALS/HPF	ABSENT		ABSENT
CAST/HPF	ABSENT		ABSENT
AMORPHOUS SEDIMENT	ABSENT		ABSENT
BACTERIAL FLORA	ABSENT		ABSENT
YEAST CELL	ABSENT		ABSENT
OTHER	ABSENT		

POOJABOHRA **Technologist**

Page No: 10 of 16



Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

:- 09/07/2022 09:50:25

NAME :- Mr. HARSHIT AGARWAL

Sex / Age :- Male 30 Yrs

Company :- MediWheel

Sample Type :- URINE

Patient ID: -12221203

Ref. By Dr:- BOB

Lab/Hosp :-

Final Authentication: 09/07/2022 14:04:45



Sample Collected Time 09/07/2022 12:59:44 **CLINICAL PATHOLOGY**

Test Name	Value Unit	Biological Ref Interval
PHYSICAL EXAMINATION		
COLOUR	PALE YELLOW	PALE YELLOW
APPEARANCE	Clear	Clear
CHEMICAL EXAMINATION		
REACTION(PH)	5.5	5.0 - 7.5
SPECIFIC GRAVITY	1.025	1.010 - 1.030
PROTEIN	NIL	NIL
SUGAR	NIL	NIL
BILIRUBIN	NEGATIVE	NEGATIVE
UROBILINOGEN	NORMAL	NORMAL
KETONES	NEGATIVE	NEGATIVE
NITRITE	NEGATIVE	NEGATIVE

POOJABOHRA Technologist

Page No: 11 of 16



Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 09/07/2022 09:50:25

NAME :- Mr. HARSHIT AGARWAL

Sex / Age :- Male 30 Yrs

Company :- MediWheel

Sample Type :- STOOL

Patient ID :-12221203

Ref. By Dr:- BOB

Lab/Hosp :-

Final Authentication: 09/07/2022 14:05:18

CLINICAL PATHOLOGY

Sample Collected Time 09/07/2022 12:59:44

Test Name Value Unit Biological Ref Interval

STOOL ANALYSIS

PHYSICAL EXAMINATION

MUCUS

BLOOD

MICROSCOPIC EXAMINATION

RBC's

WBC/HPF

WBC/HPI

OVA

CYSTS

OTHERS Collected Sample Received /HPF

/HPF

POOJABOHRA Technologist

Page No: 12 of 16



Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019 Tele: 0141-2293346, 4049787, 9887049787

Sample Type :- KOx/Na FLUORIDE-F, KOx/Na Sabbonal Ordine Repair 1941 14:59:44

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 09/07/2022 09:50:25

NAME :- Mr. HARSHIT AGARWAL

Sex / Age :- Male 30 Yrs

Company :- MediWheel





Final Authentication: 09/07/2022 13:49:40

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval	
FASTING BLOOD SUGAR (Plasma) Method:- GOD PAP	92.8	mg/dl	75.0 - 115.0	
Impaired glucose tolerance (IGT)		111 - 125 mg/dL		
Diabetes Mellitus (DM)	> 126 mg/dL			

Patient ID: -12221203

Ref. By Dr:- BOB

Lab/Hosp :-

Instrument Name: Randox Rx Imola **Interpretation:** Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases.

BLOOD SUGAR PP (Plasma)
Method:- GOD PAP

108.0

mg/dl

70.0 - 140.0

Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases.

SERUM CREATININE Method:- Colorimetric Method	0.92	mg/dl	Men - 0.6-1.30 Women - 0.5-1.20
SERUM URIC ACID Method:- Enzymatic colorimetric	5.53	mg/dl	Men - 3.4-7.0 Women - 2.4-5.7

JITENDRAKUMAWAT

Page No: 13 of 16



Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

30 Yrs

Date :- 09/07/2022 09:50:25

NAME :- Mr. HARSHIT AGARWAL

Sex / Age :- Male

Sample Type :- EDTA, URINE

Company :- MediWheel

Patient ID: -12221203

Ref. By Dr:- BOB

Lab/Hosp :-

Final Authentication: 09/07/2022 14:05:18

HAEMATOLOGY

Sample Collected Time 09/07/2022 12:59:44

Test Name Value Unit Biological Ref Interval

BLOOD GROUP ABO

"B" NEGATIVE

BLOOD GROUP ABO Methodology: Haemagglutination reaction Kit Name: Monoclonal agglutinating antibodies (Span clone).

URINE SUGAR (FASTING)
Collected Sample Received

Nil

Nil

AJAYSINGH, POOJABOHRA **Technologist**

Page No: 15 of 16





Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 09/07/2022 09:50:25

NAME :- Mr. HARSHIT AGARWAL

Sex / Age :- Male 30 Yrs

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Test Name

Patient ID: -12221203

Ref. By Dr:- BOB

Lab/Hosp :-

aring and the second and the second

Final Authentication: 09/07/2022 13:39:37

Sample Collected Time 09/07/2022 10:01:59

BIOCHEMISTRY

Value Unit Biological Ref Interval

BLOOD UREA NITROGEN (BUN)

12.5

mg/dl

0.0 - 23.0

*** End of Report ***


JITENDRAKUMAWAT


Page No: 16 of 16




Dr. Goyal's Path Lab


Name HARSHIT 30Y Patient Id HARSH94_94826 Date **07/09/2022** Diagnosis Dr.














Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

:- 09/07/2022 09:50:25

NAME :- Mr. HARSHIT AGARWAL

Sex / Age :- Male 30 Yrs

Company :- MediWheel

MITRAL AORTIC Patient ID :-12221203

Ref. By Dr:- BOB

Lab/Hosp:-

Sample Collected Time Sample Type :-

Final Authentication: 09/07/2022 13:24:05

BOB PACKAGE BELOW 40MALE

2D ECHO OPTION TMT (ADULT/CHILD)

2D-ECHOCARDIOGRAPHY M.MODE WITH DOPPLER STUDY:

	FAIR TRANSTHO	RACIC ECHOCARIDIOGRAPHIC WINDOW M	ORPHOLOGY:	
VALVE	NORMAL	TRICUSPID VALVE	NORMAL	
CVALVE	NORMAL	PULMONARY VALVE	NORMAL	
	NA NAODE EVANAITATION.			

	9 2 9	M.MODE EX	XAMITATION:					
AO	20	mm	LA	25	Mm	IVS-D	7	mm
IVS-S	13	mm	LVID	43	Mm	LVSD	28	mm
LVPW-D	8	mm	LVPW-S	12	Mm	RV		mm
RVWT		mm	EDV		MI	LVVS		ml
LVEF	65%			RWMA	•	ABSENT		

CHAMBERS:

LA	NORMAL	RA	NORMAL
LV	NORMAL	RV	NORMAL
PERICARDIUM	4	NORMAL	


COLOUR DOPPLER:

	MITR	AL VALV	E					11	
E VELOCITY	0.60	m/sec	PEAK	PEAK GRADIENT			Mm/hg		
A VELOCITY	0.38	m/sec	MEAN	GRADIEN	Г		Mm/hg		
MVA BY PHT		Cm2	MVA I	BY PLANIM	ANIMETRY Cm2				
MITRAL REGURGITATION	1				ABSENT				
100	AORT	IC VALVI	E						
PEAK VELOCITY	1.0	m/sec		PEAK G	PEAK GRADIENT		mm/hg		
AR VMAX		m/	sec	MEAN G	MEAN GRADIENT mm/hg			g	
AORTIC REGURGITATION	i '			ABSENT		•			
	TRICUS	SPID VAL	.VE						
PEAK VELOCITY	0.55		m/sec	PEAK G	PEAK GRADIENT		mm/hg		
MEAN VELOCITY			m/sec	MEAN	MEAN GRADIENT		mm/hg		
VMax VELOCITY			1.		2 9				
5.	8				p 0				
TRICUSPID REGURGITAT	ION			ABSENT	•	•			
	PULN	IONARY	VALVE						
PEAK VELOCITY 0.9		0.96		M/sec.	PEAK GRADIENT	PEAK GRADIENT		Mm/hg	
MEAN VALOCITY					MEAN GRADIEN	IT		Mm/hg	
PULMONARY REGURGIT	ATION				ABSENT				

VARTIKA

Page No: 1 of 2





Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 09/07/2022 09:50:25

NAME :- Mr. HARSHIT AGARWAL

Sex / Age :- Male 30 Yrs

Company :- MediWheel

Sample Collected Time

Sample Type :-

Final Authentication: 09/07/2022 13:24:05

Impression--

- 1. Normal LV size & contractility.
- 2. No RWMA, LVEF 65 %.
- 3. Normal cardiac chamber.
- 4. Normal valve.
- 5. No clot, no vegetation, no pericardial effusion.

(Cardiologist)

*** End of Report ***

Patient ID :-12221203

Ref. By Dr:- BOB

Lab/Hosp:-

VARTIKA

Page No: 2 of 2



Dr. Goya Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Date

:- 09/07/2022 09:50:25

NAME :- Mr. HARSHIT AGARWAL

Sex / Age :- Male

30 Yrs

Company:- MediWheel



Patient ID: -12221203 Ref. By Doctor:-BOB

Lab/Hosp :-



Final Authentication: 09/07/2022 13:08:04

BOB PACKAGE BELOW 40MALE

USG WHOLE ABDOMEN

Liver is of normal size. Echo-texture is normal. No focal space occupying lesion is seen within liver parenchyma. Intra hepatic biliary channels are not dilated. Portal vein diameter is normal.

Gall bladder is of normal size. Wall is not thickened. No calculus or mass lesion is seen in gall bladder. Common bile duct is not dilated.

Pancreas is of normal size and contour. Echo-pattern is normal. No focal lesion is seen within pancreas.

Spleen is of normal size and shape. Echotexture is normal. No focal lesion is seen.

Kidneys are normally sited and are of normal size and shape. Cortico-medullary echoes are normal. No focal lesion is seen. Collecting system does not show any dilatation or calculus.

Urinary bladder is well distended and showing smooth wall with normal thickness. Urinary bladder does not show any calculus or mass lesion.

Prostate is normal in size with normal echo-texture and outline.

No enlarged nodes are visualised. No retro-peritoneal lesion is identified Great vessels appear normal.

No significant free fluid is seen in peritoneal cavity.

IMPRESSION:

Normal study

Needs clinical correlation for further evaluation

*** End of Report ***

Page No: 1 of 1

RAJKUMARI

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996

Dr. Poonam Gupta MBBS, MD (Radio Diagnosis) RMC No. 32495

Dr. Tej Prakash Gupta MBBS, DMRD, UCAM Fetal Medicine Specialist RMC No 24436 FMF ID 102534 Dr. Rathod Hetali Amrutlal MBBS, M.D. (Radio-Diagnosis) RMC No. 17163


Transcript by.

Dr. Goyal's Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com





:- 09/07/2022 09:50:25 Date

NAME :- Mr. HARSHIT AGARWAL

Sex / Age :- Male

30 Yrs

Company :- MediWheel

Patient ID: -12221203 Ref. By Doctor:-BOB

Lab/Hosp:-

Final Authentication: 09/07/2022 13:52:51

BOB PACKAGE BELOW 40MALE

X RAY CHEST PA VIEW:

Both lung fields appears clear.

Bronchovascular markings appear normal.

Trachea is in midline.

Both the hilar shadows are normal.

Both the C.P.angles is clear.

Both the domes of diaphragm are normally placed.

Bony cage and soft tissue shadows are normal.

Heart shadows appear normal.

<u>Impression</u>:- Normal Study

(Please correlate clinically and with relevant further investigations)

*** End of Report ***

Page No: 1 of 1

Dr. Piyush Goyal

(D.M.R.D.)

Dr. Poonam Gupta (M.D. Radiodiagnosis)

Dr. Shankar Tejwani (M.D. Radiodiagnosis)

(M.D. Radiodiagnosis)

Dr. Paresh Sukhani Dr. Rathod Hetali Amrutlal (M.D. Radiodiagnosis)

BILAL

Dr. Piyush Goyal (D.M.R.D.)