

PATIENT ID : HEIGHT : 176 Cm WEIGHT : 70.00 Kg
PATIENT NAME : MR. UJJWAL KUMAR ROY 35M
PROTOCOL : BRUCE
STAGE : Pre-Test
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

November 27, 2021 01:45 pm
Report time : 01:45 pm
PHASE TIME : 00:12
STAGE DURATION : 00:00
HR : 97 bpm
QRS Lead : V6
SPEED: 0.0 kmph
GRADE: 0.0
BP : 120 / 80 mm
METS : 1.00

I 1.22 / 1.93

aVR -1.48 / -2.34

V1 -1.13 / -1.77

V4 0.97 / 1.53

II 1.68 / 2.01

aVL 0.35 / 0.56

V2 1.71 / 1.85


V5 0.97 / 0.81

III 0.55 / -0.08

aVF 1.10 / 0.97

V3 1.22 / 1.77

V6 0.97 / 0.89



100 HZ

10mm/mV, 25mm/sec

NASAN (C) ST-Win Standard BL 6.91, Unit Ver 4.20

[Handwritten signature]

PATIENT ID : HEIGHT : 176 Cm WEIGHT : 70.00 Kg
PATIENT NAME : MR. UJJWAL KUMAR ROY 35/M
PROTOCOL BRUCE
STAGE Supine
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

November 27, 2021 01:45 pm
Report time 01:45 pm
PHASE TIME : 00:18 SPEED: 0.0 kmph
STAGE DURATION : 00:00 GRADE: 0.0
HR : 99 bpm BP : 120 / 80 mm
QRS Lead : V5 METs : 1.00




I 1.39 / 1.93

aVR -1.61 / -2.34

V1 -1.16 / -1.85

V4 0.93 / 1.53




II 1.68 / 2.10

aVL 0.52 / 0.48

V2 1.93 / 1.85

V5 0.90 / 0.81



III 0.39 / -0.24

aVF 0.97 / 0.97

V3 1.16 / 1.77

V6 0.84 / 0.81



V5


100 HZ

10mm/mv, 25mm/sec

NASAN (C) ST-Win Standard BL 6.91, Unit Ver 4.20

PATIENT ID : HEIGHT : 176 Cm WEIGHT : 70.00 Kg
PATIENT NAME : MR. UJJWAL KUMAR ROY 35/M
PROTOCOL : BRUCE
STAGE : Standing
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

November 27, 2021 01:45 pm
Report time : 01:46 pm
PHASE TIME : 00:56
STAGE DURATION : 00:00
HR : 105 bpm
GRABE: 0.0
BP : 120 / 80 mm
METS : 1.00
QRS Lead : V5




I 1.39 / 1.61

aVR -1.58 / -1.93

V1 -1.06 / -1.53

V4 0.81 / 1.21




II 1.42 / 1.77

aVL 0.55 / 0.32

V2 1.81 / 1.53

V5 0.74 / 0.73




III 0.29 / -0.08

aVF 0.71 / 0.89

V3 0.90 / 1.45

V6 0.68 / 0.64



V5


100 Hz

10mm/mV, 25mm/sec

NASAN (C) ST-Win Standard BL 6.91, Unit Ver 4.20

PATIENT ID : HEIGHT : 176 Cm WEIGHT : 70.00 Kg
PATIENT NAME : MR. UJJWAL KUMAR ROY 35/M
PROTOCOL : BRUCE
Hyper/Ventilation
STAGE :
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

November 27, 2021 01:45 pm
Report time : 01:46 pm
PHASE TIME : 01:05 SPEED: 0.0 kmph
STAGE DURATION : 00:00 GRADE: 0.0
HR : 102 bpm BP : 120 / 80 mm
GRS Lead : V5 METs : 1.00




I 1.81 / 1.45

aVR -1.74 / -2.18

V1 -1.19 / -1.45

V4 0.77 / 1.21




II 1.39 / 1.93

aVL 0.93 / 0.32

V2 2.06 / 1.45

V5 0.71 / 0.73



III 0.00 / -0.24

aVF 0.48 / 0.89

V3 0.81 / 1.37

V6 0.55 / 0.64



V5

PATIENT ID : HEIGHT : 176 Cm WEIGHT : 70.00 KG
PATIENT NAME : MR. UJJWAL KUMAR ROY 35.M
PROTOCOL : BRUCE
Wait For Exercise
STAGE :
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

November 27, 2021 01:45 pm
Report time : 01:46 pm
PHASE TIME : 01:11
STAGE DURATION : 00:00
HR : 102 bpm
QRS Lead : V5
SPEED: 0.0 kmph
GRADE: 0.0
BP : 120 / 80 mm
METs : 3.40

I 1.81 / 1.69

aVR -1.81 / -2.18

V1 -1.16 / -1.45

V4 0.81 / 1.29

II 1.39 / 1.85

aVL 1.00 / 0.32

V2 2.16 / 1.53

V5 0.71 / 0.81

III -0.13 / -0.32

aVF 0.42 / 0.73

V3 0.87 / 1.45

V6 0.45 / 0.56







100 HZ

10mm/mv, 25mm/sec

NASAN (C) ST-Win Standard BL 6.91, Unit Ver 4.20

PATIENT ID : HEIGHT : 176 Cm WEIGHT : 70.00 Kg
PATIENT NAME : MR. UJJWAL KUMAR ROY 35/M
PROTOCOL : BRUCE
STAGE : Exercise Stage 1
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

November 27, 2021 01:45 pm
Report time 01:49 pm
PHASE TIME : 03:00
STAGE DURATION : 03:00
HR : 159 bpm
ORs Lead : V5
SPEED: 2.7 kmph
GRADE: 10.0
BP : 125 / 85 mm
METs : 5.70









100 HZ

10mm/mv, 25mm/sec

NASAN (C) ST-Win Standard BL 6.91, Unit Ver 4.20

PATIENT ID : HEIGHT : 176 Cm WEIGHT : 70.00 Kg
PATIENT NAME : MR. UJJWAL KUMAR ROY 35/M
PROTOCOL : BRUCE
STAGE : Exercise Stage 2
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

November 27, 2021 01:45 pm
Report time 01:52 pm
PHASE TIME : 06:00 SPEED: 4.0 kmph
STAGE DURATION : 03:00 GRADE: 12.0
HR : 179 bpm BP : 130 / 90 mm
GRS Lead : V5 METs : 8.00




100 HZ

10mm/mv, 25mm/sec

PATIENT ID : HEIGHT : 176 Cm WEIGHT : 70.00 Kg
PATIENT NAME : MR. UJJWAL KUMAR ROY 35/M
PROTOCOL : BRUCE
STAGE : Peak Exercise
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

November 27, 2021 01:45 pm
Report time 01:54 pm
PHASE TIME : 07:31
STAGE DURATION : 01:31
HR : 190 bpm
ORSL Lead : V5
SPEED: 5.5 kmph
GRADE: 14.0
BP : 130 / 90 mm
METS : 9.10




I 3.19 / 4.11

aVR -3.84 / -5.96

V1 -3.26 / -3.79

V4 3.45 / 4.92




II 4.51 / 7.09

aVL 0.90 / 0.32

V2 3.45 / 3.95

V5 2.93 / 4.75




III 1.32 / 2.10

aVF 3.03 / 4.75

V3 3.42 / 5.64

V6 2.45 / 3.79



V5


100 HZ

10mm/mv, 25mm/Sec

NASAN (C) ST-Win Standard BL 6.91, Unit Ver 4.20

PATIENT ID : HEIGHT : 176 Cm WEIGHT : 70.00 Kg
PATIENT NAME : MR. UJJWAL KUMAR ROY 35/M
PROTOCOL : BRUCE
STAGE : Recovery
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

November 27, 2021 01:45 pm
Report time 01:55 pm
PHASE TIME : 07:31
STAGE DURATION : 01:00
HR : 164 bpm
QRS Lead : V5
SPEED : 0.0 kmph
GRADE : 0.0
BP : 130 / 90 mm
METS : 1.00



100 HZ

10mm/mv 25mm/sec

NASAN (C) ST-Win Standard BL 6.91, Unit Ver 4.20

PATIENT ID : HEIGHT : 176 Cm WEIGHT : 70.00 Kg

PATIENT NAME : MR. UJJWAL KUMAR ROY 35/M

PROTOCOL : BRUCE

STAGE : Recovery





ST Levels (mm) / ST Slope (mVs) measured at 80 ms Post J

Linked Median Report

November 27, 2021 01:45 pm

Report time 01:56 pm

PHASE TIME	: 07:31	SPEED:	0.0 kmph
STAGE DURATION	: 02:00	GRADE:	0.0
HR	: 133 bpm	BP	: 130 / 90 mm
QRS Lead	: V5	METS	: 1.00



100 HZ

10mm/mv 25mm/sec

NASAN (C) ST-Win Standard BL 6 91, Unit Ver 4.20

PATIENT ID : HEIGHT : 176 Cm WEIGHT : 70.00 Kg
 PATIENT NAME : MR. UJJWAL KUMAR ROY 35/M
 PROTOCOL : BRUCE
 STAGE : Recover
 ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J


November 27, 2021 01:45 pm
 Report time 01:57 pm
 PHASE TIME : 07:31 SPEED: 0.0 kmph
 STAGE DURATION : 03:00 GRADE: 0.0
 HR : 124 bpm BP : 130 / 90 mm
 QRS Lead : V5 METS : 1.00



aVR -3.35 / -4.84

V1 -1.32 / -2.98


V4 3.35 / 3.63



aVL 0.42 / 0.08

V2 4.06 / 2.66

V5 2.58 / 3.14



aVF 2.71 / 3.79

V3 3.90 / 4.11

V6 2.26 / 2.58



100 Hz

10mm/mv 25mm/sec

NASAN (C) ST-Win Standard BL 6.91, Unit Ver. 4.20

PATIENT ID : HEIGHT : 176 Cm WEIGHT : 70.00 Kg
PATIENT NAME : MR. UJJWAL KUMAR ROY 35/M
PROTOCOL : BRUCE
STAGE : Recovery
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

November 27, 2021 01:45 pm
Report time : 01:58 pm
PHASE TIME : 07:31 SPEED: 0.0 kmph
STAGE DURATION : 04:00 GRADE: 0.0
HR : 110 bpm BP : 130 / 90 mm
QRS Lead : V5 METs : 1.00




I 1.32 / 1.61

aVR -1.97 / -4.11

V1 -0.55 / -2.42

V4 2.03 / 2.34




II 2.42 / 3.06

aVL 0.23 / 0.00

V2 2.39 / 2.26

V5 1.68 / 2.10




III 1.16 / 1.45

aVF 1.84 / 2.42

V3 2.48 / 2.90

V6 1.55 / 1.85



V5

100 HZ

10mm/mv, 25mm/sec

NASAN (C) ST-Win Standard BL 6.91, Unit Ver 4.20

PATIENT ID :
PATIENT NAME : MR. UJWAL KUMAR ROY 35/M

PROBOL : BRUCE
PATIENT HEIGHT : 176 Cm
PATIENT WEIGHT : 70.00 Kg

Ref. By : Not Applicable

(Not Applicable)

Report time :
November 27, 2021

OBJECT OF TEST : SCREENING
RISK FACTOR : NIL
ACTIVITY : VERY ACTIVE
MEDICATION :
BRIEF HISTORY :
OTHER INVESTIGATION : NO
REASON FOR TERMINATION : TARGET HEART RATE ACHIEVED
EXERCISE TOLERANCE : GOOD
EXERCISE INDUCED ARRHYTHMIA : NO
HAEMO RESPONSE : ADEQUATE
CHRONO RESPONSE : ADEQUATE
FINAL IMPRESSION : STRESS TEST IS NEGATIVE FOR PROVOCABLE MYOCARDIAL ISCHEMIA

XYZ
MD

PATIENT ID :
 PATIENT NAME :
 PATIENT HEIGHT : 176 Cm
 PATIENT WEIGHT : 70.00 Kg

Ref. By : Not Applicable
 (Not Applicable)

Stages	Stage Time	Speed (Kmph) / Grade (%)	HR bpm	BP mmHg	R.P.P. X 1000	METS	ST Level I	Stage Comments
Pre-Test	00:12	0.00 / 0.00	97	120 / 80	11	1.00	1.16	
Supine	00:06	0.00 / 0.00	99	120 / 80	11	1.00	1.39	
Standing	00:37	0.00 / 0.00	105	120 / 80	12	1.00	1.45	
HyperVentilation	00:09	0.00 / 0.00	102	120 / 80	12	1.00	1.68	
Wait For Exercise	00:05	0.00 / 0.00	102	120 / 80	12	1.00	1.68	
Exercise Stage 1	03:00	2.70 / 10.00	159	125 / 85	19	5.70	2.29	
Exercise Stage 2	03:00	4.00 / 12.00	179	130 / 90	23	8.00	2.87	
Peak Exercise	01:30	5.50 / 14.00	190	130 / 90	24	9.10	3.16	
Recovery 1	01:00	0.00 / 0.00	164	130 / 90	21	1.00	4.09	
Recovery 3	03:00	0.00 / 0.00	124	130 / 90	16	1.00	2.45	

TOTAL EXER TIME : 7 : 30 min
 MAX HR : 190 bpm (102.70 % of 185 bpm)
 MAX BP : 130 / 90 mmHg
 MAX WORKLOAD : 9.10
 DISTANCE COVERED : 0.47 Km
 DOUBLE PRODUCT : 24700.00



XYZ
 MD

033 2556 3333 033 2556 5555
 +91 98521 66666 +91 74392 97827

PATIENT ID :
 PATTERN NAME :
 PROTOCOL :
 HEIGHT : 176 Cm WEIGHT : 70.00 Kg
 MR. UJWAL KUMAR ROY 35/M
 BRUCE

APOLLO CLINIC

ST Tables

November 27, 2021
 Report time : .

Phase	I	II	III	aVR	aVL	aVF	V1	V2	V3	V4	V5	V6
Pre-Test	1.2	1.7	0.8	-1.5	0.2	1.2	-1.1	1.6	1.3	1.0	1.0	1.1
Supine	1.4	1.7	0.4	-1.6	0.5	1.0	-1.2	1.9	1.2	1.0	0.9	0.8
Standing	1.5	1.5	0.3	-1.6	0.5	0.7	-1.1	1.9	1.0	0.8	0.8	0.7
HyperVentilation	1.7	1.4	0.1	-1.7	0.8	0.5	-1.1	2.0	0.8	0.8	0.7	0.6
Wait For Exercise	1.7	1.4	0.1	-1.7	0.8	0.5	-1.1	2.0	0.8	0.8	0.7	0.6
Exercise Stage 1	2.3	3.3	0.8	-2.7	0.7	2.1	-2.5	2.3	2.4	2.1	2.2	1.5
Exercise Stage 2	2.9	4.6	1.7	-3.8	0.6	3.1	-3.3	2.9	3.2	3.4	3.0	2.5
Peak Exercise	3.2	4.4	1.3	-3.7	1.0	2.9	-3.4	3.4	3.4	3.4	2.8	2.5
Recovery 1	4.1	6.1	2.1	-5.1	1.0	4.0	-2.8	5.5	5.2	4.6	3.9	3.2
Recovery 3	2.4	4.1	1.4	-3.4	0.5	2.8	-1.3	4.2	3.9	3.4	2.5	2.3

Phase	I	II	III	aVR	aVL	aVF	V1	V2	V3	V4	V5	V6
Pre-Test	1.9	2.1	0.2	-2.3	0.6	1.0	-1.7	1.8	1.8	1.5	0.9	0.9
Supine	1.9	2.1	-0.2	-2.3	0.5	1.0	-1.9	1.9	1.8	1.5	0.8	0.8
Standing	1.6	2.0	-0.1	-2.2	0.3	1.0	-1.5	1.6	1.6	1.4	0.8	0.8
HyperVentilation	1.5	1.9	-0.2	-2.1	0.3	0.9	-1.5	1.5	1.4	1.2	0.7	0.7
Wait For Exercise	1.5	1.9	-0.2	-2.1	0.3	0.9	-1.5	1.5	1.4	1.2	0.7	0.7
Exercise Stage 1	3.1	4.5	1.2	-5.1	0.6	3.1	-3.6	2.0	4.4	3.8	3.1	3.1
Exercise Stage 2	3.9	6.5	2.3	-5.6	-0.1	4.4	-4.4	2.8	4.7	4.9	4.0	4.0
Peak Exercise	3.9	6.9	1.9	-5.9	0.2	4.4	-4.0	3.9	5.6	4.4	5.1	5.1
Recovery 1	4.8	7.3	2.1	-6.4	0.9	4.8	-4.2	5.5	6.2	5.6	4.8	4.8
Recovery 3	2.9	5.0	1.9	-4.8	0.2	3.6	-3.0	2.7	4.0	3.6	3.1	3.1

ST SLOPES

033 2556 3333 033 2556 5555
 +91 98521 66666 +91 74392 97827

PATIENT ID
PATIENT NAME
PROTOCOL
HEIGHT : 176 Cm WEIGHT : 70.00 Kg
MR. UJWAL KUMAR ROY 35/M
BRUCE

APOLLO CLINIC

Extra Comments

STRESS TEST IS NEGATIVE FOR PROVOCABLE MYOCARDIAL ISCHEMIA

November 27, 2021
Report time



DR. SIDDHARTHA KUNDU

MBBS (Gen), PGDCC, CCTADM

Clinical Cardiologist

Ex Sr Resident, Cardiology Dept.

B.R. Singh Hospital, Eastern Railway

APOLLO CLINIC @ OM TOWER
Opp. of Rabindra Bharati University
Licensee : Satyam Credit Pvt. Ltd.

36C, B. T. Road, Kolkata - 700 002

E-mail : sinthimor@theapolloclinic.com
satyamcreditpvtltd@gmail.com



033 2556 3333



033 2556 5555



+91 98521 66666



+91 74392 97827

DR. SOURADEEP RAY

MBBS, MS (ENT)
ASSOCIATE PROFESSOR R.G. KAR MEDICAL, KOLKATA.
REGD.NO. 63999 (WBMC)

TO WHOM IT MAY CONCERN

THIS IS TO CERTIFY THAT
MR. UJJWAL KUMAR ROY, AGE- 35Y/MALE,
HAS NO PROBLEM IN HIS EAR, NOSE AND THROAT.

HIS EAR IS CLEAN, NO HEARING PROBLEM OBSERVED,
NASAL PASAGE IS CLEAR, WITH PROPER SMELLING CAPACITY,
THROAT IS CLEAR, NO INFECTION FOUND IN TONSILS.


DATE: 30.11.2021

Souradeep Ray
.....

SIGNATURE
DC STAMP

APOLLO CLINIC OM TOWER
36C, B.T. ROAD OPP "RBU"
KOL 700002
Ph 033 25565555
033 25563333

APOLLO CLINIC @ OM TOWER
Opp. of Rabindra Bharati University
Licensee : Satyam Credit Pvt. Ltd.
36C, B. T. Road, Kolkata - 700 002
E-mail : sinthimor@theapolloclinic.com
satyamcreditpvtltd@gmail.com

 +91 98521 66666

 +91 74392 97827

 +91 98521 66666

 +91 74392 97827

DR. ABHIRUP MUKHERJEE

BDS (WBUHS)
Oral & Dental Surgeon
Regn.No. 3726 Part A (Wbdc)

TO WHOM IT MAY CONCERN

THIS IS TO CERTIFY THAT MR. UJJWAL KUMAR ROY, 35Y/MALE,
HAS NO ORAL PROBLEM.

THERE IS NO CAVITY AND BAD SMELL OBSERVED IN HIS MOUTH.

DR. ABHIRUP MUKHERJEE
BDS (WBUHS)
Oral & Dental Surgeon
Regn. No. 3726 Part A (Wbdc)

DATE: 30/11/21

A. Mukherjee
.....
SIGNATURE
DC STAMP

APOLLO CLINIC OM TOWER
36C, B.T.ROAD OPP "RBU"
KOL 700002
Ph 033 25565555
033 25563333

APOLLO CLINIC @ OM TOWER
Opp. of Rabindra Bharati University
Licensee : Satyam Credit Pvt. Ltd.
36C, B. T. Road, Kolkata - 700 002
E-mail : sinthimor@theapolloclinic.com
satyamcreditpvtltd@gmail.com



033 2556 3333



033 2556 5555



+91 98521 66666



+91 74392 97827

DR. RAKTIMA BAKSHI MANDAL

CONSULTANT EYE SURGEON
& OPHTHALMOLOGIST

TO WHOM IT MAY CONCERN

THIS IS TO CERTIFY THAT MR. UJJWAL KUMAR ROY,
AGE- 35Y/MALE.

HE IS WITH CLEAR VISION, WITH NO COLOR BLINDNESS.

RIGHT EYE	NORMAL
LEFT EYE	NORMAL

DR. RAKTIMA BAKSHI MANDAL
M.B.B.S., M.S. (OPHTHALMOLOGY)
Regn. No.. 69521 of WBMC
Consultant Eye Surgeon

DATE: 20-11-21.....

R.B. Mandal.....

SIGNATURE

DC STAMP

APOLLO CLINIC OM TOWER
36C, B.T.ROAD OPP "RBU"
KOL 700002
Ph 033 25565555
033 2556333

APOLLO CLINIC @ OM TOWER
Opp. of Rabindra Bharati University

Licensee : **Satyam Credit Pvt. Ltd.**

36C, B.T. Road, Kolkata - 700 002

E-mail : sinthimor@theapolloclinic.com
satyamcreditpvtltd@gmail.com



033 2556 3333



033 2556 5555



+91 98521 66666



+91 74392 97827

DR. BOUDHAYAN BHATTACHARJEE

MBBS. (MEDICAL COLLEGE, KOLKATA) MD (TROPICAL MEDICINE)
CONSULTANT PHYSICIAN & INTENSIVIST

APOLLO CLINIC @ OM TOWER

Opp. of Rabindra Bharati University

TO WHOM IT MAY CONCERN

THIS IS TO CERTIFY THAT, MR. UJJWAL KUMAR ROY,
AGE- 35Y/ MALE, IS PHYSICALLY FIT.

Dr. BOUDHAYAN BHATTACHARJEE
MBBS, MD (TROPICAL MEDICINE)
65631 of WBMC

DATE: 30.11.21.....

Boudhayan Bhattacharjee

SIGNATURE

STAMP

APOLLO CLINIC OM TOWER
36C, B.T ROAD OPP "RBU"
KOL 70002
Ph 033 25565555
033 25563333

APOLLO CLINIC @ OM TOWER
Opp. of Rabindra Bharati University
Licensee : Satyam Credit Pvt. Ltd.

36C, B.T. Road, Kolkata - 700 002

E-mail : sinthimor@theapolloclinic.com
satyamcreditpvtltd@gmail.com

 033 2556 3333

 033 2556 5555

 +91 98521 66666

 +91 74392 97827