

Authenticity Check <<ORCode>>

CID

: 2307020938

Name

: Mrs SONIYA BIDAYE

Age / Sex

Reg. Location

: 53 Years/Female

Ref. Dr

Reg. Date

Use a QR Code Scanner Application To Scan the Code

: 11-Mar-2023

: Borivali West

: 11-Mar-2023 / 12:59 Reported

USG WHOLE ABDOMEN

LIVER:Liver is normal in size with mild generalized increase in parenchymal echotexture. There is no intrahepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. No obvious wall thickening is noted. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

PANCREAS: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification.

KIDNEYS: Right kidney measures 9.2 x 3.9 cm. Left kidney measures 9.1 x 4.9 cm.

Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

UTENUS: Uterus is anteverted, normal and measures 4.7 x 3.1 x 4.2 cm. Uterine myometrium shows homogenous echotexture. Endometrium is normal in thickness and measures 5 mm. Cervix appears normal.

OVARIES: Both ovaries appear normal in size and echotexture.

The right ovary measures 1.6 x 1.3 cm.

The left ovary measures 1.4 x 1.4 cm.

Bilateral adnexa is clear.

No free fluid or obvious significant lymphadenopathy is seen.

Click here to view images << lmageLink>>



Authenticity Check << QRCode>>

P

CID

: 2307020938

Name

: Mrs SONIYA BIDAYE

Age / Sex

Reg. Location

: 53 Years/Female

Ref. Dr

.

33 Years/Female

: Borivali West

Reg. Date

Application To Scan the Code: 11-Mar-2023

Reported

: 11-Mar-2023 / 12:59

Use a QR Code Scanner

Opinion:

Grade I fatty infiltration of liver.

For clinical correlation and follow up.

Investigations have their limitations. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. Please interpret accordingly.

-----End of Report-----

This report is prepared and physically checked by DR SUDHANSHU SAXENA before dispatch.

DR.SUDHANSHU SAXENA Consultant Radiologist M.B.B.S DMRE (RadioDiagnosis) RegNo .MMC 2016061376.

Click here to view images << ImageLink>>

CID NO: 2307020938	
PATIENT'S NAME: MRS.SONIYA BIDAYE	AGE/SEX: 53 Y/F
REF BY:	DATE: 11/03/2023

2-D ECHOCARDIOGRAPHY

- 1. RA, LA RV is Normal Size.
- 2. No LV Hypertrophy.
- 3. Normal LV systolic function. LVEF 60 % by bi-plane
- 4. No RWMA at rest.
- 5. Aortic, Pulmonary valves normal, Mild TR, Mild MR.
- 6. Great arteries: Aorta: Normal
 - a. No mitral valve prolaps.
- 7. Inter-ventricular septum is intact and normal.
- 8. Intra Atrial Septum intact.
- 9. Pulmonary vein, IVC, hepatic are normal.
- 10.No LV clot.
- 11. No Pericardial Effusion
- 12. No Diastolic disfunction. No Doppler evidence of raised LVEDP.



PATIENT'S NAME: MRS.SONIYA BIDAYE	AGE/SEX: 53 Y/F
REF BY:	DATE: 11/03/2023

1.	AO root diameter	2.9 cm
2.	IVSd	1.0 cm
3.	LVIDd	4.3 cm
4.	LVIDs	1.8 cm
5.	LVPWd	1.0 cm
6.	LA dimension	3.5 cm
7.	RA dimension	3.5 cm
8.	RV dimension	2.9 cm
9.	Pulmonary flow vel:	0.8 m/s
10.	Pulmonary Gradient	2.4 m/s
11.	Tricuspid flow vel	2.2 m/s
12.	Tricuspid Gradient	20 m/s
13.	PASP by TR Jet	30 mm Hg
14.	TAPSE	3.0 cm
15.	Aortic flow vel	1.1 m/s
16.	Aortic Gradient	5.0 m/s
17.	MV:E	0.7 m/s
18.	A vel	0.6 m/s
19.	IVC	16
23.	E/E'	8

Impression:

Mild MR, Mild TR, Mild PH, PASP by TR Jet 30 mm Hg.

Disclaimer

Echo may have inter/Intra observer variations in measurements as the study is observer dependent and changes with Pt's hemodynamics. Please co-relate findings with patients clinical status.

End of Report

DR. S. NITIN Consultant Cardiologist Reg. No. 87714



R E

Date:- 11/3/23 Name:- Soniya

CID: 2307020938

Sex / Age: /

EYE CHECK UP

Chief complaints:

INIL

Systemic Diseases:

Past history:

Aided Vision:

6/9

Refraction:

NIG

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance								
Near .								

Colour Vision: Normal / Abnormal

Remark:

Normal

Suburban Diagnostics (i) Pvt. Ltd. 301& 302, 3rd Floor, Vini Elega- ance, Above Tanisq Jweller, L. T. Roa Borivali (West), Mumbai - 460 092.



: 2307020938

Name

: MRS.SONIYA BIDAYE

Age / Gender

: 53 Years / Female

Consulting Dr.

.

Reg. Location : Borivali

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

:11-Mar-2023 / 12:36

E

:11-Mar-2023 / 15:48

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

DADAMETER		e Blood Count), Blood	
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
RBC PARAMETERS			
Haemoglobin	12.5	12.0-15.0 g/dL	Spectrophotometric
RBC	4.48	3.8-4.8 mil/cmm	Elect. Impedance
PCV	39.1	36-46 %	Measured
MCV	87	80-100 fl	Calculated
MCH	27.8	27-32 pg	Calculated
MCHC	31.9	31.5-34.5 g/dL	Calculated
RDW	13.1	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	6080	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND A	ABSOLUTE COUNTS		ziece: impedance
Lymphocytes	30.9	20-40 %	
Absolute Lymphocytes	1878.7	1000-3000 /cmm	Calculated
Monocytes	5.9	2-10 %	
Absolute Monocytes	358.7	200-1000 /cmm	Calculated
Neutrophils	61.1	40-80 %	Juliani
Absolute Neutrophils	3714.9	2000-7000 /cmm	Calculated
Eosinophils	1.7	1-6 %	
Absolute Eosinophils	103.4	20-500 /cmm	Calculated
Basophils	0.4	0.1-2 %	
Absolute Basophils	24.3	20-100 /cmm	Calculated
Immature Leukocytes			dicalded
WBC Differential Count by Abs	sorbance & Impedance metho	od/Microscopy.	
PLATELET PARAMETERS		ementus suodeksi arantus sitä 👣 🔻 tää	
Distalat Caust			

LATELLITANAMILIE	No		
Platelet Count	165000	150000-400000 /cmm	Elect. Impedance
MPV	11.4	6-11 fl	Calculated
PDW	24.1	11-18 %	Calculated

RBC MORPHOLOGY

Page 1 of 17



: 2307020938

Name

: MRS. SONIYA BIDAYE

Age / Gender

:53 Years / Female

Consulting Dr.

.

Reg. Location

: Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

:11-Mar-2023 / 12:36

E

Reported

:11-Mar-2023 / 17:22

Hypochromia

Microcytosis

Macrocytosis

Anisocytosis Poikilocytosis

Polychromasia

-

_

Target Cells

-

Basophilic Stippling

Dasapi mie ou

-

Normoblasts

-

Others

Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

Megaplatelets seen on smear

COMMENT

VIIVICIAI

ESR, EDTA WB-ESR

Specimen: EDTA Whole Blood

15

2-30 mm at 1 hr.

Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Dr.KETAKI MHASKAR M.D. (PATH)

Pathologist

Page 2 of 17



: 2307020938

Name

: MRS.SONIYA BIDAYE

Age / Gender

: 53 Years / Female

Consulting Dr.

.

Reg. Location

: Borivali West (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

:11-Mar-2023 / 12:36

Reported

:11-Mar-2023 / 15:42

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO BLOOD SUGAR REPORT

PARAMETER

RESULTS

BIOLOGICAL REF RANGE METHOD

GLUCOSE (SUGAR) FASTING, Fluoride Plasma

91.6

Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: Hexokinase

E

100-125 mg/dl

Diabetic: >/= 126 mg/dl

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***





Dr.KETAKI MHASKAR M.D. (PATH)

Pathologist

Page 3 of 17



: 2307020938

Name

: MRS.SONIYA BIDAYE

Age / Gender

:53 Years / Female

Consulting Dr. Reg. Location

.

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

:11-Mar-2023 / 12:36

Reported

:11-Mar-2023 / 16:53

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	16.4	12.8-42.8 mg/dl	Kinetic
BUN, Serum	7.7	6-20 mg/dl	Calculated
CREATININE, Serum	0.73	0.51-0.95 mg/dl	Enzymatic
eGFR, Serum	89	>60 ml/min/1.73sqm	Calculated
TOTAL PROTEINS, Serum	7.1	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.9	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.2	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.2	1 - 2	Calculated
URIC ACID, Serum	5.3	2.4-5.7 mg/dl	Enzymatic
PHOSPHORUS, Serum	3.6	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	9.9	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	143	135-148 mmol/l	ISE
POTASSIUM, Serum	3.9	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	104	98-107 mmol/l	ISE

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***





Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 4 of 17



: 2307020938

Name

: MRS.SONIYA BIDAYE

Age / Gender

:53 Years / Female

Consulting Dr.

: -

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

R

Use a QR Code Scanner
Application To Scan the Code

. 11 Mar 2022 /

: 11-Mar-2023 / 12:36

Reported : 11-Mar-2023 / 18:59

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER

RESULTS

BIOLOGICAL REF RANGE METHOD

G:ycosylated Hemoglobin (HbA1c), EDTA WB - CC

5.6

Non-Diabetic Level: < 5.7 %

Collected

HPLC

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Estimated Average Glucose (eAG), EDTA WB - CC

114.0

mg/dl

Calculated

Intended use:

· In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

· In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

• For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

· HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

 The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.

HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.

To monitor compliance and long term blood glucose level control in patients with diabetes.

· Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***

Dr.KETAKI MHASKAR M.D. (PATH)

Pathologist

Page 5 of 17



: 2307020938

Name

: MRS.SONIYA BIDAYE

Age / Gender

:53 Years / Female

Consulting Dr. Reg. Location

.

: Borivali West (Main Centre)



Authenticity Check

R

т

Use a QR Code Scanner Application To Scan the Code

Collected

:11-Mar-2023 / 12:36

Reported

:11-Mar-2023 / 21:07

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Slight hazy	Clear	
Volume (ml)	20	•	
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Trace	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATIO	N		
Leukocytes(Pus cells)/hpf	20-25	0-5/hpf	
Red Blood Cells / hpf	Occasional	0-2/hpf	
Epithelial Cells / hpf	8-10		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	++	Less than 20/hpf	
Others			

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein:(1+ -25 mg/dl, 2+ -75 mg/dl, 3+ 150 mg/dl, 4+ 500 mg/dl)
- Glucose: (1+ 50 mg/dl, 2+ -100 mg/dl, 3+ -300 mg/dl, 4+ -1000 mg/dl)
- Ketone: (1+ -5 mg/dl, 2+ -15 mg/dl, 3+ 50 mg/dl, 4+ 150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West





Dr.VIPUL JAIN M.D. (PATH) Pathologist

Page 6 of 17



: 2307020938

Name

: MRS.SONIYA BIDAYE

Age / Gender

: 53 Years / Female

Consulting Dr.

.

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

R

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

*** End Of Report ***

Page 7 of 17



: 2307020938

Name

: MRS. SONIYA BIDAYE

Age / Gender

:53 Years / Female

Consulting Dr.

.

Reg. Location

: Borivali West (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

:11-Mar-2023 / 12:36

Reported : 11-Mar-2023 / 18:27

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO BLOOD GROUPING & Rh TYPING

PARAMETER

RESULTS

ABO GROUP

AB

Rh TYPING

Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal original
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 2 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenoty
 that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Page 8 of 17



: 2307020938

Name

: MRS.SONIYA BIDAYE

Age / Gender

:53 Years / Female

Consulting Dr.

.

DADAMETER

Reg. Location

: Borivali West (Main Centre)

DECLUI TO

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

:11-Mar-2023 / 12:36

E

T

Reported

:11-Mar-2023 / 16:53

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	177.3	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	124.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	51.3	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	126.0	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	101.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	25.0	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.5	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.0	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***





Dr.KETAKI MHASKAR

Dr.KETAKI MHASKA M.D. (PATH) Pathologist

Page 9 of 17



: 2307020938

Name

: MRS.SONIYA BIDAYE

Age / Gender

: 53 Years / Female

Consulting Dr.

.

Reg. Location

: Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected :

Reported

: 11-Mar-2023 / 12:36 : 11-Mar-2023 / 14:48

Application To Scan the Coo

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Free T3, Serum	3.8	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	15.4	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH. Serum	1.25	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA

Page 10 of 17



: 2307020938

Name

: MRS. SONIYA BIDAYE

Age / Gender

: 53 Years / Female

Consulting Dr. Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

Collected :11-Mar-2023 / 12:36

Reported

:11-Mar-2023 / 14:48

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological

can give falsely high TSH.

2)TSH values may be trasiently altered because of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosir kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET, Vol. 357
- 3. Tietz . Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***





BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

Page 11 of 17



: 2307020938

Name

: MRS.SONIYA BIDAYE

Age / Gender

:53 Years / Female

Consulting Dr.

.

Reg. Location

: Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

:11-Mar-2023 / 12:36

Reported

:11-Mar-2023 / 16:53

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BILIRUBIN (TOTAL), Serum	0.42	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.20	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.22	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.1	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.9	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.2	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.2	1 - 2	Calculated
SGOT (AST), Serum	18.8	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	14.9	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	8.5	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	84.8	35-105 U/L	Colorimetric

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Dr.KETAKI MHASKAR M.D. (PATH)

M.D. (PATH) Pathologist

Page 12 of 17



: 2307020938

Name

: MRS.SONIYA BIDAYE

Age / Gender

:53 Years / Female

Consulting Dr.

. .

Reg. Location

100

50

0

17-Mar-2022


11-Mar-2023

: Borivali West (Main Centre)



R

Use a QR Code Scanner Application To Scan the Code



100

60 40

20

11-Mar-2023

17-Mar-2022



: 2307020938

Name

: MRS.SONIYA BIDAYE

Age / Gender

:53 Years / Female

Consulting Dr.

Reg. Location

: Borivali West (Main Centre)





R


E


Use a QR Code Scanner

















Page 14 of 17



: 2307020938

Name

: MRS.SONIYA BIDAYE

Age / Gender

:53 Years / Female

Consulting Dr.

: -

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code



R


P

0







GLOBULIN




SGPT (ALT)




ALBUMIN



SGOT (AST)



ALKALINE PHOSPHATASE



Page 15 of 17



: 2307020938

Name

: MRS.SONIYA BIDAYE

Age / Gender

:53 Years / Female

Consulting Dr.


Reg. Location


: Borivali West (Main Centre)




R E

Application To Scan the Code












Free T3




BILIRUBIN (DIRECT)



Estimated Average Glucose (eAG)



Free T4



Page 16 of 17



: 2307020938

Name

: MRS.SONIYA BIDAYE

Age / Gender

:53 Years / Female

Consulting Dr.

.

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

R

Use a QR Code Scanner Application To Scan the Code

1.5 1 0.5 0 17-Mar-2022 11-Mar-2023

Page 17 of 17



Authenticity Check << QRCode>>

0

E

CID

: 2307020938

Name

: Mrs SONIYA BIDAYE

Age / Sex

Reg. Location

: 53 Years/Female

Ref. Dr

.

· co rears/rem

: Borivali West

Reg. Date

Application To Scan the Code: 11-Mar-2023

Reported : 1

: 11-Mar-2023 / 16:57

Use a OR Code Scanner

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

This report is prepared and physically checked by Dr Rohit before dispatch.

DR. ROHIT MALIK

DNB, DMRD, DMRE (MUM)

Richile

RADIO DIAGNOSIS REG. No. 82356

Click here to view images << lmageLink>>


SUBURBAN DIAGNOSTICS - BORIVALI WEST



Patient Name: SONIYA BIDAYE

Patient ID: 2307020938

Date and Time: 11th Mar 23 12:42 PM



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

REPORTED BY

Jan.

Dr Nitin Sonavane M.B.B.S.AFLH, D.DIAB,D.CARD Consultant Cardiologist 87714

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.