



ભારત સરકાર

Government of India



Issue Date: 04/12/2014



સમર પાલ સિંઘ

Samar Pal Singh

જન્મ તારીખ/DOB: 01/07/1972

પુરુષ/ MALE

7087 6405 6141

VID : 9126 6029 4100 5373

મારો આધાર, મારી ઓળખ

Download Date: 05/11/2020



भारतीय विशिष्ट ओळखाए प्राधिकरण

Unique Identification Authority of India




सरनामुं :

नो पुत्रः श्री भूप सिंह, पोलीस स्टेशन अहेमदग्रह,
डोंका, डौका, बुलंदशहर,
उत्तर प्रदेश - 202392

Address:

S/O: Shree Bhoop Singh, police station
ahemadgrah, donka, Dauka, Bulandshahr,
Uttar Pradesh - 202392



7087 6405 6141

VID : 9126 6029 4100 5373

1947

help@uidai.gov.in

www.uidai.gov.in



rohda

HEALTHCARE

SPECIALITY LAB | DIAGNOSTIC SERVICES | MULTI SPECIALITY CLINICS

PATHOLOGY | MOLECULAR BIOLOGY | MICROBIOLOGY | GENETICS TESTING
DRUG TESTING | VACCINATION | OPD CLINIC | DIGITAL X-RAY | ECG

 GPS Map Camera


Bhuj, Gujarat, India

20, Jadavji Nagar, Bhuj, Gujarat 370020, India

Lat 23.235029°

Long 69.650534°

12/08/23 03:03 PM GMT +05:30





LAB DIVISION

Patient ID	1223670		Collected On	12/08/2023 16:31:34
Patient Name	Mr. SAMAR PAL SINGH		Received On	12/08/2023 16:31:35
Gender / Age	Male / 51 Yrs		Released On	12/08/2023 17:51:04
Refd. By			Printed On	15/08/2023 17:49:30
Client	. Apollo Health & Lifestyle Ltd			

Investigation	Value	Unit	Biological Ref. Range
---------------	-------	------	-----------------------

BIOCHEMISTRY

Glucose (Random) GOD-PAP	88	mg/dL	70 - 140
------------------------------------	----	-------	----------

- * Random glucose in plasma measures the glucose levels regardless of the last meal/intake.
- * Random testing is useful because glucose levels in healthy individuals do not vary widely throughout the day.
- * A random plasma glucose - ≥ 200 mg/ dL denotes diabetes.
- ≥ 110 but < 199 mg/ dL suggest fasting plasma glucose levels and proceed.

Ref : American Diabetes Association.



Dr. Vishal Bhava
MBBS, MD Pathologist, HAM

Note : 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
3. These reports are not valid for medico legal purposes.



LAB DIVISION

Patient ID	1223670		Collected On	12/08/2023 15:09:08
Patient Name	Mr. SAMAR PAL SINGH		Received On	12/08/2023 15:09:10
Gender / Age	Male / 51 Yrs		Released On	12/08/2023 17:51:04
Refd. By			Printed On	15/08/2023 17:49:32
Client	. Apollo Health & Lifestyle Ltd			

Investigation	Value	Unit	Biological Ref. Range
Glycosylated Hb HPLC	5.5	%	
Average Plasma Glucose	111		

Interpretation :

HbA1c %

<=5.6	Normal
5.7-6.4	At Risk for Diabetes
>=6.5	Diabetes

Estimated Average Glucose (eAG) is a new way to understand how well you are managing your diabetes. Using eAG may help you get a better idea of how well you are taking care of your diabetes. And that can help you and your health care provider know what changes you may need to make to be as healthy as possible .

HbA1c %	5	5.5	6	6.5	7	7.5	8	8.5	9	10	11	12
(eAG) mg/dL	97	111	126	140	154	169	183	197	212	240	269	298

The HbA1c goal for people with diabetes is less than 7 percent. A 3 to 6 monthly monitoring is recommended in diabetics. People with diabetes should get the test done more often if their blood sugar stays too high or if their healthcare provider makes any change in the treatment plan. HbA1c concentration represents the integrated values for blood glucose over the preceding 6 -10 wks and is not affected by daily glucose fluctuation, exercise & recent food intake. It is a more useful tool for clinical management of *Diabetes mellitus* through routine monitoring & assesses compliance with therapeutic regimen.



Dr. Vishal Bhuva
MBBS, MD Pathologist, HAM

Note : 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
3. These reports are not valid for medico legal purposes.



LAB DIVISION

Patient ID	1223670		Collected On	12/08/2023 15:09:08
Patient Name	Mr. SAMAR PAL SINGH		Received On	12/08/2023 15:09:10
Gender / Age	Male / 51 Yrs		Released On	12/08/2023 17:51:04
Refd. By			Printed On	15/08/2023 17:49:34
Client	. Apollo Health & Lifestyle Ltd			

Investigation	Value	Unit	Biological Ref. Range
Blood group Gel Technique	"O" Positive		

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB. The test is performed by both forward as well as reverse grouping methods.

The report is of sample received. It is presumed that the sample belongs to the patient. In case of any discrepancy related to this report, contact lab.



Dr. Vishal Bhava
MBBS, MD Pathologist, HAM

Note : 1. These reports are mere estimation and are liable to vary / Change in different conditions in different laboratories.
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
3. These reports are not valid for medico legal purposes.



LAB DIVISION

Patient ID 1223670
 Patient Name Mr. SAMAR PAL SINGH
 Gender / Age Male / 51 Yrs
 Refd. By
 Client . Apollo Health & Lifestyle Ltd



Collected On 12/08/2023 15:09:08
 Received On 12/08/2023 15:09:10
 Released On 12/08/2023 17:51:04
 Printed On 15/08/2023 17:49:36

Investigation	Value	Unit	Biological Ref. Range
---------------	-------	------	-----------------------

COMPLETE BLOOD COUNT

Hemoglobin Cynmeth Photometric Measurement	14.8	gm/dL	13.0 - 17.0
Erythrocyte RBC Count Electrical Impedance	5.17	millions/cu.mm	4.50 - 5.50
Total Leukocyte Count (TLC) Electrical Impedance	6.7	X10 ³ /uL	4.0 - 11.0
Platelet Count Electrical Impedance	250	x10 ³ /uL	150 - 450
HCT Electrical Impedance	44.0	%	40.0 - 50.0
Mean Cell Volume (MCV) Electrical Impedance	85.1	fL	80.0 - 100.0
Mean Cell Haemoglobin (MCH) Electrical Impedance	28.6	pg	27.0 - 32.0
Mean Corpuscular Hb Conc. (MCHC) Electrical Impedance	33.6	gm/dL	32.0 - 35.0
Red Cell Distribution Width (RDW-CV) Electrical Impedance	14.2	%	11.5 - 14.5

Differential Leukocyte Count (DLC)

Neutrophils VCS	56	%	40 - 80
Lymphocytes VCS	34	%	20 - 40
Eosinophils VCS	04	%	01 - 06
Monocytes VCS	06	%	02 - 08
Basophils VCS	00	%	00 - 02



Dr. Vishal Bhuvra
 MBBS, MD Pathologist, HAM

Note : 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
 2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
 3. These reports are not valid for medico legal purposes.



LAB DIVISION

Patient ID	1223670		Collected On	12/08/2023 15:09:08
Patient Name	Mr. SAMAR PAL SINGH		Received On	12/08/2023 15:09:10
Gender / Age	Male / 51 Yrs		Released On	12/08/2023 17:51:04
Refd. By			Printed On	15/08/2023 17:49:40
Client	. Apollo Health & Lifestyle Ltd			

Investigation	Value	Unit	Biological Ref. Range
Erythrocyte Sedimentation Rate (ESR) <small>Westergren's</small>	06	mm in 1hr	00 - 15

- * Test conducted on EDTA whole blood at 37 degree Celsius.
- * ESR is an index of the presence of the active diseases of many types.
- * Increased- in most infections, anaemias, injection of foreign proteins, auto-immune disorders, conditions accompanied by hyperglobunemia and hypercholesterolaemia.
- * A rising ESR suggests a progressive disease.
- * Decreased- in polycythemia, congestive heart failure.
- * ESR is a useful but nonspecific marker of underlying inflammation. C-Reactive Protein(CRP) is the recommended test in a acute inflammatory conditions.



Dr. Vishal Bhuva
MBBS, MD Pathologist, HAM

Note : 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
3. These reports are not valid for medico legal purposes.



LAB DIVISION

Patient ID	1223670		Collected On	12/08/2023 15:09:08
Patient Name	Mr. SAMAR PAL SINGH		Received On	12/08/2023 15:09:10
Gender / Age	Male / 51 Yrs		Released On	12/08/2023 17:51:04
Refd. By			Printed On	15/08/2023 17:49:42
Client	. Apollo Health & Lifestyle Ltd			

Investigation	Value	Unit	Biological Ref. Range
Liver Function Test + GGT			
Billirubin – Total <small>Diazonium Salt</small>	0.78	mg/dL	0.20 - 1.30
Billirubin – Direct <small>Diazo Reaction</small>	0.35	mg/dL	0.00 - 0.50
Billirubin, Indirect <small>Calculated</small>	0.43	mg/dL	0.00 - 0.70
Gultamic Oxaloacetic Transaminase (SGOT, AST) <small>ifcc</small>	19	U/L	10 - 37
Gultamic Pyruvic Transaminase (SGPT, ALT) <small>IFCC</small>	26	U/L	0 - 41
ALP (Alkaline Phosphatase) <small>IFCC</small>	71	U/L	40 - 150
Total Protien <small>Biuret method</small>	6.4	g/dL	6.6 - 8.7
Albumin <small>Bromcresol Green</small>	4.2	g/dL	3.5 - 5.2
Globulin <small>Calculated</small>	2.2	g/dL	2.3 - 3.5
A:G (Albumin:Globulin) Ratio <small>Calculated</small>	1.91		1.20 - 2.00
Gamma Glutamyle Transpeptidas <small>ifcc</small>	52	U/L	0 - 55

These are group of tests that can be used to detect the presence of liver disease, distinguish among different types of liver disorders, gauge the extent of known liver damage, and monitor the response to treatment. Most liver diseases cause only mild symptoms initially, but these diseases must be detected early. Some tests are associated with functionality (e.g., albumin), some with cellular integrity (e.g., transaminase), and some with conditions linked to the biliary tract (gamma-glutamyl transferase and alkaline phosphatase). Conditions with elevated levels of ALT and AST include hepatitis A, B, C, paracetamol toxicity etc. Several biochemical tests are useful in the evaluation and management of patients with hepatic dysfunction. Some or all of these measurements are also carried out (usually about twice a year for routine cases) on those individuals taking certain medications, such as anticonvulsants, to ensure that the medications are not adversely impacting the person's liver. Reference ranges vary between laboratories.

Note : The result obtained relate only to the sample given/ received & tested. A single test result is not always indicative of a disease, it has to be correlated with clinical data for interpretation



Dr. Vishal Bhuvra
MBBS, MD Pathologist, HAM



LAB DIVISION

Patient ID 1223670
 Patient Name Mr. SAMAR PAL SINGH
 Gender / Age Male / 51 Yrs
 Refd. By
 Client . Apollo Health & Lifestyle Ltd



Collected On 12/08/2023 15:09:08
 Received On 12/08/2023 15:09:10
 Released On 12/08/2023 17:51:04
 Printed On 15/08/2023 17:49:46

Investigation	Value	Unit	Biological Ref. Range
<u>Kidney Function Test</u>			
Urea, Serum Urease	24	mg/dL	13 - 43
Creatinine Modified jaffe's	1.03	mg/dL	0.60 - 1.30
Uric Acid, Serum enzymatic	7.10	mg/dL	3.50 - 7.20
Calcium Arsenazo III	9.20	mg/dl	8.40 - 10.20
Phosphorus UV PHOTOMETRIC	3.50	mg/dL	2.60 - 4.50

Kidney function tests are group of tests that can be used to evaluate how well the kidneys are functioning. Creatinine is awaste product that comes from protein in the diet and also comes from the normal wear and tear of muscles of the body. Inblood, it is a marker of GFR .in urine, it can remove the need for 24-hour collections for many analytes or be used as a qualityassurance tool to assess the accuracy of a 24-hour collection Higher levels may be a sign that the kidneys are not workingproperly. As kidney disease progresses, the level of creatinine and urea in the blood increases. Certain drugs are nephrotoxicence KFT is done before and after initiation of treatment with these drugs.Low serum creatinine values are rare; they almost always reflect low muscle mass.Apart from renal failure Blood Urea can increase in dehydration and GI bleed.Reference ranges vary between laboratories.

Note : The result obtained relate only to the sample given/ received & tested. A single test result is not always indicative of a disease, it has to be correlatedwith clinical data for interpretation.



Dr. Vishal Bhuva
 MBBS, MD Pathologist, HAM

Note : 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
 2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
 3. These reports are not valid for medico legal purposes.



LAB DIVISION

Patient ID	1223670		Collected On	12/08/2023 15:09:08
Patient Name	Mr. SAMAR PAL SINGH		Received On	12/08/2023 15:09:10
Gender / Age	Male / 51 Yrs		Released On	12/08/2023 17:51:04
Refd. By			Printed On	15/08/2023 17:49:48
Client	. Apollo Health & Lifestyle Ltd			

Investigation	Value	Unit	Biological Ref. Range
Lipid Profile			
Cholesterol TOTAL CHOD-PAP	232	mg/dL	Desirable < 200 Borderline 200 - 239 High Risk >= 240
Triglycerides Glycerol Phosphate Oxidase	153	mg/dL	Normal <150 Borderline 150-199 High 200 -499 Very High >=500
DIRECT HDL Accelerator Selective Detergent	67	mg/dL	Major risk factor for heart disease < 40 Negative risk factor for heart disease =>60
VLDL Cholesterol Calculated	31	mg/dL	0 - 30
LDL Calculated	134	mg/dL	Recommended <130 Moderate Risk 130-159 High Risk >160
Total / HDL Cholesterol Ratio	3.5		Low Risk 3.3-4.4 Average Risk 4.4-7.1 Moderate Risk 7.1-11.0 High Risk >11.0
Non HDL Cholesterol Calculated	165.0	mg/dL	Adult Optimal <130 Above Optimal 130 -159 Borderline High 160-189 High 190 -219 Very High >=220

NOTE :- NON FASTING SAMPLE.

Lipid profile is a panel of blood tests that serves as an initial screening tool for abnormalities in lipids, such as cholesterol and triglycerides. The results of this test can identify certain genetic diseases and can determine approximate risks cardiovascular disease, certain forms of pancreatitis. Hypertriglyceridemia is indicative of insulin resistance when present with low high-density lipoprotein (HDL) and elevated low-density lipoprotein (LDL), while elevated triglyceride is a clinical risk factor for coronary artery disease (CAD), especially when low HDL is present. Very high levels of triglycerides are defined by serum levels of 500mg/dL or greater and can be concerning for development of pancreatitis. Reference range:



 Dr. Vishal Bhuvra
 MBBS, MD Pathologist, HAM



LAB DIVISION

Patient ID	1223670	Collected On	12/08/2023 15:09:08
Patient Name	Mr. SAMAR PAL SINGH	Received On	12/08/2023 15:09:10
Gender / Age	Male / 51 Yrs	Released On	12/08/2023 17:51:04
Refd. By		Printed On	15/08/2023 17:49:56
Client	. Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
---------------	-------	------	-----------------------

between laboratories.




Dr. Vishal Bhava
MBBS, MD Pathologist, HAM

Note : 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
3. These reports are not valid for medico legal purposes.



LAB DIVISION

Patient ID	1223670		Collected On	12/08/2023 15:09:08
Patient Name	Mr. SAMAR PAL SINGH		Received On	12/08/2023 15:09:10
Gender / Age	Male / 51 Yrs		Released On	12/08/2023 17:51:04
Refd. By			Printed On	15/08/2023 17:49:57
Client	. Apollo Health & Lifestyle Ltd			

Investigation	Value	Unit	Biological Ref. Range
Thyroid Function Test			
Triiodothyronine (T3) Chemiluminescent Microparticle Immunoassay (CMIA)	1.38	ng/dl	0.69 - 2.15
Thyroxine (T4) Chemiluminescent Microparticle Immunoassay (CMIA)	68.60	ng/mL	52.00 - 127.00
Thyroid Stimulating Hormone (TSH) Chemiluminescent Microparticle Immunoassay (CMIA)	3.00	uIU/ml	0.45 - 5.60
			Euthyroid 0.25 - 5.00 Hyperthyroid < 0.15 Hypothyroid > 7.00

TSH	T3	T4	Suggested Interpretation for the Thyroid Function Tests Pattern
Raised	Within range	Within range	Raised Within Range Within Range .Isolated High TSH especially in the range of 4.7 to 15 mIU/ml is commonly associated with Physiological & Biological TSH Variability. Subclinical Autoimmune Hypothyroidism. Intermittent 14 therapy for hypothyroidism .Recovery phase after Non-Thyroidal illness"
Raised	Raised	Decreased	Chronic Autoimmune Thyroiditis Post thyroidectomy, Post radioiodine Hypothyroid phase of transient thyroiditis"
Raised or within range	Raised	Raised or within range	Interfering antibodies to thyroid hormones (anti-TPO antibodies) Intermittent 14 therapy or T4 overdose •Drug interference Amiodarone, Heparin, Beta blockers, steroids, anti-epileptics
Decreased	Raised or within range	Raised or within range	Isolated Low TSH -especially in the range of 0.1 to 0.4 often seen in elderly & Range Range associated with Non-Thyroidal illness .Subclinical Hyperthyroidism .Thyroxine ingestion'
Decreased	Decreased	Decreased	Central Hypothyroidism .Non-Thyroidal illness .Recent treatment for Hyperthyroidism (TSH remains suppressed)"
Decreased	Raised	Raised	Primary Hyperthyroidism (Graves' disease). Multinodular goitre, Toxic nodule •Transient thyroiditis: Postpartum, Silent (Lymphocytic), Postviral (granulomatous, subacute, DeQuervain's), Gestational thyrotoxicosis with hyperemesis gravidarum"
Decreased Within Rang	Raised	Within range	T3 toxicosis •Non-Thyroidal illness
Within range	Decreased	Within range	Isolated Low T3-often seen in elderly & associated Non-Thyroidal illness In elderly the drop in 13 level can be upto 25%.



Dr. Vishal Bhuvra
MBBS, MD Pathologist, HAM

Note : 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
3. These reports are not valid for medico legal purposes.



LAB DIVISION

Patient ID	1223670		Collected On	12/08/2023 15:09:08
Patient Name	Mr. SAMAR PAL SINGH		Received On	12/08/2023 15:09:10
Gender / Age	Male / 51 Yrs		Released On	12/08/2023 18:25:02
Refd. By			Printed On	15/08/2023 17:50:01
Client	. Apollo Health & Lifestyle Ltd			

Investigation	Value	Unit	Biological Ref. Range
---------------	-------	------	-----------------------

Urine Examination (Routine)

Physical Examination

Volume	30	mL	
Colour	PALE YELLOW		
Appearance	Clear		Clear
pH	6.0		Acidic
Specific Gravity	1.025		1.001-1.035

Chemical Examination

Urine Protein	Nil		Nil
Urine Glucose	Nil		Nil
Ketone	Negative		Negative
Nitrite	Negative		Negative
Blood	Nil		Nil
Urobilinogen	Not Increased		Not Increased
Bilirubin	Nil		Nil
Leukocyte esterase	NIL		NIL

Microscopic Examination.

Red Blood Cells	1-2	/hpf	Nil
Pus Cells (WBC)	1-2	/hpf	NIL
Epithelial Cells	0-1	/hpf	Nil
Casts	Nil	/hpf	Nil
Crystals	Nil		Nil
Bacteria	Nil		Nil
Yeast Cell	Nil		Nil
Mucous	Present		Nil
Trichomonas	Nil		Nil
Amorphous Material	Present		Nil

*** End of Report ***



Dr. Vishal Bhava
MBBS, MD Pathologist, HAM

Note : 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
3. These reports are not valid for medico legal purposes.



SPECIALITY LAB | DIAGNOSTIC SERVICES | MULTI SPECIALITY CLINICS

MER- MEDICAL EXAMINATION REPORT

Date of Examination	12/08/2023		
NAME	Somarpal Singh		
AGE	59	Gender	Male
HEIGHT(cm)	172	WEIGHT (kg)	82.4
B.P.	128/82		
ECG	Normal		
X Ray	Normal		
Vision Checkup	Color Vision: Normal		
	Far Vision Ratio : 6/6		
	Near Vision Ratio : N/G		
Present Ailments	— Nil		
Details of Past ailments (If Any)	— Nil		
Comments / Advice : She /He is Physically Fit	Fit.		
ENT. Normal Dental Examination Normal BMI:- 27.9			

Signature with Stamp of Medical Examiner


Dr. Ninad J. Gor
M.B.B.S.
Reg. No. : G-64033



SPECIALITY LAB | DIAGNOSTIC SERVICES | MULTI SPECIALITY CLINICS

CERTIFICATE OF MEDICAL FITNESS

This is to certify that I have conducted the clinical examination

of Mr. Samarpul Singh on 12/08/2023

After reviewing the medical history and on clinical examination it has been found that he/she is

	Tick
<ul style="list-style-type: none"> Medically Fit 	✓
<ul style="list-style-type: none"> Fit with restrictions/recommendations <p>Though following restrictions have been revealed, in my opinion, these are not impediments to the job.</p> <p>1.....</p> <p>2.....</p> <p>3.....</p> <p>However, the employee should follow the advice/medication that has been communicated to him/her.</p> <p>Review after _____</p>	
<ul style="list-style-type: none"> Currently Unfit. _____ recommended Review after _____ Unfit 	

Dr. Dr. Niyad J. Gor
 Medical Officer M.B.B.S.
 Reg. No. : G-64033
 The Apollo Clinic, (Location)







This certificate is not meant for medico-legal purposes

25mm/s 10mm/mV

25mm/s 10mm/mV

25mm/s 10mm/mV

25mm/s 10mm/mV




AC50Hz + DFT

AC50Hz + DFT

AC50Hz + DFT

AC50Hz + DFT




Date : 2000-01-03 00:20:44
ID : 0000007
Name : Samarpal Singh
Sex : M
Age : 51
Weight : 82.4 kg
Height : 172 cm

HR (bpm) : 82
PR (ms) : 166
P (ms) : 122
QRS (ms) : 80
T (ms) : 178
QT/QTc (ms) : 348/405
P/QRS/T : 65.0/51.2/42.7
R(V5)/S(V1) (mV) : 0.836/0.269
R(V5)+S(V1) (mV) : 1.105

<<Conclusion>>
Normal Sinus Rhythm
Cardiac electric axis normal

<<Report need physician confirm>>





KUTCH

RADIOLOGY & IMAGING CENTRE

(A Division of KRIC Radio Diagnostic Pvt. Ltd.)

• Email : kric2008@gmail.com • Website : www.kric.in

Dr. Kripalsinh Jadeja

M.B., D.M.R.E.

Consultant Radiologist

Dr. Bhaven Shah

M.D.

Consultant Radiologist

Patient Name : SAMARPALSINGH

MR No : D92595

Modality : US

Gender : M

Age: 51YY

Date :12/08/2023

Referred By :ROHA HEALTH CARE

USG : ABDOMEN & PELVIS

LIVER : appears normal in size and show raised parenchymal echotexture. No evidence of focal or diffuse lesion. No evidence of dilated IHBR. PV and CBD appear normal in calibre.

GALL BLADDER : appears normal. No intrinsic lesion seen.

PANCREAS : appears normal in size and echotexture. No focal mass lesion or changes of pancreatitis seen.

SPLEEN : appears normal in size and echotexture. No evidence of focal or diffuse lesion.

BOTH KIDNEYS : appear normal in size and echotexture with preservation of corticomedullary differentiation. No evidence of calculus, hydronephrosis or mass lesion involving either kidney.

RK: 9.7 x 3.5 cm LK: 10.5 x 4 cm

URINARY BLADDER : appears normal. No intrinsic lesion seen.

PROSTATE: Appears enlarged in size and measures : 3.5 x 4.8 x 4.3 cm , Weight: 38.9 gm. Post void residual urine volume - 6 ml.

No e/o Ascites or paraaortic lymphadenopathy seen.

CONCLUSION:

* **Moderate enlargement of prostate. Post void residual urine volume - 6 ml.**

* **Mild changes of fatty liver Grade I.**

* **NORMAL SONOGRAPHY OF GB, SPLEEN,PANCREAS, BOTH KIDNEYS & U.BLADDER.**

ADV: Clinical correlation and further investigation.Thanks for ref...

Dr.KRIPALSINH JADEJA

M.B.,D.M.R.E

RADIOLOGIST

KRICBHUJ

1.5 TESLA 196 CHANNEL MRI | 16 SLICE MDCT SCAN | 3D & 4D USG | COLOUR DOPPLER | DIGITAL X-RAY | MAMMOGRAPHY | CBCT | OPG




"KRIC", PLOT NO. 76/B, BANKER'S COLONY, MUNDRA ROAD, OPP. JUBILEE GROUND, BHUJ - KUTCH. PINCODE - 370001.

PH. : 02832 - 222178, Mob. : 84870 22178, **AMBULANCE : 81281 99249.**

KUTCH RADIOLOGY AND IMAGING CENTRE- BHUJ

12 Aug 2023 Study : ABD
Name : SAMARPALSINGH OSIY / M

Ref. by : ROHA HEALTH CARE





SWAMINARAYAN HOSPITAL

NCD CLINIC & COUNSELLING CENTER

Dr. Jagdish Dhanji Halai

NAME : SAMARPAL SINGH

MBBS, D. CARDIOLOGY & DIABETOLOGY

DATE : 12.08.2023

REF BY: ROHA

2D ECHO AND COLOUR DOPPLER STUDY

FINAL IMPRESSION:

- NORMAL LV SYSTOLIC FUNCTION WITH NORMAL LV SIZE.
- LVEF : 66.00 %, NO RWMA AT REST.
- NO PAH, NORMAL RA/RV.
- NO MR, TRIVIAL TR. NO MS NO AS.
- NORMAL RV FUNCTION.
- NORMAL LV COMPLAINE.
- NO ASD, NO VSD, NO PDA. NO PE. NO E/O PTE
- IVC : NORMAL.

NOTE :

Dr. Jagdish Dhanji Halai

MBBS, D. CARDIOLOGY & DIABETOLOGY

CLINICAL CARDIOLOGIST

Reg.No.G 42676 IG 27-200855/Sr.No.D-19188

DR. JAGDISH DHANJI HALAI
CLINICAL CARDIOLOGIST

नाम नोधामा माटे Appointment : 74074 98098

Education is Foundation For Prevention, Prevention is better than cure

स्वतःस्फुर्णा : स्वाद आजादीनो - Swata:Sfurna : The taste of Freedom



SWAMINARAYAN HOSPITAL

NCD CLINIC & COUNSELLING CENTER

Dr. Jagdish Dhanji Halai
MBBS, D. CARDIOLOGY & DIABETOLOGY

NAME : SAMARPAL SINGH

MALE/41 Y

DATE : 12.08.2023

REF BY: ROHA

2D ECHO AND COLOUR DOPPLER STUDY

MITRAL VALVE	: NORMAL.
AORTIC VALVE	: NORMA.
PULMONARY VALVE	: NORMAL.
TRICUSPID VALVE	: NORMAL.
AORTA	: ROOT: 18.00 MM AND AORTA ST JUNCTION: 21.00 MM. NORMAL ARCH AND WHOLE AORTA FROM ORIGINE TO BIFURCATION
LA	: 25 MM
LV- D/LV-S	: 43/26 MM.
LVEF	: 66 %, NO RWMA AT REST.
IVS	: INTACT, IVS: 10.40 MM.
IAS	: INTACT, PW: 10.40 MM.
AOVP	: 1.70 M/SEC. PVP: 0.80 M/SEC.
RA AND RV	: NORMAL, PA: NORMAL.
RVSP	: TR JET + RA MEAN PRESSURE: 26 MM HG TAPSE: 20.60 MM
COLOR DOPPLER STUDY	: NO MR, TRIVIAL TR, PR : NO , TRIVIAL AR. NO AS, NO MS, NO TS, NO PS. ALL VLVES ARE NORMAL WITH NORMAL HEMODYNAMIC.
MVIS	: VE/VA > 1, NO PERICARDIAL EFFUSION. . NO VSR, NO SCAR, NO CLOT, NO VEGETATION. NO THROMBUS IN LV/LVA.

नाम नोधामा भाटे Appointment : 74074 98098

Education is Foundation For Prevention, Prevention is better than cure

स्वतःस्फुर्णा : स्वाद आजादीनो - Swata:Sfurna : The taste of Freedom



SPECIALITY LAB | DIAGNOSTIC SERVICES | MULTI SPECIALITY CLINICS

Patient Name : ., SAMAR PAL SINGH
MR No : 120804
Modality : DX
Gender : M
Age: 51YY
Date : 12/08/2023
Referred By : ROHA.HEALTH CARE

X RAY CHEST (PA)

Both the lung fields do not reveal any parenchymal abnormality.

Both CP angles are clear.

Cardiac size is within normal limits.

Both domes of the diaphragm appear normal.

Bony thoracic cage appears normal.


CONCLUSION:

NO SIGNIFICANT ABNORMALITY DETECTED.

ADV: Clinical correlation and further investigation.Thanks for ref...

Dr.BHAVEN SHAH
M.D
RADIOLOGIST

KRICBHUI



R

SAMAR PAL SINGH
51/M