DEPARTMENT OF CARDIOLOGY

UHID / IP NO	40001605 (1793)	RISNo./Status:	4002094/
Patient Name:	Mr. RAJESH KUMAR SHARMA	Age/Gender:	58 Y/M
Referred By:	EHS CONSUTANT	Ward/Bed No:	OPD
Bill Date/No :	17/04/2023 8:09AM/ OPSCR23- 24/122	Scan Date :	
Report Date:	17/04/2023 9:37AM	Company Name:	Provisional

REFERRAL REASON: - HEALTH CHECKUP

2D ECHOCARDIOGRAPHY WITH COLOR DOPPLER

M MODE DIMENSIONS: -

Normal Normal							
IVSD	12.2		6-12	2mm	LVIDS	28.1	20-40mm
LVIDD	41.7		32-5	7mm	LVPWS	17.7	mm
LVPWD	12.7		6-12	2mm	AO	35.4	19-37mm
IVSS	18.1		m	ım	LA	34.4	19-40mm
LVEF	60-62		>5	5%	RA	-	mm
	DOPPLEI	R MEA	SUREN	MENTS & CA	LCULATIONS	<u>S:</u>	
STRUCTURE	MORPHOLOGY	VELOCITY (m/s)		GRADI	ENT	REGURGITATION	
		(mmHg <u>)</u>					
MITRAL	NORMAL	E	0.81	e'			NIL
VALVE		A	0.60	E/e'	-		
		A	0.00	E/e			
TRICUSPID	NORMAL	E 0.58		_		NIL	
VALVE			A	0.41			
AORTIC	NORMAL	1.00				NIL	
VALVE				-			
PULMONARY	NORMAL	0.60				NON-	
VALVE				-		SIGNIFICANT PR	

COMMENTS & CONCLUSION: -

- NO RWMA, LVEF 60-62%
- NORMAL LV DIASTOLIC FUNCTIONS
- ALL CARDIAC VALVES ARE NORMAL
- MILD CONCENTRIC LVH, OTHER CARDIAC CHAMBERS ARE NORMAL
- NO EVIDENCE OF CLOT/VEGETATION/PE
- INTACT IVS/IAS

IMPRESSION: - MILD CONCENTRIC LVH, NORMAL BI VENTRICULAR FUNCTIONS

DR ROOPAM SHARMA
MBBS, PGDCC, FIAE
CONSULTANT \$ INCHARGE
EMERGENCY, PREVENTIVE CARDIOLOGY AND WELLNESS CENTER.

Patient Name Mr. RAJESH KUMAR SHARMA Lab No 4002094 UHID 40001605 **Collection Date** 17/04/2023 9:16AM 17/04/2023 9:16AM Age/Gender 58 Yrs/Male **Receiving Date Report Date IP/OP Location** O-OPD 17/04/2023 2:23PM **Referred By EHS CONSUTANT Report Status** Final

neport status

Mobile No. 9772157693

BIOCHEMISTRY

Test Name Result Unit Biological Ref. Range

BLOOD GLUCOSE (FASTING)

Sample: Fl. Plasma

BLOOD GLUCOSE (FASTING) **118.4 H** mg/dl 74 - 106

Method: Hexokinase assay.

Interpretation:-Diagnosis and monitoring of treatment in diabetes mellitus and evaluation of carbohydrate metabolism in various diseases.

BLOOD GLUCOSE (PP) Sample: PLASMA

BLOOD GLUCOSE (PP) 178.2 mg/dl Non – Diabetic: - < 140 mg/dl

Pre – Diabetic: - 140-199 mg/dl Diabetic: - >=200 mg/dl

Method: Hexokinase assay.

THYROID T3 T4 TSH Sample: Serum

Т3	1.180	ng/mL	0.970 - 1.690
T4	10.30	ug/dl	5.53 - 11.00
TSH	5.61 H	μIU/mL	0.40 - 4.05

RESULT ENTERED BY: SUNIL EHS

Dr. MUDITA SHARMA

Patient Name	Mr. RAJESH KUMAR SHARMA	Lab No	4002094
UHID	40001605	Collection Date	17/04/2023 9:16AM
Age/Gender IP/OP Location	58 Yrs/Male	Receiving Date	17/04/2023 9:16AM
	O-OPD	Report Date	17/04/2023 2:23PM
Referred By	EHS CONSUTANT	Report Status	Final
Mobile No.	9772157693		

BIOCHEMISTRY

T3:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

 $Interpretation: -The \ determination \ of \ T3 \ is \ utilized \ in \ the diagnosis \ of \ T3-hyperthyroidism \ the \ detection \ of \ early \ stages \ of hyperthyroidism \ and \ for \ indicating \ a \ diagnosis \ of \ thyrotoxicosis \ factitia.$

T4:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T4 assay employs acompetitive test principle with an antibody specifically directed against T4.

TSH - THYROID STIMULATING HORMONE :- ElectroChemiLuminescenceImmunoAssay - ECLIA

Interpretation:—The determination of TSH serves as theinitial test in thyroid diagnostics. Even very slight changes in the concentrations of the free thyroid hormones bring about much greater opposite changes in the TSH levels.

LFT (LIVER FUNCTION TEST)				Sample: Serum
BILIRUBIN TOTAL	0.65	mg/dl	0.00 - 1.20	
BILIRUBIN INDIRECT	0.50	mg/dl	0.20 - 1.00	
BILIRUBIN DIRECT	0.15	mg/dl	0.00 - 0.40	
SGOT	24.7	U/L	0.0 - 40.0	
SGPT	23.4	U/L	0.0 - 40.0	
TOTAL PROTEIN	6.7	g/dl	6.6 - 8.7	
ALBUMIN	4.2	g/dl	3.5 - 5.2	
GLOBULIN	2.5		1.8 - 3.6	
ALKALINE PHOSPHATASE	72.7	U/L	41 - 137	
A/G RATIO	1.7	Ratio	1.5 - 2.5	
GGTP	15.2	U/L	10.0 - 55.0	

RESULT ENTERED BY: SUNIL EHS

Dr. MUDITA SHARMA

Patient Name Mr. RAJESH KUMAR SHARMA Lab No 4002094 UHID **Collection Date** 17/04/2023 9:16AM 40001605 17/04/2023 9:16AM Age/Gender **Receiving Date** 58 Yrs/Male Report Date O-OPD **IP/OP Location** 17/04/2023 2:23PM Referred By **EHS CONSUTANT Report Status** Final

9772157693

BIOCHEMISTRY

BILIRUBIN TOTAL :- Method: DPD assay. Interpretation:-Total Bilirubin measurements are used in the diagnosis and treatment of various liver diseases, and of haemolytic and metabolic disorders in adults and newborns. Both obstruction damage to hepatocellular structive.

BILIRUBIN DIRECT :- Method: Diazo method Interpretation:-Determinations of direct bilirubin measure mainly conjugated, water soluble bilirubin.

SGOT - AST :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGOT(AST) measurements are used in the diagnosis and treatment of certain types of liver and heart disease.

SGPT - ALT :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGPT(ALT) Ratio Is Used For Differential Diagnosis In Liver Diseases.

TOTAL PROTEINS: - Method: Bivret colorimetric assay. Interpretation:-Total protein measurements are used in the diagnosis and treatment of a variety of liver and kidney diseases and bone marrow as well as metabolic and nutritional disorder.

ALBUMIN: - Method: Colorimetric (BCP) assay. Interpretation:-For Diagnosis and monitoring of liver diseases, e.g. liver cirrhosis, nutritional status.

ALKALINE PHOSPHATASE: - Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in hepatitis, cirrhosis, obstructive jaundice, carcinoma of the liver, and chronic alcohol abuse. ALT is only slightly elevated in patients who have an uncomplicated myocardial infarction. GGTP-GAMMA GLUTAMYL TRANSPEPTIDASE: - Method: Enzymetic colorimetric assay. Interpretation:-y-glutamyltransferase is used in the diagnosis and monitoring of hepatobiliary disease. Enzymatic activity of GGT is often the only parameter with increased values when testing for such diseases and is one of the most sensitive indicator known.

LIPID PROFILE

Mobile No.

TOTAL CHOLESTEROL	188		<200 mg/dl :- Desirable 200-240 mg/dl :- Borderline >240 mg/dl :- High
HDL CHOLESTEROL	67.8		High Risk :-<40 mg/dl (Male), <40 mg/dl (Female) Low Risk :->=60 mg/dl (Male), >=60 mg/dl (Female)
LDL CHOLESTEROL	139.1		Optimal :- <100 mg/dl Near or Above Optimal :- 100-129 mg/dl Borderline :- 130-159 mg/dl High :- 160-189 mg/dl Very High :- >190 mg/dl
CHOLESTERO VLDL	14	mg/dl	10 - 50
TRIGLYCERIDES	71.2		Normal :- <150 mg/dl Border Line:- 150 - 199 mg/dl High :- 200 - 499 mg/dl Very high :- > 500 mg/dl
CHOLESTEROL/HDL RATIO	2.8	%	

RESULT ENTERED BY : SUNIL EHS

Dr. MUDITA SHARMA

Patient Name Mr. RAJESH KUMAR SHARMA Lab No 4002094 UHID 40001605 **Collection Date** 17/04/2023 9:16AM 17/04/2023 9:16AM Age/Gender 58 Yrs/Male **Receiving Date Report Date IP/OP Location** O-OPD 17/04/2023 2:23PM **Referred By EHS CONSUTANT Report Status** Final

Mobile No. 9772157693

BIOCHEMISTRY

CHOLESTEROL TOTAL :- Method: CHOD-PAP enzymatic colorimetric assay.

interpretation:-The determination of the individual total cholesterol (TC) level is used for screening purposes while for a better risk assessment it is necessary to measure additionally lipid & lipoprotein metabolic disorders. HDL CHOLESTEROL :- Method:-Homogenous enzymetic colorimetric method.

Interpretation: -HDL-cholesterol has a protective against coronary heart disease, while reduced HDL-cholesterol concentrations, particularly in conjunction with elevated triglycerides, increase the cardiovascular disease. LDL CHOLESTEROL :- Method: Homogenous enzymatic colorimetric assay.

Interpretation:-LDL play a key role in causing and influencing the progression of atherosclerosis and in particular coronary sclerosis. The LDL are derived form VLDL rich in TG by the action of various lipolytic enzymes and are synthesized in the liver.
CHOLESTEROL VLDL: - Method: VLDL Calculative

Interpretation: -High triglycerde levels also occur in various diseases of liver, kidneys and pancreas.

DM, nephrosis, liver obstruction.

CHOLESTEROL/HDL RATIO :- Method: Cholesterol/HDL Ratio Calculative

RENAL PROFILE TEST Sample: Serum

UREA	16.5 L	mg/dl	16.60 - 48.50
BUN	7.7	mg/dl	6 - 20
CREATININE	0.95	mg/dl	0.60 - 1.10
SODIUM	140.5	mmol/L	136 - 145
POTASSIUM	4.46	mmol/L	3.50 - 5.50
CHLORIDE	102.1	mmol/L	98 - 107
URIC ACID	4.27	mg/dl	3.5 - 7.2
CALCIUM	9.75	mg/dl	8.60 - 10.30

RESULT ENTERED BY: SUNIL EHS arried to

Dr. MUDITA SHARMA

Mr. RAJESH KUMAR SHARMA **Patient Name** Lab No 4002094 UHID **Collection Date** 17/04/2023 9:16AM 40001605 17/04/2023 9:16AM Age/Gender **Receiving Date** 58 Yrs/Male Report Date O-OPD **IP/OP Location** 17/04/2023 2:23PM Referred By **EHS CONSUTANT Report Status** Final Mobile No. 9772157693

BIOCHEMISTRY

CREATININE - SERUM :- Method:-Jaffe method, Interpretation:-To differentiate acute and chronic kidneydisease.
URIC ACID :- Method: Enzymatic colorimetric assay. Interpretation:- Elevated blood concentrations of uricacid are renal diseases with decreased excretion of waste products, starvation, drug abuse and increased alcohol consume.

SODIUM:- Method: ISE electrode. Interpretation:-Decrease: Prolonged vomiting or diarrhea, diminished reabsorption in the kidney and excessive fluid retention. Increase: excessive fluid loss, high salt intake and kidney reabsorption.

POTASSIUM:- Method: ISE electrode. Intrpretation:-Low level: Intake excessive loss formbodydue to diarrhea, vomiting

renal failure, High level: Dehydration, shock severe burns, DKA, renalfailure.

CHLORIDE - SERUM :- Method: ISE electrode. Interpretation:-Decrease: reduced dietary intake, prolonged vomiting and reduced renal reabsorption as well as forms of acidosisand alkalosis.

Increase: dehydration, kidney failure, some form ofacidosis, high dietary or parenteral chloride intake, and salicylate poisoning.

UREA:- Method: Urease/GLDH kinetic assay. Interpretation:-Elevations in blood urea nitrogenconcentration are seen in inadequate renal perfusion, shock, diminished bloodvolume, chronic nephritis, nephrosclerosis, tubular necrosis, glomerularnephritis and UTI.

CALCIUM TOTAL: - Method: O-Cresolphthaleine complexone. Interpretation:-Increase in serum PTH or vit-D are usually associated with hypercalcemia. Increased serum calcium levels may also be observed in multiple myeloma and other neoplastic diseases. Hypocalcemia may

beobserved in hypoparathyroidism, nephrosis, and pancreatitis.

Sample: WHOLE BLOOD EDTA

HBA1C 5.0 % < 5.7% Nondiabetic

5.7-6.4% Pre-diabetic > 6.4% Indicate Diabetes

Known Diabetic Patients
< 7 % Excellent Control
7 - 8 % Good Control
> 8 % Poor Control

Method: - High - performance liquid chromatography HPLC Interpretation:-Monitoring long term glycemic control, testing every 3 to 4 months is generally sufficient. The approximate relationship between HbA1C and mean blood glucose values during the preceding 2 to 3 months.

RESULT ENTERED BY: SUNIL EHS

Dr. MUDITA SHARMA

Patient Name Mr. RAJESH KUMAR SHARMA Lab No 4002094 UHID 40001605 **Collection Date** 17/04/2023 9:16AM 17/04/2023 9:16AM Age/Gender **Receiving Date** 58 Yrs/Male **Report Date IP/OP Location** O-OPD 17/04/2023 2:23PM **Referred By EHS CONSUTANT Report Status** Final Mobile No. 9772157693

BLOOD BANK INVESTIGATION

Unit **Biological Ref. Range Test Name** Result

BLOOD GROUPING "A" Rh Positive

1. Both forward and reverse grouping performed.
2. Test conducted on EDTA whole blood.

RESULT ENTERED BY: SUNIL EHS arrep &

Dr. MUDITA SHARMA

Patient Name	Mr. RAJESH KUMAR SHARMA	Lab No	4002094
UHID	40001605	Collection Date	17/04/2023 9:16AM
Age/Gender IP/OP Location	58 Yrs/Male	Receiving Date	17/04/2023 9:16AM
	O-OPD	Report Date	17/04/2023 2:23PM
Referred By	EHS CONSUTANT	Report Status	Final
Mobile No.	9772157693		

CLINICAL PATHOLOGY

Test Name	Result	Unit	Biological Ref. Range	
URINE SUGAR (POST PRANDIAL)				Sample: Urine
URINE SUGAR (POST PRANDIAL)	NEGATIVE			
URINE SUGAR (RANDOM)				Sample: Urine
URINE SUGAR (RANDOM)	NEGATIVE			
ROUTINE EXAMINATION - URINE				Sample: Urine
PHYSICAL EXAMINATION				
VOLUME	20	ml		
COLOUR	PALE YELLOW		P YELLOW	
APPEARANCE	CLEAR		CLEAR	
CHEMICAL EXAMINATION				
PH	6.0		5.5 - 7.0	
SPECIFIC GRAVITY	1.005		1.016-1.022	
PROTEIN	NEGATIVE		NEGATIVE	
SUGAR	NEGATIVE		NEGATIVE	
BILIRUBIN	NEGATIVE		NEGATIVE	
BLOOD	NEGATIVE			
KETONES	NEGATIVE		NEGATIVE	
NITRITE	NEGATIVE		NEGATIVE	
UROBILINOGEN	NEGATIVE		NEGATIVE	
LEUCOCYTE	NEGATIVE		NEGATIVE	
MICROSCOPIC EXAMINATION				
WBCS/HPF	1-2	/hpf	0 - 3	
RBCS/HPF	0-0	/hpf	0 - 2	
EPITHELIAL CELLS/HPF	1-2	/hpf	0 - 1	
CASTS	NIL		NIL	
CRYSTALS	NIL		NIL	

RESULT ENTERED BY: SUNIL EHS

Dr. MUDITA SHARMA

Mr. RAJESH KUMAR SHARMA **Patient Name** Lab No 4002094 UHID 40001605 **Collection Date** 17/04/2023 9:16AM 17/04/2023 9:16AM Age/Gender 58 Yrs/Male **Receiving Date Report Date IP/OP Location** O-OPD 17/04/2023 2:23PM **Referred By EHS CONSUTANT Report Status** Final Mobile No. 9772157693

CLINICAL PATHOLOGY

NIL **BACTERIA** NIL **OHTERS** NIL NIL

Methodology:-

Methodology:Glucose: GOD-POD, Bilirubin: Diazo-Azo-coupling reaction with a diazonium, Ketone: Nitro Pruside reaction, Specific
Gravity: Proton re;ease from ions, Blood: Psuedo-Peroxidase activity oh Haem moiety, pH: Methye Red-Bromothymol Blue
(Double indicator system), Protein: H+ Release by buffer, microscopic & chemical method.
interpretation: Diagnosis of Kidney function, UTI, Presence of Protein, Glucoses, Blood. Vocubulary syntax: Kit insert

RESULT ENTERED BY: SUNIL EHS arre Co

Dr. MUDITA SHARMA

Patient Name Mr. RAJESH KUMAR SHARMA Lab No 4002094 UHID 40001605 **Collection Date** 17/04/2023 9:16AM 17/04/2023 9:16AM Age/Gender 58 Yrs/Male **Receiving Date** Report Date **IP/OP Location** O-OPD 17/04/2023 2:23PM **Referred By EHS CONSUTANT Report Status** Final Mobile No. 9772157693

HEMATOLOGY

Test Name	Result	Unit	Biological Ref. Range	•
CBC (COMPLETE BLOOD COUNT)			S	ample: WHOLE BLOOD EDTA
HAEMOGLOBIN	12.9 L	g/dl	13.0 - 17.0	
PACKED CELL VOLUME(PCV)	41.2	%	40.0 - 50.0	
MCV	87.3	fl	82 - 92	
MCH	27.3	pg	27 - 32	
MCHC	31.3 L	g/dl	32 - 36	
RBC COUNT	4.72	millions/cu.mm	4.50 - 5.50	
TLC (TOTAL WBC COUNT)	5.98	10^3/ uL	4 - 10	
DIFFERENTIAL LEUCOCYTE COUNT				
NEUTROPHILS	76.1	%	40 - 80	
LYMPHOCYTE	14.5 L	%	20 - 40	
EOSINOPHILS	2.2	%	1 - 6	
MONOCYTES	6.5	%	2 - 10	
BASOPHIL	0.7 L	%	1 - 2	
PLATELET COUNT	2.24	lakh/cumm	1.500 - 4.500	

HAEMOGLOBIN :- Method:-SLS HemoglobinMethodology by Cell Counter.Interpretation:-Low-Anemia, High-Polycythemia.

MCV :- Method: - Calculation bysysmex. MCH: - Method: - Calculation bysysmex.
MCHC: - Method: - Calculation bysysmex.

RBC COUNT :- Method:-Hydrodynamicfocusing.Interpretation:-Low-Anemia, High-Polycythemia.

TLC (TOTAL WBC COUNT) :- Method: -Optical Detectorblock based on Flowcytometry. Interpretation: -High-Leucocytosis, Low-Leucopenia.

NEUTROPHILS :- Method: Optical detectorblock based on Flowcytometry LYMPHOCYTS : - Method: Optical detectorblock based on Flowcytometry

EOSINOPHILS :- Method: Optical detectorblock based on Flowcytometry MONOCYTES :- Method: Optical detectorblock based on Flowcytometry

BASOPHIL :- Method: Optical detectorblock based on Flowcytometry

PLATELET COUNT :- Method:-Hydrodynamicfocusing method.Interpretation:-Low-Thrombocytopenia, High-Thrombocytosis.

HCT: Method:- Pulse Height Detection. Interpretation:-Low-Anemia, High-Polycythemia. NOTE: CH- CRITICAL HIGH, CL: CRITICAL LOW, L: LOW, H: HIGH

ESR (ERYTHROCYTE SEDIMENTATION RATE) 10 mm/1st hr 0 - 15

RESULT ENTERED BY: SUNIL EHS Os game.

Dr. MUDITA SHARMA

Patient Name Lab No Mr. RAJESH KUMAR SHARMA 4002094 17/04/2023 9:16AM UHID 40001605 **Collection Date** 17/04/2023 9:16AM Age/Gender **Receiving Date** 58 Yrs/Male **Report Date** O-OPD **IP/OP Location** 17/04/2023 2:23PM **Referred By EHS CONSUTANT Report Status** Final Mobile No. 9772157693

Method:-Modified Westergrens.
Interpretation:-Increased in infections, sepsis, and malignancy.

RESULT ENTERED BY : SUNIL EHS

Patient Name UHID	Mr. RAJESH KUMAR SHARMA 40001605	Lab No Collection Date	4002094 17/04/2023 9:16AM
Age/Gender	58 Yrs/Male	Receiving Date	17/04/2023 9:16AM
IP/OP Location	O-OPD	Report Date	17/04/2023 2:23PM
Referred By	EHS CONSUTANT	Report Status	Final
Mobile No.	9772157693		

Test Name Result Unit Biological Ref. Range

USG REPORT - ABDOMEN AND PELVIS

LIVER:

Is normal in size measure 130 mm and diffuse increased echogenicity.

No obvious focal lesion seen. No intrahepatic biliary radical dilatation seen.

GALL BLADDER:

Adequately distended with no obvious wall thickening/pericholecystic fat stranding/fluid. No obvious calculus/polyp/mass seen within.

PANCREAS:

Obscured by bowel gases.

SPLEEN:

Appears normal in size and it shows uniform echo texture. It measures 90 mm in long axis.

RIGHT KIDNEY:

Right kidney measures 95 x 47 mm.

The shape, size and contour of the right kidney appear normal.

Corticomedullary differentiation is maintained. No evidence of pelvicalyceal dilatation.

No calculi seen.

RESULT ENTERED BY : SUNIL EHS

Patient Name Mr. RAJESH KUMAR SHARMA Lab No 4002094 UHID 40001605 **Collection Date** 17/04/2023 9:16AM 17/04/2023 9:16AM Age/Gender 58 Yrs/Male **Receiving Date** Report Date IP/OP Location O-OPD 17/04/2023 2:23PM **Referred By EHS CONSUTANT Report Status** Final Mobile No. 9772157693

USG

LEFT KIDNEY:

Left kidney measures 95 x 52 mm.

The shape, size and contour of the left kidney appear normal.

Corticomedullary differentiation is maintained. No evidence of pelvicalyceal dilatation.

No calculi seen.

URINARY BLADDER:

Is normal in contour. No intraluminal echoes are seen. No calculus or diverticulum is seen.

Pre void urine volume: 522 cc.

Post void residual urine volume: 42 cc.

PROSTATE:

Enlarged measures 38 x 44 x 33 mm.

RIGHT ILIAC FOSSA:

No focal fluid collections seen.

IMPRESSION:

Diffuse grade I fatty liver.

Mild prostatomegaly with mild PVRV

RESULT ENTERED BY : SUNIL EHS

Dr. RENU JADIYA MBBS, DNB

RADIOLOGIST

Patient Name Mr. RAJESH KUMAR SHARMA Lab No 4002094 UHID 40001605 **Collection Date** 17/04/2023 9:16AM 17/04/2023 9:16AM Age/Gender **Receiving Date** 58 Yrs/Male **Report Date IP/OP Location** O-OPD 17/04/2023 2:23PM **Referred By EHS CONSUTANT Report Status** Final Mobile No. 9772157693

X Ray

Test Name Result Unit Biological Ref. Range

X-RAY - CHEST PA VIEW

OBSERVATION:

The trachea is central.

The mediastinal and cardiac silhouette are normal.

Cardiothoracic ratio is normal.

Cardiophrenic and costophrenic angles are normal.

Both hila are normal.

The lung fields are clear.

Bones of the thoracic cage are normal.

Soft tissues of the chest wall are normal.

IMPRESSION:

No significant abnormality seen.

End Of Report

RESULT ENTERED BY : SUNIL EHS

Dr. RENU JADIYA MBBS, DNB RADIOLOGIST

Page: 13 Of 13