

CODE/NAME & ADDRESS: C000138364

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

PATIENT ID

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

REI. DOCTOR : SEE

ACCESSION NO: 0321WF000613

PATIENT ID : HETAF130190321 CLIENT PATIENT ID:

ABHA NO :

AGE/SEX :33 Years Female

DRAWN :

RECEIVED : 10/06/2023 08:37:30 REPORTED :13/06/2023 12:25:40

Test Report Status <u>Final</u> Results Biological Reference Interval Units

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

XRAY-CHEST

IMPRESSION NO ABNORMALITY DETECTED

TMT OR ECHO

TMT OR ECHO 2D ECHO:-

1) NORMAL CHAMBERS AND VALVES.

2) GOOD LV SYSTOLIC FUNCTION. LVEF 60%. NO RWMA AT REST.

3) NO MR, AR, TR.

4) NORMAL LV COMPLIANCE.

5) NO PAH.

6) NO LV CLOT, VEGETATION OR PERICARDIAL EFFUSION.

7) IAS/IVS INTACT.

ECG

ECG NORMAL SINUS RHYTHM

MEDICAL HISTORY

RELEVANT PRESENT HISTORY BILATERAL LASIK SURGERY 5 YEARS BACK

RELEVANT PAST HISTORY NOT SIGNIFICANT RELEVANT PERSONAL HISTORY NOT SIGNIFICANT

MENSTRUAL HISTORY (FOR FEMALES)

LMP (FOR FEMALES)

OBSTETRIC HISTORY (FOR FEMALES)

CB (FOR FEMALES)

REGULAR

02/06/2023

G1,P1,A0,L1

LCB (FOR FEMALES)

07/01/2022

RELEVANT FAMILY HISTORY

OCCUPATIONAL HISTORY

HISTORY OF MEDICATIONS

NOT SIGNIFICANT

NOT SIGNIFICANT

ANTHROPOMETRIC DATA & BMI

HEIGHT IN METERS 1.56 mts WEIGHT IN KGS. 58.7 Kgs

Dr.Jinal kamodia

P. V. Espadia

Dr.Priyank Kapadia Physician



Page 1 Of 22

View Details

View Report

PERFORMED AT :

Consultant Radiology

Agilus Diagnostics Ltd (Formerly SRL Ltd) Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India

Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@srl.in





CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321WF000613 AGE/SEX :33 Years Female ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI

NEW DELHI 110030 8800465156

PATIENT ID : HETAF130190321

CLIENT PATIENT ID:

DRAWN

RECEIVED: 10/06/2023 08:37:30 REPORTED :13/06/2023 12:25:40

Biological Reference Interval Test Report Status Results Units **Final**

ABHA NO

24 **BMI** BMI & Weight Status as follows/sqmts

> Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese

GENERAL EXAMINATION

MENTAL / EMOTIONAL STATE NORMAL PHYSICAL ATTITUDE **NORMAL** GENERAL APPEARANCE / NUTRITIONAL **HEALTHY STATUS BUILT / SKELETAL FRAMEWORK AVERAGE**

NORMAL FACIAL APPEARANCE **NORMAL** SKIN UPPER LIMB **NORMAL** LOWER LIMB **NORMAL NORMAL NECK**

NECK LYMPHATICS / SALIVARY GLANDS NOT ENLARGED OR TENDER

NOT ENLARGED THYROID GLAND **TEMPERATURE NORMAL** 88/MIN **PULSE NORMAL**

CARDIOVASCULAR SYSTEM

RESPIRATORY RATE

PERICARDIUM APEX BEAT

ΒP 110/70 MM HG mm/Hg

> (SITTING) **NORMAL NORMAL**

HEART SOUNDS S1, S2 HEARD NORMALLY

MURMURS ABSENT

RESPIRATORY SYSTEM

NORMAL SIZE AND SHAPE OF CHEST MOVEMENTS OF CHEST **SYMMETRICAL** BREATH SOUNDS INTENSITY **NORMAL**

VESICULAR (NORMAL) BREATH SOUNDS QUALITY

ABSENT ADDED SOUNDS

Dr.Jinal kamodia Consultant Radiology

P. V. Capadia

Dr.Priyank Kapadia **Physician**





Page 2 Of 22

PERFORMED AT:

Agilus Diagnostics Ltd (Formerly SRL Ltd) Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India

Tel: 079-48912999,079-48913999,079-48914999





CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321WF000613 AGE/SEX :33 Years Female

ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

PATIENT ID : HETAF130190321

CLIENT PATIENT ID:

ABHA NO

DRAWN

RECEIVED: 10/06/2023 08:37:30 REPORTED :13/06/2023 12:25:40

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

PER ABDOMEN

NORMAL APPEARANCE

NOT PALPABLE LIVER NOT PALPABLE SPLEEN

CENTRAL NERVOUS SYSTEM

HIGHER FUNCTIONS **NORMAL** CRANIAL NERVES **NORMAL** CEREBELLAR FUNCTIONS NORMAL NORMAL SENSORY SYSTEM NORMAL MOTOR SYSTEM **REFLEXES** NORMAL

MUSCULOSKELETAL SYSTEM

NORMAL SPINE JOINTS NORMAL

BASIC EYE EXAMINATION

DISTANT VISION RIGHT EYE WITHOUT WITHIN NORMAL LIMIT

GLASSES

DISTANT VISION LEFT EYE WITHOUT WITHIN NORMAL LIMIT

GLASSES

WITHIN NORMAL LIMIT NEAR VISION RIGHT EYE WITHOUT GLASSES WITHIN NORMAL LIMIT NEAR VISION LEFT EYE WITHOUT GLASSES

NORMAL COLOUR VISION

SUMMARY

NOT SIGNIFICANT RELEVANT HISTORY RELEVANT GP EXAMINATION FINDINGS NOT SIGNIFICANT

WITHIN NORMAL LIMITS RELEVANT LAB INVESTIGATIONS

RELEVANT NON PATHOLOGY DIAGNOSTICS NO ABNORMALITIES DETECTED

REMARKS / RECOMMENDATIONS NONE

Dr.Jinal kamodia

P. V. Capadia

Dr.Priyank Kapadia **Physician**

Page 3 Of 22





Consultant Radiology





CODE/NAME & ADDRESS : C000138364 ACCESSION NO: 0321WF000613 AGE/SEX :33 Years Female ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

PATIENT ID : HETAF130190321

CLIENT PATIENT ID:

ABHA NO

DRAWN

RECEIVED: 10/06/2023 08:37:30

REPORTED :13/06/2023 12:25:40

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

Comments

OUR PANEL DOCTORS FOR NON-PATHOLOGY TESTS:-

CHECK UP DONE BY: - DR. NAMRATA AGRAWAL (M.B.B.S)

REPORT REVIEWED BY:- DR. PRIYANK KAPADIYA (M.B.B.S DNB MEDICINE)

RADIOLOGIST:- DR. SAHIL N SHAH (M.D.RADIOLOGY) / DR. J. S. KAMODIA (M. D. RADIOLOGY)

Dr.Jinal kamodia **Consultant Radiology** P. V. Kapadia

Dr.Priyank Kapadia Physician





Page 4 Of 22





CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321WF000613 AGE/SEX :33 Years Female

ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

PATIENT ID : HETAF130190321

CLIENT PATIENT ID:

DRAWN

RECEIVED: 10/06/2023 08:37:30

REPORTED :13/06/2023 12:25:40

Test Report Status Results Units <u>Final</u>

ABHA NO

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

ULTRASOUND ABDOMEN

ULTRASOUND ABDOMEN

NO ABNORMALITIES DETECTED

Interpretation(s)

MEDICAL HISTORY-**** THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

Dr.Jinal kamodia **Consultant Radiology** P. V. Kapadia

Dr.Priyank Kapadia **Physician**





Page 5 Of 22

PERFORMED AT:

Agilus Diagnostics Ltd (Formerly SRL Ltd) Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999





CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321WF000613 AGE/SEX :33 Years Female

ACROFEMI HEALTHCARE LTD (MEDIWHEEL) PATIENT ID : HETAF130190321 F-703, LADO SARAI, MEHRAULISOUTH WEST

CLIENT PATIENT ID: DELHI

NEW DELHI 110030 ABHA NO 8800465156

DRAWN

RECEIVED: 10/06/2023 08:37:30 REPORTED :13/06/2023 12:25:40

Biological Reference Interval Test Report Status Results Units <u>Final</u>

A			
į.	AEMATOLOGY - CBC		
MEDI WHEEL FULL BODY HEALTH CHECKUP BE	LOW 40FEMALE		
BLOOD COUNTS,EDTA WHOLE BLOOD			
HEMOGLOBIN (HB) METHOD: PHOTOMETRIC MEASUREMENT	12.8	12.0 - 15.0	g/dL
RED BLOOD CELL (RBC) COUNT METHOD: COULTER PRINCIPLE	4.57	3.8 - 4.8	mil/μL
WHITE BLOOD CELL (WBC) COUNT METHOD: COULTER PRINCIPLE	6.06	4.0 - 10.0	thou/µL
PLATELET COUNT METHOD: COULTER PRINCIPLE	374	150 - 410	thou/μL
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV) METHOD: CALCULATED	40.1	36.0 - 46.0	%
MEAN CORPUSCULAR VOLUME (MCV) METHOD: DERIVED PARAMETER FROM RBC HISTOGRAM	87.8	83.0 - 101.0	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH) METHOD: CALCULATED	28.1	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) METHOD: CALCULATED	32.0	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW) METHOD: DERIVED PARAMETER FROM RBC HISTOGRAM	14.7 High	11.6 - 14.0	%
MENTZER INDEX METHOD: CALCULATED PARAMETER	19.2		
MEAN PLATELET VOLUME (MPV) METHOD: DERIVED PARAMETER FROM PLATELET HISTOGRAM	7.6	6.8 - 10.9	fL
WBC DIFFERENTIAL COUNT			
NEUTROPHILS METHOD: OPTICAL IMPEDENCE & MICROCSOPY	48	40 - 80	%
LYMPHOCYTES	41 High	20 - 40	%
METHOD: OPTICAL IMPEDENCE & MICROCSOPY			
MONOCYTES METHOD: OPTICAL IMPEDENCE & MICROCSOPY	7	2.0 - 10.0	%
EOSINOPHILS	3	1.0 - 6.0	%

Dr.Miral Gajera Consultant Pathologist





Page 6 Of 22



Agilus Diagnostics Ltd (Formerly SRL Ltd) Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India

Tel: 079-48912999,079-48913999,079-48914999



8800465156



PATIENT NAME: HETAL HITESH PARMAR REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321WF000613 AGE/SEX :33 Years Female ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

PATIENT ID : HETAF130190321 F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID:

DELHI **NEW DELHI 110030** ABHA NO DRAWN RECEIVED: 10/06/2023 08:37:30

REPORTED :13/06/2023 12:25:40

Test Report Status Final Results **Biological Reference Interval** Units

rest Report Status Imai	Results	Diological Reference	Tileci vai Oilles
METHOD : OPTICAL IMPEDENCE & MICROCSOPY			
	4	0 1	0/
BASOPHILS	1	0 - 1	%
METHOD: IMPEDANCE			
ABSOLUTE NEUTROPHIL COUNT	2.91	2.0 - 7.0	thou/µL
METHOD: CALCULATED			
ABSOLUTE LYMPHOCYTE COUNT	2.48	1.0 - 3.0	thou/µL
METHOD: CALCULATED PARAMETER			
ABSOLUTE MONOCYTE COUNT	0.42	0.2 - 1.0	thou/µL
METHOD : CALCULATED PARAMETER	V	0.2 2.0	/ /
ABSOLUTE EOSINOPHIL COUNT	0.18	0.02 - 0.50	thou/µL
METHOD : CALCULATED	0.10	0.02 - 0.50	ιτιου, με
	0.00	0.00	
ABSOLUTE BASOPHIL COUNT	0.06	0.02 - 0.10	thou/μL
METHOD: CALCULATED			
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	1.1		

METHOD: CALCULATED PARAMETER

MORPHOLOGY

NORMOCYTIC NORMOCHROMIC RBC

METHOD: MICROSCOPIC EXAMINATION

NORMAL MORPHOLOGY WBC

METHOD: MICROSCOPIC EXAMINATION

ADEQUATE PLATELETS METHOD: MICROSCOPIC EXAMINATION

NO PREMATURE CELLS ARE SEEN. MALARIAL PARASITE NOT REMARKS

DETECTED.

METHOD: MICROSCOPIC EXAMINATION

Interpretation(s)
BLOOD COUNTS,EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive

patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

Dr.Miral Gajera Consultant Pathologist





Page 7 Of 22

Email: customercare.ahmedabad@srl.in

Tel: 079-48912999,079-48913999,079-48914999



REF. DOCTOR: SELF PATIENT NAME: HETAL HITESH PARMAR

CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321WF000613 AGE/SEX Female :33 Years ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

PATIENT ID : HETAF130190321

CLIENT PATIENT ID:

DRAWN

RECEIVED: 10/06/2023 08:37:30 REPORTED :13/06/2023 12:25:40

Test Report Status Biological Reference Interval Final Results Units

ABHA NO

HAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD

E.S.R 0 - 20mm at 1 hr

METHOD: WESTERGREN METHOD

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-TEST DESCRIPTION :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. **TEST INTERPRETATION**

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Earloger information, againgth and in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. Decreased in: Polycythermia vera, Sickle cell anemia

LIMITATIONS

False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia
False Decreased: Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine,

salicylates)

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition.

Dr.Miral Gajera Consultant Pathologist





Page 8 Of 22



Agilus Diagnostics Ltd (Formerly SRL Ltd) Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India

Tel: 079-48912999,079-48913999,079-48914999 Email: customercare.ahmedabad@srl.in





CODE/NAME & ADDRESS : C000138364 ACCESSION NO: 0321WF000613 AGE/SEX :33 Years Female ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

PATIENT ID : HETAF130190321

CLIENT PATIENT ID:

DRAWN

RECEIVED: 10/06/2023 08:37:30 REPORTED :13/06/2023 12:25:40

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

ABHA NO

IMMUNOHAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

TYPE O **ABO GROUP**

METHOD: TUBE AGGLUTINATION

RH TYPE **POSITIVE**

METHOD: TUBE AGGLUTINATION

Interpretation(s)
ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

Dr.Miral Gajera Consultant Pathologist



Page 9 Of 22

Tel: 079-48912999,079-48913999,079-48914999





CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321WF000613 AGE/SEX :33 Years Female ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

PATIENT ID : HETAF130190321

CLIENT PATIENT ID:

ABHA NO

RECEIVED: 10/06/2023 08:37:30 REPORTED :13/06/2023 12:25:40

Test Report Status Results Biological Reference Interval Units <u>Final</u>

RT	$\cap \cap$	IEM.	TSTRV	

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

GLUCOSE FASTING, FLUORIDE PLASMA

FBS (FASTING BLOOD SUGAR) 95 74 - 99 mg/dL

METHOD: HEXOKINASE

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE **BLOOD**

HBA1C 5.3 Non-diabetic: < 5.7 %

> Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5Therapeutic goals: < 7.0 Action suggested: > 8.0 (ADA Guideline 2021)

METHOD: HPLC

ESTIMATED AVERAGE GLUCOSE(EAG) 105.4 < 116.0 mg/dL

GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR) 97 70 - 140 mg/dL

METHOD: HEXOKINASE

LIPID PROFILE, SERUM

161 Desirable: < 200 mg/dL CHOLESTEROL, TOTAL

BorderlineHigh: 200 - 239

High: > or = 240

TRIGLYCERIDES 57 Desirable: < 150 mg/dL

BorderlineHigh: 150 - 199

High: 200 - 499 Very High: > or = 500

METHOD: ENZYMATIC, COLORIMETRIC

METHOD: ENZYMATIC, COLORIMETRIC

55 mg/dL HDL CHOLESTEROL < 40 Low

> or = 60 High

CHOLESTEROL LDL 95 Adult levels: mg/dL

Optimal < 100

Near optimal/above optimal:

100-129

Borderline high: 130-159

High: 160-189 Very high: = 190

Dr.Miral Gajera **Consultant Pathologist**



Page 10 Of 22

Tel: 079-48912999,079-48913999,079-48914999





REF. DOCTOR: SELF PATIENT NAME: HETAL HITESH PARMAR CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321WF000613 AGE/SEX :33 Years Female ACROFEMI HEALTHCARE LTD (MEDIWHEEL) PATIENT ID : HETAF130190321 DRAWN F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED: 10/06/2023 08:37:30 DELHI REPORTED :13/06/2023 12:25:40 **NEW DELHI 110030** ABHA NO 8800465156

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units	
NON HDL CHOLESTEROL	106	Desirable: Less than 130 mg/dL Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	
VERY LOW DENSITY LIPOPROTEIN	11.4	< or = 30 mg/dL	
CHOL/HDL RATIO	2.9 Low	3.3 - 4.4	
LDL/HDL RATIO	1.7	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk	
METHOD: CALCULATED		, and the second	

Interpretation(s)

- 1) Cholesterol levels help assess the patient risk status and to follow the progress of patient under treatment to lower serum cholesterol concentrations.
- 2) Serum Triglyceride (TG) are a type of fat and a major source of energy for the body. Both quantity and composition of the diet impact on plasma triglyceride concentrations. Elevations in TG levels are the result of overproduction and impaired clearance. High TG are associated with increased risk for CAD (Coronary artery disease) in patients with other risk factors, such as low HDL-C, some patient groups with elevated apolipoprotein B concentrations, and patients with forms of LDL that may be particularly atherogenic.
- 3)HDL-C plays a crucial role in the initial step of reverse cholesterol transport, this considered to be the primary atheroprotective function of HDL
- 4) LDL -C plays a key role in causing and influencing the progression of atherosclerosis and, in particular, coronary sclerosis. The majority of cholesterol stored in atherosclerotic plaques originates from LDL, thus LDL-C value is the most powerful clinical predictor.
- 5)Non HDL cholesterol: Non-HDL-C measures the cholesterol content of all atherogenic lipoproteins, including LDL hence it is a better marker of risk in both primary and secondary prevention studies. Non-HDL-C also covers, to some extent, the excess ASCVD risk imparted by the sdLDL, which is significantly more atherogenic than the normal large buoyant particles, an elevated non-HDL-C indirectly suggests greater proportion of the small, dense variety of LDL particles

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target.

Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

Risk Category	
Extreme risk group	A.CAD with > 1 feature of high risk group
	B. CAD with > 1 feature of Very high risk group or recurrent ACS (within 1 year) despite LDL-C
	<pre>< or = 50 mg/dl or polyvascular disease</pre>

Dr.Miral Gajera Consultant Pathologist



Page 11 Of 22





Agilus Diagnostics Ltd (Formerly SRL Ltd) Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India



8800465156



PATIENT NAME: HETAL HITESH PARMAR REF. DOCTOR: SELF CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321WF000613 AGE/SEX :33 Years Female ACROFEMI HEALTHCARE LTD (MEDIWHEEL) PATIENT ID DRAWN : HETAF130190321 F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED: 10/06/2023 08:37:30 DELHI REPORTED :13/06/2023 12:25:40 **NEW DELHI 110030** ABHA NO

Test Report Status Final Results Biological Reference Interval Units

Very High Risk	1. Established ASCVD 2. Diabetes with 2 major risk factors or evidence of end organ damage 3.	
	Familial Homozygous Hypercholesterolemia	
High Risk	1. Three major ASCVD risk factors. 2. Dia	abetes with 1 major risk factor or no evidence of end
	organ damage. 3. CKD stage 3B or 4. 4. L	DL >190 mg/dl 5. Extreme of a single risk factor. 6.
	Coronary Artery Calcium - CAC >300 AU.	7. Lipoprotein a >/= 50mg/dl 8. Non stenotic carotid
	plaque	
Moderate Risk	2 major ASCVD risk factors	
Low Risk	0-1 major ASCVD risk factors	
Major ASCVD (Ath	erosclerotic cardiovascular disease) Risk Fa	actors
1. Age $>$ or $=$ 45 years in males and $>$ or $=$ 55 years in females		3. Current Cigarette smoking or tobacco use
2. Family history of premature ASCVD		4. High blood pressure
5. Low HDL		

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.

Risk Group	Treatment Goals		Consider Drug Therapy	
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group	<50 (Optional goal	< 80 (Optional goal	>OR = 50	>OR = 80
Category A	$\langle OR = 30 \rangle$	$\langle OR = 60 \rangle$		
Extreme Risk Group	<OR = 30	< OR = 60	> 30	>60
Category B				
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR= 100
Moderate Risk	<100	<130	>OR= 100	>OR= 130
Low Risk	<100	<130	>OR= 130*	>OR= 160

^{*}After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

LIVER FUNCTION PROFILE, SERUM

0.36	Upto 1.2	mg/dL
0.16	Upto 0.2	mg/dL
0.20	0.00 - 1.00	mg/dL
7.0	6.4 - 8.3	g/dL
4.8	3.5 - 5.2	g/dL
2.2	2.0 - 4.1	g/dL
2.2 High	1.0 - 2.0	RATIO
	0.16 0.20 7.0 4.8 2.2	0.16 Upto 0.2 0.20

Dr.Miral Gajera Consultant Pathologist





Page 12 Of 22

View Details





Agilus Diagnostics Ltd (Formerly SRL Ltd) Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India

Tel: 079-48912999,079-48913999,079-48914999





PATIENT NAME: HETAL HITESH PARMAR

CODE/NAME & ADDRESS: C000138364

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156 **REF. DOCTOR:** SELF

ACCESSION NO: **0321WF000613** AGE/SEX: 33 Years Female

PATIENT ID : HETAF130190321 DRAWN

CLIENT PATIENT ID:

RECEIVED :10/06/2023 08:37:30 REPORTED :13/06/2023 12:25:40

Test Report Status <u>Final</u>	Results	Biological Reference I	nterval Units
ASPARTATE AMINOTRANSFERASE(AST/SGOT) METHOD: IFCC WITHOUT PYRIDOXAL PHOSPHATE	13	0 - 32	U/L
ALANINE AMINOTRANSFERASE (ALT/SGPT) METHOD: IFCC WITHOUT PYRIDOXAL PHOSPHATE	10	0 - 33	U/L
ALKALINE PHOSPHATASE METHOD: COLORIMETRIC	79	35 - 104	U/L
GAMMA GLUTAMYL TRANSFERASE (GGT) METHOD: ENZYMATIC, COLORIMETRIC	16	5 - 36	U/L
LACTATE DEHYDROGENASE METHOD: UV ASSAY METHOD	189	135 - 214	U/L
BLOOD UREA NITROGEN (BUN), SERUM			
BLOOD UREA NITROGEN	8	6 - 20	mg/dL
CREATININE, SERUM			
CREATININE METHOD: JAFFE ALKALINE PICRATE	0.71	0.60 - 1.10	mg/dL
BUN/CREAT RATIO			
BUN/CREAT RATIO	11.27	5.0 - 15.0	
URIC ACID, SERUM			
URIC ACID	5.5	2.4 - 5.7	mg/dL
TOTAL PROTEIN, SERUM			
TOTAL PROTEIN METHOD: COLORIMETRIC	7.0	6.4 - 8.3	g/dL
ALBUMIN, SERUM			
ALBUMIN METHOD: BROMOCRESOL GREEN	4.8	3.5 - 5.2	g/dL
GLOBULIN			
GLOBULIN	2.2	2.0 - 4.1	g/dL
ELECTROLYTES (NA/K/CL), SERUM			
SODIUM, SERUM METHOD: ISE	140.8	136 - 145	mmol/L
POTASSIUM, SERUM METHOD: ISE	4.91	3.3 - 5.1	mmol/L
CHLORIDE, SERUM METHOD: ION SELECTIVE ELECTRODE TECHNOLOGY	104.0	98 - 106	mmol/L

Interpretation(s)

Dr.Miral Gajera Consultant Pathologist



Page 13 Of 22

View Details

\/:----B-----

PERFORMED AT:

Agilus Diagnostics Ltd (Formerly SRL Ltd)
Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi,
Ahmedabad, 380015
Gujrat, India

Tel: 079-48912999,079-48913999,079-48914999





REF. DOCTOR: SELF PATIENT NAME: HETAL HITESH PARMAR

CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321WF000613 AGE/SEX Female :33 Years ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

PATIENT ID : HETAF130190321

CLIENT PATIENT ID:

ABHA NO

DRAWN

RECEIVED: 10/06/2023 08:37:30

REPORTED :13/06/2023 12:25:40

Test Report Status Results **Biological Reference Interval Final** Units

Sodium	Potassium	Chloride
Decreased in:CCF, cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy, adrenal insufficiency, nephrotic syndrome, water	Decreased in: Low potassium intake,prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing's syndrome,osmotic diuresis (e.g.,	Decreased in: Vomiting, diarrhea, renal failure combined with salt deprivation, over-treatment with diuretics, chronic respiratory acidosis, diabetic ketoacidosis, excessive
intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide,carbamazepine,anti depressants (SSRI), antipsychotics.	hyperglycemia), alkalosis, familial periodic paralysis, trauma (transient). Drugs: Adrenergic agents, diuretics.	sweating, SIADH, salt-losing nephropathy, porphyria, expansion of extracellular fluid volume, adrenalinsufficiency, hyperaldosteronism, metabolic alkalosis. Drugs: chronic laxative, corticosteroids, diuretics.
Increased in: Dehydration (excessivesweating, severe vomiting or diarrhea),diabetes mellitus, diabetesinsipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice,oral contraceptives.	Increased in: Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration,renal failure, Addison's disease, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium- sparing diuretics,NSAIDs, beta-blockers, ACE inhibitors, highdose trimethoprim-sulfamethoxazole.	Increased in: Renal failure, nephrotic syndrome, RTA,dehydration, overtreatment with saline,hyperparathyroidism, diabetes insipidus, metabolic acidosis from diarrhea (Loss of HCO3-), respiratory alkalosis,hyperadrenocorticism. Drugs: acetazolamide,androgens, hydrochlorothiazide,salicylates.
Interferences: Severe lipemia or hyperproteinemi, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100 mg/dL increase in blood glucose.	Interferences: Hemolysis of sample, delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts may cause spurious. Plasma potassium levels are normal.	Interferences:Test is helpful in assessing normal and increased anion gap metabolic acidosis and in distinguishing hypercalcemia due to hyperparathyroidism (high serum chloride) from that due to malignancy (Normal serum chloride)

Interpretation(s)
GLUCOSE FASTING,FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the

Increased in:Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides.

Decreased in :Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency,hypopituitarism,diffuse liver disease, malignancy(adrenocortical,stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency diseases(e.g.galactosemia),Drugs-insulin,ethanol,propranolol sulfonylureas, tolbutamide, and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLYCOSYLATED HEMOGLOBIN (HBA1C), EDTA WHOLE BLOOD-**Used For**:

- 1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
- 2. Diagnosing diabetes.
- Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

1. eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.

- eAG gives an evaluation of blood glucose levels for the last couple of months.
 eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c 46.7

Dr.Miral Gajera Consultant Pathologist





Page 14 Of 22



Agilus Diagnostics Ltd (Formerly SRL Ltd) Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India

Tel : 079-48912999,079-48913999,079-48914999





Female

REF. DOCTOR: SELF PATIENT NAME: HETAL HITESH PARMAR

CODE/NAME & ADDRESS: C000138364 ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO : 0321WF000613 AGE/SEX

PATIENT ID : HETAF130190321

CLIENT PATIENT ID:

DRAWN

RECEIVED: 10/06/2023 08:37:30

:33 Years

REPORTED: 13/06/2023 12:25:40

Test Report Status Results **Biological Reference Interval Final** Units

ABHA NO

HbA1c Estimation can get affected due to :

- 1. Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss,hemolytic anemia) will falsely lower HbA1c test results.Fructosamine is recommended in these patients which indicates diabetes control over 15 days.
- 2.Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.
 3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.

 4. Interference of hemoglobinopathies in HbA1c estimation is seen in
- a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c. b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
- c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, is chemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen

in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease. **GGT** is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.Lower-than-normal levels may be due to: Agammaglobulinemia,Bleeding (hemorrhage),Burns,Glomerulonephritis,Liver disease, Malabsorption,Malnutrition,Nephrotic syndrome, Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc

BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM-**Higher than normal level may be due to:**• Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:• Myasthenia Gravis, Muscuophy

URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2 DM,Metabolic

syndrome **Causes of decreased levels**-Low Zinc intake,OCP,Multiple Sclerosis
TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum.Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUMHuman serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. **Low** blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

Dr.Miral Gajera Consultant Pathologist



Page 15 Of 22

Tel : 079-48912999,079-48913999,079-48914999





CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321WF000613 AGE/SEX :33 Years Female ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

PATIENT ID : HETAF130190321

CLIENT PATIENT ID:

ABHA NO

RECEIVED: 10/06/2023 08:37:30 REPORTED :13/06/2023 12:25:40

Biological Reference Interval **Test Report Status** Results Units **Final**

CLINICAL PATH - URINALYSIS

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

PHYSICAL EXAMINATION, URINE

COLOR Yellow **APPEARANCE** Clear

CHEMICAL EXAMINATION, URINE

PH 5.0 4.7 - 7.5

METHOD: REFLECTANCE SPECTROPHOTOMETRY

SPECIFIC GRAVITY 1.020 1.003 - 1.035

METHOD: REFLECTANCE SPECTROPHOTOMETRY

PROTEIN NOT DETECTED **NEGATIVE**

METHOD: REFLECTANCE SPECTROPHOTOMETRY

NOT DETECTED **NEGATIVE** METHOD: REFLECTANCE SPECTROPHOTOMETRY

KETONES

NOT DETECTED NOT DETECTED METHOD: REFLECTANCE SPECTROPHOTOMETRY

BLOOD

METHOD: REFLECTANCE SPECTROPHOTOMETRY

BILIRUBIN NOT DETECTED NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY

UROBILINOGEN **NORMAL NORMAL**

METHOD: REFLECTANCE SPECTROPHOTOMETRY

NITRITE NOT DETECTED NOT DETECTED METHOD: REFLECTANCE SPECTROPHOTOMETRY

NOT DETECTED NOT DETECTED LEUKOCYTE ESTERASE

METHOD: REFLECTANCE SPECTROPHOTOMETRY

MICROSCOPIC EXAMINATION, URINE

/HPF NOT DETECTED NOT DETECTED RED BLOOD CELLS

NOT DETECTED

NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

PUS CELL (WBC'S) /HPF 1-2 0-5

METHOD: MICROSCOPIC EXAMINATION

0-5 /HPF EPITHELIAL CELLS 0 - 1

METHOD: MICROSCOPIC EXAMINATION

NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

Dr.Miral Gajera Consultant Pathologist



Page 16 Of 22

Tel : 079-48912999,079-48913999,079-48914999 Email: customercare.ahmedabad@srl.in





PATIENT NAME: HETAL HITESH PARMAR REF. DOCTOR: SELF CODE/NAME & ADDRESS : C000138364 ACCESSION NO: 0321WF000613 AGE/SEX :33 Years Female ACROFEMI HEALTHCARE LTD (MEDIWHEEL) PATIENT ID : HETAF130190321 F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED: 10/06/2023 08:37:30 DELHI REPORTED :13/06/2023 12:25:40 **NEW DELHI 110030** ABHA NO 8800465156

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

NOT DETECTED **CRYSTALS**

METHOD: MICROSCOPIC EXAMINATION

BACTERIA NOT DETECTED NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

YEAST NOT DETECTED NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

MICROSCOPIC EXAMINATION OF URINE IS CARRIED OUT ON **REMARKS**

CENTRIFUGED URINARY SEDIMENT.

Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions
Proteins	Inflammation or immune illnesses
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind
	of kidney impairment
Glucose	Diabetes or kidney disease
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst
Urobilinogen	Liver disease such as hepatitis or cirrhosis
Blood	Renal or genital disorders/trauma
Bilirubin	Liver disease
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary
	tract infection and glomerular diseases
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either
	acute or chronic, polycystic kidney disease, urolithiasis, contamination by
	genital secretions
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or
	bladder catheters for prolonged periods of time
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration,
	interaction with Bence-Jones protein
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal
	diseases
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous
	infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl
	oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of
	ethylene glycol or of star fruit (Averrhoa carambola) or its juice
Uric acid	arthritis

Dr.Miral Gajera Consultant Pathologist



Page 17 Of 22





Agilus Diagnostics Ltd (Formerly SRL Ltd) Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India

Tel: 079-48912999,079-48913999,079-48914999





CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321WF000613 AGE/SEX :33 Years Female ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156

PATIENT ID : HETAF130190321

CLIENT PATIENT ID: ABHA NO

DRAWN

RECEIVED: 10/06/2023 08:37:30

REPORTED :13/06/2023 12:25:40

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

[
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis

Dr.Miral Gajera Consultant Pathologist



Page 18 Of 22



Agilus Diagnostics Ltd (Formerly SRL Ltd) Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India

Tel: 079-48912999,079-48913999,079-48914999





CODE/NAME & ADDRESS: C000138364 :33 Years ACCESSION NO: 0321WF000613 AGE/SEX Female

ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

PATIENT ID : HETAF130190321

CLIENT PATIENT ID:

ABHA NO

DRAWN

RECEIVED: 10/06/2023 08:37:30 REPORTED :13/06/2023 12:25:40

Test Report Status Biological Reference Interval <u>Final</u> Results Units

CYTOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

PAPANICOLAOU SMEAR

TEST METHOD CONVENTIONAL GYNEC CYTOLOGY

SPECIMEN TYPE TWO UNSTAINED CERVICAL SMEARS RECEIVED

2014 BETHESDA SYSTEM FOR REPORTING CERVICAL CYTOLOGY REPORTING SYSTEM

SMEARS ARE SATISFACTORY FOR EVALUATION. SPECIMEN ADEQUACY

SMEARS SHOW PREDOMINANTLY SUPERFICIAL AND INTERMEDIATE **MICROSCOPY**

SQUAMOUS CELLS AGAINST BACKGROUND OF MILD ACUTE INFLAMMATION. ENDOCERVICAL CELLS NOT SEEN ON SMEAR. NO

EVIDENCE OF DYSPLASIA OR MALIGNANT CELLS SEEN. INTERPRETATION / RESULT NEGATIVE FOR INTRAEPITHELIAL LESION OR MALIGNANCY

Comments

PAP SMEAR IS ASCREENING PROCEDURE FOR CERVICAL CANCER WITH INHERENT FALSE NEGATIVE RESULTS HENCE RESULTS SHOULD BE INTERPRETED WITH CAUTION.

Dr.Miral Gajera Consultant Pathologist



Page 19 Of 22



Agilus Diagnostics Ltd (Formerly SRL Ltd) Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999





REF. DOCTOR: SELF PATIENT NAME: HETAL HITESH PARMAR

CODE/NAME & ADDRESS: C000138364 ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0321WF000613 AGE/SEX :33 Years Female

PATIENT ID : HETAF130190321

CLIENT PATIENT ID: ABHA NO

RECEIVED: 10/06/2023 08:37:30 REPORTED: 13/06/2023 12:25:40

Biological Reference Interval Units Test Report Status Results <u>Final</u>

SPECIALISED CHEMISTRY - HORMONE

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

THYROID PANEL, SERUM

ng/dL T3 109.70 Non-Pregnant Women

80.0 - 200.0 Pregnant Women

1st Trimester: 105.0 - 230.0 2nd Trimester: 129.0 - 262.0 3rd Trimester: 135.0 - 262.0

METHOD: ECLIA

6.73 T4 Non-Pregnant Women μg/dL

> 5.10 - 14.10 Pregnant Women

1st Trimester: 7.33 - 14.80 2nd Trimester: 7.93 - 16.10 3rd Trimester: 6.95 - 15.70

METHOD: ECLIA

TSH (ULTRASENSITIVE) 1.480 Non Pregnant Women

μIU/mL

0.27 - 4.20Pregnant Women

1st Trimester: 0.33 - 4.59 2nd Trimester: 0.35 - 4.10 3rd Trimester: 0.21 - 3.15

METHOD: ECLIA

Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, Free T4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Total T4 FT4 Total T3 **Possible Conditions** Sr. No. **TSH**

Dr.Miral Gajera Consultant Pathologist



Page 20 Of 22



Agilus Diagnostics Ltd (Formerly SRL Ltd) Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Guirat, India

Tel : 079-48912999,079-48913999,079-48914999





PATIENT NAME: HETAL HITESH PARMAR REF. DOCTOR: SELF CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321WF000613 AGE/SEX :33 Years Female ACROFEMI HEALTHCARE LTD (MEDIWHEEL) PATIENT ID : HETAF130190321 F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED: 10/06/2023 08:37:30 DELHI REPORTED :13/06/2023 12:25:40 **NEW DELHI 110030** ABHA NO 8800465156

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
					Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical
					inflammation, drugs like amphetamines, Iodine containing drug and
					dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre
					(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4
					replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent
					treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2. Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. NOTE: It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

> **End Of Report** Please visit www.agilusdiagnostics.com for related Test Information for this accession

Dr.Miral Gajera **Consultant Pathologist**



Page 21 Of 22







Agilus Diagnostics Ltd (Formerly SRL Ltd) Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India

Email: customercare.ahmedabad@srl.in



Tel: 079-48912999,079-48913999,079-48914999



Female

REF. DOCTOR: SELF PATIENT NAME: HETAL HITESH PARMAR

CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321WF000613 AGE/SEX :33 Years ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

PATIENT ID : HETAF130190321

CLIENT PATIENT ID: ABHA NO

RECEIVED: 10/06/2023 08:37:30 REPORTED :13/06/2023 12:25:40

Test Report Status Results Biological Reference Interval Units **Final**

CONDITIONS OF LABORATORY TESTING & REPORTING

- 1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
- 2. All tests are performed and reported as per the turnaround time stated in the AGILUS Directory of Services.
- 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
- 4. A requested test might not be performed if:
 - i. Specimen received is insufficient or inappropriate
 - ii. Specimen quality is unsatisfactory
 - iii. Incorrect specimen type
 - iv. Discrepancy between identification on specimen container label and test requisition form

- 5. AGILUS Diagnostics confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
- 6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
- Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
- Test results cannot be used for Medico legal purposes.
- 9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

Agilus Diagnostics Ltd

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062

Dr.Miral Gajera Consultant Pathologist





Page 22 Of 22



Agilus Diagnostics Ltd (Formerly SRL Ltd) Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India

Tel : 079-48912999,079-48913999,079-48914999 Email: customercare.ahmedabad@srl.in

