



G. V. Satyanarayana
M.S. Choudary

M.S. CHOUDARY, MBBS, D.L.O, M.S
Registered No: 9747 (A.P. Med. Council,
MAGANTI CLINIC, ADARSH DIAGNOSTICS
D.No: 29-3-23, Flat No: 102
Sri Ranga Heights Ground Floor
Kalaswara Rao Road, Governorpet
JAYAWADA-520 002. Ph: 66646

CERTIFICATE OF MEDICAL FITNESS

This is to certify that I have conducted the clinical examination

Of (Name) G. VENKATA SATYANARAYANA S6 Mon (Date) 02-03-2024

After reviewing the medical history and on clinical examination it has been found that he/she is

	Tick
<p><input checked="" type="checkbox"/> Medically Fit</p>	<input checked="" type="checkbox"/>
<ul style="list-style-type: none"> • Fit with restrictions/recommendations <p>Though following restrictions have been revealed, in my opinion, these are not impediments to the job.</p> <p>1.....</p> <p>2.....</p> <p>3.....</p> <p>However the employee should follow the advice/medication that has been communicated to him/her.</p> <p>Review after _____</p>	
<ul style="list-style-type: none"> • Currently Unfit. Review after _____ Recommended _____ • Unfit <p>❖ Physically Challenge Status (Yes/NO) <input checked="" type="checkbox"/> _____</p> <p>○ If Yes, Need Details Description _____</p> <p>_____</p>	

Dr. M. S. Choudary
Medical Officer
Clinic Name & Address

G. Venkata Satyanarayana

M.S. CHOUDARY, MBBS.DLO.MS
 Registered No: 9747 (A.P. Med. Council),
IAGANTI CLINIC, ADARSH DIAGNOSTICS
 D.No: 29-3-23, Flat No: 102
 Sri Ranga Heights Ground Floor
 Kaleswara Rao Road, Governorpet,
JAYAWADA-520 002. Ph: 66646

MER- MEDICAL EXAMINATION REPORT

Date of Examination	02-03-2024		
NAME	G. VENKATA SATYANARAYANA		
AGE	56	Gender: M	
HEIGHT(cm)	158	WEIGHT(kg): 56	BMI:
B.P.	120/80		
ECG	NORMAL		
X Ray	NORMAL		
WEAR GLASSES RE 2 +1.5 LE 3 +1.5 Vision Checkup: NORMAL →	Left Eye		Right Eye
	Distance Vision:	6/6	6/6
	Near Vision:	N/6	N/6
	Color Vision:	NORMAL	
ENT / Audiometry Checkup	NORMAL		
Present Ailments	NO		
Details of Past ailments (If Any)	NIL		
Comments / Advice : She /He is Physically Fit	FIT		
GOOD HEALTH			

G. Venkatesan

PS Choudary

Signature with Stamp of Medical Examiner

M.S. CHOUDARY, MBBS, DLO, MD
 Registered No: 9747 (A.P. Med. Council),
 IAGANTI CLINIC, ADARSH DIAGNOSTICS
 D No: 29-3-23, Flat No: 102
 Sri Ranga Heights Ground Floor
 Kaloswara Rao Road, Governorpet
 JAYAWADA-520 002. Ph: 66646



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

UBOIE

Name of the life to be Assured:-G.V.SATYANARAYANA Age:-56/M

BLOOD EXAMINATION REPORT

FASTING BLOOD SUGAR(FBS):	82 mg%	(N.VALUE:60 – 100 mg%)
POST PRANDRLAL BLOOD SUGAR:	136 mg%	(N.VALUE:60-150 mg%)
S.CHOLESTEROL	: 184 mg%	(N.VALUE:130 – 250 mg%)
S.TRIGLY CERIDES	: 142 mg%	(N.VALUE:UP TO 175 mg%)
HDL	: 46.4 mg%	(N.VALUE:35 – 55 mg%)
V L D L	: 27.8 mg%	(N.VALUE: UP TO 30 mg%)
LDL	: 112.6	(N.VALUE:UP TO 150 mg%)
UREA	: 29 mg%	(N.VALUE:10 – 50 mg%)
BUN	: 14 mg%	(N.VALUE:08 – 20 mg%)
S.CREATININE	: 1.1 mg%	(N.VALUE:0.5 – 1.6 mg%)
S.PROTEINS	: 7.0 gms%	(N.VALUE:6.0 – 8.0 gms%)
ALBUMIN	: 4.4 gms%	(N.VALUE:3.5 – 5.6 gms%)
GLOBULIN	: 2.6 gms%	(N.VALUE:2.0 – 3.6 gms%)
A.G. RATIO	: 1.69	
S.URIC ACID	: 5.8 mg%	(N.VALUE:2.5 – 7.0 mg%)
S.BILIRUBIN	: 0.7 mg%	(N.VALUE: 0.2 – 1.2 mg%)
DIRECT BILIRUBIN	: 0.1 mg%	(N.VALUE:0.0 – 0.2 mg%)
INDIRECT BILIRUBIN	: 0.6 mg%	
S G O T	: 22 IU/ML	(N.VALUE:8 – 35 IU/ML)
S G P T	: 29 IU/ML	(N.VALUE:13 – 40 IU/ML)
S.ALKLINE PHOSPHATESE	: 8.0 KA UNITES	(N.VALUE:4 – 11 KA UNITES)
GGTP	: 14 IU/ML	(N.VALUE:4 – 24 IU/ML)
Hbs Ag	: NEGATIVE(-VE)	

Dated at Vijayawada on the 02ND day of MARCH 2024

(Pathologist/Dr. *M. Srinivas*)

ADARSH DIAGNOSTICS
D.No: 29-3-23, Flat No: 102
SRI RANGA HEIGHTS, GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G, PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

UBOIE

Name of the life to be Assured:-G.V.SATYANARAYANA Age:-56/M

URINE EXAMINATION REPORT

MACROSCOPY

QUANTITY	:	8.5ML
APPEARANCE	:	CLEAR
COLOUR	:	PALE YELLOW
SP GRAVITY	:	1.022
REACTION	:	ACIDIC

CHEMICAL

BILE SALTS	:	NEGATIVE(-VE)
BILE PIGEMENTS	:	NEGATIVE(-VE)
UROBILINOGEN	:	NORMAL
ACETONE	:	NEGATIVE(-VE)
OCCULT BLOOD	:	NEGATIVE(-VE)
ALBUMIN	:	NIL
URINE SUGAR	:	NIL

MICRO

R B C	:	NIL
CAST	:	NIL
PUS CELLS	:	2-4/HPF
E P CELLS	:	NIL
CRYSTALS	:	NIL
BACTERIA	:	NIL

Dated at Vijayawada on the 02ND day of MARCH 2024

Mee
(Pathologist/Dr.Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
SRI RANGA HEIGHTS, GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA - 520 002

X-RAY, ECG, E.E.G, PATHOLOGICAL, SERCLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

UBOIE

Name of the life to be Assured:-G.V.SATYANARAYANA Age:-56/M

BLOOD EXAMINATION REPORT

CBC

TEST	RESULT	NORMAL .RANGE
HAEMOGLOBIN(HGB)	: 13.2 gm%	(12.0 – 16.0 g/100ml)
P C V (HAEMATOCRIT)	: 39.2 gm%	(36 - 48 %)
MCV	: 87.10 CU.MM	(76 - 92 CU MM)
MCH	: 28.04 MM.G	(27 - 32 MM G)
MCHC	: 32.0 %	(30 - 35 %)
RDW	: NORMAL	
M P V	: NORMAL	
INDICES	: NORMAL	
T R B C	: 4.4 miil/cumm	(3.9 – 6.5miil/cumm)
PLATELET COUNT	: 2.6 lakhs/c.mm	(1.5 - 4.0 lakhs/c.mm)
T W B C	: 8,100 cells/cumm	(4,000-10,000cells/cumm)
DIFFERENTIAL COUNT		
NEUTROPHILS	: 68 %	(40 - 74 %)
LYMPHOCYTES	: 27 %	(20 - 45%)
EOSINOPHILS	: 05 %	(2 - 06 %)
MONOCYTES	: ---	(00 - 02 %)
BASOPHILS	: ---	(< 1%)
E S R	: 20 mm/ 1st hour	(02 - 12mm/1 st hour)
GROUP	: "O"	
RH TYPE	: POSITIVE(+VE)	

Dated at Vijayawada on the 02ND day of MARCH 2024

(Pathologist/Dr.Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
SRI RANGA HEIGHTS, GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

UBOIE

Name of the life to be Assured:-G.V.SATYANARAYANA Age:-56/M

BLOOD EXAMINATION REPORT

GLYCOSYLATED HEMOGLOBIN TEST : HbA1c
(MEAN BLOOD GLUCOSE LEVEL FOR THE LAST 2 MONTHS)

RESULT : 5.4 %

IMPRESSION : NON DIABETIC

INTERPRETATION OF TEST :

HbA1c	%OF GLUCOSE CONTROL
>10 %	POOR
9% - 10 %	FAIR
8% - 9%	GOOD
7% - 8%	CONTROL
6% - 7 %	NEAR NORMAL
<6	NON DIABETIC

Dated at Vijayawada on the 02ND day of MARCH 2024


(Pathologist/DR.Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
SRI RANGA HEIGHTS, GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

UBOIE

Name of the life to be Assured:-G.V.SATYANARAYANA Age:-56/M

BLOOD EXAMINATION REPORT

T3	:	170 ng/dl
(N.VALUE)	:	70 – 204 ng/dl)
T4	:	8.2 ug/dl
(N.VALUE)	:	5.5 -11.0ug/dl)
THYROID STIMULATING HORMONE TSH	:	3.14 uIU/ml
(N.VALUE)	:	0.35-5.50 uIU/ml)

Dated at Vijayawada on the 02ND day of MARCH 2024


(Pathologist/Dr.Inchrge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
SRI RANGA HEIGHTS, GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor. Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

UNION BANK

Name of the life to be Assured: G.V.SATYA NARAYANA

AGE: 56/M

E C G REPORT

RATE : **96bpm**
RHY : **SINUS**
P : **NORMAL**
P RTHM INTERVAL : **150ms**
Q R S INTERVAL : **88ms**
S T SEGEMENT : **NORMAL**
T WAVES : **FLAT "T"**
Q WAVES : **NIL**
HYPERTRPHY : **NO**
Q T : **336ms**
Q R S AXIS : **19Deg**
IMPRESSION : **NON SPECIFIC "T"**
OTHERS NORMAL ECG

Dated at Vijayawada on the 02nd day of MARCH 2024

CONSULTANT CARDIOLOGIST
Dr. MAGANTI S.V.R.K.V. PRASAD
M.B.B.S;PGDHS;DC(CARDIOLOGY)
Regd.No:14414 (A.P.MED.COUNCIL)
CONSULTANT CARDIOLOGIST
MAGANTI CLINIC
VIJAYAWADA.


X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY

67
 Born 15-Jun-67 56 Years
G. VENKATA SATYA NARAYANA
 Male

02-Mar-72

Rate 96 · Sinus rhythm.....normal P axis, V-rate 50-99
 PR 150 · Borderline T abnormalities, diffuse leads.....T flat/neg
 QRSD 88
 QT 336
 QTc 425

--AXIS--
 P 36
 QRS 19
 T -41
 12 Lead; Standard Placement
 - BORDERLINE ECG -
 Requested by: BOB
 Unconfirmed Diagnosis



FLAT T
 DR MAGANTI S.V.R.K.V. PRASAD
 M.B.B.S; PGDHS; DC(CARDIOLOGY)
 Regd.No: 14474 (A.P.MED.COUNCIL)
 CONSULTANT CARDIOLOGIST
MAGANTI CLINIC
 VIJAYAWADA.

Device: Speed: 25 mm/sec Limb: 10 mm/mV Chest: 10.0 mm/mV
 PHILIPS
 F 60~ 0.15-100 Hz
 PH100B CL P2



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

UNION BANK

Name of the life to be Assured: G.V.SATYA NARAYANA AGE: 56/M

X-RAY CHEST AP VIEW

CARDIAC SIZE IS NORMAL.

LUNG FIELDS ARE CLEAR

BOTH HILA ARE NORMAL

C.P ANGLES ARE CLEAR

NO BONY LESION

IMPRESSION: NORMAL STUDY

Dated at Vijayawada on the 02nd day of MARCH 2024

CONSULTANT RADIOLOGIST/Dr.Incharge

DR. G. PRASADA RAO

MBBS, DMRT

Rg. No: 17206

Consulting Radiologist

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

UNION BANK

PATIENT NAME:G.V.SATYANARAYANA

DATE:02/03/2024

REF. Dr. :

AGE:56 ; SEX:M

ULTRASONOGRAM OF TOTAL ABDOMEN



LIVER	:	NORMAL IN SIZE WITH HOMOGENOUS PARENCHYMAL ECHOTEXTURE. NO MASS OR CYST IN LIVER.NO DILATATION OF INTRA HEPATIC BILIARY RADICLES.
GALL BLADDER	:	NORMAL. NO CALCULI. NO MASS LESION DISTENDED
PANCREAS	:	NORMAL. NO CALCULI. NO MASS LESION.
C B D	:	NORMAL. NO CALCULI.
PORTAL VEIN	:	NORMAL MEASURES 09 MM.
SPLEEN	:	NORMAL WITH HOMOGENOUS PARENCHYMAL ECHOTEXTURE MEASURED 98 MM.
DIAPHRAGM	:	BOTH DOMES MOVING WELL WITH RESPIRATION. NO SUB DIAPHRAGMATIC PATHOLOGY.
RIGHT KIDNEY	:	SIZE 9.1 X 4.6 CMS. NORMAL IN SIZE AND ECHOPATTERN, C.M.D MAINTAINED. P.C.S.NORMAL, NO CALCULI NO HYDRONEPHROSIS. URETER NOT DILATED.
LEFT KIDNEY	:	SIZE 9.4 X 4.4 CMS. NORMAL IN SIZE AND ECHOPATTERN.C.M.D.MAINTAINED. PCS NORMAL.NO CALCULI NO HYDRONEPHROSIS. URETER NOT DILATED.
URINARY BLADDER	:	NORMAL .NO CALCULI. NO MASS LESION.
PROSTATE	:	NORMAL IN SIZE AND ECHOTEXTURE .
OTHERS	:	NIL
IMPRESSION	:	NORMAL STUDY. TO CORRELATE CLINICALLY.




Mee
Dr.INCHARGE


ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
SRI RANGA HEIGHTS, GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTEN RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY









ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

UBOIE

Name of the life to be Assured:- G.V.SATYA NARAYANA Age:-56/M

2-D ECHOCARDIOGRAPHY

AORTA	:	3.0 CM	LEFT ATRIUM: 3.5 CMS
LEFT VENTRICLE	:	5.0 X 3.1 CM	IVS. 1.0CM LVPW :1.1 CMS
			LVEF:62%
MITRAL VALVE	:	NORMAL	
AORTIC VALVE	:	NORMAL	
TRICUSPID VALVE	:	NORMAL	
PULMONARY VALVE	:	NORMAL	
RIGHT ATRIUM	:	NORMAL	
RIGHT VENTRICLE	:	NORMAL	
PULMONARY ARTERY	:	NORMAL	
PERICARDIUM	:	NORMAL	
IAS	:	INTACT	
IVS	:	INTACT	
OTHERS	:	NIL	
DOPPLER STUDY	:	MV :E<A /NO TR AJV:1.1M/SEC PJV:1.4M/SEC	
IMPRESSION	:	NO RWMA GOOD LV FUNCTION (EF :62%) GRADE I DIASTOLIC DYSFUNCTION NORMAL SIZED CHAMBERS.	

Dated at Vijayawada on the 02ND day of MARCH 2024

CONSULTANT CARDIOLOGIST

Dr. MAGANTI S.V.R.K.V. PRASAD
M.B,B.S;PGDHS;DC(CARDIOLOGY)
Regd.No:14414 (A.P.MED COUNCIL)

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY