Patient Name	: Ms. HARSHADA SAMANT	Age/Sex	: 25 Year(s) / Female
UHID	: SHHM.107882	Order Date	<b>:</b> 15/10/2024 09:31
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 9579960069
		DOB	: 21/12/1998
		Facility	: SEVENHILLS HOSPITAL,
			MUMBAI

#### **Blood Bank**

Test Name			Result				
Sample No :	O0366111A	Collection Date :	15/10/24 09:41	Ack Date :	15/10/2024 11:38	Report Date :	15/10/24 12:39
BLOOD GROUPING/ CROSS-MATCHING BY SEMI AUTOMATION.							

BLOOD GROUP (ABO)	'A'	
Rh Type Method - Column Agglutination	POSITIVE	

REMARK: THE REPORTED RESULTS PERTAIN TO THE SAMPLE RECEIVED AT THE BLOOD CENTRE.

Interpretation:

Blood typing is used to determine an individual's blood group, to establish whether a person is blood group A, B, AB, or O and whether he or she is Rh positive or Rh negative. Blood typing has the following significance,

• Ensure compatibility between the blood type of a person who requires a transfusion of blood or blood components and the ABO and Rh type of the unit of blood that will be transfused.

• Determine compatibility between a pregnant woman and her developing baby (fetus). Rh typing is especially

important during pregnancy because a mother and her fetus could be incompatible.

• Determine the blood group of potential blood donors at a collection facility.

• Determine the blood group of potential donors and recipients of organs, tissues, or bone marrow, as part of a workup for a transplant procedure.

• Cross-matching test is done to assess compatibility of donor red cells to the patient.

End of Report

Dr.Pooja Vinod Mishra MD Pathology Jr Consultant Pathologist, MMC Reg No. 2017052191 RegNo: 2017/05/2191



1

Patient Name	: Ms. HARSHADA SAMANT	Age/Sex	: 25 Year(s) / Female
UHID	: SHHM.107882	Order Date	<b>:</b> 15/10/2024 09:31
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 9579960069
		DOB	: 21/12/1998
		Facility	: SEVENHILLS HOSPITAL,
			MUMBAI

### HAEMATOLOGY

est Name	Re	sult U	nit Bio	ological Reference Interva
Sample No: 00366111A	Collection Date : 15/10/24	09:41 Ack Date : 15/10/2024 10:4	40 Report Date :	15/10/24 11:03
COMPLETE BLOOD COU	NT (CBC) - EDTA WHOLE E	BLOOD		
Total WBC Count		6.66	x10^3/ul	4.00 - 10.00
Neutrophils		52.9	%	40.00 - 80.00
Lymphocytes		<b>42.1</b> ▲ (H)	%	20.00 - 40.00
Eosinophils		0.8 ▼ (L)	%	1.00 - 6.00
Monocytes		4.2	%	2.00 - 10.00
Basophils		0.0 ▼ (L)	%	1.00 - 2.00
Absolute Neutrophil Count		3.53	x10^3/ul	2.00 - 7.00
Absolute Lymphocyte Cour	ıt	2.81	x10^3/ul	0.80 - 4.00
Absolute Eosinophil Count		0.05	x10^3/ul	0.02 - 0.50
Absolute Monocyte Count		0.27	x10^3/ul	0.12 - 1.20
Absolute Basophil Count		0.00	x10^3/ul	0.00 - 0.10
RBCs		4.15 ▼ (L)	x10^6/ul	4.50 - 5.50
Hemoglobin		12.6	gm/dl	12.00 - 15.00
Hematocrit		37.2	%	35.00 - 45.00
MCV		89.8	fl	83.00 - 101.00
МСН		30.4	pg	27.00 - 32.00
МСНС		33.9		
		55.9	gm/dl	31.50 - 34.50



Patient Name : Ms. HARSHADA SAMANT			Age/Sex	: 25 Year(	s) / Female
UHID	: SHHM.107882		Order Date	: 15/10/20	024 09:31
Episode	: OP				
Ref. Doctor : self			Mobile No	<b>:</b> 9579960	069
			DOB	: 21/12/1998	
			Facility	: SEVENH MUMBAI	ILLS HOSPITAL,
RED CELL DIS	RIBUTION WIDTH-CV (RDW-CV)	13.3		%	11.00 - 16.00
RED CELL DIS	TRIBUTION WIDTH-SD (RDW-SD)	43.8		fl	35.00 - 56.00
Platelet		305		x10^3/ul	150.00 - 410.00
Mean Platelet Volume (MPV)		10.5		fl	6.78 - 13.46
PLATELET DISTRIBUTION WIDTH (PDW)		16.3		%	9.00 - 17.00
PLATELETCRIT	(PCT)	<b>0.319</b> ▲ (H)		%	0.11 - 0.28

Method:-

HB Colorimetric Method. RBC/PLT Electrical Impedance Method. WBC data Flow Cytometry by Laser Method. MCV,MCH,MCHC,RDW and rest parameters - Calculated. All Abnormal Haemograms are reviewed confirmed microscopically.

NOTE: Wallach's Interpretation of Diagnostic Tests. 11th Ed, Editors: Rao LV. 2021

NOTE :-

The International Council for Standardization in Haematology (ICSH) recommends reporting of absolute counts of various WBC subsets for clinical decision making. This test has been performed on a fully automated 5 part differential cell counter which counts over 10,000 WBCs to derive differential counts. A complete blood count is a blood panel that gives information about the cells in a patient's blood, such as the cell count for each cell type and the concentrations of Hemoglobin and platelets. The cells that circulate in the bloodstream are generally divided into three types: white blood cells (leukocytes), red blood cells (erythrocytes), and platelets (thrombocytes). Abnormally high or low counts may be physiological or may indicate disease conditions, and hence need to be interpreted clinically.

Dr.Ritesh Kharche MD, PGD-HM Consultant Pathologist and Director of Laboratory Services RegNo: 2006/03/1680 End of Report



Patient Name	: Ms. HARSHADA SAMANT	Age/Sex	: 25 Year(s) / Female
UHID	: SHHM.107882	Order Date	<b>:</b> 15/10/2024 09:31
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 9579960069
		DOB	: 21/12/1998
		Facility	: SEVENHILLS HOSPITAL, MUMBAI





Patient Name	: Ms. HARSHADA SAMANT	Age/Sex	: 25 Year(s) / Female
UHID	: SHHM.107882	Order Date	<b>:</b> 15/10/2024 09:31
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 9579960069
		DOB	: 21/12/1998
		Facility	: SEVENHILLS HOSPITAL,
			MUMBAI

#### HAEMATOLOGY

Sample No : 00366111A Collection Date : 15/10/24 09:41 Ack Date : 15 ERYTHROCYTE SEDIMENTATION RATE (ESR)	15/10/2024 10:40 Report Date :	15/10/24 12:51
FRYTHROCYTE SEDIMENTATION RATE (FSR)		
ESR <b>21 ▲ (H</b> )	mm/hr	0 - 20

#### Method: Westergren Method

#### INTERPRETATION :-

ESR is a non-specific phenomenon, its measurement is clinically useful in disorders associated with an increased production of acute-phase proteins. It provides an index of progress of the disease in rheumatoid arthritis or tuberculosis, and it is of considerable value in diagnosis of temporal arteritis and polymyalgia rheumatica. It is often used if multiple myeloma is suspected, but when the myeloma is non-secretory or light chain, a normal ESR does not exclude this diagnosis.

An elevated ESR may occur as an early feature in myocardial infarction. Although a normal ESR cannot be taken to exclude the presence of organic disease, the vast majority of acute or chronic infections and most neoplastic and degenerative diseases are associated with changes in the plasma proteins that increased ESR values.

The ESR is influenced by age, stage of the menstrual cycle and medications taken (corticosteroids, contraceptive pills). It is especially low (0–1 mm) in polycythaemia, hypofibrinogenaemia and congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis, or sickle cells. In cases of performance enhancing drug intake by athletes the ESR values are generally lower than the usual value for the individual and as a result of the increase in haemoglobin (i.e. the effect of secondary polycythaemia).

- End of Report -

Dr.Pooja Vinod Mishra MD Pathology Jr Consultant Pathologist, MMC Reg No. 2017052191 RegNo: 2017/05/2191

1

Patient Name	: Ms. HARSHADA SAMANT	Age/Sex	: 25 Year(s) / Female
UHID	: SHHM.107882	Order Date	: 15/10/2024 09:31
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 9579960069
		DOB	: 21/12/1998
		Facility	: SEVENHILLS HOSPITAL, MUMBAI



Patient Name	: Ms. HARSHADA SAMANT	Age/Sex	: 25 Year(s) / Female
UHID	: SHHM.107882	Order Date	<b>:</b> 15/10/2024 09:31
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 9579960069
		DOB	: 21/12/1998
		Facility	: SEVENHILLS HOSPITAL,
			MUMBAI

## Biochemistry

Test Name			Result		Unit	Bio	logical Reference Interva
Sample No :	O0366111B	Collection Date :	15/10/24 09:4	Ack Date :	15/10/2024 10:40	Report Date :	15/10/24 11:30
Blood Glue	cose Random(F	RBS/FBS/PPBS)					
Glucose RB	S/FBS/PPBS			93.06		mg/dl	70 - 140
American Di	abetes Associa	tion Reference R	ange :				
FBS :- 70-10 PPBS :- 70-1 RBS :- 70-14	140						
Non- Diab	al Blood Glucos petic: Up to 140 tic: 140-199 mg :>200 mg/d	mg/dL g/dL					
-	rt of Bio system book Of Clinica		Molecular Dia	agnostics, 6th E	d, Editors: Rifai et	al. 2018	
heart attack, Hyperthyroic A low level o where first it affect the bra glucose leve seen with:Ao Severe infec	hat can result in and stroke for i lism,Pancreatiti f glucose may i causes nervou ain (causing coi l (hypoglycemia Irenal insufficien	nstance), Chronic is. indicate hypoglyca s system symptol nfusion, hallucina a) may be ncy, Drinking exc	: kidney dise emia, a conc ms (sweating tions, blurrec essive alcoh	ase, Cushing sy lition characteri. g, palpitations, h d vision, and soi ol, Severe liver	omegaly, Acute str ndrome, Excessive zed by a drop in blo unger, trembling, a netimes even com disease, Hypopitui ulin overdose, Tun	e consumption of bod glucose to a and anxiety), the a and death). A tarism, Hypothy	of food, a level en begins to Iow blood roidism,
Sample No :	O0366111C	Collection Date :	15/10/24 09:4	Ack Date :	15/10/2024 10:42	Report Date :	15/10/24 11:30
ALT(SGPT	<u>) - SERUM</u>						
SGPT (Alan Method - IFCC	ine Transaminas	e) - SERUM		12.88		IU/L	0 - 34



Patient Name	: Ms. HARSHADA SAMANT		Age/Sex	: 25 Year(s)	) / Female
UHID	: SHHM.107882		Order Date	: 15/10/202	24 09:31
Episode	: OP				
Ref. Doctor	: self		Mobile No	:95799600	69
			DOB	: 21/12/199	
			Facility	: SEVENHIL MUMBAI	LS HOSPITAL,
References : 1)Pack Insert of 2) Tietz Textod	f Bio system ook Of Clinical Chemistry And Molecular	r Diagnostics, 6th E	Ed, Editors: Rifai	et al. 2018	
Total Bilirubin Method - Diazo	- SERUM	0.31		mg/dl	0 - 2
Direct Bilirubin Method - Diazotiza		0.16		mg/dl	0 - 0.4
Indirect Bilirub Method - Calculate		0.15		mg/dl	0.1 - 0.8
<b>BUN-SERUM</b>					
Urea - SERUM Method - Urease		16.97		mg/dl	15 - 39
BUN - SERUM Method - Urease-C	SLDH	7.93		mg/dl	4 - 18
References: 1)Pack Insert of 2) Tietz Textboo	f Bio system ok Of Clinical Chemistry And Molecular I	Diagnostics, 6th Ec	l, Editors: Rifai e	et al. 2018	
<u>CREATININE</u>	-SERUM				
Creatinine - SE Method - Jaffes Ki		0.54		mg/dl	0.5 - 1.1
References: 1)Pack Insert of 2) Tietz Textboo	f Bio system ok Of Clinical Chemistry And Molecular I	Diagnostics, 6th Ec	l, Editors: Rifai e	et al. 2018	
creatine, a mole is converted to	chemical waste molecule that is generat ecule of major importance for energy pro creatinine every day. Creatinine is trans the creatinine and dispose of it in the u	oduction in muscles ported through the	Approximataly bloodstream to a	1-2% of the body the kidneys. The	y's creatine kidneys

Schol

Dr.Ritesh Kharche MD, PGD-HM Consultant Pathologist and Director of Laboratory Services

ranges . Creatinine has been found to be a fairly reliable indicator of kidney function.



— End of Report —

Patient Name	: Ms. HARSHADA SAMANT	Age/Sex	: 25 Year(s) / Female
UHID	: SHHM.107882	Order Date	<b>:</b> 15/10/2024 09:31
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 9579960069
		DOB	: 21/12/1998
		Facility	: SEVENHILLS HOSPITAL, MUMBAI

RegNo: 2006/03/1680





Patient Name	: Ms. HARSHADA SAMANT	Age/Sex	: 25 Year(s) / Female
UHID	: SHHM.107882	Order Date	: 15/10/2024 09:31
Episode	: OP		
Ref. Doctor	: self	Mobile No	:9579960069
		DOB	: 21/12/1998
		Facility	: SEVENHILLS HOSPITAL,
			MUMBAI

## Urinalysis

est Name		Result		Unit	Bio	logical Reference Interva
Sample No: 00366111D	Collection Date :	15/10/24 09:41	Ack Date :	15/10/2024 10:43	Report Date :	15/10/24 14:49
Physical Examination						
QUANTITY		5	50		ml	
Colour		F	Pale Yellow			
Appearance		C	Clear			
DEPOSIT		A	Absent			Absent
рН		Ļ	Acidic			
Specific Gravity		1	1.010			
Chemical Examination						
Protein		ļ	Absent			Absent
Glucose		ŀ	Absent			
ketones		F	Absent			
Blood		٦	NEGATIVE			Negative
Bilirubin		٦	Vegative			
Urobilinogen		١	Vormal			Normal
NITRITE		Ļ	Absent			Absent
LEUKOCYTES		F	POSITIVE ( +++	- )		
Microscopic Examinatio	<u>n</u>					
Pus cells		2	1-5		/HPF	
Epithelial Cells		C	OCCASIONAL		/HPF	

Patient Name	: Ms. HARSHADA SAMANT	Age/Sex	: 25 Year(s	) / Female
UHID	: SHHM.107882	Order Date	: 15/10/202	24 09:31
Episode	: OP			
Ref. Doctor	: self	Mobile No	: 95799600	69
		DOB	: 21/12/199	98
		Facility	: SEVENHIL MUMBAI	LLS HOSPITAL,
RBC		Absent	/HPF	Absent
Cast		Absent	/LPF	
Crystal		Absent	/HPF	
Amorphous Ma	terials	Present		
Yeast		Absent		
Bacteria		POSITIVE ( +++ )		



Dr.Ritesh Kharche MD, PGD-HM Consultant Pathologist and Director of Laboratory Services RegNo: 2006/03/1680



Patient Name Age/Sex UHID	: Ms. HARSHADA SAMANT : 25 Year(s)/Female : SHHM.107882	Order Date Report Date	<ul><li>15/10/2024 09:31</li><li>16/10/2024 15:16</li></ul>
Ref. Doctor	: self	Facility	: SEVENHILLS HOSPITAL,
Address	<ul> <li>3 B 7 KAVERI HOUSING SOCIETY, GOREGAON E,Mumbai, Maharashtra, 400065</li> </ul>	Mobile	MUMBAI : 9579960069

## **DIAGNOSTICS REPORT**

X-RAY CHEST PA VIEW

Both lungs are clear.

The frontal cardiac dimensions are normal.

The pleural spaces are clear.

Both hilar shadows are normal in position and density.

No diaphragmatic abnormality is seen.

The soft tissues and bony thorax are normal.

IMPRESSION: No pleuroparenchymal lesion is seen.

Kulo

Dr.Bhujang Pai MBBS,MD

Consultant RegNo: 49380



# Arcofemi Healthcare Pvt Ltd

(Formerly known as Arcofemi Healthcare Ltd) F-701A, Lado Sarai, Mehrauli, New Delhi - 110030 Email: wellness@mediwheel.in, Website: www.mediwheel.in Tel: +91-11-41195959, Fax: +91-11-29523020 CIN: U24240DL2011PTC216307

# MEDICAL FITNESS CERTIFICATE

(To be signed by a registered medical practitioner holding a Medical degree)

This is to certify that <u>Harshada Samant</u> aged, <u>25yr</u>. Based on the examination, I certify that he is in good dental and physical health and it is free from any physical defects such as deafness, color blindness, and any chronic or contagious diseases.

Place: Mumbai

Date: 15/10/2024

litesh Kumar

Name & Signature of

Medical officer