
SUBURBAN DIAGNOSTICS - KALINA, SANTACRUZ EAST



Patient Name: AHMAD FEROZ Date and Time: 26th Feb 24 9:37 AM

Patient ID: 2405700408



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

REPORTED BY



Dr Naveed Sheikh PGDCC 2016/11/4694

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.

Suburban Diagnostics Kalina

Patient Details

Date: 26-Feb-24

Time: 10:45:00 AM

Age: 36 y

Name: MR. AHMED FEROZ ID: 2405700408 Sex: M

Height: 168 cms

Weight: 78 Kgs

Clinical History: Routine Test

Medications: NONE

Test Details

Protocol: Bruce

Pr.MHR: 184 bpm

THR: 156 (85 % of Pr.MHR) bpm

Total Exec. Time:

9 m 26 s

Max. HR: 158 (86% of Pr.MHR)bpm

Max. Mets: 13.50

Max. BP: 180 / 80 mmHg

Max. BP x HR:

28440 mmHg/min Min. BP x HR:


6000 mmHg/min

Test Termination Criteria:

Target HR attained

Protocol Details

Stage Name	Stage Time (min : sec)	Mets	Speed (mph)	Grade (%)	Heart Rate (bpm)	Max. BP (mm/Hg)	Max. ST Level (mm)	Max. ST Slope (mV/s)
Supine	0:30	1,0	0	0	82	120 / 80	-1.91 aVR	3.89 V2
Standing	0:6	1.0	0	0	80	120 / 80	-1.70 aVR	3.18 V2
Hyperventilation	0:7	1.0	0	0	75	120 / 80	-1.91 aVR	3.54 V2
1	3:0	4.6	1.7	10	113	130 / 80	-2.55 aVR	4.95 V2
2	3:0	7.0	2.5	12	125	140 / 80	-1.91 aVR	5.66 V2
3	3:0	10.2	3.4	14	151	160 / 80	-1.49 aVR	5.66 V2
Peak Ex	0:26	13.5	4.2	16	158	180 / 80	-1.70 aVR	5.66 V2
Recovery(1)	2:0	1.8	1	0	100	160 / 80	-2.55 aVR	5.66 V2
Recovery(2)	2:0	1.0	0	0	88	140 / 80	-1.27 aVR	3.54 V2
Recovery(3)	1:6	1.0	0	0	96	120 / 80	-1.27 aVR	3.89 V6



Suburban Diagnostics Kalina

Patient Details

Date: 26-Feb-24

Time: 10:45:00 AM

Name: MR. AHMED FEROZ ID: 2405700408

Sex: M

Height: 168 cms

Weight: 78 Kgs

Interpretation

Age: 36 y

GOOD EFFORT TOLEREANCE NORMAL HEART RATE RESPONSE NORMAL BLOOD PRESSURE RESPONSE NO ANGINA/ANGINA EQUIVALENTS NO ARRTHYMIAS

NO SIGNIFICANT ST-T CHANGES NOTED AS COMPARED TO BASELINE

ECG

IMPRESSION: STRESS TEST IS NEGATIVE FOR INDUCIBLE ISCHAEMIA

Disclaimer: Negative stress test does not rule out Coronary Artery Disease Positive stress test is suggestive but not confirmatory of coronary artery

Hence clinical correlation is mandatory

Suburban Diagnostics (I) Pvt. Ltd. 1st Floor, He I hajan, Above HDFC Bank, Opp. Nala Pourot Pump, Katina, CST Road, Santacruz (East), Tel. No. 022-61700000

DR. SHEIKH HOWERS DR. SHEIKH NAVEFO Clinical Cardioic ans Reg. No. 2016/11/4694

Doctor: NAVEED SHEIKH


634

Ref. Doctor:

(Summary Report edited by user)

Suburban Diagnostics Kalina ID: 2405700408 Da MR. AHMED FEROZ (36 M) Date: 26-Feb-24 B.P: 120 / 80 Protocol: Bruce Stage: Supine Speed: 0 mph Grade: 0 % Exec Time : 0 m 0 s Stage Time: 0 m 24 s HR: 80 bpm (THR: 156 bpm) V1 11 V2 111 aVR aVL V5 aVF aVR V1 V4 ST Level (mm) 1.7 -1.7 0.0 1.5 1.1 -1.1 ST Slope (mV/s) 0.0 1.1 aVL V2 V5 1.3 0.6 3.2 1.1 0.7 0.7 2.5 0.4 ш aVF V3 V6 -0.2 0.6 1.7 0.6 0.0 0.4 1.4 0.4 Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spandan V 4.51 Aso = R - 60 ma J=R+60 ma Post J = J + 60 ms Linked Median

Suburban Diagnostics Kalina ID: 2405700408 Da MR. AHMED FEROZ (36 M) Date: 26-Feb-24 B.P: 120 / 80 Protocol: Bruce Stage: Standing Speed: 0 mph Grade: 0 % Exec Time : 0 m 0 s Stage Time: 0 m 0 s HR: 75 bpm (THR: 156 bpm) H V2 aVR aVL aVF V1 ST Level (mm) 1.9 -1.9 0.0 1.7 1.4 -1.4 -0.4 ST Slope (mV/s) 1.1 aVL V2 1.7 8.0 3.8 1.1 1.1 1.1 3.5 0.4 m V3 -0.2 0.8 2.3 0.6 -0.4 0.4 2.1 0.4 Chart Speed: 25 mm/sec Filter, 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spandan V 4.51 los = R - 60 ms J = R + 60 ms Post J = J + 60 ms Linked Median



Suburban Diagnostics Kalina ID: 2405700408 Da MR. AHMED FEROZ (36 M) Date: 26-Feb-24 B.P: 130 / 80 Protocol: Bruce Stage: 1 Speed: 1.7 mph Grade: 10 % Exec Time : 2 m 54 s Stage Time: 2 m 54 s HR: 114 bpm (THR: 156 bpm) 11 III aVR aVL aVF ST Level (mm) 1.5 -1.7 0.2 2.1 1.8 -1.8 0.0 2.1 11 aVL V2 V5 1.9 0.4 4.5 1.3 2.1 0.7 5.0 1.4 ш V3 0.4 1.1 2.8 0.8 0.4 3.2 1.1 Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spandan V 4.51 lao = R - 60 ms J=R+60 mm Post J = J + 60 ms Linked Median


Suburban Diagnostics Kalina ID: 2405700408 Da MR. AHMED FEROZ (36 M) Date: 26-Feb-24 B.P: 140 / 80 Protocol: Bruce Stage: 2 Speed: 2.5 mph Grade: 12 % Exec Time : 5 m 54 s Stage Time: 2 m 54 s HR: 125 bpm (THR: 156 bpm) VI V2 aVR aVL V1 ST Level (mm) 1.3 -1.3 0.2 1.4 -1.8 -0.4 ST Slope (mV/s) 2.8 aVL V2 1.5 0.6 3.6 2.5 1.1 1.8 aVF V3 -0.2 0.6 2.5 1.1 0.4 1.4 Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt ON Amp: 10 mm Schiller Spendan V 4.51 iso = R - 60 ms J = R + 60 ms Post J = J + 60 ms Linked Median

Suburban Diagnostics Kalina ID: 2405700408 Da MR. AHMED FEROZ (36 M) Date: 26-Feb-24 B.P: 160 / 80 Protocol: Bruce Stage: 3 Speed: 3.4 mph Grade: 14 % Exec Time : 8 m 54 s Stage Time: 2 m 54 s HR: 151 bpm (THR: 156 bpm) V2 aVR aVL aVF aVR ST Level (mm) 1.3 -1.1 0.4 2.5 -2.8 0.0 ST Slope (mV/s) 11 aVL V2 V5 1.1 1.1 3,4 3.9 1.4 5.3 2.5 111 aVF V3 -0.6 0.2 2.1 0.2 2.5 3.9 1.8 Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spandan V 4.51 Iso = R - 60 ms J = R + 60 ms Post J = J + 60 ms Linked Median

Suburban Diagnostics Kalina ID: 2405700408 Da MR. AHMED FEROZ (36 M) Date: 26-Feb-24 B.P: 180 / 80 Protocol: Bruce Stage: Peak Ex Speed: 4.2 mph Grade: 18 % Exec Time : 9 m 20 s Stage Time: 0 m 20 s HR: 158 bpm (THR: 156 bpm) aVR aVL aVF aVR ST Level (mm) 0.8 -0.6 0.4 1.5 1.8 -2.5 ST Slope (mV/s) 0.4 II aVL V2 V5 0.2 0.8 3.4 0.2 2.8 1.1 5.3 2.1 m aVF V3 -1.1 -0.4 2.1 0.4 0.0 1,4 3.9 1.4 Chart Speed: 25 mm/sec Filter: 35 Hz Mains Fift: ON Amp: 10 mm Schiller Spandan V 4.51 iso = R - 60 ms J = R + 60 ms Post J = J + 60 ms Linked Median

Suburban Diagnostics Kalina ID: 2405700408 Da MR. AHMED FEROZ (36 M) Date: 26-Feb-24 B.P: 160 / 80 Protocol: Bruce Stage: Recovery(1) Speed: 1 mph Grade: 0 % Exec Time : 9 m 26 s Stage Time: 1 m 54 s HR: 100 bpm (THR: 156 bpm) V2 III aVR aVL aVF aVR ST Level (mm) 8.0 -1.1 0.4 1.1 -2.1 0.4 1.8 aVL V2 1.1 0.2 2.8 0.8 2.1 0.4 3.2 1.8 m aVF V3 0.0 0.4 1.7 0.6 0.4 1.1 1.4 Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spandan V 4.51 Iso = R - 60 ms J = R + 60 ms Past J = J + 60 ms Linked Median

MR. AHMED FEROZ (36 M) ID: 2405700408 Date: 26-Feb-24 B.P: 140 / 80 Protocol: Bruce Stage: Recovery(2) Speed: 0 mph Grade: 0 % Exec Time : 9 m 26 s Stage Time: 1 m 54 s HR: 88 bpm (THR: 156 bpm) 1 V1 V2 111 V3 aVR aVL aVF V5 V1 ST Level (mm) 0.8 -0.8 0.2 0.7 -1.1 0.4 ST Slope (mV/s) 0.7 11 aVL V2 0.8 0.0 1.9 0.6 1.1 0.0 1.4 0.4 m aVF V3 -0.2 0.4 1.1 0.2 0.0 0.4 1.1 0.4 Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spandan V 4.51 100 + R - 60 ms J=R+60 mm Post J = J + 60 ms Linked Median





Name : MR.AHMAD FEROZ

Age / Gender : 36 Years / Male

Consulting Dr. : Reg. Location : Kalina, Santacruz East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 26-Feb-2024 / 08:51 Reported : 26-Feb-2024 / 13:32

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC	(Complete	Blood Cour	ıt),	Blood

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	15.0	13.0-17.0 g/dL	Spectrophotometric
RBC	4.96	4.5-5.5 mil/cmm	Elect. Impedance
PCV	43.9	40-50 %	Calculated
MCV	88.6	81-101 fl	Measured
MCH	30.2	27-32 pg	Calculated
MCHC	34.1	31.5-34.5 g/dL	Calculated
RDW	12.8	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	7030	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND A	BSOLUTE COUNTS		
Lymphocytes	31.1	20-40 %	
Absolute Lymphocytes	2186.3	1000-3000 /cmm	Calculated
Monocytes	7.3	2-10 %	
Absolute Monocytes	513.2	200-1000 /cmm	Calculated
Neutrophils	57.4	40-80 %	
Absolute Neutrophils	4035.2	2000-7000 /cmm	Calculated
Eosinophils	3.6	1-6 %	
Absolute Eosinophils	253.1	20-500 /cmm	Calculated
Basophils	0.6	0.1-2 %	
Absolute Basophils	42.2	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	159000	150000-410000 /cmm	Elect. Impedance
MPV	13.2	6-11 fl	Measured
PDW	33.5	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia -Microcytosis -



Name : MR.AHMAD FEROZ

Age / Gender : 36 Years / Male

Consulting Dr. : - Collected : 26-Feb-2024 / 08:51
Reg. Location : Kalina, Santacruz East (Main Centre) Reported : 26-Feb-2024 / 12:48

Macrocytosis

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY Megaplatelets seen on smear

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 5 2-15 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- · The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.TRUPTI SHETTY M. D. (PATH) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 2 of 11



Name : MR.AHMAD FEROZ

Age / Gender : 36 Years / Male

Consulting Dr. : -

Reg. Location

: Kalina, Santacruz East (Main Centre)

Authenticity Check



Use a QR Code Scanner Application To Scan the Code

Collected :26-Feb-2024 / 08:51 Reported :26-Feb-2024 / 12:52

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	95.1	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	101.9	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.29	0.3-1.2 mg/dl	Vanadate oxidation
BILIRUBIN (DIRECT), Serum	0.10	0-0.3 mg/dl	Vanadate oxidation
BILIRUBIN (INDIRECT), Serum	0.19	<1.2 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.2	5.7-8.2 g/dL	Biuret
ALBUMIN, Serum	4.6	3.2-4.8 g/dL	BCG
GLOBULIN, Serum	2.6	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.8	1 - 2	Calculated
SGOT (AST), Serum	21.8	<34 U/L	Modified IFCC
SGPT (ALT), Serum	27.8	10-49 U/L	Modified IFCC
GAMMA GT, Serum	19.5	<73 U/L	Modified IFCC
ALKALINE PHOSPHATASE, Serum	76.8	46-116 U/L	Modified IFCC
BLOOD UREA, Serum	30.8	19.29-49.28 mg/dl	Calculated
BUN, Serum	14.4	9.0-23.0 mg/dl	Urease with GLDH
CREATININE, Serum	0.89	0.73-1.18 mg/dl	Enzymatic

Note: Kindly note in change in reference range w.e.f. 07-09-2023



Name : MR.AHMAD FEROZ

Age / Gender : 36 Years / Male

Consulting Dr.

eGFR, Serum

: Kalina, Santacruz East (Main Centre) Reg. Location

114

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

:26-Feb-2024 / 14:26

Calculated

Uricase/ Peroxidase

Reported :26-Feb-2024 / 19:08

(ml/min/1.73sqm)

Normal or High: Above 90 Mild decrease: 60-89

Mild to moderate decrease: 45-

Collected

Moderate to severe decrease:30

-44

Severe decrease: 15-29 Kidney failure:<15

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

URIC ACID, Serum 3.7-9.2 mg/dl 6.1

Urine Sugar (Fasting) Absent Absent Urine Ketones (Fasting) Absent **Absent**

Urine Sugar (PP) Absent Absent Urine Ketones (PP) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***





Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab Director**

Page 4 of 11



Name : MR.AHMAD FEROZ

: 36 Years / Male Age / Gender

Consulting Dr. : -

Reg. Location

: Kalina, Santacruz East (Main Centre)

Collected

: 26-Feb-2024 / 08:51 Reported :26-Feb-2024 / 13:08

HPLC

Use a OR Code Scanner Application To Scan the Code

Authenticity Check

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **GLYCOSYLATED HEMOGLOBIN (HbA1c)**

BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD

Glycosylated Hemoglobin 5.4 Non-Diabetic Level: < 5.7 % (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 %

Diabetic Level: >/= 6.5 %

Estimated Average Glucose 108.3 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c. Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***





(enset Dr.NAMRATA RAUL M.D (Biochem) **Biochemist**

Page 5 of 11



Name : MR.AHMAD FEROZ

Age / Gender : 36 Years / Male

Consulting Dr. : -

Reg. Location

: Kalina, Santacruz East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 26-Feb-2024 / 08:51 : 26-Feb-2024 / 13:30

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE EXAMINATION OF FAECES

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Colour	Brown	Brown	-
Form and Consistency	Semi Solid	Semi Solid	-
Mucus	Absent	Absent	-
Blood	Absent	Absent	-
CHEMICAL EXAMINATION			
Reaction (pH)	Acidic (6.5)	-	pH Indicator
Occult Blood	Present	Absent	Guaiac
MICROSCOPIC EXAMINATION			
Protozoa	Absent	Absent	-
Flagellates	Absent	Absent	-
Ciliates	Absent	Absent	-
Parasites	Absent	Absent	-
Macrophages	Absent	Absent	-
Mucus Strands	Absent	Absent	-
Fat Globules	Absent	Absent	-
RBC/hpf	Absent	Absent	-
WBC/hpf	Absent	Absent	-
Yeast Cells	Absent	Absent	-
Undigested Particles	Present ++	-	-
		-	
Concentration Method (for ova)	No ova detected	Absent	-
Reducing Substances	-	Absent	Benedicts

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist



Name : MR.AHMAD FEROZ

Age / Gender : 36 Years / Male

Consulting Dr. : - Collected : 26-Feb-2024 / 08:51

Reg. Location : Kalina, Santacruz East (Main Centre) Reported : 26-Feb-2024 / 13:30



Use a QR Code Scanner Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale Yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.020	1.001-1.030	Chemical Indicator
Transparency	clear	Clear	-
Volume (ml)	20	-	-
CHEMICAL EXAMINATION			
Proteins	Trace	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Trace	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION	<u>on</u>		
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Occasional	0-2/hpf	
Epithelial Cells / hpf	0-1		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	3-4	Less than 20/hpf	
Others	-		

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1+ = 25 mg/dl, 2+ =75 mg/dl, 3+ = 150 mg/dl, 4+ = 500 mg/dl)
- Glucose(1+ = 50 mg/dl , 2+ =100 mg/dl , 3+ =300 mg/dl ,4+ =1000 mg/dl)
- Ketone (1+ = 5 mg/dl, 2+ = 15 mg/dl, 3+ = 50 mg/dl, 4+ = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Page 7 of 11



Name : MR.AHMAD FEROZ

Age / Gender : 36 Years / Male

Consulting Dr. : -Collected : 26-Feb-2024 / 08:51 Reported :26-Feb-2024 / 13:31 Reg. Location : Kalina, Santacruz East (Main Centre)

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **BLOOD GROUPING & Rh TYPING**

RESULTS PARAMETER

ABO GROUP Α

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***





Dr.VRUSHALI SHROFF M.D.(PATH) **Pathologist**

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 8 of 11

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2" Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053.



Name : MR.AHMAD FEROZ

Age / Gender : 36 Years / Male

Consulting Dr. :

Reg. Location

: Kalina, Santacruz East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 26-Feb-2024 / 08:51 : 26-Feb-2024 / 14:13

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	154.8	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	385.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic colorimetric
HDL CHOLESTEROL, Serum	27.5	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Elimination/ Catalase
NON HDL CHOLESTEROL, Serum	127.3	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	79.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	48.3	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	5.6	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.9	0-3.5 Ratio	Calculated

Note: LDL test is performed by direct measurement.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***









Name : MR.AHMAD FEROZ

Age / Gender : 36 Years / Male

Consulting Dr. : -

Reg. Location

: Kalina, Santacruz East (Main Centre)

Collected

Use a QR Code Scanner Application To Scan the Code

Authenticity Check

:26-Feb-2024 / 08:51 Reported :26-Feb-2024 / 12:20

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **THYROID FUNCTION TESTS**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	5.9	3.5-6.5 pmol/L	CLIA
Free T4, Serum	16.1	11.5-22.7 pmol/L	CLIA
sensitiveTSH, Serum	2.519	0.55-4.78 microIU/ml	CLIA



Name : MR.AHMAD FEROZ

Age / Gender : 36 Years / Male

Consulting Dr. : - Collected : 26-Feb-2024 / 08:51

Reg. Location: Kalina, Santacruz East (Main Centre) Reported: 26-Feb-2024 / 12:20

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 11 of 11



Name : Mr AHMAD FEROZ

Age / Sex : 36 Years/Male

Ref. Dr Reg. Date : 26-Feb-2024

: 26-Feb-2024/10:34 Reg. Location : Kalina, Santacruz East Main Centre Reported



R

 \mathbf{E}

Application To Scan the Code

USG WHOLE ABDOMEN

LIVER:

The liver is normal in size, shape and smooth margins. It shows bright parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein and CBD appears normal.

GALL BLADDER:

The gall bladder is physiologically distended and appears normal. No evidence of gall stones or mass lesions seen

PANCREAS:

The pancreas is well visualised and appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Both the kidneys are normal in size shape and echotexture.

No evidence of any calculus, hydronephrosis or mass lesion seen.

Right kidney measures: 9.5 x 5.0 cm. Left kidney measures: 10.0 x 5.4 cm.

SPLEEN:

The spleen is normal in size and echotexture. No evidence of focal lesion is noted.

There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

PROSTATE:

The prostate is normal in size 3.7 x 3.0 x 2.8 cm and volume is 17.5 cc.

IMPRESSION: Mild fatty Liver. -----End of Report-----

DR.ASHA DHAVAN MBBS; D.M.R.E CONSULTANT RADIOLOGIST



Name : Mr AHMAD FEROZ

Age / Sex : 36 Years/Male

Ref. Dr : Reg. Date : 26-Feb-2024

Reg. Location : Kalina, Santacruz East Main Centre Reported : 26-Feb-2024/10:34



Use a QR Code Scanner Application To Scan the Code

Authenticity Check

T

R



Name : Mr AHMAD FEROZ

Age / Sex : 36 Years/Male

Ref. Dr Reg. Date : 26-Feb-2024

: Kalina, Santacruz East Main Centre : 26-Feb-2024/13:09 Reg. Location Reported

Authenticity Check

R

Application To Scan the Code

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report------

DR.ASHA DHAVAN MBBS; D.M.R.E CONSULTANT RADIOLOGIST



Name : Mr AHMAD FEROZ

Age / Sex : 36 Years/Male

Reg. Date Ref. Dr : 26-Feb-2024

: 26-Feb-2024/13:09 Reg. Location : Kalina, Santacruz East Main Centre Reported



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

R