



|      |                        |                 |            |     |    |
|------|------------------------|-----------------|------------|-----|----|
| UHID | 13021279               | Date            | 09/03/2024 |     |    |
| Name | Mr. Abhi Chattopadhyay | Sex             | Male       | Age | 40 |
| OPD  | Opthal 14              | Health Check Up |            |     |    |

Drug allergy: -> No/None  
 Sys illness: -> No  
 Habit: -> No

Ins. NO

Hem NO

U.V. -> Ra 6/12P  
 -> Lc 6/18P

Ph. -> Ra -0.50 am 6/6  
 -> Lc -0.75 am 6/6

Add -> +

J.P. -> Ra 14.8  
 -> Lc 14.7

Sh as P.U.P.

*[Handwritten signature]*

Softdumps. -> ① -> ② -> ③  
 6mths

Hiranandani Healthcare Pvt. Ltd.  
 Hiranandani Sea Shore Road, Sector 10 -A, Vashi, Navi Mumbai - 400703  
 Phone Line: 022 - 39199222 | Fax: 022 - 39199220  
 Emergency: 022 - 39199100 | Ambulance: 1255  
 Appointment: 022 - 39199222 | Health Checkup: 022 - 39199300  
 www.fortishealthcare.com |  
 Reg No: U85100MH2005PTC154823  
 TIN: 27AABCH5894D1ZG | PAN NO: AABCH5894D



Hiranandani  
**HOSPITAL**

A Fortis Network Hospital

7387696940

|      |                        |                 |            |     |    |
|------|------------------------|-----------------|------------|-----|----|
| UHID | 13021279               | Date            | 09/03/2024 |     |    |
| Name | Mr. Abhi Chattopadhyay | Sex             | Male       | Age | 40 |
| OPD  | Dental 12              | Health Check Up |            |     |    |

Drug allergy:  
 Sys illness:

M/H → M/O Ear operation. 6 yrs back  
 (Dysphlegm (ear))

O/E → Stains + +, calculus + +.

→: Eyes Immobile  $\frac{1}{1}$

Rx → Adv Scaling & Reevaluation

*Parsha*

Dr. Vaeshelalam,  
 MDS (Perio)

A-3945

**PATIENT NAME : MR.ABHI CHATTOPADHYAY**
**REF. DOCTOR :**
**CODE/NAME & ADDRESS : C000045507**
**FORTIS VASHI-CHC -SPLZD  
FORTIS HOSPITAL # VASHI,  
MUMBAI 440001**
**ACCESSION NO : 0022XC001723**
**PATIENT ID : FH.13021279**
**CLIENT PATIENT ID: UID:13021279**
**ABHA NO :**
**AGE/SEX : 40 Years Male**
**DRAWN : 09/03/2024 10:05:00**
**RECEIVED : 09/03/2024 10:05:27**
**REPORTED : 09/03/2024 15:39:39**
**CLINICAL INFORMATION :**
**UID:13021279 REQNO-1674081**
**CORP-OPD**
**BILLNO-150124OPCR013850**
**BILLNO-150124OPCR013850**

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

**HAEMATOLOGY - CBC**
**CBC-5, EDTA WHOLE BLOOD**
**BLOOD COUNTS, EDTA WHOLE BLOOD**

|  |           |             |               |
|--|-----------|-------------|---------------|
| HEMOGLOBIN (HB)<br>METHOD : SLS METHOD                               | 15.0      | 13.0 - 17.0 | g/dL          |
| RED BLOOD CELL (RBC) COUNT<br>METHOD : HYDRODYNAMIC FOCUSING         | 5.64 High | 4.5 - 5.5   | mil/ $\mu$ L  |
| WHITE BLOOD CELL (WBC) COUNT<br>METHOD : FLUORESCENCE FLOW CYTOMETRY | 9.67      | 4.0 - 10.0  | thou/ $\mu$ L |
| PLATELET COUNT<br>METHOD : HYDRODYNAMIC FOCUSING BY DC DETECTION     | 257       | 150 - 410   | thou/ $\mu$ L |

**RBC AND PLATELET INDICES**

|  |           |              |      |
|--|-----------|--------------|------|
| HEMATOCRIT (PCV)<br>METHOD : CUMULATIVE PULSE HEIGHT DETECTION METHOD            | 47.3      | 40.0 - 50.0  | %    |
| MEAN CORPUSCULAR VOLUME (MCV)<br>METHOD : CALCULATED PARAMETER                   | 83.9      | 83.0 - 101.0 | fL   |
| MEAN CORPUSCULAR HEMOGLOBIN (MCH)<br>METHOD : CALCULATED PARAMETER               | 26.6 Low  | 27.0 - 32.0  | Pg   |
| MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION(MCHC)<br>METHOD : CALCULATED PARAMETER | 31.7      | 31.5 - 34.5  | g/dL |
| RED CELL DISTRIBUTION WIDTH (RDW)<br>METHOD : CALCULATED PARAMETER               | 14.1 High | 11.6 - 14.0  | %    |
| MENTZER INDEX<br>METHOD : CALCULATED PARAMETER                                   | 14.9      |              |      |
| MEAN PLATELET VOLUME (MPV)<br>METHOD : CALCULATED PARAMETER                      | 8.6       | 6.8 - 10.9   | fL   |

**WBC DIFFERENTIAL COUNT**

**Dr. Akshay Dhotre, MD  
(Reg.no. MMC 2019/09/6377)  
Consultant Pathologist**

Page 1 Of 17



View Details

**PERFORMED AT :**
**Agilus Diagnostics Ltd.  
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,  
Navi Mumbai, 400703  
Maharashtra, India  
Tel : 022-39199222,022-49723322,  
CIN - U74899PB1995PLC045956  
Email : -**

**Patient Ref. No. 22000000907630**



**PATIENT NAME : MR.ABHI CHATTOPADHYAY**
**REF. DOCTOR :**
**CODE/NAME & ADDRESS : C000045507**

 FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

**ACCESSION NO : 0022XC001723**
**PATIENT ID : FH.13021279**
**CLIENT PATIENT ID: UID:13021279**
**ABHA NO :**
**AGE/SEX : 40 Years Male**
**DRAWN : 09/03/2024 10:05:00**
**RECEIVED : 09/03/2024 10:05:27**
**REPORTED : 09/03/2024 15:39:39**
**CLINICAL INFORMATION :**

UID:13021279 REQNO-1674081

CORP-OPD

BILLNO-150124OPCR013850

BILLNO-150124OPCR013850

**Test Report Status Final**

| Test Report Status   | Results  | Biological Reference Interval | Units         |
|--|----------|-------------------------------|---------------|
| NEUTROPHILS<br>METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING | 71       | 40.0 - 80.0                   | %             |
| LYMPHOCYTES<br>METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING | 19 Low   | 20.0 - 40.0                   | %             |
| MONOCYTES<br>METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING   | 6        | 2.0 - 10.0                    | %             |
| EOSINOPHILS<br>METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING | 4        | 1 - 6                         | %             |
| BASOPHILS<br>METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING   | 0        | 0 - 2                         | %             |
| ABSOLUTE NEUTROPHIL COUNT<br>METHOD : CALCULATED PARAMETER   | 6.87     | 2.0 - 7.0                     | thou/ $\mu$ L |
| ABSOLUTE LYMPHOCYTE COUNT<br>METHOD : CALCULATED PARAMETER   | 1.84     | 1.0 - 3.0                     | thou/ $\mu$ L |
| ABSOLUTE MONOCYTE COUNT<br>METHOD : CALCULATED PARAMETER     | 0.58     | 0.2 - 1.0                     | thou/ $\mu$ L |
| ABSOLUTE EOSINOPHIL COUNT<br>METHOD : CALCULATED PARAMETER   | 0.39     | 0.02 - 0.50                   | thou/ $\mu$ L |
| ABSOLUTE BASOPHIL COUNT<br>METHOD : CALCULATED PARAMETER     | 0.00 Low | 0.02 - 0.10                   | thou/ $\mu$ L |
| NEUTROPHIL LYMPHOCYTE RATIO (NLR)<br>METHOD : CALCULATED     | 3.7      |                               |               |

**MORPHOLOGY**
**RBC**

METHOD : MICROSCOPIC EXAMINATION

PREDOMINANTLY NORMOCYTIC NORMOCHROMIC

**WBC**

METHOD : MICROSCOPIC EXAMINATION

NORMAL MORPHOLOGY

**PLATELETS**

METHOD : MICROSCOPIC EXAMINATION

ADEQUATE


**Dr. Akshay Dhotre, MD**  
 (Reg.no. MMC 2019/09/6377)  
 Consultant Pathologist


View Details

View Report

**PERFORMED AT :**

 Agilus Diagnostics Ltd.  
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,  
 Navi Mumbai, 400703  
 Maharashtra, India  
 Tel : 022-39199222,022-49723322,  
 CIN - U74899PB1995PLC045956  
 Email : -


Patient Ref. No. 22000000907630

**PATIENT NAME : MR.ABHI CHATTOPADHYAY**
**REF. DOCTOR :**
**CODE/NAME & ADDRESS : C000045507**

 FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

**ACCESSION NO : 0022XC001723**
**PATIENT ID : FH.13021279**
**CLIENT PATIENT ID: UID:13021279**
**ABHA NO :**
**AGE/SEX : 40 Years Male**
**DRAWN : 09/03/2024 10:05:00**
**RECEIVED : 09/03/2024 10:05:27**
**REPORTED : 09/03/2024 15:39:39**
**CLINICAL INFORMATION :**

UID:13021279 REQNO-1674081

CORP-OPD

BILLNO-150124OPCR013850

BILLNO-150124OPCR013850

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

**Interpretation(s)**

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia (>13) from Beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 45.5 years old and NLR = 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients ; A.-P. Yang, et al.; International Immunopharmacology 34 (2021) 108604. This ratio element is a calculated parameter and out of NABL scope.



**Dr. Akshay Dhotre, MD**  
 (Reg.no. MMC 2019/09/6377)  
 Consultant Pathologist

Page 3 of 17



View Details



View Report

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,  
 Navi Mumbai, 400703  
 Maharashtra, India  
 Tel : 022-39199222,022-49723322,  
 CIN - U74999PB1995PLC045956  
 Email : -



Patient Ref. No. 22000000907630

**PATIENT NAME : MR.ABHI CHATTOPADHYAY**
**REF. DOCTOR :**
**CODE/NAME & ADDRESS : C000045507**

 FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

**ACCESSION NO : 0022XC001723**
**PATIENT ID : FH.13021279**
**CLIENT PATIENT ID: UID:13021279**
**ABHA NO :**
**AGE/SEX : 40 Years Male**
**DRAWN : 09/03/2024 10:05:00**
**RECEIVED : 09/03/2024 10:05:27**
**REPORTED : 09/03/2024 15:39:39**
**CLINICAL INFORMATION :**

UID:13021279 REQNO-1674081

CORP-OPD

BILLNO-150124OPCR013850

BILLNO-150124OPCR013850

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

**HAEMATOLOGY**
**ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD**

|                            |    |        |            |
|----------------------------|----|--------|------------|
| E.S.R                      | 05 | 0 - 14 | mm at 1 hr |
| METHOD : WESTERGREN METHOD |    |        |            |

**GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD**

|                                |       |  |       |
|--------------------------------|-------|--|-------|
| HBA1C                          | 5.4   | Non-diabetic: < 5.7<br>Pre-diabetics: 5.7 - 6.4<br>Diabetics: > or = 6.5<br>Therapeutic goals: < 7.0<br>Action suggested : > 8.0<br>(ADA Guideline 2021) | %     |
| METHOD : HB VARIANT (HPLC)     |       |  |       |
| ESTIMATED AVERAGE GLUCOSE(EAG) | 108.3 | < 116.0  | mg/dL |
| METHOD : CALCULATED PARAMETER  |       |  |       |

**Interpretation(s)**
**ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD-TEST DESCRIPTION :-**

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition. CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

**TEST INTERPRETATION**

**Increase in:** Infections, Vasculitides, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR (>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm/hr(95 if anemic). ESR returns to normal 4th week post partum.

**Decreased in:** Polycythemia vera, Sickle cell anemia

**LIMITATIONS**

**False elevated ESR :** Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

**False Decreased :** Poikilocytosis, (Sickle Cells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine, salicylates)

**Dr. Akshay Dhotre, MD**  
 (Reg, no. MMC 2019/09/6377)  
 Consultant Pathologist

Page 4 Of 17



View Details



View Details

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,  
 Navi Mumbai, 400703  
 Maharashtra, India  
 Tel : 022-39199222, 022-49723322,  
 CIN - U74899PB1995PLC045956  
 Email :-



Patient Ref. No. 2200000907630



PATIENT NAME : MR.ABHI CHATTOPADHYAY

REF. DOCTOR :

CODE/NAME &amp; ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD  
FORTIS HOSPITAL # VASHI,  
MUMBAI 440001

ACCESSION NO : 0022XC001723

PATIENT ID : FH.13021279

CLIENT PATIENT ID: UID:13021279

ABHA NO :

AGE/SEX : 40 Years Male

DRAWN : 09/03/2024 10:05:00

RECEIVED : 09/03/2024 10:05:27

REPORTED : 09/03/2024 15:39:39

## CLINICAL INFORMATION :

UID:13021279 REQNO-1674081

CORP-OPD

BILLNO-150124OPCR013850

BILLNO-150124OPCR013850

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

## REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals, AACCPress, 7th edition, Edited by S. Soldin; 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th edition.  
GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
2. Diagnosing diabetes.
3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patient's metabolic control has remained continuously within the target range.

1. eAG (Estimated average glucose) converts percentage HbA1c to mg/dl, to compare blood glucose levels.
2. eAG gives an evaluation of blood glucose levels for the last couple of months.
3. eAG is calculated as  $eAG (mg/dl) = 28.7 * HbA1c - 46.7$

## HbA1c Estimation can get affected due to :

1. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.
2. Vitamin C & E are reported to falsely lower test results (possibly by inhibiting glycation of hemoglobin).
3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addition are reported to interfere with some assay methods, falsely increasing results.
4. Interference of hemoglobinopathies in HbA1c estimation is seen in

a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.

b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)

c) HbF > 25% on alternate platform (Boronate affinity chromatography) is recommended for testing of HbA1c. Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy



Dr. Akshay Dhotre, MD  
(Reg.no. MMC 2019/09/6377)  
Consultant Pathologist

Page 5 Of 17



View Details



View Report

## PERFORMED AT :

Agilus Diagnostics Ltd.  
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,  
Navi Mumbai, 400703  
Maharashtra, India  
Tel : 022-39199222, 022-49723322,  
CIN - U74899PB1995PLC045956  
Email : -


  
Patient Ref. No. 22000000907630

PATIENT NAME : MR.ABHI CHATTOPADHYAY

REF. DOCTOR :

CODE/NAME &amp; ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD  
FORTIS HOSPITAL # VASHI,  
MUMBAI 440001

ACCESSION NO : 0022XC001723

PATIENT ID : FH.13021279

CLIENT PATIENT ID: UID:13021279

ABHA NO :

AGE/SEX : 40 Years Male

DRAWN : 09/03/2024 10:05:00

RECEIVED : 09/03/2024 10:05:27

REPORTED : 09/03/2024 15:39:39

## CLINICAL INFORMATION :

UID:13021279 REQNO-1674081  
CORP-OPD  
BILLNO-150124OPCR013850  
BILLNO-150124OPCR013850

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

## IMMUNOHAEMATOLOGY

## ABO GROUP &amp; RH TYPE, EDTA WHOLE BLOOD

ABO GROUP

TYPE O

METHOD : TUBE AGGLUTINATION

RH TYPE

POSITIVE

METHOD : TUBE AGGLUTINATION

## Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A, B, O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.



Dr. Akshay Dhotre, MD  
(Reg,no. MMC 2019/09/6377)  
Consultant Pathologist

Page 6 Of 17



View Details



View Report

## PERFORMED AT :

Agilus Diagnostics Ltd.  
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,  
Navi Mumbai, 400703  
Maharashtra, India  
Tel : 022-39199222, 022-49723322,  
CIN - U74899PB1995PLC045956  
Email : -



Patient Ref. No. 2200000907630



PATIENT NAME : MR.ABHI CHATTOPADHYAY

REF. DOCTOR :

CODE/NAME &amp; ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD  
FORTIS HOSPITAL # VASHI,  
MUMBAI 440001

ACCESSION NO : 0022XC001723

PATIENT ID : FH.13021279

CLIENT PATIENT ID: UID:13021279

ABHA NO :

AGE/SEX : 40 Years Male

DRAWN : 09/03/2024 10:05:00

RECEIVED : 09/03/2024 10:05:27

REPORTED : 09/03/2024 15:39:39

## CLINICAL INFORMATION :

UID:13021279 REQNO-1674081

CORP-OPD

BILLNO-150124OPCR013850

BILLNO-150124OPCR013850

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

## BIOCHEMISTRY

## LIVER FUNCTION PROFILE, SERUM

|  |           |           |       |
|--|-----------|-----------|-------|
| BILIRUBIN, TOTAL<br>METHOD : JENDRASSIK AND GROFF                                  | 0.91      | 0.2 - 1.0 | mg/dL |
| BILIRUBIN, DIRECT<br>METHOD : JENDRASSIK AND GROFF                                 | 0.29 High | 0.0 - 0.2 | mg/dL |
| BILIRUBIN, INDIRECT<br>METHOD : CALCULATED PARAMETER                               | 0.62      | 0.1 - 1.0 | mg/dL |
| TOTAL PROTEIN<br>METHOD : BIURET   | 7.8       | 6.4 - 8.2 | g/dl  |
| ALBUMIN<br>METHOD : BCP DYE BINDING  | 4.1       | 3.4 - 5.0 | g/dL  |
| GLOBULIN<br>METHOD : CALCULATED PARAMETER  | 3.7       | 2.0 - 4.1 | g/dL  |
| ALBUMIN/GLOBULIN RATIO<br>METHOD : CALCULATED PARAMETER                            | 1.1       | 1.0 - 2.1 | RATIO |
| ASPARTATE AMINOTRANSFERASE(AST/SGOT)<br>METHOD : UV WITH PSP                       | 14 Low    | 15 - 37   | U/L   |
| ALANINE AMINOTRANSFERASE (ALT/SGPT)<br>METHOD : UV WITH PSP                        | 18        | < 45.0    | U/L   |
| ALKALINE PHOSPHATASE<br>METHOD : PNPP-ANP  | 102       | 30 - 120  | U/L   |
| GAMMA GLUTAMYL TRANSFERASE (GGT)<br>METHOD : GAMMA GLUTAMYL CARBOXY 4-NITROANILIDE | 30        | 15 - 85   | U/L   |
| LACTATE DEHYDROGENASE<br>METHOD : LACTATE -PYRUVATE                                | 138       | 85 - 227  | U/L   |

## GLUCOSE FASTING, FLUORIDE PLASMA

|  |    |  |       |
|--|----|--|-------|
| FBS (FASTING BLOOD SUGAR)<br>METHOD : HEXOKINASE | 98 | Normal : < 100<br>Pre-diabetes: 100-125<br>Diabetes: >=126 | mg/dL |
|--|----|--|-------|



Dr. Akshay Dhotre, MD  
(Reg.no. MMC 2019/09/6377)  
Consultant Pathologist



View Details



View Report

## PERFORMED AT :

Agilus Diagnostics Ltd.  
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,  
Navi Mumbai, 400703  
Maharashtra, India  
Tel : 022-39199222, 022-49723322,  
CIN - U74899PB1995PLC045956  
Email : -



Patient Ref. No. 2200000907630

**PATIENT NAME : MR.ABHI CHATTOPADHYAY**
**REF. DOCTOR :**
**CODE/NAME & ADDRESS : C000045507**

 FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

**ACCESSION NO : 0022XC001723**
**PATIENT ID : FH.13021279**
**CLIENT PATIENT ID: UID:13021279**
**ABHA NO :**
**AGE/SEX : 40 Years Male**
**DRAWN : 09/03/2024 10:05:00**
**RECEIVED : 09/03/2024 10:05:27**
**REPORTED : 09/03/2024 15:39:39**
**CLINICAL INFORMATION :**

UID:13021279 REQNO-1674081

CORP-OPD

BILLNO-150124OPCR013850

BILLNO-150124OPCR013850

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

**KIDNEY PANEL - 1**
**BLOOD UREA NITROGEN (BUN), SERUM**

BLOOD UREA NITROGEN

12

6 - 20

mg/dL

METHOD : UREASE - UV

**CREATININE EGFR- EPI**

CREATININE

0.94

0.90 - 1.30

mg/dL

METHOD : ALKALINE PICRATE KINETIC JAFFES

AGE

40

years

GLOMERULAR FILTRATION RATE (MALE)

105.10

Refer Interpretation Below

 mL/min/1.73m<sup>2</sup>

METHOD : CALCULATED PARAMETER

**BUN/CREAT RATIO**

BUN/CREAT RATIO

12.77

5.00 - 15.00

METHOD : CALCULATED PARAMETER

**URIC ACID, SERUM**

URIC ACID

3.8

3.5 - 7.2

mg/dL

METHOD : URICASE UV

**TOTAL PROTEIN, SERUM**

TOTAL PROTEIN

7.8

6.4 - 8.2

g/dL

METHOD : BIURET


**Dr. Akshay Dhotre, MD**  
 (Reg,no. MMC 2019/09/6377)  
 Consultant Pathologist

Page 8 Of 17



View Details



View Report

**PERFORMED AT :**

 Agilus Diagnostics Ltd.  
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,  
 Navi Mumbai, 400703  
 Maharashtra, India  
 Tel : 022-39199222,022-49723322,  
 CIN - U74899PB1995PLC045956  
 Email : -


Patient Ref. No. 22000000907630

PATIENT NAME : MR.ABHI CHATTOPADHYAY

REF. DOCTOR :

CODE/NAME &amp; ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD  
FORTIS HOSPITAL # VASHI,  
MUMBAI 440001

ACCESSION NO : 0022XC001723

PATIENT ID : FH.13021279

CLIENT PATIENT ID: UID:13021279

ABHA NO :

AGE/SEX :40 Years Male

DRAWN :09/03/2024 10:05:00

RECEIVED :09/03/2024 10:05:27

REPORTED :09/03/2024 15:39:39

## CLINICAL INFORMATION :

UID:13021279 REQNO-1674081  
CORP-OPD  
BILLNO-150124OPCR013850  
BILLNO-150124OPCR013850

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

## ALBUMIN, SERUM

ALBUMIN

4.1

3.4 - 5.0

g/dL

METHOD : BCP DYE BINDING

## GLOBULIN

GLOBULIN

3.7

2.0 - 4.1

g/dL

METHOD : CALCULATED PARAMETER

## ELECTROLYTES (NA/K/CL), SERUM

SODIUM, SERUM

137

136 - 145

mmol/L

METHOD : ISE INDIRECT

POTASSIUM, SERUM

4.10

3.50 - 5.10

mmol/L

METHOD : ISE INDIRECT

CHLORIDE, SERUM

100

98 - 107

mmol/L

METHOD : ISE INDIRECT

## Interpretation(s)

## Interpretation(s)

LIVER FUNCTION PROFILE, SERUM-

**Bilirubin** is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. **Elevated levels** results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in viral hepatitis, drug reactions, alcoholic liver disease. Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.



Dr. Akshay Dhotre, MD  
(Reg.no. MMC 2019/09/6377)  
Consultant Pathologist

Page 9 Of 17



View Details

View Report

## PERFORMED AT :

Agilus Diagnostics Ltd.  
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,  
Navi Mumbai, 400703  
Maharashtra, India  
Tel : 022-39199222,022-49723322,  
CIN - U74899PB1995PLC045956  
Email :-



Patient Ref. No. 22000000907630



**PATIENT NAME : MR.ABHI CHATTOPADHYAY**
**REF. DOCTOR :**
**CODE/NAME & ADDRESS : C000045507**
**FORTIS VASHI-CHC -SPLZD  
FORTIS HOSPITAL # VASHI,  
MUMBAI 440001**
**ACCESSION NO : 0022XC001723**
**PATIENT ID : FH.13021279**
**CLIENT PATIENT ID: UID:13021279**
**ABHA NO :**
**AGE/SEX : 40 Years Male**
**DRAWN : 09/03/2024 10:05:00**
**RECEIVED : 09/03/2024 10:05:27**
**REPORTED : 09/03/2024 15:39:39**
**CLINICAL INFORMATION :**
**UID:13021279 REQNO-1674081**
**CORP-OPD**
**BILLNO-150124OPCR013850**
**BILLNO-150124OPCR013850**

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

**AST** is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

**ALP** is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

**GGT** is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

**Total Protein** also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

**Albumin** is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein (the other half is made up of globulins). Lower-than-normal levels may be due to: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

**GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION**  
Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and so that no glucose is excreted in the urine.

**Increased in:** Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%). Drugs: corticosteroids, phenytoin, estrogen, thiazides, malignancy (adrenocortical, stomach, fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases (e.g. galactosemia), Drugs: insulin, ethanol, propranolol, sulfonureas, tolbutamide, and other oral hypoglycemic agents.

**NOTE:** While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

**BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels** include Pre renal (High protein diet, Increased protein catabolism, GI hemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

**Causes of decreased level** include Liver disease, SIADH.  
**CREATININE EGFR- EPI** - Kidney disease outcomes quality initiative (KDOQI) guidelines state that estimation of GFR is the best overall indices of the Kidney function.

- It gives a rough measure of number of functioning nephrons. Reduction in GFR implies progression of underlying disease.
- The GFR is a calculation based on serum creatinine test.
- Creatinine is mainly derived from the metabolism of creatine in muscle, and its generation is proportional to the total muscle mass. As a result, mean creatinine generation is higher in men than in women, in younger than in older individuals, and in blacks than in whites.
- Creatinine is filtered from the blood by the kidneys and excreted into urine at a relatively steady rate.
- When kidney function is compromised, excretion of creatinine decreases with a consequent increase in blood creatinine levels. With the creatinine test, a reasonable estimate of the actual GFR can be determined.
- This equation takes into account several factors that impact creatinine production, including age, gender, and race.
- CKD EPI (Chronic kidney disease epidemiology collaboration) equation performed better than MDRD equation especially when GFR is high (>60 ml/min per 1.73m<sup>2</sup>). This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

**References:**

National Kidney Foundation (NKF) and the American Society of Nephrology (ASN).  
Estimated GFR Calculated Using the CKD-EPI equation-<https://testguide.labmed.uw.edu/guideline/egfr>  
Ghuman JK, et al. Impact of Removing Race Variable on CKD Classification Using the Creatinine-Based 2021 CKD-EPI Equation, *Kidney Med* 2022, 4:100471, 35756125  
Harrison's Principle of Internal Medicine, 21st ed, pg 62 and 334  
**URIC ACID, SERUM-Causes of Increased levels:** Dietary (high Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome  
**Causes of decreased levels:** Low Zinc intake, OCP, Multiple Sclerosis  
**TOTAL PROTEIN, SERUM-** is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin.  
**Higher-than-normal levels may be due to:** Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.



**Dr. Akshay Dhotre, MD**  
(Reg.no. MMC 2019/09/6377)  
Consultant Pathologist

**PERFORMED AT :**

Agilus Diagnostics Ltd,  
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,  
Navi Mumbai, 40703  
Maharashtra, India  
Tel : 022-39199222, 022-49723322,  
CIN - U74899PB1995PLC045956  
Email :-

Page 10 Of 17



View Details



View Report



Patient Ref. No. 2200000907630

PATIENT NAME : MR.ABHI CHATTOPADHYAY

REF. DOCTOR :

CODE/NAME &amp; ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

ACCESSION NO : 0022XC001723

PATIENT ID : FH.13021279

CLIENT PATIENT ID: UID:13021279

ABHA NO :

AGE/SEX : 40 Years Male

DRAWN : 09/03/2024 10:05:00

RECEIVED : 09/03/2024 10:05:27

REPORTED : 09/03/2024 15:39:39

## CLINICAL INFORMATION :

UID:13021279 REQNO-1674081

CORP-OPD

BILLNO-150124OPCR013850

BILLNO-150124OPCR013850

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.  
 ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. **Low blood albumin levels (hypoalbuminemia) can be caused by:** Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.



Dr. Akshay Dhotre, MD  
 (Reg.no. MMC 2019/09/6377)  
 Consultant Pathologist

Page 11 of 17



View Details



View Report

## PERFORMED AT :

Agilus Diagnostics Ltd.  
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,  
 Navi Mumbai, 400703  
 Maharashtra, India  
 Tel : 022-39199222, 022-49723322,  
 CIN - U74899PB1995PLC045956  
 Email : -



Patient Ref. No. 2200000907630



PATIENT NAME : MR.ABHI CHATTOPADHYAY

REF. DOCTOR :

CODE/NAME &amp; ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD  
FORTIS HOSPITAL # VASHI,  
MUMBAI 440001

ACCESSION NO : 0022XC001723

PATIENT ID : FH.13021279

CLIENT PATIENT ID: UID:13021279

ABHA NO :

AGE/SEX : 40 Years Male

DRAWN : 09/03/2024 10:05:00

RECEIVED : 09/03/2024 10:05:27

REPORTED : 09/03/2024 15:34:39

## CLINICAL INFORMATION :

UID:13021279 REQNO-1674081

CORP-OPD

BILLNO-150124OPCR013850

BILLNO-150124OPCR013850

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

## BIOCHEMISTRY - LIPID

## LIPID PROFILE, SERUM

|  |          |  |       |
|--|----------|--|-------|
| CHOLESTEROL, TOTAL   | 185      | < 200 Desirable<br>200 - 239 Borderline High<br>>/= 240 High   | mg/dL |
| METHOD : ENZYMATIC/COLORIMETRIC, CHOLESTEROL OXIDASE, ESTERASE, PEROXIDASE |          |  |       |
| TRIGLYCERIDES  | 112      | < 150 Normal<br>150 - 199 Borderline High<br>200 - 499 High<br>>/=500 Very High  | mg/dL |
| METHOD : ENZYMATIC ASSAY   |          |  |       |
| HDL CHOLESTEROL  | 44       | < 40 Low<br>>/=60 High   | mg/dL |
| METHOD : DIRECT MEASURE - PEG  |          |  |       |
| LDL CHOLESTEROL, DIRECT  | 120      | < 100 Optimal<br>100 - 129 Near or above optimal<br>130 - 159 Borderline High<br>160 - 189 High<br>>/= 190 Very High             | mg/dL |
| METHOD : DIRECT MEASURE WITHOUT SAMPLE PRETREATMENT                        |          |  |       |
| NON HDL CHOLESTEROL  | 141 High | Desirable: Less than 130<br>Above Desirable: 130 - 159<br>Borderline High: 160 - 189<br>High: 190 - 219<br>Very high: > or = 220 | mg/dL |
| METHOD : CALCULATED PARAMETER  |          |  |       |
| VERY LOW DENSITY LIPOPROTEIN   | 22.4     | </= 30.0   | mg/dL |
| METHOD : CALCULATED PARAMETER  |          |  |       |
| CHOL/HDL RATIO   | 4.2      | 3.3 - 4.4 Low Risk<br>4.5 - 7.0 Average Risk<br>7.1 - 11.0 Moderate Risk<br>> 11.0 High Risk                                     |       |
| METHOD : CALCULATED PARAMETER  |          |  |       |



Dr. Akshay Dhotre, MD  
(Reg.no. MMC 2019/09/6377)  
Consultant Pathologist

Page 12 Of 17



View Details



View Report

## PERFORMED AT :

Agilus Diagnostics Ltd.  
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,  
Navi Mumbai, 400703  
Maharashtra, India  
Tel : 022-39199222, 022-49723322,  
CIN - U74899PB1995PLC045956  
Email : -



Patient Ref. No. 2200000907630



PATIENT NAME : MR.ABHI CHATTOPADHYAY

REF. DOCTOR :

CODE/NAME &amp; ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

ACCESSION NO : 0022XC001723

PATIENT ID : FH.13021279

CLIENT PATIENT ID: UID:13021279

ABHA NO :

AGE/SEX : 40 Years Male

DRAWN : 09/03/2024 10:05:00

RECEIVED : 09/03/2024 10:05:27

REPORTED : 09/03/2024 15:39:39

## CLINICAL INFORMATION :

UID:13021279 REQNO-1674081

CORP-OPD

BILLNO-150124OPCR013850

BILLNO-150124OPCR013850

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

LDL/HDL RATIO

2.7

0.5 - 3.0 Desirable/Low Risk  
 3.1 - 6.0 Borderline/Moderate Risk  
 >6.0 High Risk

METHOD : CALCULATED PARAMETER

## Interpretation(s)



Dr. Akshay Dhotre, MD  
 (Reg,no. MMC 2019/09/6377)  
 Consultant Pathologist

Page 13 Of 17



View Details



View Report

## PERFORMED AT :

Agilus Diagnostics Ltd.  
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,  
 Navi Mumbai, 400703  
 Maharashtra, India  
 Tel : 022-39199222,022-49723322,  
 CIN - U74899PB1995PLC045956  
 Email : -



Patient Ref. No. 2200000907630

PATIENT NAME : MR.ABHI CHATTOPADHYAY

REF. DOCTOR :

CODE/NAME &amp; ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD  
FORTIS HOSPITAL # VASHI,  
MUMBAI 440001

ACCESSION NO : 0022XC001723

PATIENT ID : FH.13021279

CLIENT PATIENT ID: UID:13021279

ABHA NO :

AGE/SEX : 40 Years Male

DRAWN : 09/03/2024 10:05:00

RECEIVED : 09/03/2024 10:05:27

REPORTED : 09/03/2024 15:39:39

## CLINICAL INFORMATION :

UID:13021279 REQNO-1674081  
CORP-OPD  
BILLNO-150124OPCR013850  
BILLNO-150124OPCR013850

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

## CLINICAL PATH - URINALYSIS

## KIDNEY PANEL - 1

## PHYSICAL EXAMINATION, URINE

|                   |             |
|-------------------|-------------|
| COLOR             | PALE YELLOW |
| METHOD : PHYSICAL |             |
| APPEARANCE        | CLEAR       |
| METHOD : VISUAL   |             |

## CHEMICAL EXAMINATION, URINE

|  |              |               |
|--|--------------|---------------|
| PH   | 6.0          | 4.7 - 7.5     |
| METHOD : REFLECTANCE SPECTROPHOTOMETRY- DOUBLE INDICATOR METHOD  |              |               |
| SPECIFIC GRAVITY   | 1.010        | 1.003 - 1.035 |
| METHOD : REFLECTANCE SPECTROPHOTOMETRY (APPARENT PKA CHANGE OF PRETREATED POLYELECTROLYTES IN RELATION TO IONIC CONCENTRATION) |              |               |
| PROTEIN  | NOT DETECTED | NOT DETECTED  |
| METHOD : REFLECTANCE SPECTROPHOTOMETRY - PROTEIN-ERROR-OF-INDICATOR PRINCIPLE  |              |               |
| GLUCOSE  | NOT DETECTED | NOT DETECTED  |
| METHOD : REFLECTANCE SPECTROPHOTOMETRY, DOUBLE SEQUENTIAL ENZYME REACTION-GOD/POD  |              |               |
| KETONES  | NOT DETECTED | NOT DETECTED  |
| METHOD : REFLECTANCE SPECTROPHOTOMETRY, ROTHERA'S PRINCIPLE  |              |               |
| BLOOD  | NOT DETECTED | NOT DETECTED  |
| METHOD : REFLECTANCE SPECTROPHOTOMETRY, PEROXIDASE LIKE ACTIVITY OF HAEMOGLOBIN  |              |               |
| BILIRUBIN  | NOT DETECTED | NOT DETECTED  |
| METHOD : REFLECTANCE SPECTROPHOTOMETRY, DIAZOTIZATION- COUPLING OF BILIRUBIN WITH DIAZOTIZED SALT                              |              |               |
| UROBILINOGEN   | NORMAL       | NORMAL        |
| METHOD : REFLECTANCE SPECTROPHOTOMETRY (MODIFIED EHRlich REACTION)   |              |               |
| NITRITE  | NOT DETECTED | NOT DETECTED  |
| METHOD : REFLECTANCE SPECTROPHOTOMETRY, CONVERSION OF NITRATE TO NITRITE   |              |               |
| LEUKOCYTE ESTERASE   | NOT DETECTED | NOT DETECTED  |
| METHOD : REFLECTANCE SPECTROPHOTOMETRY, ESTERASE HYDROLYSIS ACTIVITY   |              |               |

Dr. Akshay Dhotre, MD  
(Reg.no. MMC 2019/09/6377)  
Consultant Pathologist

Dr. Rekha Nair, MD  
(Reg No. MMC 2001/06/2354)  
Microbiologist

Page 14 Of 17



View Details



View Report

## PERFORMED AT :

Agilus Diagnostics Ltd.  
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,  
Navi Mumbai, 400703  
Maharashtra, India  
Tel : 022-39199222,022-49723322,  
CIN - U74899PB1995PLC045956  
Email : -

  
Patient Ref. No. 2200000907630

PATIENT NAME : MR.ABHI CHATTOPADHYAY

REF. DOCTOR :

CODE/NAME &amp; ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD  
FORTIS HOSPITAL # VASHI,  
MUMBAI 440001

ACCESSION NO : 0022XC001723

PATIENT ID : FH.13021279

CLIENT PATIENT ID: UID:13021279

ABHA NO :

AGE/SEX : 40 Years Male

DRAWN : 09/03/2024 10:05:00

RECEIVED : 09/03/2024 10:05:27

REPORTED : 09/03/2024 15:39:39

## CLINICAL INFORMATION :


UID:13021279 REQNO-1674081  
CORP-OPD  
BILLNO-150124OPCR013850  
BILLNO-150124OPCR013850

| Test Report Status                    | Final | Results  | Biological Reference Interval | Units |
|---------------------------------------|-------|--|-------------------------------|-------|
| <b>MICROSCOPIC EXAMINATION, URINE</b> |       |  |                               |       |
| RED BLOOD CELLS                       |       | NOT DETECTED   | NOT DETECTED                  | /HPF  |
| METHOD : MICROSCOPIC EXAMINATION      |       |  |                               |       |
| PUS CELL (WBC'S)                      |       | 2-3  | 0-5                           | /HPF  |
| METHOD : MICROSCOPIC EXAMINATION      |       |  |                               |       |
| EPITHELIAL CELLS                      |       | 0-1  | 0-5                           | /HPF  |
| METHOD : MICROSCOPIC EXAMINATION      |       |  |                               |       |
| CASTS                                 |       | NOT DETECTED   |                               |       |
| METHOD : MICROSCOPIC EXAMINATION      |       |  |                               |       |
| CRYSTALS                              |       | NOT DETECTED   |                               |       |
| METHOD : MICROSCOPIC EXAMINATION      |       |  |                               |       |
| BACTERIA                              |       | NOT DETECTED   | NOT DETECTED                  |       |
| METHOD : MICROSCOPIC EXAMINATION      |       |  |                               |       |
| YEAST                                 |       | NOT DETECTED   | NOT DETECTED                  |       |
| METHOD : MICROSCOPIC EXAMINATION      |       |  |                               |       |
| REMARKS                               |       | URINARY MICROSCOPIC EXAMINATION DONE ON URINARY CENTRIFUGED SEDIMENT |                               |       |

## Interpretation(s)



Dr. Akshay Dhotre, MD  
(Reg.no. MMC 2019/09/6377)  
Consultant Pathologist



Dr. Rekha Nair, MD  
(Reg No. MMC 2001/06/2354)  
Microbiologist

Page 15 of 17



View Details



View Report

## PERFORMED AT :

Agilus Diagnostics Ltd.  
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,  
Navi Mumbai, 400703  
Maharashtra, India  
Tel : 022-39199222,022-49723322,  
CIN - U74899PB1995PLC045956  
Email : -



Patient Ref. No. 22000000907630



PATIENT NAME : MR.ABHI CHATTOPADHYAY

REF. DOCTOR :

CODE/NAME &amp; ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

ACCESSION NO : 0022XC001723

PATIENT ID : FH.13021279

CLIENT PATIENT ID: UID:13021279

ABHA NO :

AGE/SEX : 40 Years Male

DRAWN : 09/03/2024 10:05:00

RECEIVED : 09/03/2024 10:05:27

REPORTED : 09/03/2024 15:39:39

## CLINICAL INFORMATION :

UID:13021279 REQNO-1674081

CORP-OPD

BILLNO-150124OPCR013850

BILLNO-150124OPCR013850

Test Report Status **Final**

Results

Biological Reference Interval Units

## SPECIALISED CHEMISTRY - HORMONE

## THYROID PANEL, SERUM

| Test Name   | Result | Biological Reference Interval | Units  |
|---|--------|-------------------------------|--------|
| T3<br>METHOD : ELECTROCHEMILUMINESCENCE IMMUNOASSAY, COMPETITIVE PRINCIPLE      | 127.0  | 80.0 - 200.0                  | ng/dL  |
| T4<br>METHOD : ELECTROCHEMILUMINESCENCE IMMUNOASSAY, COMPETITIVE PRINCIPLE      | 6.95   | 5.10 - 14.10                  | µg/dL  |
| TSH (ULTRASENSITIVE)<br>METHOD : ELECTROCHEMILUMINESCENCE, SANDWICH IMMUNOASSAY | 1.880  | 0.270 - 4.200                 | µIU/mL |

## Interpretation(s)



Dr. Akshay Dhotre, MD  
 (Reg.no. MMC 2019/09/6377)  
 Consultant Pathologist

Page 16 Of 17



View Details



View Report

## PERFORMED AT :

Agilus Diagnostics Ltd.  
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,  
 Navi Mumbai, 400703  
 Maharashtra, India  
 Tel : 022-39199222, 022-49723322,  
 CIN - U74899PB1995PLC045956  
 Email : -



Patient Ref. No. 22000000907630

**PATIENT NAME : MR.ABHI CHATTOPADHYAY**
**REF. DOCTOR :**
**CODE/NAME & ADDRESS : C000045507**

 FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

**ACCESSION NO : 0022XC001723**
**PATIENT ID : FH.13021279**
**CLIENT PATIENT ID: UID:13021279**
**ABHA NO :**
**AGE/SEX : 40 Years Male**
**DRAWN : 09/03/2024 10:05:00**
**RECEIVED : 09/03/2024 10:05:27**
**REPORTED : 09/03/2024 15:39:39**
**CLINICAL INFORMATION :**

UID:13021279 REQNO-1674081

CORP-OPD

BILLNO-150124OPCR013850

BILLNO-150124OPCR013850

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

**SPECIALISED CHEMISTRY - TUMOR MARKER**
**PROSTATE SPECIFIC ANTIGEN, SERUM**

|   |       |           |       |
|---|-------|-----------|-------|
| PROSTATE SPECIFIC ANTIGEN                               | 0.611 | 0.0 - 2.0 | ng/mL |
| METHOD : ELECTROCHEMILUMINESCENCE, SANDWICH IMMUNOASSAY |       |           |       |

**Interpretation(s)**


- PROSTATE SPECIFIC ANTIGEN, SERUM-- PSA is detected in the male patients with normal, benign hyperplastic and malignant prostate tissue and in patients with prostatitis.
- PSA is not detected (or detected at very low levels) in the patients without prostate tissue (because of radical prostatectomy or cystoprostatectomy) and also in the female patients.
  - It is a suitable marker for monitoring of patients with Prostate Cancer and it is better to be used in conjunction with other diagnostic procedures.
  - Serial PSA levels can help determine the success of prostatectomy and the need for further treatment, such as radiation, endocrine or chemotherapy and useful in detecting residual disease and early recurrence of tumor.
  - Elevated levels of PSA can be also observed in the patients with non-malignant diseases like Prostatitis and Benign Prostatic Hyperplasia.
  - Specimens for total PSA assay should be obtained before biopsy, prostatectomy or prostatic massage, since manipulation of the prostate gland may lead to elevated PSA (false positive) levels persisting up to 3 weeks.
  - As per American urological guidelines, PSA screening is recommended for early detection of Prostate cancer above the age of 40 years. Following Age specific reference range can be used as a guide lines.
  - Measurement of total PSA alone may not clearly distinguish between benign prostatic hyperplasia (BPH) from cancer, this is especially true for the total PSA values between 4-10 ng/mL.
  - Total PSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. Recommended follow up on same platform as patient result can vary due to differences in assay method and reagent specificity.

**References-**

1. Burtis CA, Ashwood ER, Bruns DE, Teitz textbook of clinical chemistry and Molecular Diagnostics, 4th edition.
2. Williamson MA, Snyder LM. Wallach's interpretation of diagnostic tests, 9th edition.

**\*\*End Of Report\*\***

 Please visit [www.agilusdiagnostics.com](http://www.agilusdiagnostics.com) for related Test Information for this accession



Dr. Akshay Dhotre, MD  
 (Reg.no. MMC 2019/09/6377)  
 Consultant Pathologist

Page 17 of 17



View Details



View Report

**PERFORMED AT :**

 Agilus Diagnostics Ltd.  
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,  
 Navi Mumbai, 400703  
 Maharashtra, India  
 Tel : 022-39199222,022-49723322,  
 CIN - U74899PB1995PLC045956  
 Email : -


Patient Ref. No. 22000000907630

**PATIENT NAME : MR.ABHI CHATTOPADHYAY**
**REF. DOCTOR :**
**CODE/NAME & ADDRESS : C000045507**

 FORTIS VASHI-CHC -SPLZD  
 FORTIS HOSPITAL # VASHI,  
 MUMBAI 440001

**ACCESSION NO : 0022XC001812**
**PATIENT ID : FH.13021279**
**CLIENT PATIENT ID: UID:13021279**
**ABHA NO :**
**AGE/SEX : 40 Years Male**
**DRAWN : 09/03/2024 12:57:00**
**RECEIVED : 09/03/2024 12:57:00**
**REPORTED : 09/03/2024 13:52:13**
**CLINICAL INFORMATION :**

UID:13021279 REQNO-1674081

CORP-OPD

BILLNO-150124OPCR013850

BILLNO-150124OPCR013850

**Test Report Status Final**
**Results**
**Biological Reference Interval Units**
**BIOCHEMISTRY**
**GLUCOSE, POST-PRANDIAL, PLASMA**

PPBS(POST PRANDIAL BLOOD SUGAR)

79

70 - 140

mg/dL

METHOD : HEXOKINASE

**Comments**

NOTE: - RECHECKED FOR POST PRANDIAL PLASMA GLUCOSE VALUE. TO BE CORRELATE WITH CLINICAL, DIETETIC AND THERAPEUTIC HISTORY.

**Interpretation(s)**

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics &amp; Insulin treatment, Renal Glycosuria, Glycaemic index &amp; response to food consumed, Alimentary Hypoglycemia, Increased insulin response &amp; sensitivity etc. Additional test rmttc

**\*\*End Of Report\*\***

 Please visit [www.agilusdiagnostics.com](http://www.agilusdiagnostics.com) for related Test Information for this accession


**Dr. Akshay Dhotre, MD**  
 (Reg.no. MMC 2019/09/6377)  
 Consultant Pathologist


View Details



View Report

**PERFORMED AT :**

 Agilus Diagnostics Ltd.  
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,  
 Navi Mumbai, 400703  
 Maharashtra, India  
 Tel : 022-39199222,022-49723322,  
 CIN - U74899PB1995PLC045956  
 Email : -


Patient Ref. No. 22000000907719



40 Years

Male

3/9/2024 10:47:23 AM

HC

Normal

Rate 79 . Sinus rhythm.....normal P axis, V-rate 50- 99  
 PR 129 . Abnormal R-wave progression, early transition.....normal P axis, V-rate 50- 99  
 QRSD 93 . Baseline wander in lead(s) V4  
 QT 375  
 QTc 430


--AXIS--

P 41  
 QRS 12  
 T 16

12 Lead; Standard Placement

- OTHERWISE NORMAL ECG -

Unconfirmed Diagnosis



Device:

Speed: 25 mm/sec    Limb: 10 mm/mV    Chest: 10.0 mm/mV

F 50~ 0.50-100 Hz W

100B CL P?





DEPARTMENT OF NIC

Date: 11/Mar/2024

Name: Mr. Abhi Chattopadhyay

Age | Sex: 40 YEAR(S) | Male

Order Station : FO-OPD

Bed Name :

UHID | Episode No : 13021279 | 14131/24/1501

Order No | Order Date: 1501/PN/OP/2403/29453 | 09-Mar-2024

Admitted On | Reporting Date : 11-Mar-2024 14:12:54

Order Doctor Name : Dr.SELF .

ECHOCARDIOGRAPHY TRANSTHORACIC

**FINDINGS:**

- No left ventricle regional wall motion abnormality at rest.
- Normal left ventricle systolic function. LVEF = 60%.
- No left ventricle diastolic dysfunction.
- No left ventricle hypertrophy. No left ventricle dilatation.
- Structurally normal valves.
- No mitral regurgitation.
- No aortic regurgitation. No aortic stenosis.
- No tricuspid regurgitation. No pulmonary hypertension.
- Intact IAS and IVS.
- No left ventricle clot/vegetation/pericardial effusion.
- Normal right atrium and right ventricle dimensions.
- Normal left atrium and left ventricle dimension.
- Normal right ventricle systolic function. No hepatic congestion.
- IVC measures 11 mm with normal inspiratory collapse.

**M-MODE MEASUREMENTS:**

|             |    |    |
|-------------|----|----|
| LA          | 28 | mm |
| AO Root     | 20 | mm |
| AO CUSP SEP | 15 | mm |
| LVID (s)    | 22 | mm |
| LVID (d)    | 44 | mm |
| IVS (d)     | 09 | mm |
| LVPW (d)    | 10 | mm |
| RVID (d)    | 30 | mm |
| RA          | 34 | mm |
| LVEF        | 60 | %  |

Hiranandani Healthcare Pvt. Ltd.

Mini Sea Shore Road, Sector 10-A, Vashi, Navi Mumbai - 400703.

Board Line: 022 - 39199222 | Fax: 022 - 39133220

Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199200 | Health Checkup: 022 - 39199300

www.fortishealthcare.com | vashi@fortishealthcare.com

CIN: U85100MH2005PTC 154823

GST IN : 27AABCH5894D12G

PAN NO : AABCH5894D



DEPARTMENT OF NIC

Date: 11/Mar/2024

Name: Mr. Abhi Chattopadhyay

Age | Sex: 40 YEAR(S) | Male

Order Station : FO-OPD

Bed Name :

UHID | Episode No : 13021279 | 14131/24/1501

Order No | Order Date: 1501/PN/OP/2403/29453 | 09-Mar-2024

Admitted On | Reporting Date : 11-Mar-2024 14:12:54

Order Doctor Name : Dr.SELF .

**DOPPLER STUDY:**

E WAVE VELOCITY: 0.9 m/sec.


A WAVE VELOCITY: 0.5 m/sec

E/A RATIO: 1.4

|                 | PEAK<br>(mmHg) | MEAN<br>(mmHg) | V max<br>(m/sec) | GRADE OF<br>REGURGITATION |
|-----------------|----------------|----------------|------------------|---------------------------|
| MITRAL VALVE    | N              |                |                  | Nil                       |
| AORTIC VALVE    | 05             |                |                  | Nil                       |
| TRICUSPID VALVE | 14             |                |                  | Nil                       |
| PULMONARY VALVE | 2.0            |                |                  | Nil                       |

Final Impression :

- Normal 2 Dimensional and colour doppler echocardiography study.

  
DR. PRASHANT PAWAR  
DNB(MED), DNB (CARD)

DR. AMIT SINGH,  
MD(MED), DM(CARD)



**Hiranandani Healthcare Pvt. Ltd.**

Mini Sea Shore Road, Sector 10-A, Vashi, Navi Mumbai - 400703.

Board Line: 022 - 39199222 | Fax: 022 - 39133220

Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199200 | Health Checkup: 022 - 39199300

www.fortishealthcare.com | vashi@fortishealthcare.com

CIN: U85100MH2005PTC 154823

GST IN : 27AABCH5894D1ZG

PAN NO : AABCH5894D



**DEPARTMENT OF RADIOLOGY**

Date: 09/Mar/2024

Name: Mr. Abhi Chattopadhyay

Age | Sex: 40 YEAR(S) | Male

Order Station : FO-OPD

Bed Name :

UHID | Episode No : 13021279 | 14131/24/1501

Order No | Order Date: 1501/PN/OP/2403/29453 | 09-Mar-2024

Admitted On | Reporting Date : 09-Mar-2024 12:10:27

Order Doctor Name : Dr.SELF .

**X-RAY-CHEST- PA**

**Findings:**

Both lung fields are clear.

The cardiac shadow appears within normal limits.

Trachea and major bronchi appears normal.

Both costophrenic angles are well maintained.

Bony thorax is unremarkable.

**DR. YOGINI SHAH**  
DMRD., DNB. (Radiologist)



|              |                      |                |                       |
|--------------|----------------------|----------------|-----------------------|
| Patient Name | : Abhi Chattopadhyay | Patient ID     | : 13021279            |
| Sex / Age    | : M / 40Y 8M 3D      | Accession No.  | : PHC.7651082         |
| Modality     | : US                 | Scan DateTime  | : 09-03-2024 12:14:31 |
| IPID No      | : 14131/24/1501      | ReportDatetime | : 09-03-2024 12:23:46 |

### USG – WHOLE ABDOMEN

**LIVER** is normal in size and echogenicity. No IHBR dilatation. No focal lesion is seen in liver. Portal vein appears normal in caliber.

**GALL BLADDER** is partially distended, however visualised lumen appears clear.  
**CBD** appears normal in caliber.

**SPLEEN** is normal in size and echogenicity.

**BOTH KIDNEYS** are normal in size and echogenicity. The central sinus complex is normal. No evidence of calculi/hydronephrosis.

Right kidney measures 10.5 x 5.0 cm.

Left kidney measures 11.3 x 5.4 cm.

**PANCREAS** is normal in size and morphology. No evidence of peripancreatic collection.

**URINARY BLADDER** is normal in capacity and contour. Bladder wall is normal in thickness. No evidence of intravesical calculi.

**PROSTATE** is normal in size & echogenicity. It measures ~ 15.2 cc in volume.

No evidence of ascites.

#### Impression:

- No significant abnormality is detected.

**DR. KUNAL NIGAM**  
M.D. (Radiologist)