


Name : Mrs. NIRMALA
PID No. : MED111004097 Register On : 02/03/2022 10:53 AM
SID No. : 2322206769 Collection On : 02/03/2022 11:18 AM
Age / Sex : 49 Year(s) / Female Report On : 03/03/2022 9:40 AM
Type : OP Printed On : 03/03/2022 8:09 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------


HAEMATOLOGY

Complete Blood Count With - ESR

Haemoglobin (EDTA Blood/Spectrophotometry)	10.7	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	34.8	%	37 - 47
RBC Count (EDTA Blood/Impedance Variation)	4.28	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	81.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	24.9	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	30.6	g/dL	32 - 36
RDW-CV (Derived from Impedance)	16.3	%	11.5 - 16.0
RDW-SD (Derived from Impedance)	46.21	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	4470	cells/cu.mm	4000 - 11000
Neutrophils (Blood/Impedance Variation & Flow Cytometry)	53.97	%	40 - 75
Lymphocytes (Blood/Impedance Variation & Flow Cytometry)	36.40	%	20 - 45
Eosinophils (Blood/Impedance Variation & Flow Cytometry)	1.77	%	01 - 06




VERIFIED BY




APPROVED BY

Name : Mrs. NIRMALA
PID No. : MED111004097 **Register On** : 02/03/2022 10:53 AM
SID No. : 2322206769 **Collection On** : 02/03/2022 11:18 AM
Age / Sex : 49 Year(s) / Female **Report On** : 03/03/2022 9:40 AM
Type : OP **Printed On** : 03/03/2022 8:09 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Monocytes (Blood/Impedance Variation & Flow Cytometry)	7.57	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	0.29	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.41	10 ³ / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	1.63	10 ³ / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.08	10 ³ / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.34	10 ³ / µl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.01	10 ³ / µl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	322.1	10 ³ / µl	150 - 450
MPV (Blood/Derived from Impedance)	9.77	fL	8.0 - 13.3
PCT (Automated Blood cell Counter)	0.31	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/Modified Westergren)	40	mm/hr	< 20



VERIFIED BY



APPROVED BY


Name : Mrs. NIRMALA
PID No. : MED111004097 **Register On** : 02/03/2022 10:53 AM
SID No. : 2322206769 **Collection On** : 02/03/2022 11:18 AM
Age / Sex : 49 Year(s)/ Female **Report On** : 03/03/2022 9:40 AM
Type : OP **Printed On** : 03/03/2022 8:09 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------


BIOCHEMISTRY

Liver Function Test

Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.2	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.1	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.1	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.5	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.4	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	3.1	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.4		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	18	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	12	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	61	U/L	42 - 98
GGT(Gamma Glutamyl Transpeptidase) (Serum/SZASZ standarised IFCC)	15	U/L	< 38



VERIFIED BY




APPROVED BY

Name : Mrs. NIRMALA
PID No. : MED111004097 **Register On** : 02/03/2022 10:53 AM
SID No. : 2322206769 **Collection On** : 02/03/2022 11:18 AM
Age / Sex : 49 Year(s) / Female **Report On** : 03/03/2022 9:40 AM
Type : OP **Printed On** : 03/03/2022 8:09 PM
Ref. Dr : MediWheel


<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	248	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	83	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the usual circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	56	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	175.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	16.6	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	192.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



VERIFIED BY



APPROVED BY

Name : Mrs. NIRMALA
PID No. : MED111004097 **Register On** : 02/03/2022 10:53 AM
SID No. : 2322206769 **Collection On** : 02/03/2022 11:18 AM
Age / Sex : 49 Year(s) / Female **Report On** : 03/03/2022 9:40 AM
Type : OP **Printed On** : 03/03/2022 8:09 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.
 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.


Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	4.4		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
---	-----	--	--

Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	1.5		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
--	-----	--	--

LDL/HDL Cholesterol Ratio (Serum/Calculated)	3.1		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
---	-----	--	---



VERIFIED BY



APPROVED BY

Name : Mrs. NIRMALA
PID No. : MED111004097 Register On : 02/03/2022 10:53 AM
SID No. : 2322206769 Collection On : 02/03/2022 11:18 AM
Age / Sex : 49 Year(s) / Female Report On : 03/03/2022 9:40 AM
Type : OP Printed On : 03/03/2022 8:09 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/HPLC)	5.9	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control >= 8.1 %

Estimated Average Glucose 122.63 mg/dL
(Whole Blood)

INTERPRETATION: Comments


HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycaemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY



APPROVED BY

Name : Mrs. NIRMALA
PID No. : MED111004097 Register On : 02/03/2022 10:53 AM
SID No. : 2322206769 Collection On : 02/03/2022 11:18 AM
Age / Sex : 49 Year(s) / Female Report On : 03/03/2022 9:40 AM
Type : OP Printed On : 03/03/2022 8:09 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total (Serum/CMIA)	0.967	ng/mL	0.7 - 2.04
---	-------	-------	------------

INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total (Serum/CMIA)	7.29	µg/dL	4.2 - 12.0
--	------	-------	------------

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/Chemiluminescent Microparticle Immunoassay(CMIA))	2.54	µIU/mL	0.35 - 5.50
--	------	--------	-------------

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values$0.03 \mu\text{IU/mL}$ need to be clinically correlated due to presence of rare TSH variant in some individuals.


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Mrs. NIRMALA
PID No. : MED111004097 **Register On** : 02/03/2022 10:53 AM
SID No. : 2322206769 **Collection On** : 02/03/2022 11:18 AM
Age / Sex : 49 Year(s) / Female **Report On** : 03/03/2022 9:40 AM
Type : OP **Printed On** : 03/03/2022 8:09 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------


CLINICAL PATHOLOGY

PHYSICAL EXAMINATION


Colour (Urine)	Pale Yellow		
Appearance (Urine)	Clear		Clear
Volume (Urine)	20	mL	

CHEMICAL EXAMINATION(Automated-Urineanalyser)

pH (Urine/AUTOMATED URINANALYSER)	6.0		4.5 - 8.0
Specific Gravity (Urine)	1.020		1.002 - 1.035
Ketones (Urine)	Negative		Negative
Urobilinogen (Urine/AUTOMATED URINANALYSER)	0.2		0.2 - 1.0
Blood (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Nitrite (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Bilirubin (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Protein (Urine)	Negative		Negative




VERIFIED BY



APPROVED BY


Name : Mrs. NIRMALA
PID No. : MED111004097 **Register On** : 02/03/2022 10:53 AM
SID No. : 2322206769 **Collection On** : 02/03/2022 11:18 AM
Age / Sex : 49 Year(s) / Female **Report On** : 03/03/2022 9:40 AM
Type : OP **Printed On** : 03/03/2022 8:09 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Glucose (Urine)	Negative		Negative
Leukocytes (Urine)	Negative	leuco/uL	Negative
<u>MICROSCOPY(URINE DEPOSITS)</u>			
Pus Cells (Urine/Flow cytometry)	0-2	/hpf	3-5
Epithelial Cells (Urine)	0-1	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	2-3
Others (Urine)	Nil		Nil



Dr. Arjun C.P
 MBBS, MD Pathology
 Reg No: KMC 89655

VERIFIED BY




DR SHAMIM JAVED
 MD PATHOLOGY
 KMC 88902

APPROVED BY

Name : Mrs. NIRMALA
PID No. : MED111004097 Register On : 02/03/2022 10:53 AM
SID No. : 2322206769 Collection On : 02/03/2022 11:18 AM
Age / Sex : 49 Year(s) / Female Report On : 03/03/2022 9:40 AM
Type : OP Printed On : 03/03/2022 8:09 PM
Ref. Dr : MediWheel


<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

<u>IMMUNOHAEMATOLOGY</u>			
BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)	'AB' 'Positive'		



Dr. Arjun C.P
MBBS, MD Pathology
Reg No:KMC 89655

VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mrs. NIRMALA
PID No. : MED111004097 **Register On** : 02/03/2022 10:53 AM
SID No. : 2322206769 **Collection On** : 02/03/2022 11:18 AM
Age / Sex : 49 Year(s)/ Female **Report On** : 03/03/2022 9:40 AM
Type : OP **Printed On** : 03/03/2022 8:09 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>BIOCHEMISTRY</u>			
BUN / Creatinine Ratio	10		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	85	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.


Glucose Fasting - Urine (Urine - F)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	106	mg/dL	70 - 140

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti-diabetic medication during treatment for Diabetes.


Glucose Postprandial - Urine (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	7	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe Kinetic)	0.7	mg/dL	0.6 - 1.1

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Uricase/Peroxidase)	5.6	mg/dL	2.6 - 6.0
---	-----	-------	-----------



VERIFIED BY



APPROVED BY

-- End of Report --

Name : Mrs. NIRMALA Register On : 02/03/2022 10:53 AM
PID No. : MED111004097 Collection On : 02/03/2022 11:18 AM
SID No. : 2322206769 Report On : 03/03/2022 9:40 AM
Age / Sex : 49 Year(s) / Female Printed On : 03/03/2022 8:09 PM
Ref. Dr : MediWheel OP / IP : OP

Pap Smear

Nature of Specimen: Cervical smear.

Lab NO : GC-240/22

Specimen type : Conventional.

Specimen adequacy : Satisfactory for evaluation.

Endocervical / Transformation zone cells : Present.

General categorization : Within normal limits.


DESCRIPTION : Smear shows superficial squamous cells and intermediate cells in a background of sheets of neutrophils.


INTERPRETATION : Negative for intraepithelial lesion or malignancy

Non neoplastic cellular changes : Squamous metaplasia.

Reactive cellular changes associated with Inflammation.

Advised : Follow up smears.`


Dr. Arjun C.P
MBBS, MD Pathology
Reg No: KMC 89655


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

Name	MRS.NIRMALA	ID	MED111004097
Age & Gender	49Y/FEMALE	Visit Date	02 Mar 2022
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER shows normal in shape, size and shows diffuse increase in echogenicity, suggestive of fatty changes. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well made out. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cms)	Breadth (cms)
Right Kidney	9.2	3.7
Left Kidney	9.4	3.9

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS is bulky in size, measures 6.9 x 4.6 x 7.4 cm and shows a lateral wall submucosal fibroid, measuring 3.5 x 3.1 cm.

Endometrial thickness measures 7 mm.

Both ovaries appears normal in size and echopattern.

Right ovary: 3.2 x 1.9 cms

Left ovary: 2.7 x 1.9 cms

Adnexae are free.

No evidence of free fluid in the pelvis.

IMPRESSION:

- **Grade I fatty liver.**
- **Bulky uterus with lateral wall submucosal fibroid.**

Name	MRS.NIRMALA	ID	MED111004097
Age & Gender	49Y/FEMALE	Visit Date	02 Mar 2022
Ref Doctor Name	MediWheel		



CONSULTANT RADIOLOGISTS:

DR.H.K.ANAND

DR.L.MADAN MOHAN BABU

Dr. SAITEJAS

ST/pr

Name	MRS.NIRMALA	ID	MED111004097
Age & Gender	49Y/FEMALE	Visit Date	02 Mar 2022
Ref Doctor Name	MediWheel		

2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA	:	2.2cms
LEFT ATRIUM	:	3.1cms
AVS	:	----
LEFT VENTRICLE (DIASTOLE)	:	4.2cms
(SYSTOLE)	:	2.9cms
VENTRICULAR SEPTUM (DIASTOLE)	:	0.9cms
(SYSTOLE)	:	1.1cms
POSTERIOR WALL (DIASTOLE)	:	0.9cms
(SYSTOLE)	:	1.2cms
EDV	:	79ml
ESV	:	31ml
FRACTIONAL SHORTENING	:	32%
EJECTION FRACTION	:	60%
EPSS	:	---
RVID	:	1.5cms

DOPPLER MEASUREMENTS:

MITRAL VALVE	:	E' 0.75 m/s	A' 0.65 m/s	NO MR
AORTIC VALVE	:	1.20 m/s		NO AR
TRICUSPID VALVE	:	E' 1.90 m/s	A' - m/s	NO TR
PULMONARY VALVE	:	0.92 m/s		NO PR

Name	MRS.NIRMALA	ID	MED111004097
Age & Gender	49Y/FEMALE	Visit Date	02 Mar 2022
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function.
No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- **NORMAL SIZED CARDIAC CHAMBERS.**
- **NORMAL LV SYSTOLIC FUNCTION. EF:60 %.**
- **NO REGIONAL WALL MOTION ABNORMALITIES.**
- **NORMAL VALVES.**
- **NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.**

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC
SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST
Kss/da

Note:

- * **Report to be interpreted by qualified medical professional.**
- * **To be correlated with other clinical findings.**
- * **Parameters may be subjected to inter and intra observer variations.**

Name	MRS.NIRMALA	ID	MED111004097
Age & Gender	49Y/FEMALE	Visit Date	02 Mar 2022
Ref Doctor Name	MediWheel		

Name	NIRMALA	ID	MED111004097
Age & Gender	49Y/F	Visit Date	Mar 2 2022 10:53AM
Ref Doctor	MediWheel		

BILATERAL MAMMOGRAM

CRANIOCAUDAL AND MEDIOLATERAL VIEWS

Observations:

Breast parenchyma composition-heterogeneously dense fibroglandular tissue (50-75% glandular component); reduces sensitivity and specificity to detect small lesions. (ACR-III).

No obvious focal mass lesion is detected.

No abnormal cluster of micro calcification is noted.

No obvious architectural distortion or focal asymmetric density is seen.

Skin and subcutaneous tissues are normal.

Bilateral axillary regions shows benign appearing lymphnodes.

Complimentary USG revealed -- no significant abnormality detected.

IMPRESSION:

ACR BIRADS assessment category 1-negative. No spiculated mass/ micro calcification cluster or architectural distortion.

BI-RADS CLASSIFICATION

CATEGORY

RESULT

- | | |
|----------|--|
| 0 | Assessment incomplete. Need additional imaging evaluation |
| 1 | Negative. Routine mammogram in 1 year recommended. |
| 2 | Benign finding. Routine mammogram in 1 year recommended. |
| 3 | Probably benign finding. Short interval follow-up suggested. |
| 4 | Suspicious. Biopsy should be considered. |
| 5 | Highly suggestive of malignancy. Appropriate action should be taken. |


DR. H.K. ANAND

DR. POOJA B.P

DR. SHWETHA S

DR. MUDUNURI SAITEJAS

CONSULTANT RADIOLOGISTS



Name	NIRMALA	ID	MED111004097
Age & Gender	49Y/F	Visit Date	Mar 2 2022 10:53AM
Ref Doctor	MediWheel		

Name	NIRMALA	ID	MED111004097
Age & Gender	49Y/F	Visit Date	Mar 2 2022 10:53AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.

DR. H.K. ANAND

DR. POOJA B.P

DR. SHWETHA S

DR. MUDUNURISAITHEJAS

CONSULTANT RADIOLOGISTS

