

## SUBURBAN DIAGNOSTICS

### Patient Details

Date: 26-Mar-22

Time: 1:13:08 PM

Name: MR ANSHUL WASNIK ID: 2208526124

Age: 34 y

Sex: M

Height: 172 cms

Weight: 83 Kgs

Clinical History: NIL

Medications: NIL

### Test Details

Protocol: Bruce

Pr.MHR: 186 bpm

THR: 158 (85 % of Pr.MHR) bpm

Total Exec. Time: 7 m 12 s

Max. HR: 164 (88% of Pr.MHR) bpm

Max. Mets: 10.20

Max. BP: 160 / 86 mmHg

Max. BP x HR: 26240 mmHg/min

Min. BP x HR: 7840 mmHg/min

Test Termination Criteria: THR ACHIEVED

### Protocol Details

Stage Name	Stage Time (min : sec)	Mets	Speed (mph)	Grade (%)	Heart Rate (bpm)	Max. BP (mm/Hg)	Max. ST Level (mm)	Max. ST Slope (mV/s)
Supine	0 : 25	1.0	0	0	110	120 / 80	-1.06 aVR	2.12 V3
Standing	0 : 13	1.0	0	0	101	120 / 80	-1.06 aVR	2.12 V3
Hyperventilation	0 : 14	1.0	0	0	98	120 / 80	-1.06 aVR	1.77 V3
1	3 : 0	4.6	1.7	10	131	130 / 84	-1.49 aVR	2.12 V3
2	3 : 0	7.0	2.5	12	148	140 / 84	-2.97 aVR	2.83 II
Peak Ex	1 : 12	10.2	3.4	14	164	150 / 86	-2.97 aVR	3.54 V3
Recovery(1)	1 : 0	1.8	1	0	134	150 / 86	-1.70 aVR	4.95 V3
Recovery(2)	1 : 0	1.0	0	0	116	160 / 86	-1.06 aVR	4.95 V3
Recovery(3)	1 : 0	1.0	0	0	100	150 / 86	-0.85 aVR	2.83 V3
Recovery(4)	1 : 0	1.0	0	0	98	140 / 86	-0.85 aVR	2.12 V3
Recovery(5)	1 : 0	1.0	0	0	108	140 / 86	-0.85 aVR	1.42 V3
Recovery(6)	0 : 15	1.0	0	0	104	140 / 86	-1.06 aVR	1.42 V3



# SUBURBAN DIAGNOSTICS


## Patient Details

Name: MR ANSHUL WASNIK ID: 2208526124  
 Age: 34 Y Sex: M

Date: 26-Mar-22  
 Time: 1:13:08 PM

Height: 172 cms

Weight: 83 Kgs



## Interpretation

FAIR EFFORT TOLERANCE  
 NORMAL CHRONOTROPIC RESPONSE  
 NORMAL INOTROPIC RESPONSE  
 NO ANGINA / ANGINA EQUIVALENTS  
 NO ARRHYTHMIAS  
 NO SIGNIFICANT ST-T CHANGES FROM BASELINE SEEN DURING THE TEST

IMPRESSION:  
 STRESS TEST IS NEGATIVE FOR STRESS INDUCIBLE ISCHAEMIA.

Disclaimer: Negative stress test does not rule out Coronary Artery Disease.  
 Positive stress test is suggestive but not confirmatory of coronary Artery Disease.  
 Hence clinical correlation is mandatory.

Ref. Doctor: ...

( Summary Report edited by user )

**DR. ANAND N. MOTWANI**

M.D. (GENERAL MEDICINE)

Doctor: Dr. Anand Motwani Reg. No. 39329 (M.M.C)

SUBURBAN DIAGNOSTICS (I) PVT. LTD.  
 Shop No 22, Ground Floor, Raikar Bhavan,  
 Sector-11, Vashi, Navi Mumbai - 400 703  
 Tel 27884547 / 27884548.



**MR ANSHUL WASNIK (34 M)**

**SUBURBAN DIAGNOSTICS**

**Test Report**

ID: 2208526124

Date: 26-Mar-22

Exec Time : 0 m 0 s

Stage Time : 0 m 19 s **HR: 103 bpm**

Protocol: Bruce

Stage: Supine

Speed: 0 mph

Grade: 0 %

(THR: 158 bpm)

B.P: 120 / 80

ST Level (mm)      ST Slope (mV/s)

ST Level (mm)      ST Slope (mV/s)




Chart Speed: 25 mm/sec  
Schlier Spandan V 4.7

Filter: 35 Hz

Mains Fil: ON

Amp: 10 mm

iso = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



**MR A NASHUL WASNIAK (34 M)**

**SUBURBAN DIAGNOSTICS**

**Test Report**

ID: 2208526124

Date: 26-Mar-22

Exec Time : 0 m 0 s

Stage Time : 0 m 7 s

HR: 105 bpm

Protocol: Bruce

Stage: Standing

Speed: 0 mph

Grade: 0 %

(THR: 158 bpm)

B.P: 120 / 80

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec  
Schiller Spanda n V4.7

Filter: 35 Hz

Mains Filt: ON

Amp: 10 mm

iso = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



MR ANSHUL WASNIK (34 M)

SUBURBAN DIAGNOSTICS

ID: 2208526124

Date: 26-Mar-22

Exec Time : 0 m 0 s

Stage Time : 0 m 8 s

HR: 96 bpm

Protocol: Bruce

Stage: Hyperventilation

Speed: 0 mph

Grade: 0%

(THR: 158 bpm)

B.P: 120 / 80

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec  
Schiller Spandan V4.7

Filter: 35 Hz

Mains Fil: ON

Amp: 10 mm

150 = R - 60 ms J = R + 60 ms Post J = J + 60 ms

Linked Median



MR ANSHUL WASNIK (34 M)

ID: 2208526124

Date: 26-Mar-22

Exec Time : 2 m 54 s Stage Time : 2 m 54 s HR: 134 bpm

SUBURBAN DIAGNOSTICS

Test Report

Protocol: Bruce

Stage: 1

Speed: 1.7 mph

Grade: 10 %


(THR: 158 bpm)

B.P: 130 / 84

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)

1.3 1.4





0.0 0.0

1.3 1.1



0.8 1.1

0.0 0.7



1.9 2.1

-1.3 -1.1



1.5 1.4

0.2 0.7



1.1 0.7

0.8 0.4



0.8 0.4




Chart Speed: 25 mm/sec  
Schiller Spandan V4.7

Filter: 35 Hz

Mains Fil: ON

Amp: 10 mm

ISO = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



# SUBURBAN DIAGNOSTICS

## Test Report

MR ANSHUL WASNIAK (34 M)

ID: 2208526124

Date: 26-Mar-22

Exec Time : 5 m 54 s Stage Time : 2 m 54 s HR: 146 bpm

Protocol: Bruce

Stage: 2

Speed: 2.5 mph

Grade: 12 %

(THR: 158 bpm)

B.P: 140 / 84

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec  
Schiller SpanTan V4.7

Filter: 35 Hz

Mains Fil: ON

Amp: 10 mm

ISO = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



**MR ANSHUL WASNIK (34 M)**

**SUBURBAN DIAGNOSTICS**

**Test Report**

Protocol: Bruce

ID: 2208526124

Date: 26-Mar-22

Exec Time : 7 m 6 s

Stage Time : 1 m 6 s

HR: 164 bpm

ST Level (mm)      ST Slope (mV/s)

Stage: Peak Ex

Speed: 3.4 mph

Grade: 14 %

(THR: 158 bpm)

B.P: 150 / 86

ST Level (mm)      ST Slope (mV/s)




Chart Speed: 25 mm/sec  
Schlär Spandan V4.7

Filter: 35 Hz

Mains Fil: ON

Amp: 10 mm

Iso = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



MR ANSHUL WASNIK (34 M)

SUBURBAN DIAGNOSTICS

Test Report

Protocol: Bruce

ID: 2208526124

Date: 26-Mar-22

Exec Time : 7 m 12 s

Stage Time : 0 m 54 s

HR: 131 bpm

ST Level (mm) ST Slope (mV/s)

Stage: Recovery(1)

Speed: 1 mph

Grade: 0 %

(THR: 158 bpm)

B.P: 160 / 86

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec  
Schiller Spandanz V4.7

Filter: 35 Hz

Mains Fil: ON

Amp: 10 mm

ISO = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



# SUBURBAN DIAGNOSTICS

## Test Report

**MR ANSHUL WASNIK (34 M)**

ID: 2208526124

Date: 26-Mar-22

Exec Time : 7 m 12 s Stage Time : 0 m 54 s **HR: 105 bpm**

Protocol: Bruce

Stage: Recovery(2)

Speed: 0 mph

Grade: 0 %

(THR: 158 bpm)

B.P: 160 / 86

ST Level (mm)      ST Slope (mV/s)

ST Level (mm)      ST Slope (mV/s)




Chart Speed: 25 mm/sec  
Schiller Spandan V.4.7

Filter: 35 Hz

Mains Fil: ON

Amp: 10 mm

Iso = R - 60 ms      J = R + 60 ms      Post J = J + 60 ms

Linked Median



# SUBURBAN DIAGNOSTICS

## Test Report

MR ANSHUL WASNIK (34 M)

ID: 2208526124

Date: 26-Mar-22

Exec Time : 7 m 12 s Stage Time : 0 m 54 s HR: 103 bpm

Protocol: Bruce

Stage: Recovery(3)

Speed: 0 mph

Grade: 0 %

(THR: 158 bpm)

B.P: 150 / 86

ST Level (mm)      ST Slope (mV/s)

ST Level (mm)      ST Slope (mV/s)




Chart Speed: 25 mm/sec  
Schlier Spandan V4.7

Filter: 35 Hz

Mains Fil: ON

Amp: 10 mm

150 = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



# SUBURBAN DIAGNOSTICS

# Test Report

MR ANSHUL WASNIK (34 M)

ID: 2208526124

Date: 26-Mar-22

Exec Time : 7 m 12 s Stage Time : 0 m 54 s HR: 108 bp

Protocol: Bruce

Stage: Recovery(4)

Speed: 0 mph

Grade: 0%

(THR: 158 bpm)

B.P: 140 / 86

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec  
Schlier Standard V4.7

Filter: 35 Hz

Mains Fil: ON

Amp: 10 mm

ISO = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



# SUBURBAN DIAGNOSTICS

# Test Report

MR ANSHUL WASNIK (34 M)

ID: 2208526124

Date: 26-Mar-22

Exec Time : 7 m 12 s Stage Time : 0 m 54 s HR: 104 bpm

Protocol: Bruce

Stage: Recovery(5)

Speed: 0 mph

Grade: 0 %

(THR: 158 bpm)

B.P: 140 / 86

ST Level (mm)    ST Slope (mV/s)

ST Level (mm)    ST Slope (mV/s)




Chart Speed: 25 mm/sec  
Schlier Spandan V4.7

Filter: 35 Hz

Mains Fil: ON

Amp: 10 mm

ISO = R - 60 ms    J = R + 60 ms    Post J = J + 60 ms

Linked Median



**SUBURBAN DIAGNOSTICS**

**Test Report**

**MR A NSHUL WASNIK (34 M)**

ID: 2208526124

Date: 26-Mar-22

Exec Time : 7 m 12 s Stage Time : 0 m 54 s

HR: 104 bpm

Protocol: Bruce

Stage: Recovery(6)

Speed: 0 mph

Grade: 0 %

(THR: 158 bpm)

B.P: 140 / 86

ST Level (mm) ST Slope (mV/s)


ST Level (mm) ST Slope (mV/s)

1.1 0.7



0.2

1.1 0.4




0.8

-0.2 0.4



1.3

-0.8 0.4



0.8

0.4 0.4



0.4

0.4 0.0



0.4

Chart Speed: 25 mm/sec  
Schiller Span: 4.7

Filter: 35 Hz

Mains Filt: ON

Amp: 10 mm

150 = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median