
BUB Kumar Azad I/ DOB: 10/01/1987 ALE 683 7132 10/20 Exhibition Road 169





9264278360, 9065875700, 8789391403

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Name :- Nilesh Kumar

Refd by :- BOB

Age/Sex:35Yrs/M Date:-09/08/22

Thanks for referral.

REPORT OF USG OF WHOLE ABDOMEN

Liver

:- Normal in size (13.9cm) with normalechotexture. No focal or diffuse lesion

is seen. IHBR are not dilated. PV is normal in course and calibre with echofree

lumen.

G. Bladder:- It is normal in shape, size & position. It is echofree & shows no evidence of

calculus, mass or sludge.

CBD

:- It is normal in calibre & is echofree.

Pancreas :- Normal in shape, size & echotexture. No evidence of parenchymal / ductal

calcification is seen. No definite peripancreatic collection is seen.

Spleen :- Normal in size (9.9cm) with normal echotexture. No focal lesion is

seen. No evidence of varices is noticed.

:- Both kidneys are normal in shape, size & position. Sinus as well as cortical Kidneys

echoes are normal. No evidence of calculus, space occupying lesion or

hydronephrosis is seen.

Right Kidney measures 7.8cm and Left Kidney measures 8.4cm.

U. Bladder:- It is echofree. No evidence of calculus, mass or diverticulum is seen.

Prostate :- Normal in size (9cc) & echotexture.

Others

:- No ascites or abdominal adenopathy is seen.

No free subphrenic / basal pleural space collection is seen.

IMPRESSION:-

Normal scane of whole Abdomen

Dr. U. Klunar MBBS, MD (Radio-Diagnosis) Consultant Radiologist



9264278360, 9065875700, 8789391403

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 09/08/2022 Srl No. 25 Patient ld 2208090025

Name Mr. NILESH KUMAR AZAD Age 35 Yrs. Sex M

Ref. By Dr.BOB

Test Name Value Unit Normal Value

HAEMATOLOGY

HB A1C 5.2 %

EXPECTED VALUES:

Metabolicaly healthy patients = 4.8 - 5.5 % HbAIC

Good Control = 5.5 - 6.8 % HbAlC Fair Control = 6.8-8.2 % HbAlC Poor Control = >8.2 % HbAlC

REMARKS:-

In vitro quantitative determination of HbAIC in whole blood is utilized in long term monitoring of glycemia

The **HbAIC** level correlates with the mean glucose concentration prevailing in the course of the patient's recent history (approx - 6-8 weeks) and therefore provides much more reliable information for glycemia monitoring than do determinations of blood glucose or urinary glucose.

It is recommended that the determination of **HbAIC** be performed at intervals of 4-6 weeksduring Diabetes

Mellitus therapy.

Results of **HbAIC** should be assessed in conjunction with the patient's medical history, clinical examinations and other findings.

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD

CONSULTANT PATHOLOGIST



9264278360, 9065875700, 8789391403

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date	09/08/2022	Srl No	. 25	Patient Id	2208090025
Name	Mr. NILESH KUMAR AZAD	Age	35 Yrs.	Sex	M
Ref. By D	r.BOB				

Test Name	Value	Unit	Normal Value
COMPLETE BLOOD COUNT (CBC)			
HAEMOGLOBIN (Hb)	12.2	gm/dl	13.5 - 18.0
TOTAL LEUCOCYTE COUNT (TLC)	7,600	/cumm	4000 - 11000
DIFFERENTIAL LEUCOCYTE COUNT (DLC)			
NEUTROPHIL	61	%	40 - 75
LYMPHOCYTE	34	%	20 - 45
EOSINOPHIL	02	%	01 - 06
MONOCYTE	03	%	02 - 10
BASOPHIL	00	%	0 - 0
ESR (WESTEGREN`s METHOD)	14	mm/lst hr.	0 - 15
R B C COUNT	4.09	Millions/cmm	4.5 - 5.5
P.C.V / HAEMATOCRIT	36.6	%	40 - 54
MCV	89.49	fl.	80 - 100
MCH	29.83	Picogram	27.0 - 31.0
MCHC	33.3	gm/dl	33 - 37
PLATELET COUNT	2.48	Lakh/cmm	1.50 - 4.00
BLOOD GROUP ABO	"O"		
RH TYPING	POSITIVE		

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD

CONSULTANT PATHOLOGIST



9264278360, 9065875700, 8789391403

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date	09/08/2022	Srl No.	25	Patient Id	2208090025
Name	Mr. NILESH KUMAR AZAD	Age	35 Yrs.	Sex	М
Ref. By Di	r.BOB				

Test Name	Value	Unit	Normal Value			
BIOCHEMISTRY						
BLOOD SUGAR FASTING	84.7	mg/dl	70 - 110			
SERUM CREATININE	0.88	mg%	0.7 - 1.4			
BLOOD UREA	25.7	mg /dl	15.0 - 45.0			
SERUM URIC ACID	4.98	mg%	3.4 - 7.0			
LIVER FUNCTION TEST (LFT)						
BILIRUBIN TOTAL	0.63	mg/dl	0 - 1.0			
CONJUGATED (D. Bilirubin)	0.21	mg/dl	0.00 - 0.40			
UNCONJUGATED (I.D.Bilirubin)	0.42	mg/dl	0.00 - 0.70			
TOTAL PROTEIN	6.8	gm/dl	6.6 - 8.3			
ALBUMIN	3.5	gm/dl	3.4 - 5.2			
GLOBULIN	3.3	gm/dl	2.3 - 3.5			
A/G RATIO	1.061					
SGOT	31.2	IU/L	5 - 40			
SGPT	34.0	IU/L	5.0 - 55.0			
ALKALINE PHOSPHATASE IFCC Method	81.8	U/L	40.0 - 130.0			
GAMMA GT LFT INTERPRET	24.3	IU/L	8.0 - 71.0			
LIPID PROFILE						
TRIGLYCERIDES	93.7	mg/dL	25.0 - 165.0			
TOTAL CHOLESTEROL	184.2	mg/dL	29.0 - 199.0			



9264278360, 9065875700, 8789391403

www.aarogyamdiagnostics.com

Date 09/08/2022 Name Mr. NILESH KUMAR AZAD Ref. By Dr.BOB	Srl No. Age	25 35 Yrs.	Patient Id 2208090025 Sex M
Test Name	Value	Unit	Normal Value
H D L CHOLESTEROL DIRECT	61.2	mg/dL	35.1 - 88.0
VLDL	18.74	mg/dL	4.7 - 22.1
L D L CHOLESTEROL DIRECT	104.26	mg/dL	63.0 - 129.0
TOTAL CHOLESTEROL/HDL RATIO	3.01		0.0 - 4.97
LDL / HDL CHOLESTEROL RATIO	1.704		0.00 - 3.55
THYROID PROFILE			
Т3	0.86	ng/ml	0.60 - 1.81
T4 Chemiluminescence	8.35	ug/dl	4.5 - 10.9
TSH Chemiluminescence REFERENCE RANGE	1.24	uIU/mI	
PAEDIATRIC AGE GROUP 0-3 DAYS 3-30 DAYS I MONTH -5 MONTHS 6 MONTHS- 18 YEARS	1-20 0.5 - 6.5 0.5 - 0		
<u>ADULTS</u>	0.39 - 6.16	ulu/ml	

Note: TSH levels are subject to circadian variation, rising several hours before the onset of sleep, reaching peak levels between 11 pm to 6 am. Nadir concentrations are observed during the afternoon. Diurnal variation in TSH level approximates \pm 50 %, hence time of the day has influence on the measured serum TSH concentration.



9264278360, 9065875700, 8789391403

www.aarogyamdiagnostics.com

Date 09/08/2022 Srl No. 25 Patient ld 2208090025

Name Mr. NILESH KUMAR AZAD Age 35 Yrs. Sex M

Ref. By Dr.BOB

Test Name Value Unit Normal Value

Assay performed on enhanced chemi lumenescence system (Centaur-Siemens)

Serum T3,T4 & TSH measurements form the three components of Thyroid screening panel, useful in diagnosing various disorders of Thyroid gland function.

- 1. Primary hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH level.
- 2. Primary hyperthyroidism is accompanied by elevated serum T3 and T4 levels along with depressed TSH values.
- 3. Normal T4 levels are accompanied by increased T3 in patients with T3 thyrotoxicosis.
- 4. Slightly elevated T3 levels may be found in pregnancy and estrogen therapy, while depressed levels may be encountered in severe illness, renal failure and during therapy with drugs like propranolol and propyl thiouracil.
- 5. Although elevated TSH levels are nearly always indicative of primary hyporthyroidism, and may be seen in secondary thyrotoxicosis.

URINE EXAMINATION TEST

PHYSICAL EXAMINATION

QUANTITY 15 ml.

COLOUR PALE YELLOW

TRANSPARENCY CLEAR
SPECIFIC GRAVITY 1.020
PH 6.0

CHEMICAL EXAMINATION

ALBUMIN NIL



9264278360, 9065875700, 8789391403

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date	09/08/2022	Srl No	. 25	Patient Id	2208090025
Name	Mr. NILESH KUMAR AZAD	Age	35 Yrs.	Sex	М
Ref. By Dr.BOB					

Test Name	Value	Unit	Normal Value
SUGAR	NIL		
MICROSCOPIC EXAMINATION			
PUS CELLS	0-1	/HPF	
RBC'S	NIL	/HPF	
CASTS	NIL		
CRYSTALS	NIL		
EPITHELIAL CELLS	0-1	/HPF	
BACTERIA	NIL		
OTHERS	NIL		

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD

CONSULTANT PATHOLOGIST