Name : Mrs. NABANITA MALIK (28 /F) Date : 17/11/2023

Address : DASGHARA HOOGLY, OTHER, HOOGHLY, WEST BENGAL, INDIA

Examined by: UHID : AMHL.0002248790

Package: MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No: AMHLAH186829



For corporate health checkup

### PRESENT KNOWN ILLNESS

No history of - Diabetes mellitus,

Hypertension,

Dyslipidemia, Thyroid disorder, Heart disease,

**Asthma** 



NO KNOWN ALLERGY :17/11/2023



## Cardiovascular system

- Nil Significant

### Respiratory system

- Nil Significant

### Oral and dental

- Nil Significant

### **Gastrointestinal system**

- Nil Significant

## **Genitourinary system**

- Nil Significant

### **Gynaec history**

Last menstrual period - 18.10.23; Periods - regular

### Central nervous system

- Nil Significant

### Eyes

Vision - normal with glasses; Glasses - yes; Glasses for - refractive error

### **ENT**

- Nil Significant

### Musculoskeletal system

Spine and joints

- Nil Significant

### Skin

- Nil Significant

## Weight

- stable



Past medical history - nil significant

Jaundice - yes



Marital status - Married

Diet - Non Vegetarian

Alcohol - does not consume alcohol

Smoking - No Chews tobacco - No

Physical activity - Sedentary

# Family history

Father - has expired

Mother - alive
Diabetes - father

Hypertension - grandmother

Coronary artery - grandmother

disease

Cancer - None

## PHYSICAL EXAMINATION

# General

Build - normal
Height - 161
Weight - 64
BMI - 24.69
Pallor - No
Oedema - no

Name : Mrs. NABANITA MALIK (28 /F) UHID : AMHL.0002248790 **Date** : 17/11/2023

Package: MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK AHC No: AMHLAH186829

## Cardiovascular system

Heart rate (Per minute) - Regular Rhythm - B.P. Sitting

Systolic(mm of Hg) - 110 Diastolic(mm of Hg) - 70 Heart sounds - S1S2+

## **Respiratory system**

Breath sounds - Normal vesicular breath

sounds

## ) Abdomen

Appearance - Normal Organomegaly - No **Tenderness** - No

Printed By: Benazir Begaum

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK AHC No : AMHLAH186829

COMPLETE HAEMO	OGRAM PI	ROFIL	E		Casts:	Not Fou	ınd		
Test Name	Result	Unit	Level	Range	Crystals:	Not Fou			
Hemoglobin	10.8 *	g/dl		12.0-15.0	•				
RBC COUNT	5.07 *	Millio ul	n/ 🛑	3.8-4.8	URINE SUGAR - POS (QUALITATIVE)	T PRAN	DIAL		
Hematocrit - Hct:	34.6 *	%		36-46	Test Name	Result	Unit	Level	Range
MCV	68.2 *	fl		83-101	URINE GLUCOSE(POST	Nil			
MCH	21.4 *	pg		27-32	PRANDIAL)				
MCHC	31.3 *	%		31.5-34.5	LIDINE CLICAD FACT	INC/OU	A 1 1 <b>T</b> A	TI\/E\	
RDW	15.2 *	%		11.8-14.0	URINE SUGAR- FAST Test Name	Result		•	Range
WBC Count	9900	/cu m	nm 🗨	4000-10000	URINE	Nil	O.I.I.	2010.	rungo
Platelet Count	2.27	lacs/e	cu •	1.5-4.0	GLUCOSE(FASTING)				
Neutrophils	72	%		40-80	BLOOD GROUPING A		•	ABO A	ND RH)
Lymphocytes	23	%	•	20-40	Test Name	Result	Unit	Level	Range
Monocytes	05	%		2-10	ABO Group:	В			
Eosinophils	00	%		01-06	Rh (D) Type:	POSITI	VE		
Basophils	00	%	•	0-0	LIVER FUNCTION TE	ST (PAC	KAGE	<b>:</b> )	
RBC:	Microcy	tic Hypo	ochromi	c RBCs.	Test Name	Result	Unit	Level	Range
Platelets:	Adequa	te on th	e smea	r	ALT(SGPT) - SERUM	17	U/L		0-35
ERYTHROCYTE SEDIMENTATION RATE (ESR)  URINE ROUTINE AN	22 * ND MICRO	mm/ <sup>*</sup> hr		0-20	ALBUMIN - SERUM  ALKALINE PHOSPHATASE - SERUM	4.1 91	g/dL U/L	•	3.5-5.1 33-98
Test Name	Result			Range					
Volume:	20	mL			AST (SGOT) - SERUM	22	U/L		0-35
Colour:	Pale Str	aw			DII IDIIDIN TOTAL				
Appearance	Slightly	Slightly Turbid			BILIRUBIN TOTAL - SERUM	0.5	mg/d	L	0.3-1.2
Specific Gravity	1.015								
pH:	6.0				LIPID PROFILE TEST	•	•	Laval	Donas
Albumin:	Not Det	ected			Test Name CHOLESTEROL -	Result 165		Levei	Range 0-200
Glucose	Not Det	ected			SERUM	100	mg/u	_	0-200
Ketone:	Not Det	ected			CREATININE - SERUI	л			
Bile Pigments	Not Det	ected			Test Name	vı Result	Unit	l evel	Range
RBC	Nil	/hpf			CREATININE - SERUM	0.9		L •	0.6-1.1
Pus Cells	Occasio	Occasionalhpf							
Epithelial Cells	2-4 /h.p.f /hpf				LIVER FUNCTION TE	•		•	Demail
·	·				Test Name	Result	Unit	Levei	Range
•	Within Nor	mal Ra	inge	Border	line High/Low Ou	t of Range	)		

Name : Mrs. NABANITA MALIK (28 /F) UHID : AMHL.0002248790 **Date** : 17/11/2023 Package: MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK AHC No: AMHLAH186829 U/L GGTP: GAMMA 18 0-38 TOTAL T3: TRI 1.00 ng/ml 0.87-1.78 **GLUTAMYL IODOTHYRONINE -**TRANSPEPTIDASE -SERUM **SERUM** TOTAL T4: 10.2 μg/dL 5.48-14.28 **GLUCOSE - PLASMA (FASTING)** THYROXINE - SERUM **Test Name** Result Unit Level Range LIPID PROFILE TEST (PACKAGE) mg/dL GLUCOSE - PLASMA 95 70-99 (FASTING) **Test Name** Result Unit Level Range TRIGLYCERIDES -85 mg/dL 0 - 150GLUCOSE - PLASMA (POST PRANDIAL) **SERUM Test Name** Result Unit Level Range THYROID PROFILE - I(T3,T4 AND TSH) **GLUCOSE - PLASMA** 125 mg/dL 70-140 (POST PRANDIAL) **Test Name** Result Unit Level Range TSH: THYROID 6.2 µIU/mL **HBA1C (GLYCOSYLATED** STIMULATING HAEMOGLOBIN)-WHOLE BLOOD HORMONE - SERUM **Test Name** Result Unit Level Range **URIC ACID - SERUM** HBA1C 5.0 % Nondiadetic: 4 (GLYCOSYLATED - 5.6 % **Test Name** Result Unit Level Range HAEMOGLOBIN)-WHO Prediabetics: **URIC ACID - SERUM** 5.5 mg/dL 2.4-5.7 LE BLOOD 5.7 - 6.4% Diabetes LIVER FUNCTION TEST (PACKAGE) >/= 6.5% **Test Name** Result Unit Level Range **ADA** Theraputic goal **BILIRUBIN** 0.1 mg/dL 0.0-0.2 : <7% **CONJUGATED** (DIRECT) - SERUM LIPID PROFILE TEST (PACKAGE) **BUN (BLOOD UREA NITROGEN) Test Name** Result Unit Level Range **Test Name** Result Unit HDI CHOLESTEROL -37 mg/dL 30-70 Level Range **SERUM** mg/dL BUN (BLOOD UREA 8.0 7.0-18.0 NITROGEN) LDL CHOLESTEROL 107 \* mg/dL 0-100 LIVER FUNCTION TEST (PACKAGE) -SERUM Result Unit **Test Name** Level Range VLDL CHOLESTEROL -21 mg/dL 0-35 A/G - RATIO SERUM (Calculated) 1.3 1.0 - 2.0LIVER FUNCTION TEST (PACKAGE) **BUN/CREATININE RATIO** Result Unit **Test Name** Level Range **Test Name** Result Unit Level Range g/dL PROTEIN TOTAL -7.4 6.4-8.3 9.2 **BUN/CREATININE SERUM RATIO** GLOBULIN: 3.3 g/dL 1.8-3.6 (CALCULATED) -PAP SMEAR /CERVICAL SMEAR **SERUM** Ref No:

AG01.C2308208

**Borderline High/Low** 

SPECIMEN TYPE:

Conventional cervical smear (Papanicolaou stain) x 1

Out of Range

Page 4 of 7

**Test Name** 

THYROID PROFILE - I(T3,T4 AND TSH)

Result Unit

Within Normal Range

Level Range

Name : Mrs. NABANITA MALIK (28 /F) UHID : AMHL.0002248790 Date : 17/11/2023

Package: MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No: AMHLAH186829

## SPECIMEN ADEQUACY:

Satisfactory for evaluation with endocervical cells and Metaplastic cells

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy, with no organism

### **ECG**

NORMAL SINUS RHYTHM, WITHIN NORMAL LIMITS.

### TREADMILL TEST / STRESS TEST

STRESS TEST IS NEGATIVE FOR PROVOCABLE MYOCARDIAL ISCHAEMIA.

### **ULTRASOUND SCREENING WHOLE ABDOMEN**

\* No significant abnormality noted.

[NOTE: At times pelvic structures are not well visualized due to inadequate patient preparation / excess bowel gas shadow. However suggested clinical correlation and other investigations if clinically indicated.]

### X-RAY CHEST PA

\* Chest skiagram does not reveal any significant abnormality.

Name : Mrs. NABANITA MALIK (28 /F) UHID : AMHL.0002248790 Date : 17/11/2023

Package: MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No: AMHLAH186829

Printed By: AHC Physician / Consultant Internal Medicine

Note :- The Health Check-up examinations and routine investigations have certain limitations and may not be able to detect all the diseases. Any new or persisting symptoms should be brought to the attention of the Consulting Physician. Additional tests, consultations and follow up may be required in some cases.

Name : Mrs. NABANITA MALIK (28 /F) UHID ; AMHL.0002248790 Date ; 17/11/2023

Package: MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No: AMHLAH186829

## **AICVD RISK SCORE REPORT**

RISK STATUS	YOUR SCORE	ACCEPTABLE SCORE			
Low Risk	1	2			

### Your cardiovascular disease risk in the next 10 years is within the Normal limits for your age and gender

The AICVD risk score developed by Apollo Hospitals is a novel artificial intelligence-based risk scoring system that predicts your risk of having Coronary Artery Disease (CAD) related events in the next ten years. This scoring system uses Indian data and has been validated by multiple national and international institutions. This risk score is more than 92% accurate and has been compiled based on your physical parameters, heart health attributes, lifestyle and medical history. **Note:** The risk category is determined through the ratio between guest score and acceptable score at multiple decimal points. The outputs are shown in whole numbers.

### Based on your AICVD risk score you are advised the following:

- Follow the guidance and education on lifestyle and dietary management provided through the ProHealth program. Maintain a healthy BMI (<25). Avoid tobacco in any form and if you are a smoker, stop smoking.
- Continue with **medications** for high blood pressure, diabetes, or dyslipidemia, if advised by your physician. Maintain HbA1c <7% (<53mmol/mol), blood pressure <140/90mmHg.
- · Follow your physician's advice regarding follow up tests, consults and annual health assessment

#### **DISCLAIMER**

- 1. This is not a diagnostic tool and it does not guarantee accuracy of the result and cannot be acted upon independently.
- 2. This risk score and clinical algorithm is a general guideline for physicians. Any additional laboratory investigations, diagnostic imaging, treatment or patient education related to lifestyle management is under the physician's or cardiologist's discretion.
- 3. To ensure the information in the report is up to date, accurate and correct, doctor shall be consulted for interpretation of the report.
- 4. Apollo Hospitals and its staff does not offer any assurance on the information made available or be liable for any loss or damage as the said report is based on the AICVD risk score without any intervention from their side.
- 5. By usage of the AICVD risk score, it is deemed that the beneficiary of this service has agreed to get the same done at his own risk and further agrees with this disclaimer without any limitation or any clauses or sub-clauses.

The Clinical Al Models and APIs used at Apollo Hospitals are certified by ISO 13485 : 2016 vide certificate no. MD 763515