

Name : Mr. SUNIL MANDAL (56 /M)

Date : 09/03/2024

Address :

Examined by:

UHID : AMHL.0002311242

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS WITH TMT MALE HCK

AHC No : AMHLAH199386



CHIEF COMPLAINTS

For corporate health checkup
No specific complaints

PRESENT KNOWN ILLNESS

No history of - Diabetes mellitus,
Hypertension,
Dyslipidemia, Thyroid
disorder, Heart disease,
Stroke, Asthma



DRUG ALLERGY

NO KNOWN ALLERGY

:09/03/2024



SYSTEMIC REVIEW

Cardiovascular system

- Nil Significant

Respiratory system

- Nil Significant

Gastrointestinal system

- Nil Significant

Genitourinary system

Frequency - increased

Eyes

Vision - defective; Glasses - no

ENT

- Nil Significant

Musculoskeletal system

Spine and joints

- Nil Significant

Skin

- peeling skin



Present medications

- Nil



Past medical history

Do you have any allergies? - No

Do you have any drug allergies? - No

Covid 19 - No



Surgical history

Appendicectomy - 40 yrs ago



Personal history

Marital status - Married

No. of children - 3

Diet - Non Vegetarian

Alcohol - consumes alcohol
occasionally

Smoking - No

Chews tobacco - No

Physical activity - Mild



Family history

Father - has expired

Mother - alive

Sisters - 1

Coronary artery
disease - none

Cancer - None

PHYSICAL EXAMINATION



General

Build - normal

Height - 173

Weight - 73

BMI - 24.39

Pallor - No

Oedema - no



Cardiovascular system

Name : Mr. SUNIL MANDAL (56 /M)

UHID : AMHL.0002311242

Date : 09/03/2024

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS WITH TMT MALE HCK

AHC No : AMHLAH199386

Heart rate (Per minute) - 90
Rhythm - Regular
- B.P. Sitting
Systolic(mm of Hg) - 140
Diastolic(mm of Hg) - 80
Heart sounds - S1S2+

Respiratory system

Breath sounds - Normal vesicular breath sounds

Abdomen

Organomegaly - No
Tenderness - No

Skin

Dermatitis - Yes

Ophthalmology consultation

Ophthalmology findings - UCVA:RE:6/9LE:6/9
NVA:RE:N10 LE:N10
OCULAR MOVEMENT:WNL
ANT.SEG:EC
ACCPT: SPECTACLE PWR
RE:-0.50X90*(6/6P)
LE:-0.25/-0.75X85*(6/6P)
ADD(BE):+2.50DSPH(N6)
ADVICE:**Glass Rx.*Detail
dilated Funduscopy*Review
after 1yr/SOS

Printed By : Benazir Begaum

Name : Mr. SUNIL MANDAL (56 /M)

UHID : AMHL.0002311242

Date : 09/03/2024

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS WITH TMT MALE HCK

AHC No : AMHLAH199386

COMPLETE HAEMOGRAM PROFILE

Test Name	Result	Unit	Level	Range
Hemoglobin	13.8	g/dl	●	13.0-17.0
RBC COUNT	4.55	Million/ ul	●	4.5-5.5
Hematocrit - Hct:	41.3	%	●	41-53
MCV	90.8	fl	●	83-101
MCH	30.3	pg	●	27-32
MCHC	33.3	%	●	31.5-34.5
RDW	14.1 *	%	●	11.8-14.0
WBC Count	6400	/cu mm	●	4000-10000
Platelet Count	1.54	lacs/cu mm	●	1.5-4.0
Neutrophils	69	%	●	40-80
Lymphocytes	22	%	●	20-40
Monocytes	07	%	●	2-10
Eosinophils	02	%	●	01-06
Basophils	00	%	●	0-0
RBC:	Normocytic Normochromic cells			
Platelets:	Adequate on the smear			
ERYTHROCYTE SEDIMENTATION RATE (ESR)	16 *	mm/1st hr	●	0-15

URINE ROUTINE AND MICROSCOPY

Test Name	Result	Unit	Level	Range
Volume:	20	mL		
Colour:	Pale Yellow			
Appearance	Slightly Turbid			
Specific Gravity	1.030			
pH:	6.0			
Albumin:	Not Detected			
Glucose	Not Detected			
Ketone:	Not Detected			
Bile Pigments	Not Detected			
RBC	1-2	/hpf		
Pus Cells	2-3	/hpf		
Epithelial Cells	0-2			

Casts: Not Found
Crystals: Not Found

URINE SUGAR - POST PRANDIAL (QUALITATIVE)

Test Name	Result	Unit	Level	Range
URINE GLUCOSE(POST PRANDIAL)	Nil			

URINE SUGAR- FASTING(QUALITATIVE)

Test Name	Result	Unit	Level	Range
URINE GLUCOSE(FASTING)	Nil			

BLOOD GROUPING AND TYPING (ABO AND RH)

Test Name	Result	Unit	Level	Range
ABO Group:	B			
Rh (D) Type:	POSITIVE			

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
ALT(SGPT) - SERUM	22	U/L	●	0-50
ALBUMIN - SERUM	4.7	g/dL	●	3.5-5.1
ALKALINE PHOSPHATASE - SERUM	64	U/L	●	43-115

AST (SGOT) - SERUM	23	U/L	●	0-50
BILIRUBIN TOTAL - SERUM	0.6	mg/dL	●	0.3-1.2

LIPID PROFILE TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
CHOLESTEROL - SERUM	213 *	mg/dL	●	0-200

CREATININE - SERUM

Test Name	Result	Unit	Level	Range
CREATININE - SERUM	0.8 *	mg/dL	●	0.9-1.3

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
-----------	--------	------	-------	-------

● Within Normal Range ● Borderline High/Low ● Out of Range

Name : Mr. SUNIL MANDAL (56 /M)

UHID : AMHL.0002311242

Date : 09/03/2024

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS WITH TMT MALE HCK

AHC No : AMHLAH199386

GGTP: GAMMA GLUTAMYL TRANSPEPTIDASE - SERUM 18 U/L ● 0-55

TOTAL T3: TRI IODOTHYRONINE - SERUM 1.38 ng/ml ● 0.87-1.78

TOTAL T4: THYROXINE - SERUM 12.00 µg/dL ● 5.48-14.28

GLUCOSE - PLASMA (FASTING)

Test Name Result Unit Level Range
GLUCOSE - PLASMA (FASTING) 128 * mg/dL ● 70-99

LIPID PROFILE TEST (PACKAGE)

Test Name Result Unit Level Range
TRIGLYCERIDES - SERUM 117 mg/dL ● 0-150

GLUCOSE - PLASMA (POST PRANDIAL)

Test Name Result Unit Level Range
GLUCOSE - PLASMA (POST PRANDIAL) 158 * mg/dL ● 70-140

THYROID PROFILE - I(T3,T4 AND TSH)

Test Name Result Unit Level Range
TSH: THYROID STIMULATING HORMONE - SERUM 2.76 µIU/mL ● 0.38-5.33

HBA1C (GLYCOSYLATED HAEMOGLOBIN)-WHOLE BLOOD

Test Name Result Unit Level Range
HBA1C (GLYCOSYLATED HAEMOGLOBIN)-WHOLE BLOOD 6.7 * % ● Nondiabetic : 4 - 5.6 %
Prediabetics : 5.7 - 6.4%
Diabetes : >= 6.5%
ADA Therapeutic goal : <7%

URIC ACID - SERUM

Test Name Result Unit Level Range
URIC ACID - SERUM 6.1 mg/dL ● 2.6-7.2

LIPID PROFILE TEST (PACKAGE)

Test Name Result Unit Level Range
HDL CHOLESTEROL - SERUM 50 mg/dL ● 30-70
LDL CHOLESTEROL -SERUM 136 * mg/dL ● Optimal: <100
VLDL CHOLESTEROL - SERUM (Calculated) 27 mg/dL ● 0-35

LIVER FUNCTION TEST (PACKAGE)

Test Name Result Unit Level Range
BILIRUBIN CONJUGATED (DIRECT) - SERUM 0.1 mg/dL ● 0.0-0.2

LIVER FUNCTION TEST (PACKAGE)

Test Name Result Unit Level Range
PROTEIN TOTAL - SERUM 7.7 g/dL ● 6.4-8.3
GLOBULIN: (CALCULATED) - SERUM 3.0 g/dL ● 1.8-3.6

PROSTATIC SPECIFIC ANTIGEN (PSA TOTAL) - SERUM

Test Name Result Unit Level Range
PROSTATIC SPECIFIC ANTIGEN (PSA TOTAL) - SERUM 1.46 ng/mL ● 0.00-6.50

BUN (BLOOD UREA NITROGEN)

Test Name Result Unit Level Range
BUN (BLOOD UREA NITROGEN) 11.2 mg/dL ● 7.0-18.0

LIVER FUNCTION TEST (PACKAGE)

Test Name Result Unit Level Range
A/G - RATIO 1.6 ● 1.0-2.0

THYROID PROFILE - I(T3,T4 AND TSH)

Test Name Result Unit Level Range

BUN/CREATININE RATIO

Test Name Result Unit Level Range

● Within Normal Range ● Borderline High/Low ● Out of Range

Name : Mr. SUNIL MANDAL (56 /M)

UHID : AMHL.0002311242

Date : 09/03/2024

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS WITH TMT MALE HCK

AHC No : AMHLAH199386

BUN/CREATININE RATIO 13.3

ECG

NORMAL SINUS RHYTHM, WITHIN NORMAL LIMITS.

TREADMILL TEST / STRESS TEST

STRESS TEST IS NEGATIVE FOR PROVOCABLE MYOCARDIAL ISCHAEMIA.

ULTRASOUND SCREENING WHOLE ABDOMEN

- * Grade I fatty liver.
- * Cyst at lower pole of left kidney with few septa within.

[NOTE: At times pelvic structures are not well visualized due to inadequate patient preparation / excess bowel gas shadow. However suggested clinical correlation and other investigations if clinically indicated.

Dr. MOURUSI MANDAL
DNB RESIDENT
In consultation with

X-RAY CHEST PA

- * Chest skiagram does not reveal any significant abnormality.



Within Normal Range



Borderline High/Low



Out of Range

Name : Mr. SUNIL MANDAL (56 /M)

UHID : AMHL.0002311242

Date : 09/03/2024

Package : MEDIWHEEL - FULL BODY ANNUAL PLUS WITH TMT MALE HCK

AHC No : AMHLAH199386

Printed By :

AHC Physician / Consultant Internal Medicine

Note :- The Health Check-up examinations and routine investigations have certain limitations and may not be able to detect all the diseases. Any new or persisting symptoms should be brought to the attention of the Consulting Physician. Additional tests, consultations and follow up may be required in some cases.

AICVD RISK SCORE REPORT

RISK STATUS

Low Risk

YOUR SCORE

4

ACCEPTABLE SCORE

8

Your cardiovascular disease risk in the next 10 years is within the Normal limits for your age and gender

The AICVD risk score developed by Apollo Hospitals is a novel artificial intelligence-based risk scoring system that predicts your risk of having Coronary Artery Disease (CAD) related events in the next ten years. This scoring system uses Indian data and has been validated by multiple national and international institutions. This risk score is more than 92% accurate and has been compiled based on your physical parameters, heart health attributes, lifestyle and medical history. **Note:** The risk category is determined through the ratio between guest score and acceptable score at multiple decimal points. The outputs are shown in whole numbers.

Based on your AICVD risk score you are advised the following:

- Follow the guidance and education on **lifestyle and dietary management provided through the ProHealth program. Maintain a healthy BMI (<25). Avoid tobacco in any form and if you are a smoker, stop smoking.**
- Continue with **medications** for high blood pressure, diabetes, or dyslipidemia, if advised by your physician. Maintain HbA1c <7% (<53mmol/mol), blood pressure <140/90mmHg.
- Follow your physician's advice regarding **follow up tests, consults and annual health assessment**

DISCLAIMER

1. This is not a diagnostic tool and it does not guarantee accuracy of the result and cannot be acted upon independently.
2. This risk score and clinical algorithm is a general guideline for physicians. Any additional laboratory investigations, diagnostic imaging, treatment or patient education related to lifestyle management is under the physician 's or cardiologist's discretion.
3. To ensure the information in the report is up to date , accurate and correct, doctor shall be consulted for interpretation of the report.
4. Apollo Hospitals and its staff does not offer any assurance on the information made available or be liable for any loss or damage as the said report is based on the AICVD risk score without any intervention from their side .
5. By usage of the AICVD risk score, it is deemed that the beneficiary of this service has agreed to get the same done at his own risk and further agrees with this disclaimer without any limitation or any clauses or sub-clauses.

The Clinical AI Models and APIs used at Apollo Hospitals are certified by ISO 13485 : 2016 vide certificate no. MD 763515