

CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SEEMA SING W-O ADITYA KUMAR SII	N Registered On	: 09/Mar/2024 09:03:03
Age/Gender	: 45 Y 5 M 4 D /F	Collected	: 09/Mar/2024 09:32:18
UHID/MR NO	: ALDP.0000092018	Received	: 09/Mar/2024 10:24:08
Visit ID	: ALDP0389272324	Reported	: 09/Mar/2024 12:39:03
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDI	WHEEL BANK OF BA	ARODA FEMAL	E ABOVE 40 YRS	
Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * ,	Blood			
Blood Group	0			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Wh	ole Blood			
Haemoglobin	12.70	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) <u>DLC</u>	6,300.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils)	57.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	35.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	5.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	3.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	14.00	Mm for 1st hr.		
Corrected		Mm for 1st hr.	< 20	
PCV (HCT) Platelet count	39.00	%	40-54	
Platelet Count	3.51	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width) P-LCR (Platelet Large Cell Ratio)	15.60 -	fL %	9-17 35-60	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE

150 9001:2015

Home Sample Collection 1800-419-0002







Patient Name	: Mrs.SEEMA SING W-O ADITYA KUMAR SIN	Registered On	: 09/Mar/2024 09:03:03
Age/Gender	: 45 Y 5 M 4 D /F	Collected	: 09/Mar/2024 09:32:18
UHID/MR NO	: ALDP.0000092018	Received	: 09/Mar/2024 10:24:08
Visit ID	: ALDP0389272324	Reported	: 09/Mar/2024 12:39:03
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.41	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	11.70	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.66	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	84.00	fl	80-100	CALCULATED PARAMETER
MCH	27.40	pg	28-35	CALCULATED PARAMETER
MCHC	32.60	%	30-38	CALCULATED PARAMETER
RDW-CV	14.90	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	46.60	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,591.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	189.00	/cu mm	40-440	

AS

Dr.Akanksha Singh (MD Pathology)

Page 2 of 11



Home Sample Collection 1800-419-0002



CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SEEMA SING W-O ADITYA KUMAR SI	N Registered On	: 09/Mar/2024 09:03:05
Age/Gender	: 45 Y 5 M 4 D /F	Collected	: 09/Mar/2024 09:32:17
UHID/MR NO	: ALDP.0000092018	Received	: 09/Mar/2024 10:24:09
Visit ID	: ALDP0389272324	Reported	: 09/Mar/2024 11:37:45
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	U	Init	Bio. Ref. Interva	al Method	
GLUCOSE FASTING * , Plasma Glucose Fasting	91.90	mg/dl		lormal 5 Pre-diabetes Diabetes	GOD POD	
Interpretation: a) Kindly correlate clinically with intake of hypogl	ycemic agents, drug	g dosage var	riations and	d other drug inter	actions.	

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP * Sample:Plasma After Meal	108.50	mg/dl	<140 Normal 140-199 Pre-diabetes >200 Diabetes	GOD POD
			200 Didbettes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1	C) * , EDTA BLOOD		
Glycosylated Haemoglobin (HbA1c)	5.00	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	31.20	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	97	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.









Patient Name	: Mrs.SEEMA SING W-O ADITYA KUMAR SI	N Registered On	: 09/Mar/2024 09:03:05
Age/Gender	: 45 Y 5 M 4 D /F	Collected	: 09/Mar/2024 09:32:17
UHID/MR NO	: ALDP.0000092018	Received	: 09/Mar/2024 10:24:09
Visit ID	: ALDP0389272324	Reported	: 09/Mar/2024 11:37:45
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
-----------	--------	------	--------------------	--------

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	8.92	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	0.70	mg/dl	0.5-1.20	MODIFIED JAFFES
Uric Acid * Sample:Serum	3.05	mg/dl	2.5-6.0	URICASE

LFT (WITH GAMMA GT) * , Serum

150 9001:2015

Page 4 of 11









Patient Name	: Mrs.SEEMA SING W-O ADITYA KUMAR S	IN Registered On	: 09/Mar/2024 09:03:05
Age/Gender	: 45 Y 5 M 4 D /F	Collected	: 09/Mar/2024 09:32:17
UHID/MR NO	: ALDP.0000092018	Received	: 09/Mar/2024 10:24:09
Visit ID	: ALDP0389272324	Reported	: 09/Mar/2024 11:37:45
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

	IEEL DAINK OF DF				
Test Name	Result		Unit	Bio. Ref. Interv	al Method
	20.40	11/1	25		
SGOT / Aspartate Aminotransferase (AST)	29.40	U/L	< 35		IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	36.70	U/L	< 40		IFCC WITHOUT P5P
Gamma GT (GGT)	23.30	IU/L	11-50		OPTIMIZED SZAZING
Protein	6.20	gm/dl	6.2-8.		BIURET
Albumin	4.80	gm/dl	3.4-5.		B.C.G.
Globulin	1.40	gm/dl	1.8-3.		CALCULATED
A:G Ratio	3.43		1.1-2.		CALCULATED
Alkaline Phosphatase (Total)	62.70	U/L	42.0-1		IFCC METHOD
Bilirubin (Total)	0.30	mg/dl	0.3-1.	2	JENDRASSIK & GROF
Bilirubin (Direct)	0.10	mg/dl	< 0.30		JENDRASSIK & GROF
Bilirubin (Indirect)	0.20	mg/dl	< 0.8		JENDRASSIK & GROF
LIPID PROFILE (MINI) * , Serum					
Cholesterol (Total)	245.00	mg/dl		Desirable 39 Borderline Hig High	CHOD-PAP h
HDL Cholesterol (Good Cholesterol)	70.00	mg/dl	30-70		DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	161	mg/dl	100-1 Optin 130-1	nal/Above Optima 59 Borderline Hig	
				89 High Very High	
VLDL .	13.58	mg/dl	10-33	5 0	CALCULATED
Triglycerides	67.90	mg/dl	150-1 200-4	Normal 99 Borderline Hig 99 High Very High	GPO-PAP h

AS

Dr.Akanksha Singh (MD Pathology)





CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SEEMA SING W-O ADITYA KUMAR SIN	Registered On	: 09/Mar/2024 09:03:04
Age/Gender	: 45 Y 5 M 4 D /F	Collected	: 09/Mar/2024 14:38:51
UHID/MR NO	: ALDP.0000092018	Received	: 09/Mar/2024 15:51:39
Visit ID	: ALDP0389272324	Reported	: 09/Mar/2024 16:07:02
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE *	, Urine			
Color	PALE YELLOW			
Specific Gravity	1.005			
Reaction PH	Acidic (6.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	[′] mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
	A REAL PROPERTY.		> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
		and the second	1-2 (+++) > 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT	nig/ di	0.1-3.0	DIOCHEIVIISTICI
Bile Pigments	ABSENT			
Bilirubin	ABSENT		and a service of	DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			DIFSTICK
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:	ADJENT			DIFSTICK
•	1.0/b.m.f			MICDOCCODIC
Epithelial cells	1-2/h.p.f			MICROSCOPIC EXAMINATION
Pus cells	1.0/h.n.f			EXAIVIINATION
	1-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
u ystais	ADJENT			EXAMINATION
Others	ABSENT			
Urine Microscopy is done on centrifug	ad uring addiment			
onne wheroscopy is done on centritug	eu unne seunnent.			

SUGAR, FASTING STAGE * , Urine

Sugar, Fasting stage	ABSENT	gms%
----------------------	--------	------











Patient Name	: Mrs.SEEMA SING W-O ADITYA KUMAR SI	N Registered On	: 09/Mar/2024 09:03:04
Age/Gender	: 45 Y 5 M 4 D /F	Collected	: 09/Mar/2024 14:38:51
UHID/MR NO	: ALDP.0000092018	Received	: 09/Mar/2024 15:51:39
Visit ID	: ALDP0389272324	Reported	: 09/Mar/2024 16:07:02
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

SUGAR, PP STAGE * , Urine Sugar, PP Stage ABSENT Interpretation: (+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms%	Test Name	Result	Unit	Bio. Ref. Interval	Method
$\begin{array}{llllllllllllllllllllllllllllllllllll$					
$\begin{array}{llllllllllllllllllllllllllllllllllll$	Interpretation:				
(++) 0.5-1.0 (+++) 1-2 (++++) > 2 SUGAR, PP STAGE * , Urine Sugar, PP Stage ABSENT Interpretation: (+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms%					
(+++) 1-2 (++++) > 2 SUGAR, PP STAGE * , Urine Sugar, PP Stage ABSENT Interpretation: (+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms%					
Sugar, PP Stage ABSENT Interpretation: (+) (+) < 0.5 gms%					
Interpretation: (+) < 0.5 gms%	(++++) > 2				
Sugar, PP Stage ABSENT Interpretation: (+) (+) < 0.5 gms%					
Interpretation: (+) < 0.5 gms%	SUGAR, PP STAGE * , Urine				
 (+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms% 	Sugar, PP Stage	ABSENT			
 (+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms% 					
(++) 0.5-1.0 gms% (+++) 1-2 gms%	Interpretation:				
(+++) 1-2 gms%					
(++++) > 2 gms%					
	(++++) > 2 gms%				
				and the second second	

AS

Dr.Akanksha Singh (MD Pathology)

Page 7 of 11











Patient Name	: Mrs.SEEMA SING W-O ADITYA KUMAR S	IN Registered On	: 09/Mar/2024 09:03:04
Age/Gender	: 45 Y 5 M 4 D /F	Collected	: 09/Mar/2024 09:32:17
UHID/MR NO	: ALDP.0000092018	Received	: 09/Mar/2024 10:24:08
Visit ID	: ALDP0389272324	Reported	: 09/Mar/2024 14:07:56
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
THYROID PROFILE - TOTAL * , Serum					
T3, Total (tri-iodothyronine)	151.00	ng/dl	84.61–201.7	CLIA	
T4, Total (Thyroxine)	9.40	ug/dl	3.2-12.6	CLIA	
TSH (Thyroid Stimulating Hormone)	2.500	μIU/mL	0.27 - 5.5	CLIA	
Interpretation:					

0.3-4.5	µIU/mL	First Trimester
0.5-4.6	µIU/mL	Second Trimester
0.8-5.2	µIU/mL	Third Trimester
0.5-8.9	µIU/mL	Adults 55-87 Years
0.7-27	µIU/mL	Premature 28-36 Week
2.3-13.2	µIU/mL	Cord Blood > 37Week
0.7-64	µIU/mL	Child(21 wk - 20 Yrs.)
1-39	µIU/mL	Child 0-4 Days
1.7-9.1	µIU/mL	Child 2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)

Page 8 of 11









Patient Name	: Mrs.SEEMA SING W-O ADITYA KUMAR SIN	I Registered On	: 09/Mar/2024 09:03:05
Age/Gender	: 45 Y 5 M 4 D /F	Collected	: N/A
UHID/MR NO	: ALDP.0000092018	Received	: N/A
Visit ID	: ALDP0389272324	Reported	: 09/Mar/2024 16:29:58
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

Croth

DR K N SINGH (MBBS, DMRE)

Page 9 of 11











Patient Name	: Mrs.SEEMA SING W-O ADITYA KUMAR SIN	Registered On	: 09/Mar/2024 09:03:05
Age/Gender	: 45 Y 5 M 4 D /F	Collected	: N/A
UHID/MR NO	: ALDP.0000092018	Received	: N/A
Visit ID	: ALDP0389272324	Reported	: 09/Mar/2024 11:17:56
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - Normal in size (13.4 cm), shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER :- Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

CBD :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size , shape and echogenicity.

RIGHT KIDNEY: - Normal in size (9.7 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size (11.1 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Normal in shape, outline and distension. No e/o wall thickening / calculus.

UTERUS :- Anteverted, and is **Bulky in size (8.3 x 4.4 x 5.4 cm vol - 106.2 cc).** Endometrium is normal in thickness (3.5 mm). Cervix hypertrophic measuring ~ 3.0 x 3.4 cm is seen with multiple nabothain cysts largest measuring ~ 6.7 mm is seen.

OVARIES :- Bilateral ovaries are normal in size, shape and echogenicity.

ADNEXA :- No obvious adnexal pathology

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION:

- Bulky uterus ? adenomyosis.
- Cervix hypertrophic with nabothian cyst.

Please correlate clinically.

*** End Of Report ***

ISO 9001:2015

Page 10 of 11









Patient Name	: Mrs.SEEMA SING W-O ADITYA KUMAR SIN	l Registered On	: 09/Mar/2024 09:03:05
Age/Gender	: 45 Y 5 M 4 D /F	Collected	: N/A
UHID/MR NO	: ALDP.0000092018	Received	: N/A
Visit ID	: ALDP0389272324	Reported	: 09/Mar/2024 11:17:56
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, ECG / EKG, Tread Mill Test (TMT), PAP SMEAR FOR CYTOLOGICAL EXAMINATION



Croth

DR K N SINGH (MBBS, DMRE)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * 365 Days Open *Facilities Available at Select Location

Page 11 of 11



