Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

| Patient Name | : Mr.MANJIT KUMAR TIWARY - 160816 | Registered On | : 08/Oct/2022 08:58:22 |
|--------------|--|---------------|------------------------|
| Age/Gender | : 40 Y 1 M 26 D /M | Collected | : N/A |
| UHID/MR NO | : ALDP.0000104365 | Received | : N/A |
| Visit ID | : ALDP0178502223 | Reported | : 09/Oct/2022 10:35:00 |
| Ref Doctor | : Dr.Mediwheel - Arcofemi Health Care Ltd. | Status | : Final Report |

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ECG / EKG *

| | 1. Machnism | , Rhythm | Sinus, Regular | |
|----------------|---------------|----------------------|-------------------|-------------------|
| | 2. Atrial Rat | e | 76 | /mt |
| | 3. Ventricula | ar Rate | 76 | /mt |
| | 4. P - Wave | | Normal | |
| | 5. P R Interv | al | Normal | |
| | 6. Q R S | | | |
| | | Axis : | Normal | |
| | | R/S Ratio : | Normal | |
| | | Configuration : | Normal | |
| | 7. Q T c Inte | rval | Normal | |
| | 8. S - T Segn | nent | Normal | |
| FINAL IMPRE | 9. T – Wave | | Normal | |
| T HYAL HVIE NE | | Within Normal Limita | Sinus Dhuthm Norr | nol Avic Dlago ag |

ECG Within Normal Limits: Sinus Rhythm, Normal Axis.Please correlate clinically





Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

| Patient Name Age/Gender UHID/MR NO Visit ID Ref Doctor | : Mr.MANJIT KUMAR TIWA : 40 Y 1 M 26 D /M : ALDP.0000104365 : ALDP0178502223 : Dr.Mediwheel - Arcofem | | Registered C Collected Received Reported Status | On : 08/Oct/2022 0 : 08/Oct/2022 0 : 08/Oct/2022 0 : 08/Oct/2022 1 : Final Report | 9: 12: 32 9: 53: 41 |
|--|---|------------|---|--|------------------------------------|
| | | DEPARTMENT | of haemato | LOGY | |
| | MEDIWH | | | ABOVE 40 YRS | |
| Test Name | | Result | Unit | Bio. Ref. Interval | Method |
| Blood Group (A | BO & Rh typing) * , Blood | | | | |
| Blood Group | 20 a m () p m () , p m () | 0 | | | |
| Rh (Anti-D) | | POSITIVE | | | |
| Complete Blood | d Count (CBC) * , Whole Blo | od | | | |
| Haemoglobin | | 10.90 | g/dl | 1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/d 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/d | |
| TLC (WBC) <u>DLC</u> | | 6,700.00 | /Cu mm | 4000-10000 | ELECTRONIC IMPEDANCE |
| Polymorphs (Ne | utrophils) | 49.00 | % | 55-70 | ELECTRONIC IMPEDANCE |
| Lymphocytes | | 45.00 | % | 25-40 | ELECTRONIC IMPEDANCE |
| Monocytes | | 3.00 | % | 3-5 | ELECTRONIC IMPEDANCE |
| Eosinophils | | 3.00 | % | 1-6 | ELECTRONIC IMPEDANCE |
| Basophils ESR | | 0.00 | % | < 1 | ELECTRONIC IMPEDANCE |
| Observed | | 22.00 | Mm for 1st hr. | | |
| Corrected | | - | Mm for 1st hr. | < 9 | |
| PCV (HCT) Platelet count | | 30.00 | % | 40-54 | |
| Platelet Count | | 1.86 | LACS/cu mm | 1.5-4.0 | ELECTRONIC IMPEDANCE/MICROSCOPI |
| PDW (Platelet Di | stribution width) | 15.90 | fL | 9-17 | ELECTRONIC IMPEDANCE |
| P-LCR (Platelet La | - | 62.50 | % | 35-60 | ELECTRONIC IMPEDANCE |
| PCT (Platelet Her | 3 | 0.28 | % | 0.108-0.282 | ELECTRONIC IMPEDANCE |
| MPV (Mean Plate RBC Count | - | 15.20 | fL | 6.5-12.0 | ELECTRONIC IMPEDANCE |
| RBC Count | | 4.39 | Mill./cu mm | 4.2-5.5 | ELECTRONIC IMPEDANCE |

Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

| Patient Name | : Mr.MANJIT KUMAR TIWARY - 160816 | Registered On | : 08/Oct/2022 08:58:21 |
|--------------|--|---------------|------------------------|
| Age/Gender | : 40 Y 1 M 26 D /M | Collected | : 08/Oct/2022 09:12:32 |
| UHID/MR NO | : ALDP.0000104365 | Received | : 08/Oct/2022 09:53:41 |
| Visit ID | : ALDP0178502223 | Reported | : 08/Oct/2022 14:24:21 |
| Ref Doctor | : Dr.Mediwheel - Arcofemi Health Care Ltd. | Status | : Final Report |

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|----------------------------------|----------|--------|--------------------|----------------------|
| | | | | |
| Blood Indices (MCV, MCH, MCHC) | | | | |
| MCV | 70.40 | fl | 80-100 | CALCULATED PARAMETER |
| MCH | 24.80 | pg | 28-35 | CALCULATED PARAMETER |
| MCHC | 35.20 | % | 30-38 | CALCULATED PARAMETER |
| RDW-CV | 15.30 | % | 11-16 | ELECTRONIC IMPEDANCE |
| RDW-SD | 48.70 | fL | 35-60 | ELECTRONIC IMPEDANCE |
| Absolute Neutrophils Count | 3,283.00 | /cu mm | 3000-7000 | |
| Absolute Eosinophils Count (AEC) | 201.00 | /cu mm | 40-440 | |



av

Dr. Akanksha Singh (MD Pathology)

Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

| Patient Name | : Mr.MANJIT KUMAR TIWARY - 160816 | Registered On | : 08/Oct/2022 08:58:22 |
|--------------|--|---------------|------------------------|
| Age/Gender | : 40 Y 1 M 26 D /M | Collected | : 08/Oct/2022 15:00:43 |
| UHID/MR NO | : ALDP.0000104365 | Received | : 08/Oct/2022 15:31:30 |
| Visit ID | : ALDP0178502223 | Reported | : 08/Oct/2022 16:29:48 |
| Ref Doctor | : Dr.Mediwheel - Arcofemi Health Care Ltd. | Status | : Final Report |

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|----------------------------|--------|-------|---|---------|
| | | | | |
| GLUCOSE FASTING * , Plasma | | | | |
| Glucose Fasting | 101.10 | mg/dl | < 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes | GOD POD |

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

| Glucose PP * Sample:Plasma After Meal | 115.70 | mg/dl | <140 Normal 140-199 Pre-diabetes >200 Diabetes | GOD POD |
|---|--------|-------|--|---------|
| | | | | |

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.



Kan

Dr. Akanksha Singh (MD Pathology)

Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

| Patient Name | : Mr.MANJIT KUMAR TIWARY - 160816 | Registered On | : 08/Oct/2022 08:58:22 |
|--------------|--|---------------|------------------------|
| Age/Gender | : 40 Y 1 M 26 D /M | Collected | : 08/Oct/2022 09:12:32 |
| UHID/MR NO | : ALDP.0000104365 | Received | : 09/Oct/2022 11:22:56 |
| Visit ID | : ALDP0178502223 | Reported | : 09/Oct/2022 13:23:46 |
| Ref Doctor | : Dr.Mediwheel - Arcofemi Health Care Ltd. | Status | : Final Report |

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|------------------------------------|----------------|---------------|--------------------|-------------|
| | | | | |
| GLYCOSYLATED HAEMOGLOBIN (HBA1C) * | * , EDTA BLOOD | | | |
| Glycosylated Haemoglobin (HbA1c) | 5.30 | % NGSP | | HPLC (NGSP) |
| Glycosylated Haemoglobin (HbA1c) | 34.00 | mmol/mol/IFCC | | |
| Estimated Average Glucose (eAG) | 105 | mg/dl | | |

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

| Haemoglobin A1C (%)NGSP | mmol/mol / IFCC Unit | eAG (mg/dl) | Degree of Glucose Control Unit |
|-------------------------|----------------------|-------------|---------------------------------------|
| > 8 | >63.9 | >183 | Action Suggested* |
| 7-8 | 53.0 -63.9 | 154-183 | Fair Control |
| < 7 | <63.9 | <154 | Goal** |
| 6-7 | 42.1 -63.9 | 126-154 | Near-normal glycemia |
| < 6% | <42.1 | <126 | Non-diabetic level |

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B. : Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

| Patient Name | : Mr.MANJIT KUMAR TIWARY - 160816 | Registered On | : 08/Oct/2022 08:58:22 |
|--------------|--|---------------|------------------------|
| | | 9 | |
| Age/Gender | : 40 Y 1 M 26 D /M | Collected | : 08/Oct/2022 09:12:32 |
| UHID/MR NO | : ALDP.0000104365 | Received | : 09/Oct/2022 11:22:56 |
| Visit ID | : ALDP0178502223 | Reported | : 09/Oct/2022 13:23:46 |
| Ref Doctor | : Dr.Mediwheel - Arcofemi Health Care Ltd. | Status | : Final Report |

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name Result Unit Bio. Ref. Interval Method | st Name | Result | Unit | Bio. Ref. Interval | Method | |
|---|---------|--------|------|--------------------|--------|--|
|---|---------|--------|------|--------------------|--------|--|


c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.





Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

| Patient Name | : Mr.MANJIT KUMAR TIWAR | Y - 160816 | Registered On | : 08/Oct/2022 0 | |
|-------------------------------------|---|------------------|-----------------------|--|-----------------------------------|
| Age/Gender UHID/MR NO | : 40 Y 1 M 26 D /M : ALDP.0000104365 | | Collected Received | : 08/Oct/2022 0 : 08/Oct/2022 0 | |
| Visit ID | : ALDP:0000104303 | | Reported | : 08/Oct/2022 1 | |
| Ref Doctor | : Dr.Mediwheel - Arcofemi | Health Care Ltd. | Status | : Final Report | |
| | I | DEPARTMENT C | OF BIOCHEMIST | RY | |
| | MEDIWHE | EL BANK OF BA | RODA MALE AI | BOVE 40 YRS | |
| Test Name | | Result | Unit | Bio. Ref. Interval | Method |
| | | | | | |
| BUN (Blood Urea I Sample:Serum | Nitrogen) * | 8.35 | mg/dL | 7.0-23.0 | CALCULATED |
| Creatinine * Sample:Serum | | 1.30 | mg/dl | 0.7-1.3 | MODIFIED JAFFES |
| Uric Acid * Sample:Serum | | 6.10 | mg/dl | 3.4-7.0 | URICASE |
| LFT (WITH GAM | MAGT) * , Serum | | | | |
| SGOT / Aspartate | e Aminotransferase (AST) | 52.00 | U/L | < 35 | IFCC WITHOUT P5P |
| SGPT / Alanine A | minotransferase (ALT) | 89.70 | U/L | < 40 | IFCC WITHOUT P5P |
| Gamma GT (GGT) | | 38.40 | IU/L | 11-50 | OPTIMIZED SZAZING |
| Protein | | 6.50 | gm/dl | 6.2-8.0 | BIRUET |
| Albumin | | 4.60 | gm/dl | 3.8-5.4 | B.C.G. |
| Globulin | | 1.90 | gm/dl | 1.8-3.6 | CALCULATED |
| A:G Ratio | | 2.42 | | 1.1-2.0 | CALCULATED |
| Alkaline Phospha | itase (Total) | 160.00 | U/L | 42.0-165.0 | IFCC METHOD |
| Bilirubin (Total) | | 0.60 | mg/dl | 0.3-1.2 | JENDRASSIK & GROF |
| Bilirubin (Direct) | 、 | 0.20 | mg/dl | < 0.30 | JENDRASSIK & GROF |
| Bilirubin (Indirect | i) | 0.40 | mg/dl | < 0.8 | JENDRASSIK & GROF |
| LIPID PROFILE (| • | | | | |
| Cholesterol (Tota | l) | 149.00 | mg/dl | <200 Desirable 200-239 Borderline > 240 High | CHOD-PAP High |
| HDL Cholesterol (| (Good Cholesterol) | 61.20 | mg/dl | 30-70 | DIRECT ENZYMATIC |
| LDL Cholesterol (| Bad Cholesterol) | 63 | mg/dl | < 100 Optimal 100-129 Nr. Optimal/Above Opt 130-159 Borderline 160-189 High > 190 Very High | |
| | | 24.96 | mg/dl | 10-33 | |
| | | 124.80 | mg/dl | < 150 Normal 150-199 Borderline 200-499 High >500 Very High | Dr. Akanksha Singh (MD Pathology) |

Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

| Patient Name | : Mr.MANJIT KUMAR TIWARY - 160816 | Registered On | : 08/Oct/2022 08:58:22 |
|--------------|--|---------------|------------------------|
| Age/Gender | : 40 Y 1 M 26 D /M | Collected | : 08/Oct/2022 15:00:43 |
| UHID/MR NO | : ALDP.0000104365 | Received | : 08/Oct/2022 15:31:30 |
| Visit ID | : ALDP0178502223 | Reported | : 08/Oct/2022 19:00:32 |
| Ref Doctor | : Dr.Mediwheel - Arcofemi Health Care Ltd. | Status | : Final Report |

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|-----------------------------|--------------|-------|--|----------------------------|
| | | | | |
| RINE EXAMINATION, ROUTINE | * , Urine | | | |
| Color | PALE YELLOW | | | |
| Specific Gravity | 1.015 | | | |
| Reaction PH | Acidic (5.0) | | | DIPSTICK |
| Protein | ABSENT | mg % | < 10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++) | DIPSTICK |
| Sugar | ABSENT | gms% | < 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++) | DIPSTICK |
| Ketone | ABSENT | mg/dl | 0.2-2.81 | BIOCHEMISTRY |
| Bile Salts | ABSENT | | | |
| Bile Pigments | ABSENT | | | |
| Urobilinogen(1:20 dilution) | ABSENT | | | |
| Microscopic Examination: | | | | |
| Epithelial cells | 0-2/h.p.f | | | MICROSCOPIC EXAMINATION |
| Pus cells | 0-2/h.p.f | | | |
| RBCs | ABSENT | | | MICROSCOPIC |
| | | | | EXAMINATION |
| Cast | ABSENT | | | |
| Crystals | ABSENT | | | MICROSCOPIC |
| Others | ABSENT | | | EXAMINATION |

Urine Microscopy is done on centrifuged urine sediment.

SUGAR, FASTING STAGE * , Urine

| Sugar, Fasting stage | ABSENT | gms% |
|----------------------|--------|------|
| | | |
| Interpretation: | | |
| (+) < 0.5 | | |
| (++) 0.5-1.0 | | |
| (+++) 1-2 | | |

Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

| Patient Name | : Mr.MANJIT KUMAR TIWARY - 160816 | Registered On | : 08/Oct/2022 08:58:22 |
|--------------|--|---------------|------------------------|
| Age/Gender | : 40 Y 1 M 26 D /M | Collected | : 08/Oct/2022 15:00:43 |
| UHID/MR NO | : ALDP.0000104365 | Received | : 08/Oct/2022 15:31:30 |
| Visit ID | : ALDP0178502223 | Reported | : 08/Oct/2022 19:00:32 |
| Ref Doctor | : Dr.Mediwheel - Arcofemi Health Care Ltd. | Status | : Final Report |

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method | |
|-----------|--------|------|--------------------|--------|--|
|-----------|--------|------|--------------------|--------|--|

(++++) > 2

SUGAR, PP STAGE * , Urine

Sugar, PP Stage

ABSENT

Interpretation:

| (+) | < 0.5 gms% |
|--------|--------------|
| (++) | 0.5-1.0 gms% |
| (+++) | 1-2 gms% |
| (++++) | >2 gms% |



Dr. Akanksha Singh (MD Pathology)

Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

| Patient Name | : Mr.MANJIT KUMAR TIWARY - 160816 | Registered On | : 08/Oct/2022 08:58:22 |
|--------------|--|---------------|------------------------|
| Age/Gender | : 40 Y 1 M 26 D /M | Collected | : 08/Oct/2022 09:12:32 |
| UHID/MR NO | : ALDP.0000104365 | Received | : 09/Oct/2022 10:40:51 |
| Visit ID | : ALDP0178502223 | Reported | : 09/Oct/2022 11:47:06 |
| Ref Doctor | : Dr.Mediwheel - Arcofemi Health Care Ltd. | Status | : Final Report |

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method | |
|---|--------|----------|--------------------|--------|--|
| | | | | | |
| PSA (Prostate Specific Antigen), Total ** | 0.300 | ng/mL | < 2.0 | CLIA | |
| Sample:Serum | 0.300 | IIg/IIIL | < 2.0 | | |

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone⁻
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL ** , Serum

| T3, Total (tri-iodothyronine) | 95.36 | ng/dl | 84.61-201.7 | CLIA |
|-----------------------------------|-------|--------|-------------|------|
| T4, Total (Thyroxine) | 5.30 | ug/dl | 3.2-12.6 | CLIA |
| TSH (Thyroid Stimulating Hormone) | 11.19 | µIU/mL | 0.27 - 5.5 | CLIA |

Interpretation:

| 0.3-4.5 | µIU/mL | First Trimest | er |
|----------|--------|---------------|-------------|
| 0.5-4.6 | µIU/mL | Second Trim | ester |
| 0.8-5.2 | µIU/mL | Third Trimes | ter |
| 0.5-8.9 | µIU/mL | Adults | 55-87 Years |
| 0.7-27 | µIU/mL | Premature | 28-36 Week |
| 2.3-13.2 | µIU/mL | Cord Blood | > 37Week |
| 0.7-64 | µIU/mL | Child(21 wk | - 20 Yrs.) |
| 1-39 | µIU/mL | Child | 0-4 Days |
| 1.7-9.1 | µIU/mL | Child | 2-20 Week |

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

| Patient Name | : Mr.MANJIT KUMAR TIWARY - 160816 | Registered On | : 08/Oct/2022 08:58:22 |
|--------------|--|---------------|------------------------|
| Age/Gender | : 40 Y 1 M 26 D /M | Collected | : 08/Oct/2022 09:12:32 |
| UHID/MR NO | : ALDP.0000104365 | Received | : 09/Oct/2022 10:40:51 |
| Visit ID | : ALDP0178502223 | Reported | : 09/Oct/2022 11:47:06 |
| Ref Doctor | : Dr.Mediwheel - Arcofemi Health Care Ltd. | Status | : Final Report |

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method | |
|-----------|--------|------|--------------------|--------|--|
| | | | | | |

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.


5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.





Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

| Patient Name | : Mr.MANJIT KUMAR TIWARY - 160816 | Registered On | : 08/Oct/2022 08:58:23 |
|--------------|--|---------------|------------------------|
| Age/Gender | : 40 Y 1 M 26 D /M | Collected | : N/A |
| UHID/MR NO | : ALDP.0000104365 | Received | : N/A |
| Visit ID | : ALDP0178502223 | Reported | : 08/Oct/2022 13:35:40 |
| Ref Doctor | : Dr.Mediwheel - Arcofemi Health Care Ltd. | Status | : Final Report |
| | | | |

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.



Nidhikant.

Dr Nidhikant (MBBS, DMRD, DNB)

Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

| Patient Name | : Mr.MANJIT KUMAR TIWARY - 160816 | Registered On | : 08/Oct/2022 08:58:23 |
|--------------|--|---------------|------------------------|
| Age/Gender | : 40 Y 1 M 26 D /M | Collected | : N/A |
| UHID/MR NO | : ALDP.0000104365 | Received | : N/A |
| Visit ID | : ALDP0178502223 | Reported | : 08/Oct/2022 12:09:32 |
| Ref Doctor | : Dr.Mediwheel - Arcofemi Health Care Ltd. | Status | : Final Report |
| | | | |

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - Normal in size, shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER :- Not visualized (Post cholecystectomy status)

CBD :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size, shape and echogenicity.

RIGHT KIDNEY: - Normal in size, shape and echogenicity. No focal lesion or calculus seen. Right pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size, shape and echogenicity. No focal lesion or calculus seen. Left pelvicalyceal system is not dilated.

URINARY BLADDER :- Normal in shape, outline and distension. No e/o wall thickening / calculus.

PROSTATE :- Normal in size, shape and echo pattern.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION : No significant abnormality seen.

NE EXAMINATION, Tread Mill Test (TMT)

Please correlate clinically

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Nidhikant.

Dr Nidhikant (MBBS,DMRD,DNB)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * 365 Days Open *Facilities Available at Select Location