





26 - 34 pg

31 - 35 %

40 - 75 %

Diagnostics & Speciality Centre

MR NO. NAME Mr. THAKUR SUBHASH KUMAR : 22012464

AGE/SEX 36 Yrs / Male VISIT NO. 147689

REFERRED BY · DATE OF COLLECTION · 15-01-2022 at 09:29 AM

> DATE OF REPORT : 15-01-2022 at 01:22 PM

REF CENTER : MEDIWHEEL

RESULT REFERENCE RANGE **SPECIMEN TEST PARAMETER**

HAEMATOLOGY

COMPLETE BLOOD COUNT (CBC) WITH ESR

13 - 18 gm/dL **HAEMOGLOBIN** 17.5 gm/dL Colorimetric Method

HEMATOCRIT (PCV) 52.6 % 40 - 54 %

Calculated

4.5 - 5.9 million/cu.mm RED BLOOD CELL (RBC) COUNT 6.3 million/cu.mm

Electrical Impedance

PLATELET COUNT 2.0 Lakhs/cumm 1.5 - 4.5 Lakhs/cumm

Electrical Impedance

MEAN CELL VOLUME (MCV) 83.5 fl 80 - 100 fl

MEAN CORPUSCULAR HEMOGLOBIN (MCH) 27.8 pg Calculated

MEAN CORPUSCULAR HEMOGLOBIN

CONCENTRATION (MCHC) Calculated

DIFFERENTIAL COUNT

TOTAL WBC COUNT (TC)

5820 cells/cumm 4000 - 11000 cells/cumm

33.4 %

Electrical Impedance

NEUTROPHILS 66 % VCS Technology/Microscopic

25 - 40 % LYMPHOCYTES 28 %

VCS Technology/Microscopic

EOSINOPHILS 02 % 0 - 7 % VCS Technology/Microscopic

MONOCYTES 04 % 1 - 8 %

VCS Technology/Microscopic

BASOPHILS 00 % Electrical Impedance

13 mm/hr 0 - 15 mm/hr **ESR**

Villadu. u.

Westergren Method



Dr. KRISHNA MURTHY Dr. VAMSEEDHAR.A Lab Seal

MD **BIOCHEMIST**

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 1 of 9







Diagnostics & Speciality Centre

NAME MR NO. Mr. THAKUR SUBHASH KUMAR

: 22012464

AGE/SEX 36 Yrs / Male VISIT NO. 147689

REFERRED BY ·

REF CENTER

DATE OF COLLECTION · 15-01-2022 at 09:29 AM

DATE OF REPORT

: 15-01-2022 at 01:22 PM

TEST PARAMETER

RESULT

REFERENCE RANGE

SPECIMEN

BLOOD GROUP & Rh TYPING Tube Agglutination (Forward and Reverse)

"A" Positive

GLYCATED HAEMOGLOBIN (HbA1C)

: MEDIWHEEL

8.4 %

American Diabetic Association (ADA)

recommendations:

Non diabetic adults: <5.7 %

At risk (Pre diabetic): 5.7 -

6.4%

Diabetic: >/= 6.5%

Therapeutic goal for glycemic control:

Goal for therapy: < 7.0%

Action suggested: > 8.0%

ESTIMATED AVERAGE GLUCOSE (eAG) Calculation

194.38 mg/dL

Comments:

This assay is useful for diagnosing Diabetes and evaluating long term control of blood glucose concentrations in diabetic patients. It reflects the mean glucose concentration over the previous period of 8 to 12 weeks and is a better indicator of long term glycemic control as compared with blood and urine glucose measurements. This provides a additional criterion for assessing glucose control because glycated hemoglobin values are free of day-to-day glucose fluctuation and are unaffected by exercise or food ingestion.

After a sudden alteration in blood glucose concentration, the rate of change of HbA1c is rapid during initial 2 months, followed by more gradual change approaching steady state 3 months later.

Collegn. u.



Dr. KRISHNA MURTHY

Lab Seal

Dr. VAMSEEDHAR.A

MD **BIOCHEMIST**

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 2 of 9







REFERENCE RANGE

Diagnostics & Speciality Centre

NAME : Mr. THAKUR SUBHASH KUMAR MR NO.

AGE/SEX : 36 Yrs / Male VISIT NO. : 147689

RESULT

REFERRED BY: DATE OF COLLECTION: 15-01-2022 at 09:29 AM

DATE OF REPORT : 15-01-2022 at 01:22 PM

: 22012464

SPECIMEN

REF CENTER : MEDIWHEEL

CLINICAL BIOCHEMISTRY

FASTING BLOOD SUGAR 157 mg/dl 70 - 110 mg/dl

Hexokinase

TEST PARAMETER

POST PRANDIAL BLOOD SUGAR 328.9 mg/dl 80 - 150 mg/dl

łexokinase

CREATININE **0.6** mg/dL 0.8 - 1.4 mg/dL

laffe Method

Ellean. u.



A. Hurudhay

Dr. KRISHNA MURTHY

BIOCHEMIST

Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 3 of 9







Diagnostics & Speciality Centre

NAME : Mr. THAKUR SUBHASH KUMAR MR NO. : 22012464

AGE/SEX : 36 Yrs / Male VISIT NO. : 147689

REFERRED BY: DATE OF COLLECTION: 15-01-2022 at 09:29 AM

DATE OF REPORT : 15-01-2022 at 01:22 PM

REF CENTER : MEDIWHEEL

TEST PARAMETER RESULT REFERENCE RANGE SPECIMEN

LIPID PROFILE TEST

TOTAL CHOLESTEROL 189 mg/dL up to 200 mg/dL

Cholesterol Oxidase-Peroxidase (CHOD-POD)

Border Line: 200 – 240 mg/dL

High: > 240 mg/dL

TRIGLYCERIDES 200 mg/dL up to 150 mg/dL

Glycerol Peroxidase-Peroxidase (GPO-POD)

Desirable: <150 mg/dL

Border Line: 150 – 200 mg/dL High: >200 – 500 mg/dL Very High: > 500 mg/dL

HDL CHOLESTEROL - DIRECT 41.8 mg/dl 40 - 60 mg/dl

PEG-Cholesterol Esterase >/= 60mg/dL - Excellent (protects

against heart disease) 40-59 mg/dL - Higher the better <40 mg/dL - Lower than desired (major

risk for heart disease)

LDL CHOLESTEROL - DIRECT 107.2 mg/dL up to 100 mg/dL

Cholesterol Esterase-Cholesterol Oxidase 100-129 mg/dL- Near optimal/above

optimal

130-159 mg/dL- Borderline High 160-189 mg/dL- High 190->190 mg/dL - Very High

VLDL CHOLESTEROL 40.0 mg/dL 2 - 30 mg/dL

Calculation

Collegn. u.



A. Hurudhay

Dr. KRISHNA MURTHY

BIOCHEMIST

Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 4 of 9







Diagnostics & Speciality Centre

NAME MR NO. Mr. THAKUR SUBHASH KUMAR : 22012464

AGE/SEX 36 Yrs / Male VISIT NO. : 147689

DATE OF COLLECTION: 15-01-2022 at 09:29 AM REFERRED BY ·

> DATE OF REPORT : 15-01-2022 at 01:22 PM

REF CENTER : MEDIWHEEL

TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
TOTAL CHOLESTROL/HDL RATIO Calculation	4.5	up to 3.5 3.5-5.0 - Moderate >5.0 - High	
LDL/HDL RATIO Calculation	2.6	up to 2.5 2.5-3.3 - Moderate >3.3 - High	
LIVER FUNCTION TEST (LFT)			
TOTAL BILIRUBIN Colorimetric Diazo Method	1.7 mg/dL	0.2 - 1.2 mg/dL	
DIRECT BILIRUBIN Colorimetric Diazo Method	0.6 mg/dL	0 - 0.4 mg/dL	
INDIRECT BILIRUBIN Calculation	1.10 mg/dl		
S G O T (AST) IFCC Without Pyridoxal Phosphates	55 U/L	up to 35 U/L	
S G P T (ALT) IFCC Without Pyridoxal Phosphates	82 U/L	up to 50 U/L	
ALKALINE PHOSPHATASE p-Nitrophenyl Phosphate	76 U/L	36 - 113 U/L	
SERUM GAMMA GLUTAMYLTRANSFERASE (GG	Γ) 143 U/L	15 - 85 U/L	
TOTAL PROTEIN Biuret Colorimetric	7.3 g/dl	6.2 - 8 g/dl	
S.ALBUMIN Bromocresol Green (BCG)	3.9 g/dl	3.5 - 5.2 g/dl	

3.4 g/dl

1.1

Collegn. u.

MD

S.GLOBULIN

Calculation A/G RATIO

Calculation



2.5 - 3.8 g/dl

1 - 1.5

Dr. KRISHNA MURTHY Dr. VAMSEEDHAR.A Lab Seal

> D.C.P, M.D CONSULTANT PATHOLOGIST

BIOCHEMIST The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 5 of 9







Diagnostics & Speciality Centre

NAME MR NO. Mr. THAKUR SUBHASH KUMAR : 22012464

AGE/SEX 36 Yrs / Male VISIT NO. 147689

REFERRED BY · DATE OF COLLECTION · 15-01-2022 at 09:29 AM

> DATE OF REPORT : 15-01-2022 at 01:22 PM

REF CENTER : MEDIWHEEL

TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
BLOOD UREA UREASE-GLUTAMATE DEHYDROGENASE (GLDH)	15.1 mg/dL	15 - 50 mg/dL	
CREATININE Jaffe Kinetic	0.6 mg/dL	0.4 - 1.4 mg/dL	
URIC ACID Uricase-Peroxidase	5.7 mg/dL	3 - 7.2 mg/dL	
SERUM ELECTROLYTES			
SODIUM Ion Selective Electrode (ISE)	137 mmol/L	136 - 145 mmol/L	
POTASSIUM Ion Selective Electrode (ISE)	3.7 mmol/L	3.5 - 5.2 mmol/L	
CHLORIDE Ion Selective Electrode (ISE)	101 mmol/L	97 - 111 mmol/L	

CLINICAL PATHOLOGY

URINE ROUTINE & MICROSCOPIC

PHYSICAL EXAMINATION

Pale Yellow Colour Pale yellow- yellow Visual Method Clear Clear/Transparent **Appearance** 1.015 1.005-1.035 Specific Gravity 6.5 4.6-8.5

CHEMICAL EXAMINATION (DIPSTICK)

Nil -Trace Protein Present (+) Strips Method 1 % Nil Glucose Strips Method Negative Negative Blood Strips Method

Collegn. u.

MD



Dr. KRISHNA MURTHY Dr. VAMSEEDHAR.A Lab Seal

D.C.P, M.D **BIOCHEMIST** CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 6 of 9





SPECIMEN



(A Unit of Vijayalakshmi Diagnostics Pvt. Ltd.)

REFERENCE RANGE

Diagnostics & Speciality Centre

Mr. THAKUR SUBHASH KUMAR NAME MR NO. : 22012464

RESULT

AGE/SEX VISIT NO. 36 Yrs / Male : 147689

DATE OF COLLECTION: 15-01-2022 at 09:29 AM REFERRED BY ·

> DATE OF REPORT : 15-01-2022 at 01:22 PM

REF CENTER : MEDIWHEEL

Ketone Bodies Strips Method	Absent	Negative
Urobilinogen Strips Method	Normal	Normal
Bile Salt Strips Method	Negative	Negative
Bilirubin Strips Method	Negative	Negative
Bile Pigments	Negative	NIL
MICROSCOPY		
Pus Cells (WBC) Light Microscopic	4 - 5 /hpf	0-5/hpf
Epithelial Cells Light Microscopic	2 - 3 /hpf	0-4/hpf
RBC Light Microscopic	Not Seen /hpf	0-2/hpf
Cast Light Microscopic	NIL	NIL
Crystal Light Microscopic	NIL	Nil
FASTING URINE SUGAR (FUS)	0.5 %	NIL
POSTPRANDIAL URINE SUGAR	1 %	NIL

Collegn. u.

TEST PARAMETER





Dr. KRISHNA MURTHY MD

Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

BIOCHEMIST The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.







Diagnostics & Speciality Centre

NAME Mr. THAKUR SUBHASH KUMAR MR NO. : 22012464

AGE/SEX 36 Yrs / Male

REF CENTER : MEDIWHEEL

VISIT NO. 147689

REFERRED BY ·

DATE OF COLLECTION: 15-01-2022 at 09:29 AM

: 15-01-2022 at 01:22 PM

DATE OF REPORT

TEST PARAMETER RESULT REFERENCE RANGE **SPECIMEN**

IMMUNOASSAY

PROSTATIC SPECIFIC ANTIGEN (PSA)

PROSTATIC SPECIFIC ANTIGEN (PSA)

0.80 ng/mL

Up to 4ng/mL: Normal 4-10 ng/mL Hypertrophy & benign genito urinary conditions.

>10 ng/mL Suspicious of

malignancy.

PSA is used for monitoring patients with a history of prostate cancer and as an early indicator of recurrence and response to treatment. The test is commonly used for Prostate cancer screening.

Collegn. u.



Dr. KRISHNA MURTHY MD

Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

BIOCHEMIST The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 8 of 9







Diagnostics & Speciality Centre

NAME MR NO. Mr. THAKUR SUBHASH KUMAR : 22012464

AGE/SEX 36 Yrs / Male VISIT NO. 147689

REFERRED BY · DATE OF COLLECTION · 15-01-2022 at 09:29 AM

> DATE OF REPORT : 15-01-2022 at 01:22 PM

REF CENTER : MEDIWHEEL

TEST PARAMETER RESULT REFERENCE RANGE **SPECIMEN THYROID PROFILE**

TOTAL TRIIODOTHYRONINE (T3) 1.52 ng/mL 0.87 - 1.78 ng/mL

TOTAL THYROXINE (T4) 10.45 µg/dL 6.09 - 12.23 µg/dL

THYROID STIMULATING HORMONE (TSH) 2.17 µIU/mL 0.38 - 5.33 µIU/mL

1st Trimester: 0.05 - 3.70 2nd Trimester: 0.31 - 4.35 3rd Trimester: 0.41 - 5.18

Note:

- TSH levels are subject to circadian variation, reaching peak levels between 2 4.a.m. and at a minimum between 6-10 pm. The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- Recommended test for T3 and T4 is unbound fraction or free levels as it is metabolically active.
- Physiological rise in Total T3 / T4 levels is seen in pregnancy and in patients on steroid therapy.

Clinical Use:

- Primary Hypothyroidism
- Hyperthyroidism
- Hypothalamic Pituitary hypothyroidism
- Inappropriate TSH secretion
- Nonthyroidal illness
- Autoimmune thyroid disease
- Pregnancy associated thyroid disorders
- Thyroid dysfunction in infancy and early childhood

College, u.

MD



Dr. KRISHNA MURTHY

Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

BIOCHEMIST The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 9 of 9

Dispatched by: Sumalatha

**** End of Report ****

