## **DEPARTMENT OF RADIO DIAGNOSIS**

UHID / IP NO	40007295 (14009)	RISNo./Status:	4014441/
Patient Name:	Mrs. PINKY MEENA	Age/Gender:	30 Y/F
Referred By :	Dr. ROOPAM SHARMA/ DIWANSHU KHATANA	Ward/Bed No:	OPD
Bill Date/No:	05/11/2023 10:34AM/ OPSCR23- 24/7399	Scan Date :	
Report Date :	05/11/2023 12:08PM	<b>Company Name:</b>	Mediwheel - Arcofemi Health Care Ltd.

### **ULTRASOUND STUDY OF WHOLE ABDOMEN**

Liver: Normal in size & echotexture. No obvious significant focal parenchymal mass lesion

noted. Intrahepatic biliary radicals are not dilated. Portal vein is normal.

Gall Bladder: Multiple calculi seen within the lumen. Wall thickness is normal. CBD is normal.

**Pancreas:** Normal in size & echotexture.

**Spleen:** Normal in size & echotexture. No focal lesion seen.

Right Kidney: Normal in shape, size & location. Echotexture is normal. Corticomedullary

differentiation is maintained. No evidence of significant hydronephrosis or obstructive

calculus noted.

Left Kidney: Normal in shape, size & location. Echotexture is normal. Corticomedullary

differentiation is maintained. No evidence of significant hydronephrosis or obstructive

calculus noted.

**Urinary Bladder:** Partially distended. No obvious calculus or mass lesion is seen.

**Uterus:** Grossly appears normal.

No adnexal mass.

**Others:** No significant free fluid is seen in pelvic peritoneal cavity.

IMPRESSION: USG findings are suggestive of

Mild fatty liver

Cholelithiasis

Correlate clinically & with other related investigations.

DR. APOORVA JETWANI

Incharge & Senior Consultant Radiology

MBBS, DMRD, DNB

Reg. No. 26466, 16307

# **DEPARTMENT OF CARDIOLOGY**

UHID / IP NO	40007295 (14009)	RISNo./Status:	4014441/
Patient Name:	Mrs. PINKY MEENA	Age/Gender:	30 Y/F
Referred By:	Dr. ROOPAM SHARMA/ DIWANSHU KHATANA	Ward/Bed No:	OPD
Bill Date/No:	05/11/2023 10:34AM/ OPSCR23- 24/7399	Scan Date :	
Report Date:	05/11/2023 1:20PM	Company Name:	Final

**REFERRAL REASON: - HEALTH CHECKUP** 

### 2D ECHOCARDIOGRAPHY WITH COLOR DOPPLER

### **M MODE DIMENSIONS: -**

IVI WIODE DIWIE			No	rmal				Normal
IVSD	9.0	6-12mm		LVIDS	27.2	20-40mm		
LVIDD	41.7	32-57mm		LVPWS	16.3	mm		
LVPWD	10.4	6-12mm		AO	26.3	19-37mm		
IVSS	15.9		J	mm		LA	29.9	19-40mm
LVEF	62-64		>	55%		RA	-	mm
	DOPPLEI	R MEA	SUREN	AENTS &	& CALC	ULATIONS	<u>:</u>	
STRUCTURE	MORPHOLOGY	VELOCITY (m/s)		GRADIENT		REGURGITATION		
		, ,			(mmHg)			
MITRAL	NORMAL	E	0.86	e'		-		NIL
VALVE		A	0.53	E/e'				
TRICUSPID	NORMAL		E	0.	73	-		NIL
VALVE			A	0	56	-		
			A 0.56					
AORTIC	NORMAL	1.24		-		NIL		
VALVE								
PULMONARY	NORMAL		(	0.71				NIL
VALVE						-		

### **COMMENTS & CONCLUSION: -**

- ALL CARDIAC CHAMBERS ARE NORMAL
- NO RWMA, LVEF 62-64%
- NORMAL LV SYSTOLIC FUNCTION
- NORMAL LV DIASTOLIC FUNCTION
- ALL CARDIAC VALVES ARE NORMAL
- NO EVIDENCE OF CLOT/VEGETATION/PE
- INTACT IVS/IAS

IMPRESSION: - NORMAL BI VENTRICULAR FUNCTIONS

DR SUPRIY JAIN MBBS, M.D., D.M. (CARDIOLOGY) INCHARGE & SR. CONSULTANT INTERVENTIONAL CARDIOLOGY DR ROOPAM SHARMA
MBBS, PGDCC, FIAE
CONSULTANT & INCHARGE
EMERGENCY, PREVENTIVE CARDIOLOGY
AND WELLNESS CENTRE

Patient Name Mrs. PINKY MEENA

**UHID** 326726

**Age/Gender** 30 Yrs/Female

IP/OP Location O-OPD

Referred By Dr. EHCC Consultant

**Mobile No.** 9773349797

**Lab No** 563333

 Collection Date
 05/11/2023 11:58AM

 Receiving Date
 05/11/2023 12:00PM

**Report Date** 05/11/2023 12:52PM

Report Status Final



### **BIOCHEMISTRY**

Test Name	Result	Unit	Biological Ref. Range
			Sample: WHOLE BLOOD EDTA
HBA1C	5.4	%	< 5.7% Nondiabetic 5.7-6.4% Pre-diabetic > 6.4% Indicate Diabetes
			Known Diabetic Patients < 7 % Excellent Control 7 - 8 % Good Control > 8 % Poor Control

Method: - High - performance liquid chromatography HPLC Interpretation:-Monitoring long term glycemic control, testing every 3 to 4 months is generally sufficient. The approximate relationship between HbA1C and mean blood glucose values during the preceding 2 to 3 months.

\*\*End Of Report\*\*

RESULT ENTERED BY : Mr. PANKAJ SHUKLA

Dr. SURENDRA SINGH CONSULTANT & HOD MBBS MD PATHOLOGY Dr. ASHISH SHARMA
CONSULTANT & INCHARGE PATHOLOGY
MBBS|MD| PATHOLOGY

Page: 1 Of 1

**Patient Name** Mrs. PINKY MEENA Lab No 4014441 UHID 40007295 **Collection Date** 05/11/2023 10:57AM 05/11/2023 11:07AM Age/Gender 30 Yrs/Female **Receiving Date Report Date IP/OP Location** O-OPD 05/11/2023 4:17PM

Referred By Dr. ROOPAM SHARMA/ DIWANSHU KHATANA Report Status Final

**Mobile No.** 9879232090

### **BIOCHEMISTRY**

 Test Name
 Result
 Unit
 Biological Ref. Range

 BLOOD GLUCOSE (FASTING)
 Sample: FI. Plasma

 BLOOD GLUCOSE (FASTING)
 86.2
 mg/dl
 74 - 106

Method: Hexokinase assay.

Interpretation: -Diagnosis and monitoring of treatment in diabetes mellitus and evaluation of carbohydrate metabolism in various diseases.

BLOOD GLUCOSE (PP) Sample: PLASMA

BLOOD GLUCOSE (PP ) 99.6 mg/dl Non – Diabetic: - < 140 mg/dl

Pre – Diabetic: - 140-199 mg/dl Diabetic: - >=200 mg/dl

Method: Hexokinase assay.

THYROID T3 T4 TSH Sample: Serum

Т3	1.610	ng/mL	0.970 - 1.690
T4	10.40	ug/dl	5.53 - 11.00
TSH	3.63	μIU/mL	0.40 - 4.05

**RESULT ENTERED BY : NEETU SHARMA** 

Dr. ABHINAY VERMA

Patient Name UHID	Mrs. PINKY MEENA 40007295	Lab No Collection Date	4014441 05/11/2023 10:57AM
Age/Gender	30 Yrs/Female	Receiving Date	05/11/2023 11:07AM
IP/OP Location	O-OPD	Report Date	05/11/2023 4:17PM
Referred By	Dr. ROOPAM SHARMA/ DIWANSHU KHATANA	Report Status	Final
Mobile No.	9879232090		

### **BIOCHEMISTRY**

T3:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

 $Interpretation: -The \ determination \ of \ T3 \ is \ utilized \ in \ the diagnosis \ of \ T3-hyperthyroidism \ the \ detection \ of \ early \ stages \ of hyperthyroidism \ and \ for \ indicating \ a \ diagnosis \ of \ thyrotoxicosis \ factitia.$ 

T4:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T4 assay employs acompetitive test principle with an antibody specifically directed against T4.

TSH - THYROID STIMULATING HORMONE :- ElectroChemiLuminescenceImmunoAssay - ECLIA

Interpretation:-The determination of TSH serves as theinitial test in thyroid diagnostics. Even very slight changes in the concentrations of the free thyroid hormones bring about much greater opposite changes in the TSH levels.

BILIRUBIN TOTAL	0.20	mg/dl	0.00 - 1.20
BILIRUBIN INDIRECT	0.11 L	mg/dl	0.20 - 1.00
BILIRUBIN DIRECT	0.09	mg/dl	0.00 - 0.40

U/L

0.0 - 40.0

SGPT 39.8 U/L 0.0 - 40.0 **TOTAL PROTEIN** 6.6 - 8.7 8.1 g/dl ALBUMIN 4.9 3.5 - 5.2 g/dl **GLOBULIN** 3.2 1.8 - 3.6 ALKALINE PHOSPHATASE 114.1 H U/L 42 - 98 A/G RATIO 1.5 Ratio 1.5 - 2.5 GGTP 23.3 U/L 6.0 - 38.0

41.3 H

**RESULT ENTERED BY: NEETU SHARMA** 

LFT (LIVER FUNCTION TEST)

**SGOT** 

Dr. ABHINAY VERMA

MBBS | MD | INCHARGE PATHOLOGY

Page: 2 Of 11

Sample: Serum

Patient NameMrs. PINKY MEENALab No4014441

 UHID
 40007295
 Collection Date
 05/11/2023 10:57AM

 Age/Gender
 30 Yrs/Female
 Receiving Date
 05/11/2023 11:07AM

 IP/OP Location
 O-OPD
 Report Date
 05/11/2023 4:17PM

Referred By Dr. ROOPAM SHARMA/ DIWANSHU KHATANA Report Status Final

Mobile No. 9879232090

#### **BIOCHEMISTRY**

**BILIRUBIN TOTAL** :- Method: DPD assay. Interpretation:-Total Bilirubin measurements are used in the diagnosis and treatment of various liver diseases, and of haemolytic and metabolic disorders in adults and newborns. Both obstruction damage to hepatocellular structive.

BILIRUBIN DIRECT :- Method: Diazo method Interpretation:-Determinations of direct bilirubin measure mainly conjugated, water soluble bilirubin.

SGOT - AST :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGOT(AST) measurements are used in the diagnosis and treatment of certain types of liver and heart disease.

SGPT - ALT :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGPT(ALT) Ratio Is Used For Differential Diagnosis In Liver Diseases.

TOTAL PROTEINS: - Method: Bivret colorimetric assay. Interpretation:-Total protein measurements are used in the diagnosis and treatment of a variety of liver and kidney diseases and bone marrow as well as metabolic and nutritional disorder.

ALBUMIN: - Method: Colorimetric (BCP) assay. Interpretation:-For Diagnosis and monitoring of liver diseases, e.g. liver cirrhosis, nutritional status.

ALKALINE PHOSPHATASE: - Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in hepatitis, cirrhosis, obstructive jaundice, carcinoma of the liver, and chronic alcohol abuse. ALT is only slightly elevated in patients who have an uncomplicated myocardial infarction. GGTP-GAMMA GLUTAMYL TRANSPEPTIDASE: - Method: Enzymetic colorimetric assay. Interpretation:-y-glutamyltransferase is used in the diagnosis and monitoring of hepatobiliary disease. Enzymatic activity of GGT is often the only parameter with increased values when testing for such diseases and is one of the most sensitive indicator known.

#### LIPID PROFILE

TOTAL CHOLESTEROL	142		<200 mg/dl :- Desirable 200-240 mg/dl :- Borderline >240 mg/dl :- High
HDL CHOLESTEROL	29.8		High Risk :-<40 mg/dl (Male), <40 mg/dl (Female) Low Risk :->=60 mg/dl (Male), >=60 mg/dl (Female)
LDL CHOLESTEROL	94.9		Optimal :- <100 mg/dl Near or Above Optimal :- 100-129 mg/dl Borderline :- 130-159 mg/dl High :- 160-189 mg/dl Very High :- >190 mg/dl
CHOLESTERO VLDL	45	mg/dl	10 - 50
TRIGLYCERIDES	226.0		Normal :- <150 mg/dl Border Line:- 150 - 199 mg/dl High :- 200 - 499 mg/dl Very high :- > 500 mg/dl
CHOLESTEROL/HDL RATIO	4.8	%	

**RESULT ENTERED BY : NEETU SHARMA** 

Dr. ABHINAY VERMA

**Patient Name** Mrs. PINKY MEENA Lab No 4014441

UHID 40007295 **Collection Date** 05/11/2023 10:57AM 05/11/2023 11:07AM Age/Gender **Receiving Date** 30 Yrs/Female **Report Date IP/OP Location** O-OPD 05/11/2023 4:17PM

**Referred By** Dr. ROOPAM SHARMA/ DIWANSHU KHATANA **Report Status** Final

Mobile No. 9879232090

#### **BIOCHEMISTRY**

CHOLESTEROL TOTAL :- Method: CHOD-PAP enzymatic colorimetric assay.

interpretation:-The determination of the individual total cholesterol (TC) level is used for screening purposes while for a better risk assessment it is necessary to measure additionally lipid & lipoprotein metabolic disorders. HDL CHOLESTEROL :- Method:-Homogenous enzymetic colorimetric method.

Interpretation: -HDL-cholesterol has a protective against coronary heart disease, while reduced HDL-cholesterol concentrations, particularly in conjunction with elevated triglycerides, increase the cardiovascular disease. LDL CHOLESTEROL :- Method: Homogenous enzymatic colorimetric assay.

Interpretation:-LDL play a key role in causing and influencing the progression of atherosclerosis and in particular coronary sclerosis. The LDL are derived form VLDL rich in TG by the action of various lipolytic enzymes and are

synthesized in the liver.
CHOLESTEROL VLDL: - Method: VLDL Calculative

Interpretation: -High triglycerde levels also occur in various diseases of liver, kidneys and pancreas.

DM, nephrosis, liver obstruction.

CHOLESTEROL/HDL RATIO :- Method: Cholesterol/HDL Ratio Calculative

Sample: Serum

UREA	18.2	mg/dl	16.60 - 48.50
BUN	8.5	mg/dl	6 - 20
CREATININE	0.49 L	mg/dl	0.50 - 0.90
SODIUM	138.1	mmol/L	136 - 145
POTASSIUM	4.03	mmol/L	3.50 - 5.50
CHLORIDE	106.2	mmol/L	98 - 107
URIC ACID	4.8	mg/dl	2.6 - 6.0
CALCIUM	9.79	mg/dl	8.60 - 10.30

**RESULT ENTERED BY: NEETU SHARMA** 

Dr. ABHINAY VERMA

**Patient Name** Mrs. PINKY MEENA Lab No 4014441 UHID 40007295 **Collection Date** 05/11/2023 10:57AM 05/11/2023 11:07AM Age/Gender **Receiving Date** 30 Yrs/Female Report Date O-OPD **IP/OP Location** 05/11/2023 4:17PM

Referred By Dr. ROOPAM SHARMA/ DIWANSHU KHATANA Report Status Final

**Mobile No.** 9879232090

CREATININE - SERUM :- Method:-Jaffe method, Interpretation:-To differentiate acute and chronic kidneydisease.

URIC ACID :- Method: Enzymatic colorimetric assay. Interpretation:- Elevated blood concentrations of uricacid are renal diseases with decreased excretion of waste products, starvation, drug abuse and increased alcohol consume.

SODIUM:- Method: ISE electrode. Interpretation:-Decrease: Prolonged vomiting or diarrhea, diminished reabsorption in the kidney and excessive fluid retention. Increase: excessive fluid loss, high salt intake and kidney reabsorption.

POTASSIUM:- Method: ISE electrode. Intrpretation:-Low level: Intake excessive loss formbodydue to diarrhea, vomiting

renal failure, High level: Dehydration, shock severe burns, DKA, renalfailure.

CHLORIDE - SERUM: - Method: ISE electrode. Interpretation: -Decrease: reduced dietary intake, prolonged vomiting and reduced renal reabsorption as well as forms of acidosisand alkalosis.

Increase: dehydration, kidney failure, some form ofacidosis, high dietary or parenteral chloride intake, and salicylate poisoning.

UREA:- Method: Urease/GLDH kinetic assay. Interpretation:-Elevations in blood urea nitrogenconcentration are seen in inadequate renal perfusion, shock, diminished bloodvolume, chronic nephritis, nephrosclerosis, tubular necrosis, glomerularnephritis and UTI.

CALCIUM TOTAL: - Method: O-Cresolphthaleine complexone. Interpretation:-Increase in serum PTH or vit-D are usually associated with hypercalcemia. Increased serum calcium levels may also be observed in multiple myeloma and other neoplastic diseases. Hypocalcemia may

beobserved in hypoparathyroidism, nephrosis, and pancreatitis.

**RESULT ENTERED BY: NEETU SHARMA** 

**Patient Name** Mrs. PINKY MEENA Lab No 4014441 UHID 40007295 **Collection Date** 05/11/2023 10:57AM 05/11/2023 11:07AM Age/Gender **Receiving Date** 30 Yrs/Female **Report Date IP/OP Location** O-OPD 05/11/2023 4:17PM

Dr. ROOPAM SHARMA/ DIWANSHU KHATANA **Referred By Report Status** Final

Mobile No. 9879232090

## **BLOOD BANK INVESTIGATION**

**Biological Ref. Range Test Name** Result Unit

**BLOOD GROUPING** "O" Rh Positive

1. Both forward and reverse grouping performed.
2. Test conducted on EDTA whole blood.

**RESULT ENTERED BY: NEETU SHARMA** 

Dr. ABHINAY VERMA

Patient Name Lab No 4014441 Mrs. PINKY MEENA **Collection Date** 05/11/2023 10:57AM UHID 40007295 05/11/2023 11:07AM Age/Gender **Receiving Date** 30 Yrs/Female **Report Date** O-OPD **IP/OP Location** 05/11/2023 4:17PM Dr. ROOPAM SHARMA/ DIWANSHU KHATANA **Referred By Report Status** Final

**Mobile No.** 9879232090

## **CLINICAL PATHOLOGY**

URINE SUGAR (POST PRANDIAL)  URINE SUGAR (POST PRANDIAL)  NEGATIVE  NEGATIVE  Sample: Uring Sugar (RANDOM)  URINE SUGAR (RANDOM)  NEGATIVE  NEGATIVE  Sample: Uring Negative
URINE SUGAR (RANDOM) URINE SUGAR (RANDOM) NEGATIVE NEGATIVE Sample: Urin PHYSICAL EXAMINATION
URINE SUGAR (RANDOM)  NEGATIVE  NEGATIVE  Sample: Urin  PHYSICAL EXAMINATION
URINE SUGAR (RANDOM)  NEGATIVE  NEGATIVE  Sample: Urin  PHYSICAL EXAMINATION
Sample: Urin PHYSICAL EXAMINATION
PHYSICAL EXAMINATION
PHYSICAL EXAMINATION
VOLUME 20 ml
VOLCIVIE 20 IIII
COLOUR PALE YELLOW P YELLOW
APPEARANCE CLEAR CLEAR
CHEMICAL EXAMINATION
PH <b>5.0 L</b> 5.5 - 7.0
SPECIFIC GRAVITY         1.030         1.016-1.022
PROTEIN NEGATIVE NEGATIVE
SUGAR NEGATIVE NEGATIVE
BILIRUBIN NEGATIVE NEGATIVE
BLOOD NEGATIVE
KETONES NEGATIVE NEGATIVE
NITRITE NEGATIVE NEGATIVE
UROBILINOGEN NEGATIVE NEGATIVE
LEUCOCYTE NEGATIVE NEGATIVE
MICROSCOPIC EXAMINATION
WBCS/HPF 1-2 /hpf 0-3
RBCS/HPF 0-0 /hpf 0-2
EPITHELIAL CELLS/HPF 2-3 /hpf 0 - 1
CASTS NIL NIL
CRYSTALS NIL NIL

RESULT ENTERED BY : NEETU SHARMA

Dr. ABHINAY VERMA

Mrs. PINKY MEENA **Patient Name** Lab No 4014441 UHID 40007295 **Collection Date** 05/11/2023 10:57AM 05/11/2023 11:07AM Age/Gender 30 Yrs/Female **Receiving Date Report Date IP/OP Location** O-OPD 05/11/2023 4:17PM

**Referred By** Dr. ROOPAM SHARMA/ DIWANSHU KHATANA **Report Status** Final

9879232090 Mobile No.

### **CLINICAL PATHOLOGY**

NIL **BACTERIA** NIL **OHTERS** NIL NIL

Methodology:-

Methodology:Glucose: GOD-POD, Bilirubin: Diazo-Azo-coupling reaction with a diazonium, Ketone: Nitro Pruside reaction, Specific
Gravity: Proton re;ease from ions, Blood: Psuedo-Peroxidase activity oh Haem moiety, pH: Methye Red-Bromothymol Blue
(Double indicator system), Protein: H+ Release by buffer, microscopic & chemical method.
interpretation: Diagnosis of Kidney function, UTI, Presence of Protein, Glucoses, Blood. Vocubulary syntax: Kit insert

**RESULT ENTERED BY: NEETU SHARMA** 

Dr. ABHINAY VERMA

**Patient Name** Mrs. PINKY MEENA Lab No 4014441 UHID 40007295 **Collection Date** 05/11/2023 10:57AM 05/11/2023 11:07AM Age/Gender 30 Yrs/Female **Receiving Date** Report Date **IP/OP Location** O-OPD 05/11/2023 4:17PM Dr. ROOPAM SHARMA/ DIWANSHU KHATANA

**Referred By Report Status** Final

Mobile No. 9879232090

### **HEMATOLOGY**

Test Name	Result	Unit	Biological Ref. Range
CBC (COMPLETE BLOOD COUNT)	Result	Silit.	Sample: WHOLE BLOOD EDTA
HAEMOGLOBIN	13.2	g/dl	12.0 - 15.0
PACKED CELL VOLUME(PCV)	41.7	%	36.0 - 46.0
MCV	88.7	fl	82 - 92
MCH	28.1	pg	27 - 32
мснс	31.7 L	g/dl	32 - 36
RBC COUNT	4.70	millions/cu.mm	3.80 - 4.80
TLC (TOTAL WBC COUNT)	7.45	10^3/ uL	4 - 10
DIFFERENTIAL LEUCOCYTE COUNT			
NEUTROPHILS	63.3	%	40 - 80
LYMPHOCYTE	27.2	%	20 - 40
EOSINOPHILS	2.0	%	1 - 6
MONOCYTES	7.2	%	2 - 10
BASOPHIL	0.3 L	%	1 - 2
PLATELET COUNT	1.52	lakh/cumm	1.500 - 4.500

HAEMOGLOBIN :- Method:-SLS HemoglobinMethodology by Cell Counter.Interpretation:-Low-Anemia, High-Polycythemia.

MCV :- Method:- Calculation bysysmex. MCH: - Method: - Calculation bysysmex.
MCHC: - Method: - Calculation bysysmex.

RBC COUNT :- Method:-Hydrodynamicfocusing.Interpretation:-Low-Anemia, High-Polycythemia.

TLC (TOTAL WBC COUNT) :- Method: -Optical Detectorblock based on Flowcytometry. Interpretation: -High-Leucocytosis, Low-Leucopenia.

NEUTROPHILS :- Method: Optical detectorblock based on Flowcytometry  $\textbf{LYMPHOCYTS} : - \ \texttt{Method:} \ \texttt{Optical} \ \texttt{detectorblock} \ \texttt{based} \ \texttt{on} \ \texttt{Flowcytometry}$ EOSINOPHILS :- Method: Optical detectorblock based on Flowcytometry MONOCYTES :- Method: Optical detectorblock based on Flowcytometry BASOPHIL :- Method: Optical detectorblock based on Flowcytometry

PLATELET COUNT :- Method:-Hydrodynamicfocusing method.Interpretation:-Low-Thrombocytopenia, High-Thrombocytosis.

HCT: Method:- Pulse Height Detection. Interpretation:-Low-Anemia, High-Polycythemia. NOTE: CH- CRITICAL HIGH, CL: CRITICAL LOW, L: LOW, H: HIGH

**ESR (ERYTHROCYTE SEDIMENTATION RATE)** 05 mm/1st hr 0 - 15

**RESULT ENTERED BY: NEETU SHARMA** 

Dr. ABHINAY VERMA

**Patient Name** Lab No Mrs. PINKY MEENA 4014441 05/11/2023 10:57AM UHID 40007295 **Collection Date** 05/11/2023 11:07AM Age/Gender **Receiving Date** 30 Yrs/Female **Report Date** O-OPD **IP/OP Location** 05/11/2023 4:17PM Dr. ROOPAM SHARMA/ DIWANSHU KHATANA **Referred By Report Status** Final Mobile No. 9879232090

Method:-Modified Westergrens.
Interpretation:-Increased in infections, sepsis, and malignancy.

RESULT ENTERED BY : NEETU SHARMA

Page: 10 Of 11

 Patient Name
 Mrs. PINKY MEENA
 Lab No
 4014441

 UHID
 40007295
 Collection Date
 05/11/20

 UHID
 40007295
 Collection Date
 05/11/2023 10:57AM

 Age/Gender
 30 Yrs/Female
 Receiving Date
 05/11/2023 11:07AM

 IP/OP Location
 O-OPD
 Report Date
 05/11/2023 4:17PM

Referred By Dr. ROOPAM SHARMA/ DIWANSHU KHATANA Report Status Final

**Mobile No.** 9879232090

X Ray

Test Name Result Unit Biological Ref. Range

## X-RAY - CHEST PA VIEW

## **OBSERVATION:**

The trachea is central.

The mediastinal and cardiac silhouette are normal.

Cardiac shadow is prominent.

Cardiophrenic and costophrenic angles are normal.

Both hila are normal.

The lung fields are clear.

Bones of the thoracic cage are normal.

\*\*End Of Report\*\*

RESULT ENTERED BY : NEETU SHARMA

**APOORVA JETWANI** 

Select

Page: 11 Of 11