Name	: Ms. SHAMPA BISWAS BAIDYA (25	/F)	Date	: 22/07/2023		
Address	:					
Examined b	y:		UHID	: AMHL.0002182922		
-	MEDI WHEEL FULL BODY HCK - FEN TMT/ECHO)	IALE (BELOW 40 YRS WITH	AHC No	: AMHLAH178953		
	COMPLAINTS	1 ■ Past medical histor	ory			
For corporate he	-	Do you have any - No allergies?				
PRESENT KN No history of	OWN ILLNESS - Diabetes mellitus,	Do you have any drug allergies? Covid 19	- No - No			
,, ,	Hypertension,	Jaundice	- in childho	os		
	Dyslipidemia, Thyroid disorder, Heart disease,	Typhoid	- 2 yrs ago			
	Asthma	Surgical history				
	ALLERGY	Surgical history	- Nil			
NO KNOWN ALLEF	RGY :22/07/2023	Personal history				
SYSTE		Marital status	- Married			
$\overline{\Lambda}$		Diet	- Non Vege	etarian		
Cardiovascular	svstem	Alcohol		consume alcohol		
- Nil Significant		Smoking	- No			
U		Chews tobacco	- No			
Gastrointestina	Isystem	Physical activity	- Mild			
- Nil Significant Genitourinary s	vstem	Family history				
- Nil Significant	J C C C C C C C C C C	Father	- alive			
U		Mother	- alive			
Gynaec history		Brothers	- 1			
Last menstrual p	period - 10/7/2023; Periods - regular	Hypertension	- mother			
Eyes		Coronary artery	- none			
Vision - defective	e; Glasses - no	disease	Nono			
ENT		Cancer Renal disease	- None - father			
- Nil Significant		PHYSICAL EXAMINA				
Musculoskeleta	l system					
Spine and joints		General General				
- Nil Significant		Build	- thin			
Skin		Height	- 152			
- rash		Weight	- 37			
- 14511		BMI	- 16.01			

Pallor

Oedema

- No

- no

Present medications

Date : 22/07/2023

```
Package : MEDI WHEEL FULL BODY HCK - FEMALE (BELOW 40 YRS WITH AHC No : AMHLAH178953
TMT/ECHO)
```

Cardiovascular s	ystem
Heart rate (Per minute)	- 74
Rhythm	- Regular
	- B.P. Sitting
Systolic(mm of Hg)	- 92
Diastolic(mm of Hg)	- 64
Heart sounds	- S1S2+
Respiratory system	
Breath sounds	- Normal vesicular breath
	sounds
Abdomen	
Organomegaly	- No
Tenderness	- No
Central nervous	system
	- No neurological deficit
Skin	
:0.	No cignificant finding
	- No significant finding
Opthalmology consulta	ition

Opthalmology findings

-

- UCVA:RE:6/36P LE:6/36P NVA:RE:N6 LE:N6 OCULAR MOVEMENT:WNL ANT.SEG:WNL ACCPT: SPECTACLE PWR RE:-1.75/-1.25X80*(6/6,N6) LE:-1.25/-0.75X70*(6/6,N6) ADVICE:**Glass Rx.*Detail dilated Funduscopy*Review after 1yr/SOS

Printed By : Benazir Begaum

Page 3 of 7

RBC

Test Name

Appearance

Specific Gravity

Volume:

Colour:

pH:

Albumin:

Glucose

Ketone:

Within Normal Range

Borderline High/Low

ie	: Ms. SHAMPA BISWAS BAIDYA (25 /F)	UHID
kado		

: MEDI WHEEL FULL BODY HCK - FEMALE (BELOW 40 YRS WITH Package TMT/ECHO)

COMPLETE HAEMOGRAM PROFILE								
Test Name	Result	Unit	Level	Range				
Hemoglobin	12.4	g/dl	•	12.0-15.0				
RBC COUNT	4.18	Millior ul	n/ 🔍	3.8-4.8				
Hematocrit - Hct:	37.4	%	•	36-46				
MCV	89.3	fl	•	83-101				
MCH	29.7	pg	•	27-32				
MCHC	33.3	%	•	31.5-34.5				
RDW	13.8	%	•	11.8-14.0				
WBC Count	7100	/cu mi	m 🔍	4000-10000				
Platelet Count	1.62	lacs/c mm	u ●	1.5-4.0				
Neutrophils	72	%	•	40-80				
Lymphocytes	20	%	•	20-40				
Monocytes	04	%	•	2-10				
Eosinophils	04	%	•	01-06				
Basophils	00	%	•	0-0				
RBC:	Normocytic Normochromic cells							
Platelets:	Adequate.							
ERYTHROCYTE SEDIMENTATION RATE (ESR)	06	mm/1: hr	st ●	0-20				
URINE ROUTINE AND MICROSCOPY								

Result Unit

Pale Straw

Not Detected

Not Detected

Not Detected

Not Detected

Occasiona/hpf

2-4 /h.p.f /hpf

/hpf

mL

30

Clear

1.005

7.0

Nil

Level Range

Casts:	Not Fou	ind				
Crystals:	Not Found					
URINE SUGAR - POST (QUALITATIVE)	PRAN	DIAL				
Test Name URINE GLUCOSE(POST PRANDIAL)	Result Nil	Unit	Level	Range		
URINE SUGAR- FAST Test Name URINE GLUCOSE(FASTING)	I NG(QU Result Nil		TIVE) Level	Range		
BLOOD GROUPING A Test Name ABO Group:	ND TYF Result B	•		ND RH) Range		
Rh (D) Type:	POSITI	VE				
LIVER FUNCTION TES	ST (PAC	KAGE)			
Test Name	Result			Range		
ALT(SGPT) - SERUM	21	U/L	٠	10-40		
ALBUMIN - SERUM	4.8	g/dL	•	3.5-5.1		
ALKALINE PHOSPHATASE - SERUM	74	U/L	•	42-98		
AST (SGOT) - SERUM	32	U/L	•	10-42		
BILIRUBIN TOTAL - SERUM	0.7	mg/dl	-	0.0-1.0		
LIPID PROFILE TEST	(PACKA	AGE)				
Test Name	Result	Unit	Level	Range		
CHOLESTEROL - SERUM	164	mg/dl	-	0-200		
CREATININE - SERUN						
	l Result	Unit	Level	Range		
CREATININE - SERUM	Result		Level			
CREATININE - SERUN Test Name	Result 0.7	mg/dl	•			

: AMHL.0002182922

Casts:

AHC No : AMHLAH178953

: 22/07/2023

Date

Not Found

Name

Package : MEDI W TMT/EC		JLL BC	DDY H	CK - FEMALE (E	BELOW 40 YRS WITH			No:A	MHLAH178953
GGTP: GAMMA GLUTAMYL TRANSPEPTIDASE - SERUM	14	U/L	•	7-64	TOTAL T3: TRI IODOTHYRONINE - SERUM	1.0	ng/ml	•	0.8-2
GLUCOSE - PLASMA	(FASTIN	NG)			TOTAL T4:	8.4	µg/dL	•	5.1-14.1
Test Name	Result		Level	Range	THYROXINE - SERUM				
GLUCOSE - PLASMA	89	mg/dL	_	70-99	LIPID PROFILE TEST	(PACKA	GE)		
(FASTING)	00		_	10 00	Test Name	Result		Level	Range
GLUCOSE - PLASMA	•				TRIGLYCERIDES - SERUM	128	mg/dL	•	0-150
Test Name	Result	Unit	Level	Range					
GLUCOSE - PLASMA	79	mg/dl	-	70-140		• •		•	_
(POST PRANDIAL)					Test Name		Unit		
HBA1C (GLYCOSYLA HAEMOGLOBIN)-WH Test Name			Level	Range	TSH: THYROID STIMULATING HORMONE - SERUM	1.7	µIU/m	∟ ●	0.270-4.200
HBA1C	4.9	%		Nondiadetic : 4	URIC ACID - SERUM				
(GLYCOSYLATED	4.9	70		- 5.6 %	Test Name	Result	Unit	Level	Range
HAEMOGLOBIN)-WHO LE BLOOD)			Prediabetics : 5.7 - 6.4%	URIC ACID - SERUM	3.4	mg/dL		2.6-6.0
			Diabetes :	LIVER FUNCTION TEST (PACKAGE)					
				>/= 6.5% ADA	Test Name	•	Unit		Range
				Theraputic goal : <7%	BILIRUBIN CONJUGATED (DIRECT) - SERUM	0.1	mg/dL	•	0.0-0.2
IPID PROFILE TEST	(PACKA	AGE)							
Test Name	Result	Unit	Level	Range	BUN (BLOOD UREA N				
HDL CHOLESTEROL -	53	mg/dl	-	30-70	Test Name	Result	Unit		Range
SERUM					BUN (BLOOD UREA NITROGEN)	4.4 *	mg/dL	•	7.0-18.0
LDL CHOLESTEROL -SERUM	94	mg/dl	-	0-100	LIVER FUNCTION TE	ST (PAC	KAGE)		
VLDL CHOLESTEROL -	17	mg/dl	•	0-35	Test Name	Result	Unit	Level	Range
SERUM (Calculated)					A/G - RATIO	2.0		•	1.0-2.0
		KAGF)				_		
Test Name	•		•	Range	PAP SMEAR /CERVICA	LSMEAF	K		
PROTEIN TOTAL -	7.2	g/dL	•	6.4-8.3	Ref No: AG01.C2305293				
SERUM	1.2	9,92	-	5.1 5.0	SPECIMEN TYPE:				
GLOBULIN: (CALCULATED) - SERUM	2.4	g/dL	•	1.8-3.6	Conventional cervical s SPECIMEN ADEQUAC Satisfactory for evaluat	Y:	• •	vical c	ells.
					INTERPRETATION/RE			-	
THYROID PROFILE -	• •				Negative for intraepithe	lial lesior	n or mal	ignanc	y,with no
Test Name	Result	Unit	Level	Range	organism				

Page 4 of 7

Within Normal Range

Borderline High/Low

Out of Range

Name : Ms. SHAMPA BISWAS BAIDYA (25 /F)

UHID : AMHL.0002182922

Date : 22/07/2023

Package : MEDI WHEEL FULL BODY HCK - FEMALE (BELOW 40 YRS WITH TMT/ECHO) AHC No : AMHLAH178953

ECG

NORMAL SINUS RHYTHM, WITHIN NORMAL LIMITS.

TREADMILL TEST / STRESS TEST

STRESS TEST IS NEGATIVE FOR PROVOCABLE MYOCARDIAL ISCHAEMIA.

ULTRASOUND SCREENING WHOLE ABDOMEN

* Normal study.

X-RAY CHEST PA

Chest skiagram does not reveal any significant abnormality.

INVESTIGATIONS NOT DONE / NOT YET REPORTED / NOT PART OF PACKAGE(LAB,RADIOLOGY & CARDIOLOGY)

Haematology

STOOL ROUTINE

TP 4

Within Normal Range



Out of Range

Date : 22/07/2023

Package : MEDI WHEEL FULL BODY HCK - FEMALE (BELOW 40 YRS WITH AHC No : AMHLAH178953 TMT/ECHO)

Printed By :

AHC Physician / Consultant Internal Medicine

Note :- The Health Check-up examinations and routine investigations have certain limitations and may not be able to detect all the diseases. Any new or persisting symptoms should be brought to the attention of the Consulting Physician. Additional tests, consultations and follow up may be required in some cases.

Packa	ge : MEDI WHEEL FU TMT/ECHO)	JLL BO	DY HCK - FEMALE (BELOW 40	YRS WI	TH AHC No : AM	HLAH178953
			AICVD RISK SCORE RE	PORT		
	RISK STATUS		YOUR SCORE		ACCEPTABLE SCORE	
	Low Risk		1]	2	7

UHID : AMHL.0002182922

Date

: 22/07/2023

Your cardiovascular disease risk in the next 10 years is within the Normal limits for your age and gender

The AICVD risk score developed by Apollo Hospitals is a novel artificial intelligence -based risk scoring system that predicts your risk of having Coronary Artery Disease (CAD) related events in the next ten years. This scoring system uses Indian data and has been validated by multiple national and international institutions. This risk score is more than 92% accurate and has been compiled based on your physical parameters, heart health attributes, lifestyle and medical history. **Note:** The risk category is determined through the ratio between guest score and acceptable score at multiple decimal points. The outputs are shown in whole numbers.

Based on your AICVD risk score you are advised the following:

: Ms. SHAMPA BISWAS BAIDYA (25 /F)

- Follow the guidance and education on lifestyle and dietary management provided through the ProHealth program. Maintain a healthy BMI (<25). Avoid tobacco in any form and if you are a smoker, stop smoking.
- Continue with **medications** for high blood pressure, diabetes, or dyslipidemia, if advised by your physician. Maintain HbA1c <7% (<53mmol/mol), blood pressure <140/90mmHg.
- Follow your physician's advice regarding follow up tests, consults and annual health assessment

DISCLAIMER

Name

- 1. This is not a diagnostic tool and it does not guarantee accuracy of the result and cannot be acted upon independently.
- 2. This risk score and clinical algorithm is a general guideline for physicians. Any additional laboratory investigations, diagnostic imaging, treatment or patient education related to lifestyle management is under the physician 's or cardiologist's discretion.
- 3. To ensure the information in the report is up to date, accurate and correct, doctor shall be consulted for interpretation of the report.
- 4. Apollo Hospitals and its staff does not offer any assurance on the information made available or be liable for any loss or damage as the said report is based on the AICVD risk score without any intervention from their side .
- 5. By usage of the AICVD risk score, it is deemed that the beneficiary of this service has agreed to get the same done at his own risk and further agrees with this disclaimer without any limitation or any clauses or sub-clauses.

The Clinical AI Models and APIs used at Apollo Hospitals are certified by ISO 13485 : 2016 vide certificate no. MD 763515