

Registered Office: Sector-6, Dwarka, New Delhi-110075

: MR AMIT KRISHNAN Name Age 36 Yr(s) Sex :Male

Registration No : MH010869034 Lab No 31230301185

Patient Episode : H03000053305 **Collection Date:** 24 Mar 2023 09:44

Referred By : HEALTH CHECK MHD **Reporting Date:** 24 Mar 2023 12:39

Receiving Date : 24 Mar 2023 10:25

Department of Transfusion Medicine (Blood Bank)

BLOOD GROUPING, RH TYPING & ANTIBODY SCREEN (TYPE & SCREEN) Specimen-Blood

Blood Group & Rh Typing (Agglutinaton by gel/tube technique)

B Rh(D) Positive Blood Group & Rh typing

Antibody Screening (Microtyping in gel cards using reagent red cells)

Cell Panel I NEGATIVE Cell Panel II NEGATIVE Cell Panel III NEGATIVE Autocontrol NEGATIVE

Final Antibody Screen Result Negative

Technical Note:

ABO grouping and Rh typing is done by cell and serum grouping by microplate / gel technique. Antibody screening is done using a 3 cell panel of reagent red cells coated with Rh, Kell, Duffy, Kidd, Lewis, P, MNS, Lutheran and Xg antigens using gel technique.

Page1 of 10

-----END OF REPORT-----



Dr Himanshu Lamba











Awarded Nursing Excellence Services E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MR AMIT KRISHNAN Name Age 36 Yr(s) Sex :Male

Registration No : MH010869034 32230309221 Lab No

Collection Date: 24 Mar 2023 09:44 : H03000053305 **Patient Episode**

Referred By : HEALTH CHECK MHD **Reporting Date:** 24 Mar 2023 14:01

: 24 Mar 2023 09:56 **Receiving Date**

BIOCHEMISTRY

Glycosylated Hemoglobin Specimen: EDTA Whole blood

As per American Diabetes Association(ADA)

HbAlc (Glycosylated Hemoglobin) 7.3 # [4.0-6.5]HbA1c in %

> Non diabetic adults >= 18years <5.7 Prediabetes (At Risk)5.7-6.4

Diagnosing Diabetes >= 6.5

Methodology (HPLC)

163 Estimated Average Glucose (eAG) mg/dl

Comments: HbAlc provides an index of average blood glucose levels over the past 8-12 weeks and is a much better indicator of long term glycemic control.

Specimen Type : Serum

THYROID PROFILE, Serum

T3 - Triiodothyronine (ECLIA)	1.59	ng/ml	[0.70-2.04]
T4 - Thyroxine (ECLIA)	10.77	micg/dl	[4.60-12.00]
Thyroid Stimulating Hormone (ECLIA)	1.440	uIU/mL	[0.340-4.250]

Note: TSH levels are subject to circadian variation, reaching peak levels between 2-4.a.m.and at a minimum between 6-10 pm. Factors such as change of seasons hormonal fluctuations, Ca or Fe supplements, high fibre diet, stress and illness affect TSH results.

- * References ranges recommended by the American Thyroid Association
- 1) Thyroid. 2011 Oct;21(10):1081-125.PMID .21787128
- 2) http://www.thyroid-info.com/articles/tsh-fluctuating.html





NABL Accredited Hospital



Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Awarded Nursing Excellence Services

Page 2 of 10



Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name : MR AMIT KRISHNAN Age : 36 Yr(s) Sex :Male

Referred By: HEALTH CHECK MHD Reporting Date: 24 Mar 2023 11:47

Receiving Date : 24 Mar 2023 09:55

BIOCHEMISTRY

Test Name	Result	Unit	Biological Ref. Interval
Lipid Profile (Serum)			
TOTAL CHOLESTEROL (CHOD/POD)	147	mg/dl	[<200]
			Moderate risk:200-239 High risk:>240
TRIGLYCERIDES (GPO/POD)	104	mg/dl	[<150]
			Borderline high:151-199
			High: 200 - 499
			Very high:>500
HDL - CHOLESTEROL (Direct)	43	mg/dl	[30-60]
VLDL - Cholesterol (Calculated)	21	mg/dl	[10-40]
LDL- CHOLESTEROL	83	mg/dl	[<100]
			Near/Above optimal-100-129
			Borderline High:130-159
			High Risk:160-189
T.Chol/HDL.Chol ratio	3.4		<4.0 Optimal
			4.0-5.0 Borderline
			>6 High Risk
LDL.CHOL/HDL.CHOL Ratio	1.9		<3 Optimal
			3-4 Borderline
			>6 High Risk

Note:

Reference ranges based on ATP III Classifications.
Recommended to do fasting Lipid Profile after a minimum of 8 hours of overnight fasting.

Page 3 of 10









N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019





Registered Office: Sector-6, Dwarka, New Delhi-110075

Name : MR AMIT KRISHNAN Age : 36 Yr(s) Sex :Male

Referred By : HEALTH CHECK MHD Reporting Date : 24 Mar 2023 11:47

Receiving Date : 24 Mar 2023 09:55

BIOCHEMISTRY

Test Name	Result	Unit	Biological Ref. Interval
LIVER FUNCTION TEST (Serum)			
BILIRUBIN-TOTAL (mod.J Groff)**	0.81	mg/dl	[0.10-1.20]
BILIRUBIN - DIRECT (mod.J Groff)	0.34 #	mg/dl	[<0.2]
BILIRUBIN - INDIRECT (mod.J Groff)	0.47	mg/dl	[0.20-1.00]
SGOT/ AST (P5P, IFCC)	31.00	IU/L	[5.00-37.00]
SGPT/ ALT (P5P,IFCC)	36.10	IU/L	[10.00-50.00]
ALP (p-NPP, kinetic) *	105	IU/L	[45-135]
TOTAL PROTEIN (mod.Biuret)	7.5	g/dl	[6.0-8.2]
SERUM ALBUMIN (BCG-dye)	4.2	g/dl	[3.5-5.0]
SERUM GLOBULIN (Calculated)	3.3	g/dl	[1.8-3.4]
ALB/GLOB (A/G) Ratio	1.27		[1.10-1.80]

Note:

Page 4 of 10











NABL Accredited Hospital Awarded Emergency MC/3228/04/09/2019-03/09/2021 E-2019-0026/27/07

THOUSE OF THE COLUMN TO THE CO

^{**}NEW BORN: Vary according to age (days), body wt & gestation of baby

^{*}New born: 4 times the adult value



Registered Office: Sector-6, Dwarka, New Delhi- 110075

: MR AMIT KRISHNAN 36 Yr(s) Sex: Male Name Age

Registration No MH010869034 Lab No 32230309221

Patient Episode H03000053305 **Collection Date:** 24 Mar 2023 09:44

Referred By : HEALTH CHECK MHD **Reporting Date:** 24 Mar 2023 11:46

Receiving Date : 24 Mar 2023 09:55

BIOCHEMISTRY

Test Name	Result	Unit B	iological Ref. Interval
KIDNEY PROFILE (Serum)			
BUN (Urease/GLDH)	7.00 #	mg/dl	[8.00-23.00]
SERUM CREATININE (mod.Jaffe)	0.55 #	mg/dl	[0.80-1.60]
SERUM URIC ACID (mod.Uricase)	5.5	mg/dl	[3.5-7.2]
SERUM CALCIUM (NM-BAPTA)	9.2	mg/dl	[8.6-10.0]
SERUM PHOSPHORUS (Molybdate, UV)	3.0	mg/dl	[2.3-4.7]
SERUM SODIUM (ISE)	136.0	mmol/l	[134.0-145.0]
SERUM POTASSIUM (ISE)	4.25	mmol/l	[3.50-5.20]
SERUM CHLORIDE (ISE / IMT)	100.2	mmol/l	[95.0-105.0]
eGFR	134.1	ml/min/1.73sq	.m [>60.0]

Technical Note

eGFR which is primarily based on Serum Creatinine is a derivation of CKD-EPI 2009 equation normalized to 1.73 sq.m BSA and is not applicable to individuals below 18 years. eGFR tends to be less accurate when Serum Creatinine estimation is indeterminate e.g. patients at extremes of muscle mass, on unusual diets etc. and samples with severe Hemolysis / Icterus / Lipemia.

Page 5 of 10

-----END OF REPORT-----

Dr. Neelam Singal CONSULTANT BIOCHEMISTRY











Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi- 110075

: MR AMIT KRISHNAN 36 Yr(s) Sex: Male Name Age

Registration No MH010869034 Lab No 32230309222

Patient Episode : H03000053305 **Collection Date:** 24 Mar 2023 13:49

Referred By : HEALTH CHECK MHD **Reporting Date:** 24 Mar 2023 18:21

Receiving Date : 24 Mar 2023 15:25

BIOCHEMISTRY

Specimen Type : Plasma PLASMA GLUCOSE - PP

Plasma GLUCOSE - PP (Hexokinase) 236 # mg/dl [70-140]

Note: Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying,

brisk glucose absorption , post exercise

Specimen Type : Serum/Plasma

Plasma GLUCOSE-Fasting (Hexokinase) 125 # mg/dl [70-100]

Page 6 of 10

-----END OF REPORT-----

Dr. Neelam Singal

CONSULTANT BIOCHEMISTRY











Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MR AMIT KRISHNAN Name Age 36 Yr(s) Sex :Male

Registration No : MH010869034 Lab No 33230305486

24 Mar 2023 09:44 **Patient Episode** : H03000053305 **Collection Date:**

Referred By : HEALTH CHECK MHD **Reporting Date:** 24 Mar 2023 12:15

Receiving Date : 24 Mar 2023 09:56

HAEMATOLOGY

ERYTHROCYTE SEDIMENTATION RATE (Automated) Specimen-Whole Blood

ESR 13.0 # /1sthour [0.0-10.0]

Interpretation:

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants (e.g. pyogenic infections, inflammation and malignancies). The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week postpartum.

ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives).

It is especially low (0 -1mm) in polycythemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

Test Name	Result	Unit Bi	ological Ref. Interval
	Result	OHIC BI	ological Rel. Interval
COMPLETE BLOOD COUNT (EDTA Blood)			
WBC Count (Flow cytometry)	7660	/cu.mm	[4000-10000]
RBC Count (Impedence)	4.69	million/cu.mm	[4.50-5.50]
Haemoglobin (SLS Method)	14.0	g/dL	[13.0-17.0]
Haematocrit (PCV)	42.1	%	[40.0-50.0]
(RBC Pulse Height Detector Method)			
MCV (Calculated)	89.8	fL	[83.0-101.0]
MCH (Calculated)	29.9	pg	[25.0-32.0]
MCHC (Calculated)	33.3	g/dL	[31.5-34.5]
Platelet Count (Impedence)	141000 #	/cu.mm	[150000-410000]
RDW-CV (Calculated)	13.7	%	[11.6-14.0]
DIFFERENTIAL COUNT			
Neutrophils (Flowcytometry)	61.4	8	[40.0-80.0]
Lymphocytes (Flowcytometry)	29.0	%	[20.0-40.0]









Awarded Nursing Excellence Services Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019





Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name : MR AMIT KRISHNAN 36 Yr(s) Sex: Male Age

Registration No MH010869034 Lab No 33230305486

Patient Episode H03000053305 **Collection Date:** 24 Mar 2023 09:44

Referred By : HEALTH CHECK MHD **Reporting Date:** 24 Mar 2023 12:15

Receiving Date : 24 Mar 2023 09:56

HAEMATOLOGY

Monocytes (Flowcytometry)	7.2	:	9	[2.0-10.0]
Eosinophils (Flowcytometry)	2.1	:	9	[1.0-6.0]
Basophils (Flowcytometry)	0.3 #	9	8	[1.0-2.0]
IG	0.40	:	9	
Neutrophil Absolute(Flouroscence	flow cytometry)	4.7	/cu mm	$[2.0-7.0]x10^{3}$
Lymphocyte Absolute(Flouroscence	flow cytometry)	2.2	/cu mm	$[1.0-3.0]x10^{3}$
Monocyte Absolute(Flouroscence fl	ow cytometry)	0.6	/cu mm	$[0.2-1.2]x10^{3}$
Eosinophil Absolute(Flouroscence	flow cytometry)	0.2	/cu mm	$[0.0-0.5]x10^{3}$
Basophil Absolute(Flouroscence fl	ow cytometry)	0.0	/cu mm	$[0.0-0.1]x10^{3}$

Complete Blood Count is used to evaluate wide range of health disorders, including anemia, infection, and leukemia. Abnormal increase or decrease in cell counts as revealed may indicate that an underlying medical condition that calls for further evaluation.

Page 8 of 10

-----END OF REPORT------

Soma Pradhan

Dr. Soma Pradhan











Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services

Awarded Clean & Green Hospital N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name MR AMIT KRISHNAN 36 Yr(s) Sex: Male Age **Registration No** MH010869034 Lab No 38230301869

Patient Episode H03000053305 **Collection Date:** 24 Mar 2023 09:44

HEALTH CHECK MHD 24 Mar 2023 13:26 Referred By **Reporting Date:**

Receiving Date 24 Mar 2023 12:00

CLINICAL PATHOLOGY

Test Name	Result	Biological Ref. Interval		
ROUTINE URINE ANALYSIS				
MACROSCOPIC DESCRIPTION				
Colour (Visual)	YELLOW	(Pale Yellow - Yellow)		
Appearance (Visual)	CLEAR			
CHEMICAL EXAMINATION				
Reaction[pH]	7.0	(5.0-9.0)		
(Reflectancephotometry(Indicator Meth	od))			
Specific Gravity	1.010	(1.003-1.035)		
(Reflectancephotometry(Indicator Meth	od))			
Bilirubin	Negative	NEGATIVE		
Protein/Albumin	Negative	(NEGATIVE-TRACE)		
(Reflectance photometry(Indicator Met	hod)/Manual SSA)			
Glucose	NOT DETECTED	(NEGATIVE)		
(Reflectance photometry (GOD-POD/Bene	dict Method))			
Ketone Bodies	NOT DETECTED	(NEGATIVE)		
(Reflectance photometry(Legal's Test)	/Manual Rotheras)			
Urobilinogen	NORMAL	(NORMAL)		
Reflactance photometry/Diazonium salt	reaction			
Nitrite	NEGATIVE	NEGATIVE		
Reflactance photometry/Griess test				
Leukocytes	NIL	NEGATIVE		
Reflactance photometry/Action of Este	rase			
BLOOD	NIL	NEGATIVE		
(Reflectance photometry(peroxidase))				
MICROSCOPIC EXAMINATION (Manual) M	ethod: Light microscopy on	centrifuged urine		
WBC/Pus Cells	0-1 /hpf	(4-6)		
Red Blood Cells	NIL	(1-2)		
Epithelial Cells	1-2 /hpf	(2-4)		
Casts	NIL	(NIL)		
Crystals	NIL	(NIL)		
Bacteria	NIL			
Yeast cells	NIL			
Interpretation:				





NABL Accredited Hospital

Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MR AMIT KRISHNAN Name 36 Yr(s) Sex: Male Age

: MH010869034 38230301869 **Registration No** Lab No

: H03000053305 **Collection Date:** 24 Mar 2023 09:44 **Patient Episode**

Referred By : HEALTH CHECK MHD 24 Mar 2023 13:26 Reporting Date:

: 24 Mar 2023 12:00 **Receiving Date**

CLINICAL PATHOLOGY

URINALYSIS-Routine urine analysis assists in screening and diagnosis of various metabolic , urological, kidney and liver disorders

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urina tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine.

Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine.

Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys Most Common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration duri infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased Specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decrease Specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis,

bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in case of hemolytic anemia.

Page 10 of 10

-----END OF REPORT-------



Dr. Soma Pradhan









Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Awarded Nursing Excellence Services



Awarded Clean & Green Hospital