



LAB REPORT

Reg. Date	23/12/2023	Patient Id	2312230018	DOB.	
Name	MR. PAWAN VARMA	Gender	M	Perm. ID	
Age	40 Yrs.	Panel	MEDIWHEEL	Reported	24/12/2023 12:10:47
Ref. By	MEDIWHEEL				

Test Name	Result	Units	Ref. Range
ANNUAL PLUS ABOVE 50 M			
HBA1C	5.9	%	

Interpretation

- Non Diabetic : 4-6%
- Good Diabetic Control : 6-8%
- Fair Control : 8-10%
- Poor Control : >10%

The Glycosylated haemoglobin assay has been validated as a reliable indicator Of mean blood glucose levels for a period of 8-12 week period. ADA recommended the testing twice a year in patients with stable blood glucose and quarterly. If treatment change, or if blood glucose levels are unstable.

TO BE CORRELATED CLINICALLY.

Dr. Reema Dahiya
DR. REEMA DAHIYA
 M.B.B.S, MD (Path.)
 Checked by: *M. Meenu Aggarwal*
 Page 1 of 1
 Malik Radix Healthcare Pvt. Ltd.

DR. MEENU AGGARWAL
 M.B.B.S, MD (Path.)

If test results are alarming or unexpected, patient is advised to contact the laboratory immediately for possible remedial action.

Facilities Available

- Multispeciality Hospital - 24 Hours Emergency - X-Ray/ ECG/ Ultrasound/ CT Scan - Dental- Fully Equipped Operation Theatre
- Fully Functional Lab - 24/7 Casualty/ ICU-Nursery 24/7 Pharmacy - Labour Room - All Speciality OPD - Laproscopic Surgery - ECHO - Plastic Surgery