



Lab ID 0000069 Registration on: 09/09/2023 10:29:00

Age & Sex: 30 Year | Male Reported on: 12:20:46

Reference: VELOCITY HOSPITAL Sample Type: BLOOD & URINE

CBC ESR

Haemoglobin	Test	Observed Value	Unit	Biological Reference Interval
Total RBC 4.79 mill./cm 4.50 - 5.90 Total WBC 4750 /cmm 4000 - 11000 Platelet Count 264100 /cmm 150000 - 450000 HCT 43.5 % 36.0 - 48.0 MCV 90.8 fL 80.0 - 100.0 MCH 30.1 pg 27.0 - 32.0 MCHC 33.1 g/dL 31.5 - 36.0 DIFFERENTIAL COUNT Neutrophils 56 % 40 - 70 Lymphocytes 40 % 20 - 40 Eosinophils 02 % 02-05 Monocytes 02 % 01-07 Basophils 00 % 00 - 02 Band Cells 00 % 0.0 - 6.0 ABSOLUTE DIFFERNTIAL COUNT Neutrophils 2660 /cumm 1000 - 20000 Lymphocytes 190 L /cumm 200 - 11000 Eosinophils 95 L /cumm 200 - 1000				
Total WBC 4750 /cmm 4000 - 11000 Platelet Count 264100 /cmm 150000 - 450000 HCT 43.5 % 36.0 - 48.0 MCV 90.8 fL 80.0 - 100.0 MCH 30.1 pg 27.0 - 32.0 MCHC 33.1 g/dL 31.5 - 36.0 DIFFERNTIAL COUNT Neutrophils 56 % 40 - 70 Lymphocytes 40 % 20 - 40 Eosinophils 02 % 02-05 Monocytes 02 % 01-07 Basophils 00 % 00-02 Band Cells 00 % 0.0 - 6.0 ABSOLUTE DIFFERNTIAL COUNT Neutrophils 2660 /cumm 1000 - 2000 Lymphocytes 1900 L /cumm 200 - 1000 Eosinophils 95 L /cumm 200 - 1000 Basophils 0 /cumm 0 - 1000 Basophil	_		-	
Platelet Count 264100				
HCT			-	
MCV 90.8 MCH fL 80.0 - 100.0 MCH MCH C 30.1 pg 27.0 - 32.0 MCHC DIFFERENTIAL COUNT Neutrophils 56 % 40 - 70 MC	Platelet Count	264100	/cmm	150000 - 450000
MCH MCHC 30.1 g/dL pg 27.0 - 32.0 MCHC 33.1 g/dL 31.5 - 36.0 DIFFERENTIAL COUNT Neutrophils 56 % 40 - 70 Lymphocytes 40 % 20 - 40 Eosinophils 02 % 02-05 Monocytes 02 % 01-07 Basophils 00 % 00 - 02 Band Cells 00 % 0.0 - 6.0 ABSOLUTE DIFFERNTIAL COUNT Neutrophils 2660 / cumm 1000 - 20000 Lymphocytes 1900 L / cumm 2000 - 11000 Eosinophils 95 / cumm 200 - 1000 Basophils 95 L / cumm 200 - 1000 Basophils 0 / cumm 0 - 100 GLR / NLR (Neutrophil/Lymphocyte Ratio) 1.4 MENTZER INDEX 19.0 RDW-CV 12.5 % 11.1 - 14.1 RDW-SD 45.4 fl fl MPV 9.4 fl fl	нст	43.5	%	36.0 - 48.0
MCHC 33.1 g/dL 31.5 - 36.0 DIFFERNTIAL COUNT Neutrophils 56 % 40 - 70 Lymphocytes 40 % 20 - 40 Eosinophils 02 % 02-05 Monocytes 02 % 01-07 Basophils 00 % 00 - 02 Band Cells 00 % 00 - 02 Band Cells 00 % 0.0 - 6.0 ABSOLUTE DIFFERNTIAL COUNT Neutrophils 2660 /cumm 1000 - 20000 Lymphocytes 1900 L /cumm 2000 - 11000 Eosinophils 95 L /cumm 200 - 1000 Basophils 0 /cumm 0 - 100 GIR/ NLR 1.4 (Neutrophil/Lymphocyte Ratio) 19.0 MENTZER INDEX 19.0 RDW-CV 12.5 % 11.1 - 14.1 RDW-SD 45.4 fl	MCV	90.8	fL	80.0 - 100.0
MCHC 33.1 g/dL 31.5 - 36.0 DIFFERNTIAL COUNT Neutrophils 56 % 40 - 70 Lymphocytes 40 % 20 - 40 Eosinophils 02 % 02-05 Monocytes 02 % 01-07 Basophils 00 % 00 - 02 Band Cells 00 % 00 - 02 Band Cells 00 % 0.0 - 6.0 ABSOLUTE DIFFERNTIAL COUNT Neutrophils 2660 /cumm 1000 - 20000 Lymphocytes 1900 L /cumm 2000 - 11000 Eosinophils 95 L /cumm 200 - 1000 Basophils 0 /cumm 0 - 100 GIR/ NLR 1.4 (Neutrophil/Lymphocyte Ratio) 19.0 MENTZER INDEX 19.0 RDW-CV 12.5 % 11.1 - 14.1 RDW-SD 45.4 fl	MCH	30.1	pg	27.0 - 32.0
Neutrophils 56 % 40 - 70 Lymphocytes 40 % 20 - 40 Eosinophils 02 % 02-05 Monocytes 02 % 01-07 Basophils 00 % 00 - 02 Band Cells 00 % 0.0 - 6.0 ABSOLUTE DIFFERNTIAL COUNT Neutrophils 2660 /cumm 1000 - 20000 Lymphocytes 1900 L /cumm 2000 - 11000 Eosinophils 95 /cumm 200 - 1000 Monocytes 95 L /cumm 200 - 1000 Basophils 0 /cumm 0 - 100 GLR / NLR 1.4 (Neutrophil/Lymphocyte Ratio) 1.4 MENTZER INDEX 19.0 RDW-CV 12.5 % 11.1 - 14.1 RDW-SD 45.4 fl MPV 9.4 fl	MCHC	33.1		31.5 - 36.0
Neutrophils 56 % 40 - 70 Lymphocytes 40 % 20 - 40 Eosinophils 02 % 02-05 Monocytes 02 % 01-07 Basophils 00 % 00 - 02 Band Cells 00 % 0.0 - 6.0 ABSOLUTE DIFFERNTIAL COUNT Neutrophils 2660 /cumm 1000 - 20000 Lymphocytes 1900 L /cumm 2000 - 11000 Eosinophils 95 /cumm 20 - 500 Monocytes 95 L /cumm 200 - 1000 Basophils 0 /cumm 0 - 100 GLR / NLR 1.4 (Neutrophil/Lymphocyte Ratio) 1.4 MENTZER INDEX 19.0 RDW-CV 12.5 % 11.1 - 14.1 RDW-SD 45.4 fl MPV 9.4 fl	DIFFERENTIAL COUNT			
Cosinophils 02		56	%	40 - 70
Monocytes 02 % 01-07 Basophils 00 % 00 - 02 Band Cells 00 % 0.0 - 6.0 ABSOLUTE DIFFERNTIAL COUNT Neutrophils 2660 /cumm 1000 - 20000 Lymphocytes 1900 L /cumm 2000 - 11000 Eosinophils 95 /cumm 20 - 500 Monocytes 95 L /cumm 200 - 1000 Basophils 0 /cumm 0 - 100 GLR / NLR NLR 1.4 (Neutrophil/Lymphocyte Ratio) 19.0 RDW-CV 12.5 % 11.1 - 14.1 RDW-SD 45.4 fl MPV 9.4 fl	Lymphocytes	40	%	20 - 40
Basophils 00 % 00 - 02 Band Cells 00 % 0.0 - 6.0 ABSOLUTE DIFFERNTIAL COUNT Neutrophils 2660 /cumm 1000 - 20000 Lymphocytes 1900 L /cumm 2000 - 11000 Eosinophils 95 /cumm 20 - 500 Monocytes 95 L /cumm 200 - 1000 Basophils 0 /cumm 0 - 100 GLR / NLR 1.4 (Neutrophil/Lymphocyte Ratio) 19.0 RDW-CV 12.5 % % 11.1 - 14.1 RDW-SD 45.4 fl fl MPV 9.4 fl fl	Eosinophils	02	%	02-05
Band Cells 00 % 0.0 - 6.0 ABSOLUTE DIFFERNTIAL COUNT Neutrophils 2660 /cumm 1000 - 20000 Lymphocytes 1900 L /cumm 2000 - 11000 Eosinophils 95 L /cumm 200 - 1000 Monocytes 95 L /cumm 200 - 1000 Basophils 0 /cumm 0 - 100 GLR / NLR 1.4 (Neutrophil/Lymphocyte Ratio) 19.0 RDW-CV 12.5 % 11.1 - 14.1 RDW-SD 45.4 fl MPV 9.4 fl	Monocytes	02	%	01-07
ABSOLUTE DIFFERNTIAL COUNT Neutrophils 2660 /cumm 1000 - 20000 Lymphocytes 1900 L /cumm 2000 - 11000 Eosinophils 95 /cumm 20 - 500 Monocytes 95 L /cumm 200 - 1000 Basophils 0 /cumm 0 - 100 GLR / NLR (Neutrophil/Lymphocyte Ratio) 1.4 MENTZER INDEX 19.0 RDW-CV 12.5 % 11.1 - 14.1 RDW-SD 45.4 fl MPV 9.4 fl	Basophils	00	%	00 - 02
Neutrophils 2660 /cumm 1000 - 20000 Lymphocytes 1900 L /cumm 2000 - 11000 Eosinophils 95 / cumm 200 - 500 Monocytes 95 L /cumm 200 - 1000 Basophils 0 / cumm 0 - 100 GLR / NLR (Neutrophil/Lymphocyte Ratio) 1.4 RDW-CV 12.5 % 11.1 - 14.1 RDW-SD 45.4 fl MPV 9.4 fl	Band Cells	00	%	0.0 - 6.0
Lymphocytes 1900 L /cumm 2000 - 11000 Eosinophils 95 /cumm 20 - 500 Monocytes 95 L /cumm 200 - 1000 Basophils 0 /cumm 0 - 100 GLR / NLR (Neutrophil/Lymphocyte Ratio) 1.4 MENTZER INDEX 19.0 RDW-CV RDW-SD 45.4 fl 45.4 fl MPV 9.4 fl	ABSOLUTE DIFFERNTIAL COUNT			
Eosinophils	Neutrophils	2660	/cumm	1000 - 20000
Monocytes 95 L /cumm 200 - 1000 Basophils 0 /cumm 0 - 100 GLR / NLR (Neutrophil/Lymphocyte Ratio) 1.4 MENTZER INDEX 19.0 RDW-CV RDW-SD 45.4 FI MPV 12.5 % % MPV 9.4 fl 11.1 - 14.1	Lymphocytes	1900 L	/cumm	2000 - 11000
Basophils 0 /cumm 0 - 100 GLR / NLR (Neutrophil/Lymphocyte Ratio) MENTZER INDEX 19.0 RDW-CV 12.5 % 11.1 - 14.1 RDW-SD 45.4 fl MPV 9.4 fl	Eosinophils	95	/cumm	20 - 500
GLR / NLR (Neutrophil/Lymphocyte Ratio) 1.4 M ENTZER INDEX 19.0 RDW-CV RDW-SD MPV 12.5 % fl fl fl MPV 9.4 fl	Monocytes	95 L	/cumm	200 - 1000
(Neutrophil/Lymphocyte Ratio) M ENTZER INDEX 19.0 RDW-CV 12.5 % 11.1 - 14.1 RDW-SD 45.4 fl MPV 9.4 fl	Basophils	0	/cumm	0 - 100
M ENTZER INDEX 19.0 RDW-CV 12.5 % RDW-SD 45.4 fl MPV 9.4 fl	GLR / NLR	1.4		
RDW-CV 12.5 % 11.1 - 14.1 RDW-SD 45.4 fl MPV 9.4 fl				
RDW-SD 45.4 fl MPV 9.4 fl	M ENTZER INDEX	19.0		
RDW-SD 45.4 fl MPV 9.4 fl	RDW-CV	12.5	%	11.1 - 14.1
MPV 9.4 fl				







Lab ID 0000069 Registration on: 09/09/2023 10:29:00

Age & Sex: 30 Year | Male Reported on: 12:20:47
Reference: VELOCITY HOSPITAL Sample Type: BLOOD & URINE

PDW 19.2 %

PERIPHERAL SM EAR EXAMINATION

RBC Morphology Normochromic and normocytic.

WBC Morphology Appear normal,Immature cells are not seen .

Platelets in Smear Adequate.

Malarial Parasites Not Detected.

ESR

AFTER 1 HOUR 12 mm/hr 0.0 - 15.0







Lab ID 0000069 Registration on: 09/09/2023 10:29:00

Age & Sex: 30 Year | Male Reported on: 12:20:47
Reference: VELOCITY HOSPITAL Sample Type: BLOOD & URINE

BLOOD GROUP

Test Observed Value Unit Biological Reference Interval

Blood Group"AB"Rh FactorPOSITIVE







Lab ID 0000069 Registration on: 09/09/2023 10:29:00

Age & Sex: 30 Year | Male Reported on: 12:20:47
Reference: VELOCITY HOSPITAL Sample Type: BLOOD & URINE

BLOOD GLUCOSE TEST

Test Observed Value Unit Biological Reference Interval

Sample FLOURIDE PLASMA

FASTING (FBS)

Blood Sugar-F 91.3 mg/dL 70.00-110.00







Lab ID 0000069 Registration on: 09/09/2023 10:29:00

Age & Sex: 30 Year | Male

Reference: VELOCITY HOSPITAL

Reference: VELOCITY HOSPITAL

Reported on: 12:20:47

Sample Type: BLOOD & URINE

HEMOGLOBIN A1c TEST

Test	Observed Value	Unit	Biological Reference Interval
HbA1c	4.46	%	> 8 : Action Suggested 7-8 : Good control < 7 : Goal 6.2-7 : Near Normal Glycemia < 6.2 : Non-diabetic Level

Mean Blood Glucose 81.3 mg/dL 70.0 - 140.0

Importance of HbA1c - Glycated Hb. in Diabetes Mellitus

- HbA1c, also known as Glycated Hemoglobin is the most important test for the assessment of long term blood glucose control (also called glycemic control)
- HbA1c reflects mean blood glucose concentration over past 6-8 weeks and provides amuch better indication of long term glycemic control than blood glucose determination
- HbA1c is formed by non-enzymatic reaction between glucose and Hb., this reaction is irreversible and therefore remains unaffected by short term fluctuations in blood glucose levels.
- Long term complications of diabetes such as retinopathy-eye complications, nephropathy-kidney complications and neuropathy-nerve complications, are potentially serious and can lead to blindness, kidney failure etc.
- Glycemic control monitored by HbA1c measurement using HPLC method-(Gold Standard) is considered most important. (Ref. National Glycohemoglobin Standardization Program NGSP).





Lab ID 0000069 Registration on: 09/09/2023 10:29:00

Age & Sex: 30 Year | Male Reported on: 12:20:47
Reference: VELOCITY HOSPITAL Sample Type: BLOOD & URINE

LIPID PROFILE

Test	Observed Value	Unit	Biological Reference Interval
Sample	Fasting Blood Se	erum	
Cholesterol	236.4 H	mg/dL	<200 Desirable 200-229 Borderline >240 High
Triglyceride	101.6	mg/dL	<150 Normal 150-199 Borderline 200-499 High >=500 Very High
HDL Cholesterol	49.4	mg/dL	Male : 35-80 Female : 42-88
VLDL	20.32	mg/dL	0.00 - 30.00
LDL Cholesterol	166.68 H	mg/dL	< 130 : Optimal 130 - 159 : Borderline High 160 - 189 : High >= 190 : Very High
LDL Chol. / HDL Chol. Ratio	3.37		1.0 - 3.4
Cholesterol / HDL Chol. Ratio	4.8 H		0 - 3.5
Total Lipid	700.5	mg/dl	400.0 - 1000.0





MD. PATHOLOGIST





Lab ID 0000069 Registration on: 09/09/2023 10:29:00

Age & Sex: 30 Year | Male Reported on: 12:20:47
Reference: VELOCITY HOSPITAL Sample Type: BLOOD & URINE

RENAL FUNCTION TEST

Test		Unit	
S. Creatinine	1.05	mg/dL	0.5-1.30
Bl. Urea	22.4	mg/dL	10.0 - 40.0
BUN	10.5	mg/dl	6.0 - 22.0
Uric Acid	7.0	mg/dL	3.5 - 7.2
PROTEINS			
Total Protein	6.8	g/dL	6.0 - 8.0
Albumin	3.92	g/dL	3.50 - 5.50
Globulin	2.9	g/dL	2.0 - 4.0
A/G Ratio	1.4		







Lab ID 0000069 Registration on: 09/09/2023 10:29:00

Age & Sex: 30 Year | Male Reported on: 12:20:47

Reference: VELOCITY HOSPITAL Sample Type: BLOOD & URINE

LIVER FUNCTION TEST

Test	Observed Value	Unit	Biological Reference Interval
<u>BILIRUBIN</u>			
Total Bilirubin	0.5	mg/dL	0.00 - 1.20
Direct Bilirubin	0.2	mg/dL	0.00 - 0.40
Indirect Bilirubin	0.30	mg/dL	0.00 - 1.00
SGPT(ALT)	21.5	U/L	0.0 - 40.0
SGOT (AST)	19.4	U/L	0.0 - 46.0
Alkaline Phosphatase	232.0	U/L	80.0 - 306.0
PROTEINS			
Total Protein	6.8	g/dL	6.0 - 8.0
Albumin	3.92	g/dL	3.50 - 5.50
Globulin	2.9	g/dL	2.0 - 4.0
A/G Ratio	1.4		







Lab ID 0000069 Registration on: 09/09/2023 10:29:00

Age & Sex: 30 Year | Male Reported on: 12:20:48

Reference: VELOCITY HOSPITAL Sample Type: BLOOD & URINE

URINE ANALYSIS

Test	Observed Value	Unit	Biological Reference Interval
Sample	Fresh Urine		
PHYSICAL EXAMINATION			
Quantity	10.0	mL	
Colour	Pale-Yellow		
Appearance	Clear		Clear
рН	6.0		
Specific Gravity	1.000		
Sediments	Absent		Absent
CHEMICAL EXAMINATION			
Protein (Albumin)	Absent		Absent
Sugar	Absent		Absent
Bile Salts	Absent		Absent
Bile Pigment	Absent		Absent
Ketone	Absent		Absent
Occult Blood	Absent		Absent
Nitrite	Absent		Absent
Leukocyte Esterase	Absent		Absent
Urobilinogen	Normal		Normal
MICROSCOPIC EXAMINATION			
Pus Cells	Occasional	/hpf	Absent
Red Blood Cells	Absent	/hpf	Absent
Epithelial Cells	Absent	/hpf	Absent
Crystals	Absent		Absent
Amorphous material	Absent		Absent
Casts	Absent		Absent
Yeast	Absent		Absent
Bacteria	Absent		Absent
	End of Repo	ort	





LABORATORY REPORT

Sex/Age : Male / 30 Years

Case ID: 30903606046

: 2963613

Name Ref. Bv

Dis. At

2.610

Pt. ID Pt. Loc :

Reg Date and Time

: 09-Sep-2023 10:56

Bill. Loc. : Spectra Diagnostic Laboratory Service Provider

Sample Type

Mobile No. :

Sample Date and Time : 09-Sep-2023 10:56

: MOHITKUMAR

Sample Coll. By : non NACL

Ref Id1

Report Date and Time

: 09-Sep-2023 12:08

Acc. Remarks

Ref Id2

BIOLOGICAL REF RANGE TEST RESULTS UNIT **REMARKS Thyroid Function Test Triiodothyronine (T3)** 70 - 204 90.69 ng/dL Thyroxine (T4) 5.94 4.6 - 10.5 µg/dL

INTERPRETATIONS

Circulating TSH measurement has been used for screening for euthyroidism, screening and diagnosis for hyperthyroidism & hypothyroidism. Suppressed TSH (<0.01 µIU/mL) suggests a diagnosis of hyperthyroidism and elevated concentration (>7 µIU/mL) suggest hypothyroidism. TSH levels may be affected by acute illness and several medications including dopamine and glucocorticoids. Decreased (low or undetectable) in Graves disease. Increased in TSH secreting pituitary adenoma (secondary hyperthyroidism), PRTH and in hypothalamic disease thyrotropin (tertiary hyperthyroidism). Elevated in hypothyroidism (along with decreased T4) except for pituitary & hypothalamic disease.

μIU/mL

0.4 - 4.94

- Mild to modest elevations in patient with normal T3 & T4 levels indicates impaired thyroid hormone reserves & incipent hypothyroidism (subclinical hypothyroidism).
- Mild to modest decrease with normal T3 & T4 indicates subclinical hyperthyroidism.
- Degree of TSH suppression does not reflect the severity of hyperthyroidism, therefore, measurement of free thyroid hormone levels is required in patient with a supressed TSH level.

Sick, hospitalized patients may have falsely low or transiently elevated thyroid stimulating hormone. Some patients who have been exposed to animal antigens, either in the environment or as part of treatment or imaging procedure, may have circulating antianimal antibodies present. These antibodies may interfere with the assay reagents to produce unreliable results.

TSH ref range in pregnancy

Reference range (microIU/ml)

First trimester Second trimester Third trimester

0.24 - 2.000.43-2.2 0.8-2.5

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Vimpy Neb

poleb

Dr. Prashant Naik M.D. Pathology M.D.(Path), D.C.P.

Page 1 of 2

Printed On: 09-Sep-2023 12:14



LABORATORY REPORT

Pt. Loc

: MOHITKUMAR Sex/Age : Male / 30 Years Case ID : 30903606046 Name

Pt. ID Ref. By Dis. At : 2963613

Bill. Loc. : Spectra Diagnostic Laboratory Service Provider

Reg Date and Time : 09-Sep-2023 10:56 Sample Type Mobile No. :

: 09-Sep-2023 10:56 Sample Coll. By : non NACL Ref Id1 Sample Date and Time

Report Date and Time : 09-Sep-2023 12:08 Acc. Remarks Ref Id2

Interpretation Note:

Ultra sensitive-thyroid-stimulating hormone (TSH) is a highly effective screening assay for thyroid disorders. In patients with an intact pituitary-thyroid axis, s-TSH provides a physiologic indicator of the functional level of thyroid hormone activity. Increased s-TSH indicates inadequate thyroid hormone, and suppressed s-TSH indicates excess thyroid hormone. Transient s-TSH abnormalities may be found in seriously ill, hospitalized patients, so this is not the ideal setting to assess thyroid function. However, even in these patients, s-TSH works better than total thyroxine (an alternative screening test), when the s-TSH result is abnormal, appropriate follow-up tests T4 & free T3 levels should be performed. If TSH is between 5.0 to 10.0 & free T4 & free T3 level are normal then it is considered as subclinical hypothyroidism which should be followed up after 4 weeks & If TSH is > 10 & free T4 & free T3 level are normal then it is considered as overt hypothyroidism.

Serum triiodothyronine (T3) levels often are depressed in sick and hospitalized patients, caused in part by the biochemical shift to the production of reverse T3. Therefore, T3 generally is not a reliable predictor of hypothyroidism. However, in a small subset of hypothyroid patients, hypothyroidism may be caused by overproduction of T3 (T3 toxicosis). To help diagnose and monitor this subgroup, T3 is measured on all specimens with suppressed s-TSH and normal FT4 concentrations.

Normal ranges of TSH & thyroid hormons vary according trimesper in pregnancy.

TSH ref range in Pregnacy Reference range (microIU/ml)

0.24 - 2.00 0.43-2.2 First triemester Second triemester 0.8-2.5 Third triemester

	T3	T4	TSH
Normal Thyroid function	N	N	N
Primary Hyperthyroidism	↑	↑	\
Secondary Hyperthyroidism	↑	↑	^
Grave's Thyroiditis	1	↑	^
T3 Thyrotoxicosis	1	N	N/↓
Primary Hypothyroidism	V	V	^
Secondary Hypothyroidism	V	V	\
Subclinical Hypothyroidism	N	N	↑
Patient on treatment	N	N/↑	4

 End (Of Report	

For test performed on specimens received or collected from non-NSRL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. NSRL will be responsible Only for the analytical part of test carried out. All other responsibility will be of referring Laboratory.

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Vimpy Neb

Dr. Prashant Naik M.D. Pathology M.D.(Path), D.C.P.

Page 2 of 2

porteb

Printed On: 09-Sep-2023 12:14