Patient Name UHID	Mrs. SAKSHI 40012572			Lab No Collection Date	4029791 04/04/2024 9:13	ΔN/
-					04/04/2024 9:13	
Age/Gender	36 Yrs/Female O-OPD			Receiving Date Report Date		
IP/OP Location	• • • •			·	04/04/2024 2:03	PIVI
Referred By	Dr. EHS CONSULTANT			Report Status	Final	
Mobile No.	8222901646					
			BIOCHEMIST	RY		
Test Name		Result	Unit	Biolog	ical Ref. Range	
BLOOD GLUCOSE (I	FASTING)					Sample: Fl. Plasma
BLOOD GLUCOSE (F	ASTING)	101	mg/dl	71 - 109		
Method: Hexokinas Interpretation:-E various diseases.	iagnosis and monitoring o	f treatment in	diabetes mellitu	s and evaluation of c	arbohydrate metaboli	.sm in
BLOOD GLUCOSE (I	<u>PP )</u>					Sample: PLASMA
BLOOD GLUCOSE (F	PP)	105	mg/dl		tic: - < 140 mg/dl ic: - 140-199 mg/dl =200 mg/dl	
Method: Hexokinas Interpretation:-D various diseases.	jiagnosis and monitoring o	f treatment in	diabetes mellitu	s and evaluation of c	arbohydrate metaboli	.sm in

THYROID T3 T4 TSH				Sample: Serum
ТЗ	1.370	ng/mL	0.970 - 1.690	
T4	12.20 H	ug/dl	5.53 - 11.00	
TSH	3.26	μIU/mL	0.40 - 4.05	

**RESULT ENTERED BY : SUNIL EHS** 



#### Dr. ABHINAY VERMA

Patient Name UHID	Mrs. SAKSHI 40012572
Age/Gender IP/OP Location	36 Yrs/Female O-OPD
Referred By	Dr. EHS CONSULTANT
Mobile No.	8222901646

Lab No Collection Date Receiving Date Report Date Report Status 4029791 04/04/2024 9:13AM 04/04/2024 9:18AM 04/04/2024 2:03PM Final

### BIOCHEMISTRY

T3:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T3 is utilized in the diagnosis of T3-hyperthyroidism the detection of early stages of hyperthyroidism and for indicating a diagnosis of thyrotoxicosis factitia.

T4:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T4 assay employs acompetitive test principle with an antibody specifically directed against T4.

TSH - THYROID STIMULATING HORMONE :- ElectroChemiLuminescenceImmunoAssay - ECLIA

Interpretation:-The determination of TSH serves as theinitial test in thyroid diagnostics. Even very slight changes in theconcentrations of the free thyroid hormones bring about much greater oppositechanges in the TSH levels.

#### LFT (LIVER FUNCTION TEST)

BILIRUBIN TOTAL	0.26	mg/dl	0.00 - 1.20
BILIRUBIN INDIRECT	0.14 L	mg/dl	0.20 - 1.00
BILIRUBIN DIRECT	0.12	mg/dl	0.00 - 0.30
SGOT	26.0	U/L	0.0 - 32.0
SGPT	14.2	U/L	0.0 - 33.0
TOTAL PROTEIN	7.6	g/dl	6.6 - 8.7
ALBUMIN	4.2	g/dl	3.5 - 5.2
GLOBULIN	3.4		1.8 - 3.6
ALKALINE PHOSPHATASE	143 H	U/L	35 - 104
A/G RATIO	1.2 L	Ratio	1.5 - 2.5
GGTP	53.0 H	U/L	0.0 - 40.0

Sample: Serum

#### **RESULT ENTERED BY : SUNIL EHS**



#### Dr. ABHINAY VERMA

	atient Name	Mrs. SAKSHI	Lab No	4029791
	HID	40012572	Collection Date	04/04/2024 9:13AM
	ge/Gender	36 Yrs/Female	Receiving Date	04/04/2024 9:18AM
	P/OP Location	O-OPD	Report Date	04/04/2024 2:03PM
	eferred By	Dr. EHS CONSULTANT	Report Status	Final
N	lobile No.	8222901646		

#### BIOCHEMISTRY

**BILIRUBIN TOTAL** :- Method: DPD assay. Interpretation:-Total Bilirubin measurements are used in the diagnosis and treatment of various liver diseases, and of haemolytic and metabolic disorders in adults and newborns. Both obstruction damage to hepatocellular structive.

BILIRUBIN DIRECT :- Method: Diazo method Interpretation:-Determinations of direct bilirubin measure mainly conjugated, water soluble bilirubin.

SGOT - AST :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGOT(AST) measurements are used in the diagnosis and treatment of certain types of liver and heart disease.

**SGPT - ALT** :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGPT(ALT) Ratio Is Used For Differential Diagnosis In Liver Diseases.

TOTAL PROTEINS :- Method: Biuret colorimetric assay. Interpretation:-Total protein measurements are used in the diagnosis and treatment of a variety of liver and kidney diseases and bone marrow as well as metabolic and nutritional disorder. ALBUMIN :- Method: Colorimetric (BCP) assay. Interpretation:-For Diagnosis and monitoring of liver diseases, e.g. liver cirrhosis, nutritional status. ALKALINE PHOSPHATASE :- Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in

ALKALINE PHOSPHATASE :- Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in hepatitis, cirrhosis, obstructive jaundice, carcinoma of the liver, and chronic alcohol abuse. ALT is only slightly elevated in patients who have an uncomplicated myocardial infarction. GGTP-GAMMA GLUTAMYL TRANSPEPTIDASE :- Method: Enzymetic colorimetric assay. Interpretation:-y-glutamyltransferase is used in the diagnosis and monitoring of hepatobiliary disease. Enzymatic activity of GGT is often the only parameter with increased values when testing for such diseases and is one of the most sensitive indicator known.

#### LIPID PROFILE

TOTAL CHOLESTEROL	167		<200 mg/dl :- Desirable 200-240 mg/dl :- Borderline >240 mg/dl :- High
HDL CHOLESTEROL	44.0		High Risk :-<40 mg/dl (Male), <40 mg/dl (Female) Low Risk :->=60 mg/dl (Male), >=60 mg/dl (Female)
LDL CHOLESTEROL	111.1		Optimal :- <100 mg/dl Near or Above Optimal :- 100-129 mg/dl Borderline :- 130-159 mg/dl High :- 160-189 mg/dl Very High :- >190 mg/dl
CHOLESTERO VLDL	19	mg/dl	10 - 50
TRIGLYCERIDES	93		Normal :- <150 mg/dl Border Line:- 150 - 199 mg/dl High :- 200 - 499 mg/dl Very high :- > 500 mg/dl
CHOLESTEROL/HDL RATIO	4	%	

**RESULT ENTERED BY : SUNIL EHS** 

AlerinaryVan

Dr. ABHINAY VERMA

Patient Name	Mrs. SAKSHI 40012572	Lab No Collection Date	4029791 04/04/2024 9:13AM
UHID Age/Gender	36 Yrs/Female	Receiving Date	04/04/2024 9:13AM
IP/OP Location	O-OPD	Report Date	04/04/2024 2:03PM
Referred By	Dr. EHS CONSULTANT	Report Status	Final
Mobile No.	8222901646		

#### BIOCHEMISTRY

CHOLESTEROL TOTAL :- Method: CHOD-PAP enzymatic colorimetric assay.

interpretation:-The determination of the individual total cholesterol (TC) level is used for screening purposes while for a better risk assessment it is necessary to measure additionally lipid & lipoprotein metabolic disorders. HDL CHOLESTEROL :- Method:-Homogenous enzymetic colorimetric method.

Interpretation:-HDL-cholesterol has a protective against coronary heart disease, while reduced HDL-cholesterol concentrations, particularly in conjunction with elevated triglycerides, increase the cardiovascular disease.

LDL CHOLESTEROL :- Method: Homogenous enzymatic colorimetric assay.

Interpretation:-LDL play a key role in causing and influencing the progression of atherosclerosis and in particular coronary sclerosis. The LDL are derived form VLDL rich in TG by the action of various lipolytic enzymes and are synthesized in the liver.

CHOLESTEROL VLDL :- Method: VLDL Calculative

Interpretation:-High triglycerde levels also occur in various diseases of liver, kidneys and pancreas.

DM, nephrosis, liver obstruction.

CHOLESTEROL/HDL RATIO :- Method: Cholesterol/HDL Ratio Calculative

UREA 17.50 mg/dl 16.60 - 48.50 BUN 8 mg/dl 6 - 20 CREATININE 0.73 mg/dl 0.50 - 0.90 SODIUM 140 mmol/L 136 - 145 POTASSIUM 4.33 mmol/L 3.50 - 5.50 CHLORIDE 98 - 107 105.4 mmol/L URIC ACID 5.8 H mg/dl 2.4 - 5.7 CALCIUM 9.41 mg/dl 8.60 - 10.00

**RESULT ENTERED BY : SUNIL EHS** 



Dr. ABHINAY VERMA

MBBS | MD | INCHARGE PATHOLOGY

Sample: Serum

Patient Name	Mrs. SAKSHI	Lab No	4029791
UHID	40012572	Collection Date	04/04/2024 9:13AM
Age/Gender	36 Yrs/Female	Receiving Date	04/04/2024 9:18AM
IP/OP Location	O-OPD	Report Date	04/04/2024 2:03PM
Referred By	Dr. EHS CONSULTANT	Report Status	Final
Mobile No.	8222901646		

#### BIOCHEMISTRY

CREATININE - SERUM :- Method:-Jaffe method, Interpretation:-To differentiate acute and chronic kidneydisease. URIC ACID :- Method: Enzymatic colorimetric assay. Interpretation:- Elevated blood concentrations of uricacid are renal diseases with decreased excretion of waste products, starvation, drug abuse and increased alcohol consume. SODIUM: - Method: ISE electrode. Interpretation: -Decrease: Prolonged vomiting or diarrhea, diminished reabsorption in the

kidney and excessive fluid retention. Increase: excessive fluid loss, high salt intake andkidney reabsorption. POTASSIUM :- Method: ISE electrode. Intrpretation:-Low level: Intake excessive loss formbodydue to diarrhea, vomiting

renal failure, High level: Dehydration, shock severe burns, DKA, renalfailure. CHLORIDE - SERUM :- Method: ISE electrode. Interpretation:-Decrease: reduced dietary intake, prolonged vomiting and reduced renal reabsorption as well as forms of acidosisand alkalosis.

Increase: dehydration, kidney failure, some form ofacidosis, high dietary or parenteral chloride intake, and salicylate poisoning.

UREA:- Method: Urease/GLDH kinetic assay. Interpretation:-Elevations in blood urea nitrogenconcentration are seen in inadequate renal perfusion, shock, diminished bloodvolume, chronic nephritis, nephrosclerosis, tubular necrosis, glomerularnephritis and UTI.

CALCIUM TOTAL :- Method: O-Cresolphthaleine complexone. Interpretation:-Increase in serum PTH or vit-D are usuallyassociated with hypercalcemia. Increased serum calcium levels may also beobserved in multiple myeloma and other

neoplastic diseases. Hypocalcemia may

beobserved in hypoparathyroidism, nephrosis, and pancreatitis.

HBA1C

5.3

%

< 5.7% Nondiabetic 5.7-6.4% Pre-diabetic > 6 4% Indicate Diabetes

Known Diabetic Patients

< 7 % Excellent Control

7 - 8 % Good Control > 8 % Poor Control

Method : - Turbidimetric inhibition immunoassay (TINIA) Interpretation: -Monitoring long term glycemic control, testing every 3 to 4 months is generally sufficient. The approximate relationship between HbAlC and mean blood glucose values during the preceding 2 to 3 months.

**RESULT ENTERED BY : SUNIL EHS** 

Alerinary Van

MBBS | MD | INCHARGE PATHOLOGY

Sample: WHOLE BLOOD EDTA

Patient Name UHID	Mrs. SAKSHI 40012572	Lab No Collection Date	4029791 04/04/2024 9:13AM
Age/Gender	36 Yrs/Female	Receiving Date	04/04/2024 9:18AM
IP/OP Location	O-OPD	Report Date	04/04/2024 2:03PM
Referred By	Dr. EHS CONSULTANT	Report Status	Final
Mobile No.	8222901646		

## **BLOOD BANK INVESTIGATION**

Test Name	Result	Unit	Biological Ref. Range

**BLOOD GROUPING** 

"A" Rh Positive

Note :

Both forward and reverse grouping performed.
 Test conducted on EDTA whole blood.

**RESULT ENTERED BY : SUNIL EHS** 

AldrinayVerna

Dr. ABHINAY VERMA

Patient Name	Mrs. SAKSHI	Lab No	4029791
UHID	40012572	Collection Date	04/04/2024 9:13AM
Age/Gender	36 Yrs/Female	Receiving Date	04/04/2024 9:18AM
IP/OP Location	O-OPD	Report Date	04/04/2024 2:03PM
Referred By	Dr. EHS CONSULTANT	Report Status	Final
Mobile No.	8222901646		

### **CLINICAL PATHOLOGY**

Test Name	Result	Unit	Biological Ref. Range	
URINE SUGAR (POST PRANDIAL)				Sample: Urine
URINE SUGAR (POST PRANDIAL)	NEGATIVE		NEGATIVE	
URINE SUGAR (RANDOM)				Sample: Urine
URINE SUGAR (RANDOM)	NEGATIVE		NEGATIVE	
				Sample: Urine
PHYSICAL EXAMINATION				
VOLUME	20	ml		
COLOUR	PALE YELLOW		P YELLOW	
APPEARANCE	CLEAR		CLEAR	
CHEMICAL EXAMINATION				
РН	5.0 L		5.5 - 7.0	
SPECIFIC GRAVITY	1.010		1.016-1.022	
PROTEIN	NEGATIVE		NEGATIVE	
SUGAR	NEGATIVE		NEGATIVE	
BILIRUBIN	NEGATIVE		NEGATIVE	
BLOOD	NEGATIVE			
KETONES	NEGATIVE		NEGATIVE	
NITRITE	NEGATIVE		NEGATIVE	
UROBILINOGEN	NEGATIVE		NEGATIVE	
LEUCOCYTE	NEGATIVE		NEGATIVE	
MICROSCOPIC EXAMINATION				
WBCS/HPF	2-3	/hpf	0 - 3	
RBCS/HPF	0-1	/hpf	0 - 2	
EPITHELIAL CELLS/HPF	1-2	/hpf	0 - 1	
CASTS	NIL		NIL	
CRYSTALS	NIL		NIL	

**RESULT ENTERED BY : SUNIL EHS** 

AlbunayVana

Dr. ABHINAY VERMA

Patient Name	Mrs. SAKSHI	Lab No	4029791
UHID	40012572	Collection Date	04/04/2024 9:13AM
Age/Gender	36 Yrs/Female	Receiving Date	04/04/2024 9:18AM
IP/OP Location	O-OPD	Report Date	04/04/2024 2:03PM
Referred By	Dr. EHS CONSULTANT	Report Status	Final
Mobile No.	8222901646		

### **CLINICAL PATHOLOGY**

BACTERIA	NIL	NIL
OHTERS	NIL	NIL

Methodology:-

Methodology:-Glucose: GOD-POD, Bilirubin: Diazo-Azo-coupling reaction with a diazonium, Ketone: Nitro Pruside reaction, Specific Gravity: Proton re;ease from ions, Blood: Psuedo-Peroxidase activity oh Haem moiety, pH: Methye Red-Bromothymol Blue (Double indicator system), Protein: H+ Release by buffer, microscopic & chemical method. interpretation: Diagnosis of Kidney function, UTI, Presence of Protein, Glucoses, Blood. Vocubulary syntax: Kit insert

**RESULT ENTERED BY : SUNIL EHS** 

Alerinary Van

**Dr. ABHINAY VERMA** 

Patient Name	Mrs. SAKSHI	Lab No	4029791
UHID	40012572	Collection Date	04/04/2024 9:13AM
Age/Gender	36 Yrs/Female	Receiving Date	04/04/2024 9:18AM
IP/OP Location	O-OPD	Report Date	04/04/2024 2:03PM
Referred By	Dr. EHS CONSULTANT	Report Status	Final
Mobile No.	8222901646		

### HEMATOLOGY

Test Name	Result	Unit	Biological Ref. Ra	nge
CBC (COMPLETE BLOOD COUNT)				Sample: WHOLE BLOOD EDTA
HAEMOGLOBIN	12.1	g/dl	12.0 - 15.0	
PACKED CELL VOLUME(PCV)	40.1	%	36.0 - 46.0	
MCV	85.9	fl	82 - 92	
MCH	25.9 L	pg	27 - 32	
MCHC	30.2 L	g/dl	32 - 36	
RBC COUNT	4.67	millions/cu.mm	3.80 - 4.80	
TLC (TOTAL WBC COUNT)	7.14	10^3/ uL	4 - 10	
DIFFERENTIAL LEUCOCYTE COUNT				
NEUTROPHILS	71.0	%	40 - 80	
LYMPHOCYTE	20.4	%	20 - 40	
EOSINOPHILS	3.2	%	1 - 6	
BASOPHIL	0.8 L	%	1 - 2	
MONOCYTES	4.6	%	2 - 10	
PLATELET COUNT	3.72	lakh/cumm	1.500 - 4.500	

HAEMOGLOBIN :- Method:-SLS HemoglobinMethodology by Cell Counter.Interpretation:-Low-Anemia, High-Polycythemia. MCV :- Method:- Calculation bysysmex. MCH :- Method:- Calculation bysysmex. MCHC :- Method:- Calculation bysysmex. MCHC :- Method:- Calculation bysysmex. RBC COUNT :- Method:-Hydrodynamicfocusing.Interpretation:-Low-Anemia,High-Polycythemia.

TLC (TOTAL WEC COUNT) :- Method:-Optical Detectorblock based on Flowcytometry.Interpretation:-High-Leucocytosis, Low-Leucopenia.

**NEUTROPHILS** :- Method: Optical detectorblock based on Flowcytometry

LYMPHOCYTS :- Method: Optical detectorblock based on Flowcytometry EOSINOPHILS :- Method: Optical detectorblock based on Flowcytometry

MONOCYTES :- Method: Optical detectorblock based on Flowcytometry

BASOPHIL :- Method: Optical detectorblock based on Flowcytometry

PLATELET COUNT :- Method:-Hydrodynamicfocusing method.Interpretation:-Low-Thrombocytopenia, High-Thrombocytosis.

HCT: Method:- Pulse Height Detection. Interpretation:-Low-Anemia, High-Polycythemia. NOTE: CH- CRITICAL HIGH, CL: CRITICAL LOW, L: LOW, H: HIGH

ESR (ERYTHROCYTE SEDIMENTATION RATE)

25 H

mm/1st hr 0 - 15

**RESULT ENTERED BY : SUNIL EHS** 

AlerinaryVan

#### Dr. ABHINAY VERMA

Patient Name	Mrs. SAKSHI	Lab No	4029791
UHID	40012572	Collection Date	04/04/2024 9:13AM
Age/Gender	36 Yrs/Female	Receiving Date	04/04/2024 9:18AM
IP/OP Location	O-OPD	Report Date	04/04/2024 2:03PM
Referred By	Dr. EHS CONSULTANT	Report Status	Final
Mobile No.	8222901646		

Method:-Modified Westergrens. Interpretation:-Increased in infections, sepsis, and malignancy.

**RESULT ENTERED BY : SUNIL EHS** 

Patient Name	Mrs. SAKSHI	Lab No	4029791
UHID	40012572	Collection Date	04/04/2024 9:13AM
Age/Gender	36 Yrs/Female	Receiving Date	04/04/2024 9:18AM
<b>IP/OP</b> Location	O-OPD	Report Date	04/04/2024 2:03PM
Referred By	Dr. EHS CONSULTANT	Report Status	Final
Mobile No.	8222901646		
	Х Кау		

Unit

**Biological Ref. Range** 

Result

X-RAY CHEST P. A.VIEW

Both lung fields areclear.

**Test Name** 

Both CP angles areclear.

Both hemi-diaphragms arenormal in shape and outlines.


Cardiac shadow is withinnormal limits.

Visualized bony thoraxis unremarkable.

Correlate clinically& with other related investigations.

\*\*End Of Report\*\*

**RESULT ENTERED BY : SUNIL EHS** 



Dr. SURESH KUMAR SAINI MBBS,MD RADIOLOGIST

Prescribed ByDr. E⊢Referred ByDr. E⊢CompanyMediw	rs/Female HS CONSULTANT HS CONSULTANT wheel - Arcofemi th Care Ltd.	Sample Date Report Date Bed No / Ward Report Status CYTOLOGY Pap smear (Conventional Two	04/04/2024 12:45PM 04/04/2024 1:31PM OPD Final
Prescribed By       Dr. EH         Referred By       Dr. EH         Company       Mediw         Health         CYTOLOGY*         Type of Specimen         No. of smears examined         Adequacy	HS CONSULTANT HS CONSULTANT wheel - Arcofemi th Care Ltd.	Bed No / Ward Report Status CYTOLOGY Pap smear (Conventional Two	OPD Final
Referred By       Dr. EF         Company       Mediw         Health       Health         CYTOLOGY*       Type of Specimen         No. of smears examined       Adequacy	HS CONSULTANT wheel - Arcofemi th Care Ltd.	Report Status CYTOLOGY Pap smear (Conventional) Two	Final
Company     Mediw       CYTOLOGY*       Type of Specimen       No. of smears examined	wheel - Arcofemi th Care Ltd.	CYTOLOGY Pap smear (Conventional Two	
Health CYTOLOGY* Type of Specimen No. of smears examined Adequacy	th Care Ltd.	<b>Pap smear (Conventional)</b> Two	)
<b>Type of Specimen</b> No. of smears examined Adequacy		<b>Pap smear (Conventional)</b> Two	)
<b>Type of Specimen</b> No. of smears examined Adequacy		Two	)
No. of smears examined Adequacy		Two	)
Adequacy			
		Satisfactory for avaluation	
		Satisfactory for evaluation.	
Endocervical cells		Adequate	
		Seen.	
Inflammation		Mild acute inflammation	
Organisms		Not seen	
Epithelial cell abnormality		Not seen	
Others		-	
Impression		Negative for intraepithelial I	esion / malignancy.

-----\*\* End Of Report \*\*-----

Ven Abrinary

Dr. ABHINAY VERMA MBBS|MD|INCHARGE PATHOLOGY

# **DEPARTMENT OF RADIO DIAGNOSIS**

UHID / IP NO	40012572 (10349)	<b>RISNo./Status :</b>	4029791/
Patient Name :	Mrs. SAKSHI	Age/Gender :	36 Y/F
<b>Referred By :</b>	Dr. EHS CONSULTANT	Ward/Bed No :	OPD
Bill Date/No :	04/04/2024 8:58AM/ OPSCR24- 25/351	Scan Date :	
Report Date :	04/04/2024 10:18AM	Company Name:	Mediwheel - Arcofemi Health Care Ltd.

## ULTRASOUND STUDY OF WHOLE ABDOMEN

	<u></u>						
Liver:	Normal in size & echotexture. No obvious significant focal parenchymal mass lesion						
	noted. Intrahepatic biliary radicals are not dilated. Portal vein is normal.						
Gall Bladder:	Lumen is clear. Wall thickness is normal. CBD is normal.						
Pancreas:	Normal in size & echotexture.						
Spleen:	Normal in size & echotexture. No focal lesion seen.						
<b>Right Kidney:</b>	Normal in shape, size & location. Echotexture is normal. Corticomedullary						
	differentiation is maintained. No evidence of significant hydronephrosis or obstructive						
	calculus noted.						
Left Kidney:	Normal in shape, size & location. Echotexture is normal. Corticomedullary						
	differentiation is maintained. No evidence of significant hydronephrosis or obstructive						
	calculus noted.						
Urinary Bladder:	Normal in size, shape & volume. No obvious calculus or mass lesion is seen. Wall						
	thickness is normal.						
Uterus:	Normal in size, shape & retroverted in position. Endometrial thickness is						
	normal(7mm). Endometrial cavity is empty. No mass lesion is seen. Cervix is normal.						
Both ovaries:	Bilateral ovaries are normal in size, shape & volume.						
Others:	No significant free fluid is seen in pelvic peritoneal cavity.						

**IMPRESSION**: USG findings are suggestive of

• No significant sonographic abnormality noted.

Correlate clinically & with other related investigations.

Guron ..

DR. SURESH KUMAR SAINI RADIOLOGIST MBBS, MD. Reg. No. 22597, 36208.

# **DEPARTMENT OF CARDIOLOGY**

UHID / IP NO	40012572 (10349)	<b>RISNo./Status :</b>	4029791/
Patient Name :	Mrs. SAKSHI	Age/Gender :	36 Y/F
<b>Referred By :</b>	Dr. EHS CONSULTANT	Ward/Bed No :	OPD
Bill Date/No :	04/04/2024 8:58AM/ OPSCR24- 25/351	Scan Date :	
<b>Report Date :</b>	04/04/2024 12:23PM	Company Name:	Final

### **REFERRAL REASON: HEALTH CHCEKUP**

### 2D ECHOCARDIOGRAPHY WITH COLOR DOPPLER

## **M MODE DIMENSIONS:** -

Normal Normal								
IVSD	9.1	6-12mm			LVIDS	20.2	20-40mm	
LVIDD	30.3	32-57mm			LVPWS	12.2	mm	
LVPWD	8.6	6-12mm			AO	21.7	19-37mm	
IVSS	10.6	mm		LA	28.4	19-40mm		
LVEF	60		>	55%		RA	-	mm
DOPPLER MEASUREMENTS & CALCULATIONS:								
STRUCTURE	MORPHOLOGY	VELOCITY (m/s)		GRADIENT		REGURGITATION		
					(mmHg <u>)</u>			
MITRAL	NORMAL	Ε	0.65	e'	-	-		NIL
VALVE		Α	0.43	E/e'	-			
TRICUSPID	NORMAL	E 0.75		-		NIL		
VALVE		A 0.46						
		A 0.46						
AORTIC	NORMAL	1.26			-		NIL	
VALVE								
PULMONARY	NORMAL		(	).73				NIL
VALVE						-		

### **COMMENTS & CONCLUSION: -**

- POOR ECHO WINDOW
- ALL CARDIAC CHAMBERS ARE NORMAL
- NO RWMA, LVEF 60%
- NORMAL LV SYSTOLIC FUNCTION
- NORMAL LV DIASTOLIC FUNCTION
- ALL CARDIAC VALVES ARE NORMAL
- NO EVIDENCE OF CLOT/VEGETATION/PE
- INTACT IVS/IAS

## **IMPRESSION: - NORMAL BI VENTRICULAR FUNCTIONS**

DR SUPRIY JAIN	DR MEGHRAJ MEENA	DR ROOPAM SHARMA
MBBS, M.D., D.M. (CARDIOLOGY)	MBBS, CTCCM, SONOLOGIST	MBBS, PGDCC, FIAE
INCHARGE & SR. CONSULTANT	FICC	CONSULTANT & INCHARGE
INTERVENTIONAL CARDIOLOGY	CONSULTANT CARDIOLOGY	EMERGENCY, PREV.
	& INCHARGE CCU	CARDIOLOGY(NIC) & WELLNESS
		CENTER