

PATIENT NAME : BAIS ARPITA (BOBE49359)

REF. DOCTOR : DR. MEDI WHEEL FULL BODY HEALTH  
CHECKUP BELOW 40FEMALE
 CODE/NAME & ADDRESS : C000138355  
 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
 F-703, LADO SARAI, MEHRAULISOUTH WEST  
 DELHI  
 NEW DELHI 110030  
 8800465156

 ACCESSION NO : **0290WJ005154**  
 PATIENT ID : BAISF030184290  
 CLIENT PATIENT ID: (BOBE49359)  
 ABITA NO

 AGE/SEX : 39 Years Female  
 DRAWN :  
 RECEIVED : 28/10/2023 15:25:06  
 REPORTED : 28/10/2023 19:27:20

Test Report Status	Preliminary	Results	Biological Reference Interval	Units
--------------------	-------------	---------	-------------------------------	-------

**MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE**

<b>XRAY-CHEST</b>	RESULT PENDING
<b>ECG</b>	RESULT PENDING
<b>MEDICAL HISTORY</b>	RESULT PENDING
<b>ANTHROPOMETRIC DATA &amp; BMI</b>	RESULT PENDING
<b>GENERAL EXAMINATION</b>	RESULT PENDING
<b>CARDIOVASCULAR SYSTEM</b>	RESULT PENDING
<b>RESPIRATORY SYSTEM</b>	RESULT PENDING
<b>PER ABDOMEN</b>	RESULT PENDING
<b>CENTRAL NERVOUS SYSTEM</b>	RESULT PENDING
<b>MUSCULOSKELETAL SYSTEM</b>	RESULT PENDING
<b>BASIC EYE EXAMINATION</b>	RESULT PENDING
<b>BASIC ENT EXAMINATION</b>	RESULT PENDING
<b>BASIC DENTAL EXAMINATION</b>	RESULT PENDING
<b>SUMMARY</b>	RESULT PENDING
<b>FITNESS STATUS</b>	RESULT PENDING



View Details



View Report

**PERFORMED AT :**
 Agilus Diagnostics Ltd.  
 Gate No 2, Residency Area, Opp. St. Raphaels School,  
 Indore, 452001  
 Madhya Pradesh, India  
 Tel : 0731 2490008


Patient Ref. No. 775000005257153

**PATIENT NAME : BAIS ARPITA (BOBE49359)**

**REF. DOCTOR : DR. MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE**

<b>CODE/NAME &amp; ADDRESS</b> : C000138355 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	<b>ACCESSION NO</b> : <b>0290WJ005154</b>	<b>AGE/SEX</b> : 39 Years Female
	<b>PATIENT ID</b> : BAISF030184290 <b>CLIENT PATIENT ID:</b> (BOBE49359)	<b>DRAWN</b> : <b>RECEIVED</b> : 28/10/2023 15:25:06 <b>REPORTED</b> : 28/10/2023 19:27:20

Test Report Status	Preliminary	Results	Units
--------------------	-------------	---------	-------

<b>MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE</b>	RESULT PENDING
<b>ULTRASOUND ABDOMEN</b>	RESULT PENDING
<b>TMT OR ECHO</b>	RESULT PENDING



View Details



View Report

**PERFORMED AT :**  
 Agilus Diagnostics Ltd.  
 Gate No 2, Residency Area, Opp. St. Raphaels School,  
 Indore, 452001  
 Madhya Pradesh, India  
 Tel : 0731 2490008



**Patient Ref. No. 775000005257153**

PATIENT NAME : BAIS ARPITA (BOBE49359)

REF. DOCTOR : DR. MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

CODE/NAME & ADDRESS : C000138355  
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
F-703, LADO SARAI, MEHRAULISOUTH WEST  
DELHI  
NEW DELHI 110030  
8800465156

ACCESSION NO : **0290WJ005154**  
PATIENT ID : BAISF030184290  
CLIENT PATIENT ID: (BOBE49359)  
ABITA NO

AGE/SEX : 39 Years Female  
DRAWN :  
RECEIVED : 28/10/2023 15:25:06  
REPORTED : 28/10/2023 19:27:20

Test Report Status	Preliminary	Results	Biological Reference Interval	Units
--------------------	-------------	---------	-------------------------------	-------

## HAEMATOLOGY - CBC

## MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

## BLOOD COUNTS, EDTA WHOLE BLOOD

HEMOGLOBIN (HB)	13.9	12.0 - 15.0	g/dL
RED BLOOD CELL (RBC) COUNT	4.70	3.8 - 4.8	mil/ $\mu$ L
WHITE BLOOD CELL (WBC) COUNT	6.37	4.0 - 10.0	thou/ $\mu$ L
PLATELET COUNT	267	150 - 410	thou/ $\mu$ L

## RBC AND PLATELET INDICES

HEMATOCRIT (PCV)	38.1	36 - 46	%
MEAN CORPUSCULAR VOLUME (MCV)	<b>81.0 Low</b>	83 - 101	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	29.6	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC)	<b>36.5 High</b>	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW)	<b>11.5 Low</b>	11.6 - 14.0	%
MENTZER INDEX	17.2		
MEAN PLATELET VOLUME (MPV)	7.4	6.8 - 10.9	fL

## WBC DIFFERENTIAL COUNT

NEUTROPHILS	58	40 - 80	%
LYMPHOCYTES	36	20 - 40	%
MONOCYTES	04	2 - 10	%
EOSINOPHILS	02	1 - 6	%
BASOPHILS	00	0 - 2	%
ABSOLUTE NEUTROPHIL COUNT	3.69	2.0 - 7.0	thou/ $\mu$ L
ABSOLUTE LYMPHOCYTE COUNT	2.29	1 - 3	thou/ $\mu$ L
ABSOLUTE MONOCYTE COUNT	0.25	0.20 - 1.00	thou/ $\mu$ L
ABSOLUTE EOSINOPHIL COUNT	0.13	0.02 - 0.50	thou/ $\mu$ L

## Interpretation(s)

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia (>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive



Dr. Arpita Pasari, MD  
Consultant Pathologist

Page 3 Of 13



View Details



View Report

## PERFORMED AT :

Agilus Diagnostics Ltd.  
Gate No 2, Residency Area, Opp. St. Raphaels School,  
Indore, 452001  
Madhya Pradesh, India  
Tel : 0731 2490008



Patient Ref. No. 775000005257153

PATIENT NAME : BAIS ARPITA (BOBE49359)

REF. DOCTOR : DR. MEDI WHEEL FULL BODY HEALTH  
CHECKUP BELOW 40FEMALE
 CODE/NAME & ADDRESS : C000138355  
 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
 F-703, LADO SARAI, MEHRAULISOUTH WEST  
 DELHI  
 NEW DELHI 110030  
 8800465156

 ACCESSION NO : **0290WJ005154**  
 PATIENT ID : BAISF030184290  
 CLIENT PATIENT ID: (BOBE49359)  
 ABITA NO

 AGE/SEX : 39 Years Female  
 DRAWN :  
 RECEIVED : 28/10/2023 15:25:06  
 REPORTED : 28/10/2023 19:27:20

Test Report Status	Preliminary	Results	Biological Reference Interval	Units
--------------------	-------------	---------	-------------------------------	-------

patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.  
 (Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504  
 This ratio element is a calculated parameter and out of NABL scope.



 Dr. Arpita Pasari, MD  
 Consultant Pathologist

Page 4 Of 13



View Details



View Report

**PERFORMED AT :**
 Agilus Diagnostics Ltd.  
 Gate No 2, Residency Area, Opp. St. Raphaels School,  
 Indore, 452001  
 Madhya Pradesh, India  
 Tel : 0731 2490008


Patient Ref. No. 775000005257153

**PATIENT NAME : BAIS ARPITA (BOBE49359)**

**REF. DOCTOR : DR. MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE**

**CODE/NAME & ADDRESS : C000138355**  
 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
 F-703, LADO SARAI, MEHRAULISOUTH WEST  
 DELHI  
 NEW DELHI 110030  
 8800465156

**ACCESSION NO : 0290WJ005154**  
**PATIENT ID : BAISF030184290**  
**CLIENT PATIENT ID: (BOBE49359)**  
**ADHA NO :**

**AGE/SEX : 39 Years Female**  
**DRAWN :**  
**RECEIVED : 28/10/2023 15:25:06**  
**REPORTED : 28/10/2023 19:27:20**

Test Report Status	Preliminary	Results	Biological Reference Interval	Units
--------------------	-------------	---------	-------------------------------	-------

**HAEMATOLOGY**

**MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE**

**ERYTHROCYTE SEDIMENTATION RATE (ESR),WHOLE BLOOD**

E.S.R	11	0 - 20	mm at 1 hr
-------	----	--------	------------

**GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD**

HBA1C	5.3	Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)	%
-------	-----	--	---

ESTIMATED AVERAGE GLUCOSE(EAG)	105.4	< 116.0	mg/dL
--------------------------------	-------	---------	-------

**Interpretation(s)**

**ERYTHROCYTE SEDIMENTATION RATE (ESR),WHOLE BLOOD-TEST DESCRIPTION :-**

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

**TEST INTERPRETATION**

**Increase** in: Infections, Vasculitides, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

**Decreased** in: Polycythemia vera, Sickle cell anemia

**LIMITATIONS**

**False elevated ESR** : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

**False Decreased** : Poikilocytosis,(SickleCells,spherocytes),Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine,

salicylates)

**REFERENCE :**

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition.

**GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For:**

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
2. Diagnosing diabetes.
3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

**Dr.Arpita Pasari, MD**  
**Consultant Pathologist**



View Details



View Report

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
 Gate No 2, Residency Area, Opp. St. Raphaels School,  
 Indore, 452001  
 Madhya Pradesh, India  
 Tel : 0731 2490008



**Patient Ref. No. 775000005257153**

PATIENT NAME : BAIS ARPITA (BOBE49359)

REF. DOCTOR : DR. MEDI WHEEL FULL BODY HEALTH  
CHECKUP BELOW 40FEMALE

CODE/NAME & ADDRESS : C000138355 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : <b>0290WJ005154</b>	AGE/SEX : 39 Years Female
	PATIENT ID : BAISF030184290	DRAWN :
	CLIENT PATIENT ID: (BOBE49359)	RECEIVED : 28/10/2023 15:25:06
	ABITA NO	REPORTED : 28/10/2023 19:27:20

Test Report Status	Preliminary	Results	Biological Reference Interval	Units
--------------------	-------------	---------	-------------------------------	-------

- eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
- eAG gives an evaluation of blood glucose levels for the last couple of months.
- eAG is calculated as  $eAG (mg/dl) = 28.7 * HbA1c - 46.7$

**HbA1c Estimation can get affected due to :**

- Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.
- Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin).
- Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addition are reported to interfere with some assay methods, falsely increasing results.
- Interference of hemoglobinopathies in HbA1c estimation is seen in

- Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
- Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
- HbF > 25% on alternate platform (Boronate affinity chromatography) is recommended for testing of HbA1c. Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy



**Dr. Arpita Pasari, MD**  
Consultant Pathologist

Page 6 Of 13



View Details



View Report

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
Gate No 2, Residency Area, Opp. St. Raphaels School,  
Indore, 452001  
Madhya Pradesh, India  
Tel : 0731 2490008



Patient Ref. No. 775000005257153

PATIENT NAME : BAIS ARPITA (BOBE49359)

REF. DOCTOR : DR. MEDI WHEEL FULL BODY HEALTH  
CHECKUP BELOW 40FEMALE

CODE/NAME & ADDRESS : C000138355  
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
F-703, LADO SARAI, MEHRAULISOUTH WEST  
DELHI  
NEW DELHI 110030  
8800465156

ACCESSION NO : **0290WJ005154**  
PATIENT ID : BAISF030184290  
CLIENT PATIENT ID: (BOBE49359)  
ARBITA NO :

AGE/SEX : 39 Years Female  
DRAWN :  
RECEIVED : 28/10/2023 15:25:06  
REPORTED : 28/10/2023 19:27:20

Test Report Status	Preliminary	Results	Biological Reference Interval	Units
--------------------	-------------	---------	-------------------------------	-------

### IMMUNOHAEMATOLOGY

#### MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

#### ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP	TYPE B
RH TYPE	POSITIVE

#### Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.



Dr. Arpita Pasari, MD  
Consultant Pathologist

Page 7 Of 13



View Details



View Report

#### PERFORMED AT :

Agilus Diagnostics Ltd.  
Gate No 2, Residency Area, Opp. St. Raphaels School,  
Indore, 452001  
Madhya Pradesh, India  
Tel : 0731 2490008



Patient Ref. No. 775000005257153

**PATIENT NAME : BAIS ARPITA (BOBE49359)**

**REF. DOCTOR : DR. MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE**

**CODE/NAME & ADDRESS :** C000138355  
 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
 F-703, LADO SARAI, MEHRAULISOUTH WEST  
 DELHI  
 NEW DELHI 110030  
 8800465156

**ACCESSION NO :** 0290WJ005154  
**PATIENT ID :** BAISF030184290  
**CLIENT PATIENT ID:** (BOBE49359)  
 ARPITA NO

**AGE/SEX :** 39 Years Female  
**DRAWN :**  
**RECEIVED :** 28/10/2023 15:25:06  
**REPORTED :** 28/10/2023 19:27:20

Test Report Status	Preliminary	Results	Biological Reference Interval	Units
--------------------	-------------	---------	-------------------------------	-------

**BIOCHEMISTRY**

**MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE**

**GLUCOSE FASTING,FLUORIDE PLASMA**

FBS (FASTING BLOOD SUGAR) 97 74 - 99 mg/dL

**GLUCOSE, POST-PRANDIAL, PLASMA**

PPBS(POST PRANDIAL BLOOD SUGAR) 106 Normal: < 140, mg/dL  
 Impaired Glucose  
 Tolerance: 140-199  
 Diabetic > or = 200

**LIPID PROFILE WITH CALCULATED LDL**

CHOLESTEROL, TOTAL **218 High** Desirable: <200 mg/dL  
 BorderlineHigh : 200-239  
 High : > or = 240

TRIGLYCERIDES 73 Desirable: < 150 mg/dL  
 Borderline High: 150 - 199  
 High: 200 - 499  
 Very High : > or = 500

HDL CHOLESTEROL 57 < 40 Low mg/dL  
 > or = 60 High

CHOLESTEROL LDL **146 High** Adult levels: mg/dL  
 Optimal < 100  
 Near optimal/above optimal:  
 100-129  
 Borderline high : 130-159  
 High : 160-189  
 Very high : = 190

NON HDL CHOLESTEROL **161 High** Desirable: Less than 130 mg/dL  
 Above Desirable: 130 - 159  
 Borderline High: 160 - 189  
 High: 190 - 219  
 Very high: > or = 220

VERY LOW DENSITY LIPOPROTEIN 14.6 < or = 30 mg/dL  
 CHOL/HDL RATIO 3.8 3.3 - 4.4  
 LDL/HDL RATIO 2.6 0.5 - 3.0 Desirable/Low Risk  
 3.1 - 6.0 Borderline/Moderate  
 Risk  
 >6.0 High Risk

**Dr. Arpita Pasari, MD**  
**Consultant Pathologist**



View Details



View Report

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
 Gate No 2, Residency Area, Opp. St. Raphaels School,  
 Indore, 452001  
 Madhya Pradesh, India  
 Tel : 0731 2490008



**Patient Ref. No. 775000005257153**



**PATIENT NAME : BAIS ARPITA (BOBE49359)**

**REF. DOCTOR : DR. MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE**

**CODE/NAME & ADDRESS :** C000138355  
 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
 F-703, LADO SARAI, MEHRAULISOUTH WEST  
 DELHI  
 NEW DELHI 110030  
 8800465156

**ACCESSION NO :** 0290WJ005154  
**PATIENT ID :** BAISF030184290  
**CLIENT PATIENT ID:** (BOBE49359)  
**ARBITA NO**

**AGE/SEX :** 39 Years Female  
**DRAWN :**  
**RECEIVED :** 28/10/2023 15:25:06  
**REPORTED :** 28/10/2023 19:27:20

Test Report Status	Preliminary	Results	Biological Reference Interval	Units
--------------------	-------------	---------	-------------------------------	-------

**LIVER FUNCTION PROFILE, SERUM**

BILIRUBIN, TOTAL	0.46	0.0 - 1.2	mg/dL
BILIRUBIN, DIRECT	0.19	0.0 - 0.2	mg/dL
BILIRUBIN, INDIRECT	0.27	0.00 - 1.00	mg/dL
TOTAL PROTEIN	7.3	6.4 - 8.3	g/dL
ALBUMIN	4.4	3.50 - 5.20	g/dL
GLOBULIN	2.9	2.0 - 4.1	g/dL
ALBUMIN/GLOBULIN RATIO	1.5	1.0 - 2.0	RATIO
ASPARTATE AMINOTRANSFERASE(AST/SGOT)	22	UPTO 32	U/L
ALANINE AMINOTRANSFERASE (ALT/SGPT)	14	UPTO 34	U/L
ALKALINE PHOSPHATASE	87	35 - 104	U/L
GAMMA GLUTAMYL TRANSFERASE (GGT)	9	5 - 36	U/L
LACTATE DEHYDROGENASE	212	135 - 214	U/L

**BLOOD UREA NITROGEN (BUN), SERUM**

BLOOD UREA NITROGEN	7	6 - 20	mg/dL
---------------------	---	--------	-------

**CREATININE, SERUM**

CREATININE	0.60	0.50 - 0.90	mg/dL
------------	------	-------------	-------

**BUN/CREAT RATIO**

BUN/CREAT RATIO	11.67	5.0 - 15.0	
-----------------	-------	------------	--

**URIC ACID, SERUM**

URIC ACID	4.5	2.6 - 6.0	mg/dL
-----------	-----	-----------	-------

**TOTAL PROTEIN, SERUM**

TOTAL PROTEIN	7.3	6.4 - 8.3	g/dL
---------------	-----	-----------	------

**ALBUMIN, SERUM**

ALBUMIN	4.4	3.5 - 5.2	g/dL
---------	-----	-----------	------

**GLOBULIN**

GLOBULIN	2.9	2.0 - 4.1	g/dL
----------	-----	-----------	------

**ELECTROLYTES (NA/K/CL), SERUM**

SODIUM, SERUM	140.6	136.0 - 146.0	mmol/L
POTASSIUM, SERUM	4.52	3.50 - 5.10	mmol/L
CHLORIDE, SERUM	102.2	98.0 - 106.0	mmol/L

**Dr. Arpita Pasari, MD**  
**Consultant Pathologist**



View Details



View Report

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
 Gate No 2, Residency Area, Opp. St. Raphaels School,  
 Indore, 452001  
 Madhya Pradesh, India  
 Tel : 0731 2490008



**Patient Ref. No. 775000005257153**

**PATIENT NAME : BAIS ARPITA (BOBE49359)**

**REF. DOCTOR : DR. MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE**

<b>CODE/NAME &amp; ADDRESS :</b> C000138355 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	<b>ACCESSION NO :</b> 0290WJ005154 <b>PATIENT ID :</b> BAISF030184290 <b>CLIENT PATIENT ID:</b> (BOBE49359) <b>ABHA NO :</b>	<b>AGE/SEX :</b> 39 Years Female <b>DRAWN :</b> <b>RECEIVED :</b> 28/10/2023 15:25:06 <b>REPORTED :</b> 28/10/2023 19:27:20
---	---	--

Test Report Status	Preliminary	Results	Biological Reference Interval	Units
--------------------	-------------	---------	-------------------------------	-------

**Interpretation(s)**

**GLUCOSE FASTING,FLUORIDE PLASMA-TEST DESCRIPTION**

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and so that no glucose is excreted in the urine.

**Increased in:** Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs: corticosteroids, phenytoin, estrogen, thiazides.

**Decreased in :** Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease, malignancy (adrenocortical, stomach, fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases (e.g. galactosemia), Drugs- insulin, ethanol, propranolol, sulfonylureas, tolbutamide, and other oral hypoglycemic agents.

**NOTE:** While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

**GLUCOSE, POST-PRANDIAL, PLASMA-** High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c

**LIVER FUNCTION PROFILE, SERUM-**  
**Bilirubin** is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. **Elevated levels** results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease. Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

**AST** is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

**ALP** is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

**GGT** is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

**Total Protein** also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

**Albumin** is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc

**BLOOD UREA NITROGEN (BUN), SERUM-** **Causes of Increased levels** include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

**Causes of decreased level** include Liver disease, SIADH.

**CREATININE, SERUM- Higher than normal level may be due to:**

• Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

**Lower than normal level may be due to:** • Myasthenia Gravis, Muscuophy

**URIC ACID, SERUM-** **Causes of Increased levels-** Dietary (High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome **Causes of decreased levels-** Low Zinc intake, OCP, Multiple Sclerosis

**TOTAL PROTEIN, SERUM-** is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin.

**Higher-than-normal levels may be due to:** Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.

**Lower-than-normal levels may be due to:** Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

**ALBUMIN, SERUM-** Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. **Low blood albumin levels (hypoalbuminemia) can be caused by:** Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

**Dr. Arpita Pasari, MD**  
**Consultant Pathologist**



View Details



View Report

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
Gate No 2, Residency Area, Opp. St. Raphaels School,  
Indore, 452001  
Madhya Pradesh, India  
Tel : 0731 2490008



**Patient Ref. No. 775000005257153**

**PATIENT NAME : BAIS ARPITA (BOBE49359)**

**REF. DOCTOR : DR. MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE**

**CODE/NAME & ADDRESS :** C000138355  
 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
 F-703, LADO SARAI, MEHRAULISOUTH WEST  
 DELHI  
 NEW DELHI 110030  
 8800465156

**ACCESSION NO :** 0290WJ005154  
**PATIENT ID :** BAISF030184290  
**CLIENT PATIENT ID:** (BOBE49359)  
**ARBITA NO**

**AGE/SEX :** 39 Years Female  
**DRAWN :**  
**RECEIVED :** 28/10/2023 15:25:06  
**REPORTED :** 28/10/2023 19:27:20

Test Report Status	Preliminary	Results	Biological Reference Interval	Units
--------------------	-------------	---------	-------------------------------	-------

**CLINICAL PATH - URINALYSIS**

**MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE**

**PHYSICAL EXAMINATION, URINE**

COLOR PALE YELLOW  
 APPEARANCE SLIGHTLY HAZY

**CHEMICAL EXAMINATION, URINE**

PH	5.5	4.7 - 7.5	
SPECIFIC GRAVITY	<=1.005	1.003 - 1.035	
PROTEIN	NOT DETECTED	NOT DETECTED	
GLUCOSE	NOT DETECTED	NOT DETECTED	
KETONES	NOT DETECTED	NOT DETECTED	
BLOOD	NOT DETECTED	NOT DETECTED	
BILIRUBIN	NOT DETECTED	NOT DETECTED	
UROBILINOGEN	NORMAL	NORMAL	
NITRITE	NOT DETECTED	NOT DETECTED	
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED	

**MICROSCOPIC EXAMINATION, URINE**

RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
PUS CELL (WBC'S)	2-3	0-5	/HPF
EPITHELIAL CELLS	2-3	0-5	/HPF
CASTS	NOT DETECTED		
CRYSTALS	NOT DETECTED		
BACTERIA	NOT DETECTED	NOT DETECTED	
YEAST	NOT DETECTED	NOT DETECTED	
REMARKS	Please note that all the urinary findings are confirmed manually as well.		

**Dr. Arpita Pasari, MD**  
**Consultant Pathologist**



View Details



View Report

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
 Gate No 2, Residency Area, Opp. St. Raphaels School,  
 Indore, 452001  
 Madhya Pradesh, India  
 Tel : 0731 2490008



**Patient Ref. No. 775000005257153**

PATIENT NAME : BAIS ARPITA (BOBE49359)

REF. DOCTOR : DR. MEDI WHEEL FULL BODY HEALTH  
CHECKUP BELOW 40FEMALE

CODE/NAME & ADDRESS : C000138355  
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL  
F-703, LADO SARAI, MEHRAULISOUTH WEST  
DELHI  
NEW DELHI 110030  
8800465156

ACCESSION NO : **0290WJ005154**  
PATIENT ID : BAISF030184290  
CLIENT PATIENT ID: (BOBE49359)  
ARPITA NO

AGE/SEX : 39 Years Female  
DRAWN :  
RECEIVED : 28/10/2023 15:25:06  
REPORTED : 28/10/2023 19:27:20

Test Report Status	Preliminary	Results	Biological Reference Interval	Units
--------------------	-------------	---------	-------------------------------	-------

**SPECIALISED CHEMISTRY - HORMONE**

**MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE**

**THYROID PANEL, SERUM**

T3	123.00	Non-Pregnant Women 80.0 - 200.0 Pregnant Women 1st Trimester: 105.0 - 230.0 2nd Trimester: 129.0 - 262.0 3rd Trimester: 135.0 - 262.0	ng/dL
T4	8.26	Non-Pregnant Women 5.10 - 14.10 Pregnant Women 1st Trimester: 7.33 - 14.80 2nd Trimester: 7.93 - 16.10 3rd Trimester: 6.95 - 15.70	µg/dL
TSH (ULTRASENSITIVE)	2.020	Non Pregnant Women 0.27 - 4.20 Pregnant Women 1st Trimester: 0.33 - 4.59 2nd Trimester: 0.35 - 4.10 3rd Trimester: 0.21 - 3.15	µIU/mL

**\*\*End Of Report\*\***

Please visit [www.agilusdiagnostics.com](http://www.agilusdiagnostics.com) for related Test Information for this accession



**Dr. Arpita Pasari, MD**  
Consultant Pathologist

Page 12 Of 13



View Details



View Report

**PERFORMED AT :**

Agilus Diagnostics Ltd.  
Gate No 2, Residency Area, Opp. St. Raphaels School,  
Indore, 452001  
Madhya Pradesh, India  
Tel : 0731 2490008



**Patient Ref. No. 775000005257153**

PATIENT NAME : BAIS ARPITA (BOBE49359)

REF. DOCTOR : DR. MEDI WHEEL FULL BODY HEALTH  
CHECKUP BELOW 40FEMALE

CODE/NAME & ADDRESS : C000138355 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : <b>0290WJ005154</b> PATIENT ID : BAISF030184290 CLIENT PATIENT ID: (BOBE49359) ARPITA NO	AGE/SEX : 39 Years Female DRAWN : RECEIVED : 28/10/2023 15:25:06 REPORTED : 28/10/2023 19:27:20
--	--	--

Test Report Status	Preliminary	Results	Biological Reference Interval	Units
--------------------	-------------	---------	-------------------------------	-------

### CONDITIONS OF LABORATORY TESTING & REPORTING

1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
2. All tests are performed and reported as per the turnaround time stated in the AGILUS Directory of Services.
3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
4. A requested test might not be performed if:
  - i. Specimen received is insufficient or inappropriate
  - ii. Specimen quality is unsatisfactory
  - iii. Incorrect specimen type
  - iv. Discrepancy between identification on specimen container label and test requisition form
5. AGILUS Diagnostics confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
8. Test results cannot be used for Medico legal purposes.
9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

#### Agilus Diagnostics Ltd

Fortis Hospital, Sector 62, Phase VIII,  
Mohali 160062

Page 13 Of 13



Dr. Arpita Pasari, MD  
Consultant Pathologist



View Details



View Report

#### PERFORMED AT :

Agilus Diagnostics Ltd.  
Gate No 2, Residency Area, Opp. St. Raphaels School,  
Indore, 452001  
Madhya Pradesh, India  
Tel : 0731 2490008



Patient Ref. No. 775000005257153