

To,

The Coordinator,
Mediwheel (Arcofemi Healthcare Limited)
Helpline number: 011- 41195959

Dear Sir / Madam,

Sub: Annual Health Checkup for the employees of Bank of Baroda

This is to inform you that the following spouse of our employee wishes to avail the facility of Cashless Annual Health Checkup provided by you in terms of our agreement.

| PARTICULARS OF HEALTH CHECK UP BENEFICIARY | |
|---|--------------------------|
| NAME | RAJKISHORE KUMAR |
| DATE OF BIRTH | 25-08-1984 |
| PROPOSED DATE OF HEALTH CHECKUP FOR EMPLOYEE SPOUSE | 23-09-2023 |
| BOOKING REFERENCE NO. | 23S105251100070186S |
| SPOUSE DETAILS | |
| EMPLOYEE NAME | MS. KUMARI RESHMI |
| EMPLOYEE EC NO. | 105251 |
| EMPLOYEE DESIGNATION | SINGLE WINDOW OPERATOR A |
| EMPLOYEE PLACE OF WORK | CHAS |
| EMPLOYEE BIRTHDATE | 16-07-1989 |

This letter of approval / recommendation is valid if submitted along with copy of the Bank of Baroda employee id card. This approval is valid from **22-09-2023** till **31-03-2024**. The list of medical tests to be conducted is provided in the annexure to this letter. Please note that the said health checkup is a **cashless facility** as per our tie up arrangement. We request you to attend to the health checkup requirement of our employee's spouse and accord your top priority and best resources in this regard. The EC Number and the booking reference number as given in the above table shall be mentioned in the invoice, invariably.

We solicit your co-operation in this regard.



Yours faithfully,

Sd/-


Chief General Manager
HRM Department
Bank of Baroda



(Note: This is a computer generated letter. No Signature required. For any clarification, please contact Mediwheel (Arcofemi Healthcare Limited))



 भारत सरकार
Government of India  आधार

Issue Date: 22/01/2012



राज किशोर कुमार
Raj Kishore Kumar
जन्म तिथि/DOB: 25/08/1984
पुरुष/ MALE


2972 7645 7103
VID : 9126 1908 6090 7902
मेरा आधार, मेरी पहचान

 भारतीय विशिष्ट पहचान प्राधिकरण
Unique Identification Authority of India  AADHAAR




पता:
S/O राम कुमार राम, क्वार्टर नं - २०६५, सेक्टर - ४/इ,
बोकारो स्टील सिटी, बोकारो,
झारखण्ड - 827004

Download Date: 06/08/2022

Address:
S/O Ram Kumar Ram, QUARTER NO - 2065,
SECTOR - 4/E, BOKARO STEEL CITY, Bokaro,
Jharkhand - 827004



2972 7645 7103
VID : 9126 1908 6090 7902

 1947 |  help@uidai.gov.in |  www.uidai.gov.in





OUT PATIENT DEPARTMENT

Department of General Medicine

Regd. No. : OCT23-67787
 Patient Name : MR. RAJ KISHORE KUMAR
 Age/Sex : 39 Y 1 M 0 D / Male
 Address : Q.NO- 2065, SEC-4/E, BOKARO STEEL CITY, BOKARO - 827004, Jharkhand, INDIA
 Doctor : Dr. Uday Shankar MBBS, MD, D. Cardio., FCCS
 Visit : OPD/141023/157461
 Mobile : 8789755101
 Date : 14-Oct-2023 2:24 pm
 OPD Timing : MON-SAT (10AM - 2PM)

Referred By :

Allergies :

Height : Ft In Temp. : C SPO2 : 99 %
 Weight : 68.8 Kg Pulse : 92 BPM B.P. : 180/110 mm/Hg

History and complaints :

Examination:

Diagnosis:

Investigations:

Medicines Prescribed:

T. Telista 40 7 1-0
 T. Metilda Plus 1 0-1
 T. Paroic DSR 1 0-1
 Low salt diet.

Revis after today

Follow up: Days Advice (Diet/ Lifestyle / Rehab)

Date :

Time :

Signature of Doctor



*This document is not valid for Medico-Legal purposes.



Male

ASARFI

14-Oct-23 12:04:37

ASARFI INST. OF CARDIAC SCIENCES



Rate 78 . Sinus rhythm.....
 PR 148 . Consider left ventricular hypertrophy.....normal P axis, V-rate 50- 99
 QRS 89 . ST elev, probable normal early repol pattern..... (S V1/V2+R V5/V6) >3.50mV
 QT 334
 QTc 381


--AXIS--

P 58
 QRS 59
 T 10

12 Lead; Standard Placement

- ABNORMAL ECG -

Unconfirmed Diagnosis



Speed: 25 mm/sec Limb: 10 mm/mV Chest: 10.0 mm/mV

P 50~ 0.50-100 Hz W PH100B CL? P?

Device:

REPORT

ECHOCARDIOGRAPHY REPORT

Name: MR RAJ KISHORE KUMAR

Age: 39

Sex: Male

Date: 14/10/2023

2D & M-MODE MEASUREMENTS

| | |
|---------|--------|
| LA Diam | 2.6 cm |
| Ao Diam | 3.1 cm |
| IVSd | 1.1 cm |
| LVIDd | 4.9 cm |
| LVPWd | 1.1 cm |
| IVSs | 1.6 cm |
| LVIDs | 3.2 cm |

2D & M-MODE CALCULATIONS

| | |
|------------|----------|
| EDV(Teich) | 113 ml |
| ESV(Teich) | 40 ml |
| EF(Teich) | 65 % |
| %FS | 35 % |
| SV(Teich) | 73 ml |
| LVd Mass | 247.55 g |
| RWT | 0.47 |

MITRAL VALVE

| | |
|--------------|----------------------|
| MV E Vel | 0.88 m/s |
| MV DecT | 217 ms |
| MV Dec Slope | 4.0 m/s ² |
| MV A Vel | 0.76 m/s |
| MV E/A Ratio | 1.14 |
| E' | 0.12 m/s |
| E/E' | 7.47 |

AORTIC VALVE

| | |
|----------|-----------|
| AV Vmax | 1.39 m/s |
| AV maxPG | 7.73 mmHg |

TRICUSPID VALVE

| | |
|----------|-----------|
| PV Vmax | 1.01 m/s |
| PV maxPG | 4.04 mmHg |

COMMENTS:

- NORMAL SIZE CARDIAC CHAMBERS
- NO LVRWMA
- NORMAL LV SYSTOLIC FUNCTION (EF-64%)
- GRADE I DIASTOLIC DYSFUNCTION
- NO MR, NO AR, NO TR, NO PAH
- IAS, IVS INTACT
- NO CLOT, PE
- IVC NORMAL

IMPRESSION:

- NORMAL SIZE CARDIAC CHAMBERS
- NO LVRWMA
- NORMAL LV SYSTOLIC FUNCTION (EF-64%)
- GRADE I DIASTOLIC DYSFUNCTION

DR. S. H. CHAVAN
(CONSULTANT CARDIOLOGIST)

TECH. SIG





असर्फी हॉस्पिटल
सबके लिए स्वास्थ्य

Baramuri , P.O. - Bishunpur Polytechnic, Dhanbad (Jharkhand) - 828130
Regd. Office : Phularitand, Kharkaree, Dhanbad (Jharkhand) - 828125
Mob.: 78083 68888
CIN : U85110JH2005PLC011673

RADIOLOGY REPORT

| | | | |
|-----------|-----------------------|----------|-------------------|
| Reg. No. | 67787 | Ref. Dr. | SELF |
| Name | MR. RAJ KISHORE KUMAR | Study | USG WHOLE ABDOMEN |
| Age & Sex | 39Y /M | Rep Date | 14.10.2023 |

USG WHOLE ABDOMEN

- LIVER** : Liver is normal in size, shape & echotexture. No obvious focal lesion is seen. IHBR are not dilated.
- GALL BLADDER** : GB is well distended. No obvious calculus or mass lesion is seen. The wall thickness is normal.
- CBD** : CBD is normal in course & caliber.
- PV** : PV is normal in course & caliber.
- PANCREAS** : Pancreas is normal in size, shape & echotexture. Peripancreatic soft tissues appear normal. MPD is not dilated.
- SPLEEN** : Spleen is normal in shape, size & echotexture. It measures 6.9cm in size.
- KIDNEYS** : The right kidney measures 10.3 x 5.1cm. The left kidney measures 10.3 x 5.1cm. Both kidneys are normal in shape, size & position. The pelvicalyceal system is normal. Corticomedullary differentiation is maintained. No focal lesion is seen.
- URINARY BLADDER** : Urinary bladder is well distended. No obvious calculus or mass lesion is seen. The wall thickness is normal.
- PROSTATE** : Prostate is normal in size, shape & echotexture. It measures 3.1 x 2.5 x 3.1cm in size (volume – 13.4gram).
- OTHERS** : No ascites or retroperitoneal lymphadenopathy is seen.
- IMPRESSION** : • No significant abnormality detected.
Clinical correlation is suggested.



Dr. VAISHALI PATEL
MBBS, DNB (Radio-diagnosis)
Consultant Radiologist

24 HOUR EMERGENCY

© AHL/D/0070/13/August/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishunpur Polytechnic, Dharampur, 7281130
Ph. No.: 7808368888, 9297862282, 9297862282



FINAL REPORT

Name : MR. RAJ KISHORE KUMAR
Reg. No. : OCT23-67787
Age / Sex : 39 Yrs / Male
Doctor :
Pat. Type : Mediwheel



Collection Time : 14-10-2023 10:49:35
Receiving Time : 14-10-2023 10:50:41
Reporting Time : 14-10-2023 15:00:32
Publish Time : 14-10-2023 3:19 pm

| Test Name | Result | Flag | Unit | Reference Range |
|-----------|--------|------|------|-----------------|
|-----------|--------|------|------|-----------------|

Biochemistry

Creatinine, Serum

Method: Enzymatic

Machine Name: XL640

Creatinine, Serum

0.6

mg/dl

0.6-1.4

Uric Acid, Serum

Method: Enzymatic

Machine Name: XL640

Uric Acid, Serum

5.1

mg/dl

3.4-7.0

Blood Urea Nitrogen (BUN)

Method: Calculated

Machine Name: XL640

Blood Urea Nitrogen (BUN)

8.17

mg/dl

07-21

Fasting Blood Glucose, Plasma

Method: GOD-POD

Machine Name: XL640

Fasting Blood Glucose, Plasma

98.5

mg/dl

70-110

LIPID PROFILE, SERUM

Method: Spectrophotometry

Machine Name: XL640

Triglycerides (Enzymatic)

112.0

mg/dl

Normal: <150

Borderline-high:

150-199 High risk

200-499

Very high risk >500

Cholesterol, Total (CHOD/PAP)

160.0

mg/dl

<200 No risk 200-239

Moderate

risk >240 High risk

VLDL Cholesterol (Calculated)

22.4

mg/dl

0-30

HDL Cholesterol (Enzymatic)

39.0

L

mg/dl

<40 High Risk ; >60 No Risk



DR N N SINGH
MD (PATHOLOGY)

Condition of Laboratory Testing & Reporting

(1) The report is valid only if the patient is identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s)/ Sample(s). (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipemic etc.) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email: labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4197/October/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd)

Baramuri, Bishunpur Polytechnic, D... 28 130
Ph. No.: 7808368888, 9297862282, 9297861514



MC-5939


FINAL REPORT

Name : MR. RAJ KISHORE KUMAR
Reg. No. : OCT23-67787
Age / Sex : 39 Yrs / Male
Doctor :
Pat. Type : Mediwheel



Collection Time : 14-10-2023 10:49:35
Receiving Time : 14-10-2023 10:50:41
Reporting Time : 17-10-2023 10:18:08
Publish Time : 17-10-2023 12:39 pm

| Test Name | Result | Flag | Unit | Reference Range |
|---|--------|------|-------|--|
| LDL Cholesterol (Calculated) | 98.6 | | mg/dl | Optimum:<100 Above optimum: <130; Moderate risk:130-159; High risk:>160 |
| Cholesterol Total : HDL Ratio (Calculated) | 4.1 | | mg/dl | 1.2-6.0 |
| GLYCOCYLATED HEMOGLOBIN (HbA1C), BLOOD | | | | |
| <i>Method</i> : HPLC / Nephelometry | | | | <i>Machine Name</i> : BIO-RAD, D-10 / MISPA |
| HbA1C | 5.6 | | % | 4.4-6.2 |
| Estimated average glucose (eAG) | 114.02 | | mg/dl | |
| Glucose, PP | | | | |
| <i>Method</i> : GOD-POD | | | | |
| Glucose, PP | 89.0 | | mg/dl | 70-140 |



DR N N SINGH
MD (PATHOLOGY)

Condition of Laboratory Testing & Reporting

(1) It is presumed that the test(s) performed are on the specimen(s) / Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s) / Sample(s). (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipemic etc.) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email-labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4197/October/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)
Baramuri, Bishunpur Polytechnic, Dhamra - 7510130
Ph. No.: 7808368888, 9297862282, 9297862282



FINAL REPORT

Name : MR. RAJ KISHORE KUMAR
Reg. No. : OCT23-67787
Age / Sex : 39 Yrs / Male
Doctor :
Pat. Type : Mediwheel



Collection Time : 14-10-2023 10:49:35
Receiving Time : 14-10-2023 10:50:41
Reporting Time : 14-10-2023 15:00:32
Publish Time : 14-10-2023 3:19 pm

| Test Name | Result | Flag | Unit | Reference Range |
|--------------------------------------|--------|------|-------|-----------------|
| Liver Function Test (LFT) | | | | |
| Method: Spectrophotometry | | | | |
| Machine Name: XL-640 | | | | |
| Bilirubin Total (Diazo) | 0.6 | | mg/dl | 0.3-1.2 |
| Bilirubin Direct (Diazo) | 0.2 | | mg/dl | 0.00-0.2 |
| Bilirubin Indirect (Calculated) | 0.4 | | mg/dl | 0.00-1.0 |
| SGPT (IFCC without PDP) | 39.1 | | U/L | 7-50 |
| SGOT (IFCC without PDP) | 48.6 | H | U/L | 5-45 |
| Alkaline Phosphate (PNP AMP Kinetic) | 270.0 | | U/L | 70-306 |
| GGT (Enzymatic) | 16.8 | | U/L | 0-55 |
| Protein Total (Biuret) | 7.5 | | g/dl | 6.4-8.3 |
| Albumin (BCG) | 4.2 | | g/dl | 3.5-5.2 |
| Globulin (Calculated) | 3.3 | | g/dl | 2.3-3.5 |
| A : G Ratio (Calculated) | 1.27 | | | 0.8-2.0 |



DR N N SINGH
MD (PATHOLOGY)

Condition of Laboratory Testing & Reporting

(1) The report is for the use of the patient named or identified and the verification of the particulars have been carried out by the person (2) either representative at the point of generation of the said specimen(s) Sample(s) (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/serum etc.) (b) incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email: labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4197/October/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



असर्फी हॉस्पिटल
सबके लिए स्वास्थ्य

ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd)

Baramuri, Bishunpur Polytechnic, Dhanbad - 826013

Ph. No.: 7808368888, 9297862282, 9297862282



MC-5939

FINAL REPORT

Name : MR. RAJ KISHORE KUMAR
Reg. No. : OCT23-67787
Age / Sex : 39 Yrs / Male
Doctor :
Pat. Type : Mediwheel



Collection Time : 14-10-2023 10:49:35
Receiving Time : 14-10-2023 10:50:41
Reporting Time : 14-10-2023 15:00:32
Publish Time : 14-10-2023 3:19 pm

| Test Name | Result | Flag | Unit | Reference Range |
|---|----------|------|-------|-----------------|
| Routine Urine Examination; Urine | | | | |
| <i>Method:</i> Microscopic | | | | |
| Protiens | NEGATIVE | . | | |
| Bilirubin | NEGATIVE | . | | |
| Casts | NOT SEEN | | /hpf. | |
| Volume | 30 | | ml. | |
| Specific Gravity | 1.005 | . | | |
| Bile Pigments | XX | . | | |
| R.B.C. | NIL | | /hpf. | |
| Appearance | CLEAR | . | | |
| Glucose | NEGATIVE | . | | |
| Ketone Bodies | XX | . | | |
| Pus Cells | 2-3 | | /hpf. | |
| Crystals | NOT SEEN | | /hpf. | |
| Colour | STRAW | . | | |
| PH | 6.5 | . | | |
| Bile Salts | XX | . | | |
| Epithelial Cells | 1-2 | | /hpf. | |
| others | NOT SEEN | . | | |



DR N N SINGH
MD (PATHOLOGY)

Condition of Laboratory Testing & Reporting

(1) The results of the test(s) are valid only if the specimen(s) are received in the laboratory in the name of the patient named or identified and the verification of the particulars have been carried out by the representative at the point of generation of the said specimen(s)/ Sample(s) (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipemic etc.) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email-labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4197/October/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd)

Baramuri, Bishunpur Polytechnic, Dhambad 208 130

Ph. No.: 7808368888, 9297862282, 9297862282



MC-5939

FINAL REPORT

Name : MR. RAJ KISHORE KUMAR
Reg. No. : OCT23-67787
Age / Sex : 39 Yrs / Male
Doctor :
Pat. Type : Mediwheel



Collection Time : 14-10-2023 10:49:35
Receiving Time : 14-10-2023 10:50:41
Reporting Time : 17-10-2023 10:18:08
Publish Time : 17-10-2023 12:39 pm

| Test Name | Result | Flag | Unit | Reference Range |
|-----------|--------|------|------|-----------------|
|-----------|--------|------|------|-----------------|

Microbiology

Culture & Sensitivity (Urine)

Method : vitek 2 compact

Machine Name : vitek 2 compact

Organism Isolated

NO GROWTH OF ANY ORGANISM.



DR N N SINGH
MD (PATHOLOGY)

Condition of Laboratory Testing & Reporting

(1) It is assured that the test(s) requested are on the specimen(s) / Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s) / Sample(s) (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipamic etc.) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email-labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4197/October/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



असर्फी हॉस्पिटल
सबके लिए स्वास्थ्य

ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishunpur Polytechnic, Dhanbad - 8260130

Ph. No.: 7808368888, 9297862282, 9297862282



FINAL REPORT

Name : MR. RAJ KISHORE KUMAR
Reg. No. : OCT23-67787
Age / Sex : 39 Yrs / Male
Doctor :
Pat. Type : Mediwheel



Collection Time : 14-10-2023 10:49:35
Receiving Time : 14-10-2023 10:50:41
Reporting Time : 14-10-2023 15:00:32
Publish Time : 14-10-2023 3:19 pm

| Test Name | Result | Flag | Unit | Reference Range |
|--|--------|------|-------|-----------------|
| Protein:Creatinine Ratio; Urine | | | | |
| <i>Method: Immunoturbidimetry, Spectrophotometer</i> | | | | |
| Protein | 26.0 | | mg/L | |
| Creatinine | 59.0 | | mg/dl | |
| PCR | 0.44 | | mg/g | 0-0.5 |



DR N N SINGH
MD (PATHOLOGY)

Condition of Laboratory Testing & Reporting

(1) The results of the tests performed are for information only and are not binding on the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s)/ Sample(s) (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico-legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipemic etc.) (b) incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email-fabasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4197/October/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishunpur Polytechnic, Dhanbad - 2281130

Ph. No.: 7808368888, 9297862282, 9234881514



FINAL REPORT

Name : MR. RAJ KISHORE KUMAR
 Reg. No. : OCT23-67787
 Age / Sex : 39 Yrs / Male
 Doctor :
 Pat. Type : Mediwheel



Collection Time : 14-10-2023 10:49:35
 Receiving Time : 14-10-2023 10:50:41
 Reporting Time : 14-10-2023 15:00:32
 Publish Time : 14-10-2023 3:19 pm

| Test Name | Result | Flag | Unit | Reference Range |
|--|----------|------|----------------------|-----------------|
| Haematology | | | | |
| BLOOD GROUP, ABO & RH TYPING | | | | |
| <i>Method: Agglutination</i> | | | | |
| ABO GROUP | B | . | | 0-0 |
| RH TYPING | POSITIVE | . | | 0-0 |
| ESR (Erythrocyte Sedimentaion Rate) | | | | |
| <i>Method: Westergren</i> | | | | |
| ESR | 15 | H | mm/hr | 0-10 |
| | | | <i>Machine Name:</i> | VES-MATIC 20 |



[Signature]
 DR N N SINGH
 MD (PATHOLOGY)

Condition of Laboratory Testing & Reporting
 (1) If the requested test(s) performed are on the specimens, the verification of the particulars have been carried out by the doctor or his/her representative at the point of generation of the said specimen(s) Sample(s) (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipemic etc.) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email-labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4197/October/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



असर्फी हॉस्पिटल
सबके लिए स्वास्थ्य

ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishunpur Polytechnic, Dhanbad - 826001, Jharkhand - 826001
Ph. No.: 7808368888, 9297862282, 9297862282



FINAL REPORT

Name : MR. RAJ KISHORE KUMAR
Reg. No. : OCT23-67787
Age / Sex : 39 Yrs / Male
Doctor :
Pat. Type : Mediwheel



Collection Time : 14-10-2023 10:49:35
Receiving Time : 14-10-2023 10:50:41
Reporting Time : 14-10-2023 15:00:32
Publish Time : 14-10-2023 3:19 pm

| Test Name | Result | Flag | Unit | Reference Range |
|---|--------|------|-------------|-----------------|
| Nature of Material: EDTA Blood Sample | | | | |
| Complete Blood Count (CBC) | | | | |
| <i>Method:</i> Electronical Impedance | | | | |
| <i>Machine Name:</i> Sysmex 6 part | | | | |
| Hemoglobin (Photometry) | 12.4 | L | g/dl | 13-18 |
| PCV (Calculated) | 38.2 | L | % | 40-50 |
| MCH (Calculated) | 25.9 | L | Pg | 27-31 |
| MCHC (Calculated) | 32.5 | | g/dl | 31.5-35.5 |
| Red Cell Distribution Width (RDW) (Electrical Impedance) | 13.8 | | % | 11.6-14 |
| Total Leukocyte Count (TLC) (Electrical Impedance) | 7,600 | | /cu-mm | 4000-11000 |
| RBC Count (Electrical Impedance) | 4.79 | | million/mm3 | 4.5-5.5 |
| Mean Corpuscular Volume (MCV) (Electrical Impedance) | 79.7 | L | fL | 83-101 |
| Platelet Count (Electrical impedance) | 1.88 | | lakhs/cumm | 1.5-4.5 |
| Neutrophils (VCS Technology) | 51 | L | % | 55-75 |
| Lymphocytes (VCS Technology) | 38 | H | % | 15-30 |
| Eosinophils (VCS Technology) | 05 | | % | 1-6 |
| Monocytes (VCS Technology) | 06 | | % | 2-10 |
| Basophils (VCS Technology) | 00 | | % | 0-1 |



DR N N SINGH
MD (PATHOLOGY)

Condition of Laboratory Testing & Reporting

(1) It is guaranteed that the test(s) performed are on the specimen(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the parent or his/her representative at the point of generation of the said specimen(s)/ Sample(s)(2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a)Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipemic etc.) (b)Incorrect specimen type for requested test. (c)Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email-labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4197/October/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



असर्फी हॉस्पिटल
सबके लिए स्वास्थ्य

ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishunpur Polytechnic, Dhanbad - 826013

Ph. No.: 7808368888, 9297862282, 9297862282



MC-5938

FINAL REPORT

Name : MR. RAJ KISHORE KUMAR
Reg. No. : OCT23-67787
Age / Sex : 39 Yrs / Male
Doctor :
Pat. Type : Medi/wheat



Collection Time : 14-10-2023 10:49:35
Receiving Time : 14-10-2023 10:50:41
Reporting Time : 14-10-2023 15:00:32
Publish Time : 14-10-2023 3:19 pm

| Test Name | Result | Flag | Unit | Reference Range |
|--------------------------------------|--------|------|--------|-----------------|
| Immunology and Serology | | | | |
| THYROID PROFILE, TOTAL, SERUM | | | | |
| <i>Method: ECLIA</i> | | | | |
| <i>Machine Name: Vitros ECI</i> | | | | |
| T3, Total | 1.64 | | ng/ml | 0.8-2.0 |
| T4, Total | 7.42 | | µg/dL | 5.10-14.10 |
| TSH (Ultrasensitive) | 1.90 | | mIU/mL | 0.27-4.2 |



[Signature]
DR N N SINGH
MD (PATHOLOGY)

Condition of Laboratory Testing & Reporting

(1) It is provided that the test(s) performed are on the specimen(s) supplied belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s)/ Sample(s) (2) Laboratory investigations are only to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipemic etc.) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email-labasarfi@gmail.com

"KEEP THE REPORTS"

24 HOUR EMERGENCY



असर्फी हॉस्पिटल
सबके लिए स्वास्थ्य

Baramuri, P.O. - Bishunpur Polytechnic, Dhanbad (Jharkhand) - 828130
Regd. Office : Phularitand, Kharkaree, Dhanbad (Jharkhand) - 828125
Mob : 78083 68888
CIN : U85110JH2005PLC011673

RADIOLOGY REPORT

| | | | |
|----------------|----------------------|--------------|------------|
| Patient Name : | MR RAJ KISHORE KUMAR | Patient ID : | 67787 |
| Modality : | DX | Sex : | M |
| Age : | 39Y | Study : | CXR |
| Reff. Dr. : | DR. SELF | Study Date : | 14-10-2023 |

X-RAY CHEST PA VIEW

Bilateral bronchovascular markings are prominent.
Bilateral costophrenic angles are unremarkable
Bilateral hila are unremarkable.
Domes of diaphragm are normal in morphology and contour.
Cardiac size is within normal limits.
Bony thoracic cage appears normal.

Manish Kumar Jha

Dr. Manish Kumar Jha

MBBS, MD (Radio-diagnosis)

Registration No. 77237 (WBMC)

Date 14-10-2023 Time 11-30-19



Disclaimer: - It is an online interpretation of medical imaging based on clinical data. All modern machines/ procedures have their own limitation. If there is any clinical discrepancy, this investigation may be repeated or reassessed by other tests. Patient's identification in online reporting is not established, so in no way can this report be utilized for any medico legal purpose.



24 HOUR EMERGENCY

© AHL/D/0070/13/August/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"