PID No.
 : MED110999553
 Register On
 : 26/02/2022 9:46 AM

 SID No.
 : 922013546
 Collection On
 : 26/02/2022 10:32 AM

 Age / Sex
 : 39 Year(s) / Female
 Report On
 : 01/03/2022 3:28 PM

MEDAL

Ref. Dr : MediWheel

<u>Investigation</u>	Observed Value	<u>Unit</u>	Biological Reference Interval
<b>HAEMATOLOGY</b>			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	11.5	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	38.2	%	37 - 47
RBC Count (EDTA Blood/Impedance Variation)	4.94	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	77.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	23.3	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	30.1	g/dL	32 - 36
RDW-CV (EDTA Blood/Derived from Impedance)	17.1	%	11.5 - 16.0
RDW-SD (EDTA Blood/Derived from Impedance)	46.08	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	8100	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood/Impedance Variation & Flow Cytometry)	55.7	%	40 - 75
Lymphocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	34.2	%	20 - 45
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	2.5	%	01 - 06



**VERIFIED BY** 



 PID No.
 : MED110999553
 Register On
 : 26/02/2022 9:46 AM

 SID No.
 : 922013546
 Collection On
 : 26/02/2022 10:32 AM

 Age / Sex
 : 39 Year(s) / Female
 Report On
 : 01/03/2022 3:28 PM

Printed On : 01/03/2022 4:30 PM

Ref. Dr : MediWheel

: OP

Type



Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	7.1	%	01 - 10
Basophils (EDTA Blood/Impedance Variation & Flow Cytometry)	0.5	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	4.51	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.77	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.20	10^3 / μ1	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.58	10^3 / μ1	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.04	10^3 / μl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	448	10^3 / μΙ	150 - 450
MPV (EDTA Blood/Derived from Impedance)	7.6	fL	8.0 - 13.3
PCT (EDTA Blood/Automated Blood cell Counter)	0.34	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (EDTA Blood/Modified Westergren)	25	mm/hr	< 20



**VERIFIED BY** 



 PID No.
 : MED110999553
 Register On
 : 26/02/2022 9:46 AM

 SID No.
 : 922013546
 Collection On
 : 26/02/2022 10:32 AM

 Age / Sex
 : 39 Year(s) / Female
 Report On
 : 01/03/2022 3:28 PM

AM M

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	Biological Reference Interval
<b>BIOCHEMISTRY</b>			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.4	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.2	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.2	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	8.0	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.6	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	3.4	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.4		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	23	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	10	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	108	U/L	42 - 98
GGT(Gamma Glutamyl Transpeptidase) (Serum/SZASZ standarised IFCC)	21	U/L	< 38



**VERIFIED BY** 



 PID No.
 : MED110999553
 Register On
 : 26/02/2022 9:46 AM

 SID No.
 : 922013546
 Collection On
 : 26/02/2022 10:32 AM

 Age / Sex
 : 39 Year(s) / Female
 Report On
 : 01/03/2022 3:28 PM

Type : OP Printed On : 01/03/2022 4:30 PM

Ref. Dr : MediWheel



<u>Investigation</u>	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	283	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	153	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >=500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	68	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	184.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	30.6	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	215.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

**INTERPRETATION:** 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.



**VERIFIED BY** 



**APPROVED BY** 

The results pertain to sample tested.

Page 4 of 11

 PID No.
 : MED110999553
 Register On
 : 26/02/2022 9:46 AM

 SID No.
 : 922013546
 Collection On
 : 26/02/2022 10:32 AM

 Age / Sex
 : 39 Year(s) / Female
 Report On
 : 01/03/2022 3:28 PM

Type : OP Printed On : 01/03/2022 4:30 PM

Ref. Dr : MediWheel



Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	4.2		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	2.3		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	2.7		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0



**VERIFIED BY** 



PID No. : MED110999553 Register On : 26/02/2022 9:46 AM : 922013546 SID No. Collection On : 26/02/2022 10:32 AM Age / Sex : 39 Year(s) / Female

Report On : 01/03/2022 3:28 PM

: OP **Type Printed On** : 01/03/2022 4:30 PM

Ref. Dr : MediWheel



<u>Investigation</u>	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/HPLC)	6.2	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 131.24 mg/dL

(Whole Blood)

### **INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



**VERIFIED BY** 



 PID No.
 : MED110999553
 Register On
 : 26/02/2022 9:46 AM

 SID No.
 : 922013546
 Collection On
 : 26/02/2022 10:32 AM

**Printed On** 

Ref. Dr : MediWheel

**Type** 

: OP



<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
•	<u>Value</u>		Reference Interval

: 01/03/2022 4:30 PM

## **IMMUNOASSAY**

### THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.63 ng/mL 0.7 - 2.04

(Serum/CMIA)

### INTERPRETATION:

### **Comment:**

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total 12.34 μg/dL 4.2 - 12.0

(Serum/CMIA)

### INTERPRETATION:

#### Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 1.99 µIU/mL 0.35 - 5.50

(Serum/Chemiluminescent Microparticle

Immunoassay(CMIA))

### INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

### Comment

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



**VERIFIED BY** 



PID No. : MED110999553 Register On : 26/02/2022 9:46 AM : 922013546 SID No. Collection On : 26/02/2022 10:32 AM Age / Sex : 39 Year(s) / Female Report On : 01/03/2022 3:28 PM

**Printed On** 

**Type** : OP Ref. Dr : MediWheel

Investigation	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
-	<u>Value</u>		Reference Interval

: 01/03/2022 4:30 PM

# **CLINICAL PATHOLOGY**

## **PHYSICAL EXAMINATION**

Colour (Urine)	Pale Yellow		
Appearance (Urine)	Clear		Clear
Volume (Urine)	20	mL	
<u>CHEMICAL EXAMINATION(Automated-Urineanalyser)</u>			
pH (Urine/AUTOMATED URINANALYSER)	5.0		4.5 - 8.0
Specific Gravity (Urine)	1.010		1.002 - 1.035
Ketones (Urine)	Negative		Negative
Urobilinogen (Urine/AUTOMATED URINANALYSER)	0.2		0.2 - 1.0

Blood Negative Negative

(Urine/AUTOMATED URINANALYSER)

Nitrite Negative Negative

(Urine/AUTOMATED URINANALYSER)

Negative Negative Bilirubin

(Urine/AUTOMATED URINANALYSER)

Negative Negative Protein

(Urine)

Negative Negative Glucose

(Urine)



**VERIFIED BY** 



 PID No.
 : MED110999553
 Register On
 : 26/02/2022 9:46 AM

 SID No.
 : 922013546
 Collection On
 : 26/02/2022 10:32 AM

 Age / Sex
 : 39 Year(s) / Female
 Report On
 : 01/03/2022 3:28 PM

Ref. Dr : MediWheel



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Leukocytes (Urine)	Negative	leuco/uL	Negative
MICROSCOPY(URINE DEPOSITS)			
Pus Cells (Urine/Flow cytometry)	0-2	/hpf	3-5
Epithelial Cells (Urine)	0-1	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	2-3
Others (Urine)	Nil		Nil



**VERIFIED BY** 



PID No. : MED110999553 Register On : 26/02/2022 9:46 AM : 922013546 SID No. Collection On : 26/02/2022 10:32 AM Age / Sex : 39 Year(s) / Female

Report On : 01/03/2022 3:28 PM

: OP **Type** : 01/03/2022 4:30 PM **Printed On** 

Ref. Dr : MediWheel



Investigation BIOCHEMISTRY	Observed Value	<u>Unit</u>	Biological Reference Interval
BUN / Creatinine Ratio	8		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	68	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine	Negative		Negative
(Urine - F)			
Glucose Postprandial (PPBS)	75	mg/dL	70 - 140
(Dlagma DD/COD DOD)			

(Plasma - PP/GOD - POD)

### **INTERPRETATION:**

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Glucose Postprandial - Urine (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	8	mg/dL	7.0 - 21
Creatinine (Serum/Laffe Kinetic)	1.0	mg/dL	0.6 - 1.1

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcyteine, chemotherapeutic agent such as flucytosine etc.

2.6 - 6.0 Uric Acid 4.5 mg/dL

(Serum/*Uricase/Peroxidase*)



**VERIFIED BY** 



: Ms. TONAPE SHEETAL Name

PID No. : MED110999553 Register On : 26/02/2022 9:46 AM : 922013546 SID No. Collection On : 26/02/2022 10:32 AM

Age / Sex : 39 Year(s) / Female Report On : 01/03/2022 3:28 PM : OP **Printed On** : 01/03/2022 4:30 PM

Ref. Dr : MediWheel

**Type** 

Investigation **Observed** <u>Unit</u> **Biological** Value Reference Interval

# **IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING 'B' 'Positive'

 $({\rm EDTA~Blood} Agglutination)$ 



**VERIFIED BY** 



**APPROVED BY** 

-- End of Report --



टे. शितल नाम Name : T. SHEETAL

पदनाम : लिपिक Designation : CLERK

कर्मचारी कूट सं : 76024 रक्त समूह

E.C. No. : 76024

Blood Group :B+Ve

जारीकर्ता प्राधिकारी Issuing Authority

Situal धारक का हस्ताक्षर Holder's Signature



Signature:

# Sign-up & Health Assessment Form

To be filled by Customer						
ame: Mr/Ms/Mrs CHEETA						
ender: O Male O Female Age:	Y 1 years DOB: /					
lobile:	Pincode:					
mail:						
	To be filled by		***************************************	***************************************		
	Medical Hi Have you been previously diagnosed with?	story				
	Diabetes (Sugar)	O Yes	О по			
Bar code	Hypertension (BP)	O Yes	O No			
	Cardiovascular Disease (Heart)	O Yes	O No			
	Asthma/Allergies (Dust, Pollen, Food, Animals, etc.)	O Yes	O No			
Vitals	Neurological Problems (Nerve)	O Yes	O No			
To be filled by Technician	Are you currently taking medications for?					
Height: \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Diabetes (Sugar)	O Yes	O No			
Waist: 3 6 . in.	Hypertension (BP)	O Yes	O No			
	Cardiovascular Disease (Heart)	O Yes	O No			
Hip: 38. in.	Liver Disease	O Yes	O No			
Weight: $SR$ . $9$ kg	Cancer Tuberculosis (TB)	O Yes	O No			
Fat: 2 1 . 2 %	Family His	O Yes	O No	W-0-200-0-1-0-200-0-0-0-0-0-0-0-0-0-0-0-0		
Constitution of the Consti	Is there a history of below diseases in your family?					
Visc. Fat: 4 . 6 %	Diabetes (Sugar)	O Yes	O No			
RM: \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Hypertension (BP)	O Yes	O No			
BMI: 2 3 . 6 kg/m²	Cardiovascular Disease (Heart)	O Yes	O No			
Body Age: 4 5 years	Cancer Lifesty!	O Yes	О №	***************************************		
	Do you exercise regularly?	O Yes	O No	***************************************		
Sys. BP: 1 1 mmHg	Do you consume alcohol more than 2 times a week?	O Yes	O No			
Dia. BP: 8 0 mmHg	Do you smoke/chew tobacco?	O Yes	O No			
**************************************	Are you vegetarian?	O Yes	О по			
	Do you see a doctor at least once in 6 months?	O Yes	O No	***************************************		
_	Do you undergo a health checkup every year?	O Yes	O No			
	How would you rate your overall Health?	0 0	0 0			
	Excell Women's F		l Poor Very Poor	Noe-1000-000-0000-0000-0000-0000		
	Is there a family history of Breast Cancer?	O Yes	O No	***************************************		
9	Is there a family history of Endometrial (Uterus) Cancer?	O Yes	O No			
	Is there a family history of Ovarian Cancer?	O Yes	O No			
	Do you have irregular periods?	O Yes	O No			
	Do you have heavy bleeding during periods?	O Yes	O No			
•	Do you have scanty periods?	O Yes	O No			
, **	Have you attained Menopause?	O Yes	O No			
	Do you have children?	O Yes	O No			
	Was it a normal delivery?	O Yes	O No			



# **Prabha Eye Clinic & Research Center**

# 504, 40th Cross, 8th Block, Jayanagar, Bengaluru - 560 070. Tel.: 080-26659595, 26659090, 42659090, 46659595 Fax: 080-22446360

email:info@prabhaeyeclinic.com

web:www.prabhaeyeclinic.com

## PATIENT SUMMARY

Page 1 of 1

**Patient** 

: TONAPE SHEETAL - 39/YEARS

OP Number: KA-PEC2022/345743

Address

: CLUMAX

**Phone** 

: +919986626838

### 26/02/2022

## OPTOMETRIST FINDINGS (-14:23:21)

UNAIDED VISION NEAR

N6 LE

WITH PH

6/12P RE 6/12 LE

WITH EXISTING GLASS DIST

6/24P RE 6/12P LE

WITH EXISTING GLASS NEAR NO RE NO LE

**COLOR VISION** 

RE Normal LE Normal

Sleeping with Contact Lens

NO

## DOCTOR ADVICE (DR.KEERTI MUKESH - 14:32:11)

LIDS & ADNEXA

RE: NORMAL; LE: NORMAL

**PUPIL** 

RE: RRR; LE: RRR

**CORNEA** 

RERE: CLEAR; LE: CLEAR

**LENS** 

RERE: CLEAR; LE: CLEAR

CONJUNCTIVA

RERE: NORMAL; LE: NORMAL

**IRIS** 

RERE: NORMAL; LE: NORMAL

ANTERIOR CHAMBER

RE:WNL; LE: WNL


OTHER RESULTS

OTHER FINDINGSRE: ?amblyopia,explained need for dilated fundus examination and cyclplegic

refraction on later date,r/w sos

Printed On 26/02/2022 14:33:12

Thanking you for giving us an opportunity to provide you eye care services.





Name	TONAPE SHEETAL	Customer ID	MED110999553	
Age & Gender	39Y/F	Visit Date	Feb 26 2022 9:45AM	
Ref Doctor	MediWheel			

## X-RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.

DR. H.K. ANAND

DR. POOJA B.P

DR. SHWETHAS

CONSULTANT RADIOLOGISTS

DR. PRAJNA SHENOY



Name	MS.TONAPE SHEETAL	ID	MED110999553
Age & Gender	39Y/FEMALE	Visit Date	26/02/2022
<b>Ref Doctor</b>	MediWheel		20/02/2022

# ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER show normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** show normal shape, size and echopattern.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	9.1	1.6
Left Kidney	9.0	1.6

TS: 3.8cms.

URINARY BLADDER show normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS is retroflexed and has normal shape and size. It has uniform myometrial echopattern. Endometrial echo is of normal thickness – 8.0mms. Uterus measures as follows: LS: 7.9cms AP: 2.9cms

..2





	MS.TONAPE SHEETAL	ID	MED110999553
& Gender	39Y/FEMALE	Visit Date	26/02/2022
∡ef Doctor	MediWheel		20/02/2022

:2:

**OVARIES** are normal size, shape and echotexture

Ovaries measures as follows:

Right ovary: 3.1 x 1.8cms.

Left ovary: 2.7 x 1.7cms.

Minimal fluid is seen in POD

Adnexa are free.

Impression: No sonological abnormality detected

CONSULTANT RADIOLOGISTS:

DR. H. K. ANAND DR. PRAJNA SHENOY

DR. MAHESH. M. S

DR. RADHA KRISHNA. A.

DR. HIMA BINDU.P Ms/pu





Name	MS.TONAPE SHEETAL	ID	MED110999553
Age & Gender	39Y/FEMALE	Visit Date	26/02/2022
Ref Doctor	MediWheel		

# **2D ECHOCARDIOGRAPHIC STUDY**

## M mode measurement:

AORTA		: "	2.69	cms
LEFT ATRIUM		· :	2.61	cms
AVS		:	1.18	cms
LEFT VENTRICLE	(DIASTOLE)	:	3.71	cms
	(SYSTOLE)	:	2.49	cms
VENTRICULAR SEPTUM	(DIASTOLE)		0.98	cms
	(SYSTOLE)	<b>:</b> ,	1.43	cms
POSTERIOR WALL	(DIASTOLE)	•	0.86	cms
	(SYSTOLE)	:	1.71	cms
EDV		:	58	ml
ESV		:	22	ml
FRACTIONAL SHORTENI	NG	:	32	%
EJECTION FRACTION		:	65	%
EPSS		:		cms
RVID		•	1.96	cms

# **DOPPLER MEASUREMENTS**

MITRAL VALVE	: 'E' – 1.08 m/s	$^{\circ}$ A $^{\circ}$ – 0.65 m/s		NO MR
AORTIC VALVE	: 1.13 m/s		•	NO AR
TRICUSPID VALVE	: 'E' -0.68 m/s	'A' - m/s		NO TR
PULMONARY VALVE	: 0.84 m/s			NO PR



Name	MS.TONAPE SHEETAL	ID	MED110999553
Age & Gender	39Y/FEMALE	Visit Date	26/02/2022
Ref Doctor	MediWheel		4

:2:

## **2D ECHOCARDIOGRAPHY FINDINGS:**

Left Ventricle

Normal size, Normal systolic function.

No regional wall motion abnormalities

Left Atrium

Normal

Right Ventricle

Normal

Right Atrium

Normal.

Mitral valve

Normal, No mitral valve prolapse.

Aortic valve

Normal, Trileaflet

Tricuspid valve

Normal.

Pulmonary valve

Normal.

**IAS** 

Intact.

**IVS** 

Intact.

Pericardium

No Pericardial effusion.

# **IMPRESSION:**

## \*\*\*POOR ECHO WINDOW \*\*\*

- NORMAL SIZED CARDIAC CHAMBERS.
- NORMAL LV SYSTOLIC FUNCTION, EF: 65 %
- NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

(KINDLY CORRELATE CLINICALLY AND WITH ECG)

DR.SRIDHAR.L MD,DM,FICC. CONSULTANT CARDIOLOGIST Ls/ml

> Interventional Cardiologist K.M.G. No.: 32248

Please produce bill copy at the time of collecting the