

Down.

Dr. PIYUSH GOYAL
MABBS DMRD (Radiological)
MRB ANKINO.-037041 9150)
Path Lab Containing Center, Inches



## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com





:- 11/12/2021 12:43:28

NAME :- Mr. VINAY KUMAR CHARAN

Sex / Age :- Male

32 Yrs

Company :- MediWheel

Patient ID: -122125646

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Type :- EDTA

Sample Collected Time 11/12/2021 12:54:06

Final Authentication: 11/12/2021 17:08:47

#### HAEMATOLOGY

TAEMATOLOGI DI LA DALLA DEL LA				
Test Name	Value	Unit	Biological Ref Interval	
HAEMOGARAM				
HAEMOGLOBIN (Hb)	15.8	g/dL	13.0 - 17.0	
TOTAL LEUCOCYTE COUNT	8.39	/cumm	4.00 - 10.00	
DIFFERENTIAL LEUCOCYTE COUNT				
NEUTROPHIL	77.0	%	40.0 - 80.0	
LYMPHOCYTE	19.7 └	%	20.0 - 40.0	
EOSINOPHIL	1.0	%	1.0 - 6.0	
MONOCYTE	2.0 .	%	2.0 - 10.0	
BASOPHIL	0.3	%	0.0 - 2.0	
NEUT#	6.46	10^3/uL	1.50 - 7.00	
LYMPH#	1.65	10^3/uL	1.00 - 3.70	
EO#	0.01	10^3/uL	0.00 - 0.40	
MONO#	0.24	10^3/uL	0.00 - 0.70	
BASO#	0.03	10^3/uL	0.00 - 0.10	
TOTAL RED BLOOD CELL COUNT (RBC)	5.18	x10^6/uL	4.50 - 5.50	
HEMATOCRIT (HCT)	46.50	%	40.00 - 50.00	
MEAN CORP VOLUME (MCV)	89.7	fL	83.0 - 101.0	
MEAN CORP HB (MCH)	30.5	pg	27.0 - 32.0	
MEAN CORP HB CONC (MCHC)	34.0	g/dL	31.5 - 34.5	
PLATELET COUNT	241	x10^3/uL	150 - 410	
RDW-CV	13.8	%	11.6 - 14.0	
MENTZER INDEX	17.32			

The Mentzer index is used to differentiate iron deficiency anemia from beta thalassemia trait. If a CBC indicates microcytic anemia, these are two of the most likely causes, making it necessary to distinguish between them.

If the quotient of the mean corpuscular volume divided by the red blood cell count is less than 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anemia is more likely.

**Technologist** 

BANWARI

Page No: 2 of 14

DR.TANURUNGTA M.D (Path) RMC No.-17226

# Dr. Goyal's Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 11/12/2021 12:43:28

NAME :- Mr. VINAY KUMAR CHARAN

Sex / Age :- Male

Sample Type :- EDTA

32 Yrs

Company :- MediWheel

Sample Collected Time 11/12/2021 12:54:06

Final Authentication: 11/12/2021 17:08:47

HAEMATOLOGY

Test Name Value Unit Biological Ref Interval

Lab/Hosp :-

Erythrocyte Sedimentation Rate (ESR)

52 H .

mm/hr.

Patient ID: -122125646

Ref. By Dr:- BOB

00 - 13

(ESR) Methodology: Measurment of ESR by cells aggregation.

Instrument Name : Indepedent form Hematocrit value by Automated Analyzer (Roller-20)

Interpretation : ESR test is a non-specific indicator ofinflammatory disease and abnormal protein states.

The test in used to detect, follow course of a certain disease (e.g-tuberculosis, rheumatic fever, myocardial infarction

Levels are higher in pregnency due to hyperfibrinogenaemia.

The "3-figure ESR " x>100 value nearly always indicates serious disease such as a serious infection, malignant paraproteinaemia (CBC) hat the dology of Section of Section 1 to the Course of Section 2 to the Cou

**Technologist** 

BANWARI

Page No: 3 of 14


DR.TANURUNGTA M.D (Path) RMC No.-17226

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com





Date

:- 11/12/2021 12:43:28

NAME :- Mr. VINAY KUMAR CHARAN

Sex / Age :- Male

32 Yrs

Company:- MediWheel Sample Type :- EDTA

Patient ID :-122125646

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Collected Time 11/12/2021 12:54:06

Final Authentication: 11/12/2021 17:08:47

HAEMATOLOGY

**Test Name** 

Value '

Unit

Biological Ref Interval

**BOB PACKAGE BELOW 40MALE** 

GLYCOSYLATED HEMOGLOBIN (HbA1C) Method:- HPLC

5.6

Non-diabetic: < 5.7 Pre-diabetics: 5.7-6.4 Diabetics: = 6.5 or higher

ADA Target: 7.0 Action suggested: > 6.5

Instrument name: ARKRAY's ADAMS Lite HA 8380V, JAPAN.

Test Interpretation:

HbA1C is formed by the condensation of glucose with n-terminal valine residue of each beta chain of HbA to form an unstable schiff base. It is the major fraction, constituting approximately 80% of HbA1c. Formation of glycated hemoglobin (GHb) is essentially irreversible and the concentration in the blood depends on both the lifespan of the red blood cells (RBC) (120 days) and the blood glucose concentration. The GHb concentration represents the integrated values for glucose overthe period of 6 to 8 weeks. GHb values are free of day to day glucose fluctuations and are unaffected by recent exercise or food ingestion. Concentration of plasmaglucose concentration in GHb depends on the time interval, with more recent values providing a larger contribution than earlier values. The interpretation of GHbdepends on RBC having a normal life span. Patients with hemolytic disease or other conditions with shortened RBC survival exhibit a substantial reduction of GHb. High GHb have been reported in iron deficiency anemia. GHb has been firmly established as an index of long term blood glucose concentrations and as a measureof the risk for the development of complications in patients with diabetes mellitus. The absolute risk of retinopathy and nephropathy are directly proportional to themean of HbA1C.Genetic variants (e.g. HbS trait, HbC trait), elevated HbF and chemically modified derivatives of hemoglobin can affect the accuracy of HbA1cmeasurements. The effects vary depending on the specific Hb vatiant or derivative and the specific HbA1c method. Ref by ADA 2020

MEAN PLASMA GLUCOSE Method:- Calculated Parameter

114

mg/dL

Non Diabetic < 100 mg/dL Prediabetic 100- 125 mg/dL Diabetic 126 mg/dL or Higher

Technologist

BANWARI

Page No: 1 of 14


DR.TANURUNGTA M.D (Path) RMC No.-17226

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019 Tele: 0141-2293346, 4049787, 9887049787

Website : www.drgoyalspathlab.com | E-mail : drgoyalpiyush@gmail.com





Date

:- 11/12/2021 12:43:28

NAME :- Mr. VINAY KUMAR CHARAN

Sex / Age :- Male

32 Yrs

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Patient ID :-122125646

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Collected Time 11/12/2021 12:54:06

Final Authentication: 11/12/2021 13:57:34

70 157	BIOCHEM	HSTRY	
Test Name	Value	Unit	Biological Ref Interval
LIPID PROFILE			
TOTAL CHOLESTEROL Method:- Enzymatic Endpoint Method	160.89	mg/dl	Desirable <200 Borderline 200-239
TRIGLYCERIDES Method:- GPO-PAP	93.00	mg/dl	High> 240  Normal <150
VLDL CHOLESTEROL Method:- Calculated	18.60	mg/dl	Borderline high 150-199 High 200-499 Very high >500 0.00 - 80.00

**Technologist** 

C.L.SAINI

Page No: 4 of 14

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

:- 11/12/2021 12:43:28

NAME :- Mr. VINAY KUMAR CHARAN

Sex / Age :- Male

32 Yrs

Company :- MediWheel Sample Type :- PLAIN/SERUM Patient ID :-122125646

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Collected Time 11/12/2021 12:54:06

Final Authentication: 11/12/2021 13:57:34

#### BIOCHEMISTRY

	DIOCHEN	IISIKI	
Test Name	Value	Unit	Biological Ref Interval
DIRECT HDL CHOLESTEROL Method:- Direct clearance Method	47.62	mg/dl	Low < 40 High > 60
DIRECT LDL CHOLESTEROL Method:- Direct clearance Method	97.77	mg/dl	Optimal <100 Near Optimal/above optimal 100-129 Borderline High 130-159 High 160-189 Very High > 190
$ \begin{array}{ll} T. CHOLESTEROL/HDL\ CHOLESTEROL\ RATIO\\ \textbf{Method:-}\ Calculated \end{array} $	3.38		0.00 - 4.90
LDL / HDL CHOLESTEROL RATIO Method:- Calculated	2.05		0.00 - 3.50
TOTAL LIPID Method:- CALCULATED	475.66	mg/dl	400.00 - 1000.00

TOTAL CHOLESTEROL InstrumentName: Randox Rx Imola Interpretation: Cholesterol measurements are used in the diagnosis and treatments of lipid lipoprotein metabolism

 $\textbf{TRIGLYCERIDES InstrumentName}: Randox \ Rx \ Imola \ \textbf{Interpretation}: \ Triglyceride \ measurements \ are used in the diagnosis and treatment of diseases involving lipid metabolism \ and \ diseases involving \ lipid metabolism \ and \ diseases \ d$ various endocrine disorders e.g. diabetes mellitus, nephrosis and liver obstruction

DIRECT HDLCHOLESTERO InstrumentName: Randox Rx Imola Interpretation: An inverse relationship between HDL-cholesterol (HDL-C) levels in serum and the incidence/prevalence of coronary heart disease (CHD) has been demonstrated in a number of epidemiological studies. Accurate measurement of HDL-C) levels in serum and the from CHD. Direct measurement gives improved accuracy and reproducibility when compared to precipitation methods.

DIRECT LDL-CHOLESTEROLInstrumentName: Randox Rx Imola Interpretation: Accurate measurement of LDL-Cholesterol is of vital importance in therapies which focus on lipid reduction to prevent atherosclerosis or reduce its progress and to avoid plaque rupture.

TOTAL LIPID AND VLDL ARE CALCULATED

**Technologist** 

C.L.SAINI

Page No: 5 of 14

Dr. Chandrika Gupta MBBS.MD (Path) RMC NO. 21021/008037

"CONDITIONS OF REPORTING SEE OVER LEA

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com





:- 11/12/2021 12:43:28

NAME :- Mr. VINAY KUMAR CHARAN

Sex / Age :- Male

32 Yrs

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Patient ID: -122125646

Ref. By Dr:- BOB

Lab/Hosp :-

Final Authentication: 11/12/2021 13:57:34

## BIOCHEMISTRY

Sample Collected Time 11/12/2021 12:54:06

Test Name	Value	Unit	Biological Ref Interval
LIVER PROFILE WITH GGT			
SERUM BILIRUBIN (TOTAL) Method:- Colorimetric method	0.82	mg/dl	Up to - 1.0 Cord blood <2 mg/dL Premature < 6 days <16mg/dL Full-term < 6 days= 12 mg/dL 1month - <12 months <2 mg/dL 1-19 years <1.5 mg/dL Adult - Up to - 1.2 Ref-(ACCP 2020)
SGOT Method:- IFCC	25.0	U/L	Men- Up to - 37.0 Women - Up to - 31.0
SGPT Method:- IFCC	23.6	U/L	Men- Up to - 40.0 Women - Up to - 31.0
SERUM ALKALINE PHOSPHATASE Method:-AMP Buffer	79.00	IU/L	30.00 - 120.00
SERUM TOTAL PROTEIN Method:- Biuret Reagent	8.00	g/dl	6.40 - 8.30
SERUM ALBUMIN Method:- Bromocresol Green	4.87.	g/dl	3.80 - 5.00
SERUM GLOBULIN Method:-CALCULATION	3.13	gm/dl	2.20 - 3.50
A/G RATIO	1.56		1.30 - 2.50

**Technologist** 

C.L.SAINI

Page No: 6 of 14



## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787

NAME :- Mr. VINAY KUMAR CHARAN

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com Patient ID: -122125646 :- 11/12/2021 12:43:28

Sex / Age :- Male 32 Yrs

Company :- MediWheel Sample Type :- PLAIN/SERUM

Sample Collected Time 11/12/2021 12:54:06

Final Authentication: 11/12/2021 13:57:34

#### BIOCHEMISTRY

Ref. By Dr:- BOB

Lab/Hosp :-

Diocination			
Value	Unit	Biological Ref Interval	
0.27	mg/dL	Adult - Up to 0.25 Newborn - <0.6 mg/dL >- 1 month - <0.2 mg/dL	
0.55	mg/dl	0.30-0.70	
39.40	U/L	11.00 - 50.00	
	0.27 0.55	0.27 mg/dL 0.55 mg/dl	

Total BilirubinMethodology: Colorimetric method InstrumentName:Randox Rx Imola Interpretation An increase in bilirubin concentration in the serum occurs in toxic or infectious diseases of the liver e.g. hepatitis B or obstruction of the bile duct and in rhesus incompatible babies. High levels of unconjugated bilirubin indicate that too much haemoglobin is being destroyed or that the liver is not actively treating the haemoglobin it is receiving.

AST Aspartate Aminotransferase Methodology: IFCC InstrumentName Randox Rx Imola Interpretation: Elevated levels of AST can signal myocardial infarction, hepatic disease, muscular dystrophy and organ damage. Although heart muscle is found to have the most activity of the enzyme, significant activity has also been seen in the brain, liver, gastric mucosa, adipose tissue and kidneys of humans.

ALT Alanine Aminotransferase Methodology: IFCCInstrumentName:Randox Rx Imola Interpretation: The enzyme ALT has been found to be in highest concentrations in the liver, with decreasing

concentrations found in kidney, heart, skeletal muscle, pancreas, spleen and lung tissue respectively. Elevated levels of the transaminases can indicate myocardial infarction, hepatic disease, muscular dystrophy and organ damage

Alkaline Phosphatase Methodology: AMP Buffer InstrumentName: Randox Rx Imola Interpretation: Measurements of alkaline phosphatase are of use in the diagnosis, treatment and investigation of hepatobilary disease and in bone disease associated with increased osteoblastic activity. Alkaline phosphatase is also used in the diagnosis of parathyroid and intestinal disease.

TOTAL PROTEIN Methodology Biuret Reagent InstrumentName.Randox Rx Imola Interpretation: Measurements obtained by this method are used in the diagnosis and treatment of a variety of diseases involving the liver, kidney and bone marrow as well as other metabolic or nutritional disorders.

ALBUMIN (ALB) Methodology; Bromocresol Green InstrumentName: Randox Rx Imola Interpretation: Albumin measurements are used in the diagnosis and treatment of numerous diseases involving primarily the liver or kidneys. Globulin & A/G ratio is calculated.

Instrument Name Randox Rx Imola Interpretation: Elevations in GGT levels are seen earlier and more pronounced than those with other liver enzymes in cases of obstructive jaundice and metastatic neoplasms. It may reach 5 to 30 times normal levels in intra-or post-hepatic biliary obstruction. Only moderate elevations in the enzyme level (2 to 5 times normal) are observed with infectious hepatitis.

**Technologist** 

C.L.SAINI

Page No: 7 of 14

# Dr. Goyal's

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com





Date

:- 11/12/2021 12:43:28

NAME :- Mr. VINAY KUMAR CHARAN

Sex / Age :- Male

32 Yrs

Company :- MediWheel

Patient ID: -122125646

Ref. By Dr:- BOB

Lab/Hosp :-

Final Authentication: 11/12/2021 17:12:21

Sample Type :- KOx/Na FLUORIDE-F, KOx/Na Sabbipal Dalle Real Dath SERUS021 12:54:06

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval

FASTING BLOOD SUGAR (Plasma)

113.2

mg/dl

75.0 - 115.0

 Impaired glucose tolerance (IGT)
 111 - 125 mg/dL

 Diabetes Mellitus (DM)
 > 126 mg/dL

Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases.

BLOOD SUGAR PP (Plasma)

123.0

mg/dl

70.0 - 140.0

Method:-GOD PAP
Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases.

SERUM CREATININE Method:- Colorimetric Method	0.95	mg/dl	Men - 0.6-1.30 Women - 0.5-1.20
SERUM URIC ACID Method:- Enzymatic colorimetric	4.84	mg/dl	Men - 3.4-7.0 Women - 2.4-5.7

**Technologist** 

C.L.SAINI

Page No: 12 of 14

Dr. Chandrika Gupta MBBS.MD (Path) RMC NO. 21021/008037

" CONDITIONS OF REPORTING SEE OVER LEA

Path Lab & Imaging Centre B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



:- 11/12/2021 12:43:28

NAME :- Mr. VINAY KUMAR CHARAN Sex / Age :- Male

32 Yrs

Patient ID: -122125646

Ref. By Dr:- BOB

Lab/Hosp :-

Company :- MediWheel

Sample Type :- EDTA, PLAIN/SERUM, URINE-Bemple Collected Time 11/12/2021 15:59:19

Final Authentication: 11/12/2021 17:08:47

### HAEMATOLOGY

**Test Name** 

Value

Unit

**Biological Ref Interval** 

**BLOOD GROUP ABO** 

"O"POSITIVE

BLOOD GROUP ABO Methodology: Haemagglutination reaction Kit Name: Monoclonal agglutinating antibodies (Span clone)

URINE SUGAR PP Collected Sample Received

Nil

Nil

BLOOD UREA NITROGEN (BUN)

11.6.

mg/dl

0.0 - 23.0

\*\*\* End of Report \*\*\*

**Technologist** 

AJAYSINGH, BANWARI, C.L.SAINI

Page No: 14 of 14

Dr. Chandrika Gupta MBBS.MD (Path) RMC NO. 21021/008037


DR.TANURUNGTA

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com





Date

:- 11/12/2021 12:43:28

NAME :- Mr. VINAY KUMAR CHARAN

Sex / Age :- Male

32 Yrs

Company :- MediWheel Sample Type :- PLAIN/SERUM Patient ID: -122125646

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Collected Time 11/12/2021 12:54:06

Final Authentication: 11/12/2021 14:23:09

#### **IMMUNOASSAY**

Test Name	Value	Unit	Biological Ref Interval
TOTAL THYROID PROFILE			

## SERUM TSH Method:- Enhanced Chemiluminescence Immunoassay

0.981

µIU/mL

0.465 - 4.680

Technologist

ANANDSHARMA

Page No: 8 of 14

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date

:- 11/12/2021 12:43:28

NAME :- Mr. VINAY KUMAR CHARAN

Sex / Age :- Male

32 Yrs

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Patient ID: -122125646

Ref. By Dr:- BOB

. Lab/Hosp :-

Sample Collected Time 11/12/2021 12:54:06

Final Authentication: 11/12/2021 14:35:57

#### IMMUNOASSAV

	1111101101	LODIAL	
Test Name	Value	Unit	Biological Ref Interval
SERUM TOTAL T3 Method:- Chemiluminescence(Competitive immunoassay)	1.190	ng/ml	0.970 - 1.690
SERUM TOTAL T4 Method:- Chemiluminescence(Competitive immunoassay)	10.200	ug/dl	5.530 - 11.000

InstrumentName: VITROS ECI Interpretation: Triiodothyronine (T3) contributes to the maintenance of the euthyroid state. A decrease in T3 concentration of up to 50% occurs in a variety of clinical situations, including acute and chronic disease. Although T3 results alone cannot be used to diagnose hypothyroidism, T3 concentration may be more sensitive than thyroxine (T4) for hyperthyroidism. Consequently, the total T3 assay can be used in conjunction with other assays to aid in the differential diagnosis of thyroid disease. T3 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, Free T3 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake, or T4 uptake can be used with the total T3 result to calculate the free T3 index and estimate the concentration of free T3.

InstrumentName: VITROS ECI Interpretation: The measurement of Total T4 aids in the differential diagnosis of thyroid disease. While >99.9% of T4 is protein-bound, primarily to thyroxine-binding globulin (TBG), it is the free fraction that is biologically active. In most patients, the total T4 concentration is a good indicator of thyroid status. T4 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, free T4 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake may be used with the total T4 result to calculate the free T4 index (FT4I) and estimate the concentration of free T4.Some drugs and some nonthyroidal patient conditions are known to alter TT4 concentrations in vivo.

InstrumentName: VITROS ECI Interpretation :TSH stimulates the production of thyroxine (T4) and triiodothyronine (T3) by the thyroid gland. The diagnosis of overt hypothyroidism by the finding of a low total T4 or free T4 concentration is readily confirmed by a raised TSH concentration. Measurement of low or undetectable TSH concentrations may assist the diagnosis of hyperthyroidism, where concentrations of T4 and T3 are elevated and TSH secretion is suppressed. These have the advantage of discriminating between the concentrations of TSH observed in thyrotoxicosis, compared with the low, but detectable, concentrations that occur in subclinical hyperthyroidism. The performance of this assay has not been established for neonatal specimens. Some drugs and some nonthyroidal patient conditions are known to alter TSH concentrations in vivo.

#### INTERPRETATION

PREGNANCY	REFERENCE RANGE FOR TSH IN uIU/mL (As per American Thyroid Association)
1st Trimester	0.10-2.50
2nd Trimester	0.20-3.00
3rd Trimester	0.30-3.00

**Technologist** 

**ANANDSHARMA** 

Page No: 9 of 14

Dr. Chandrika Gupta MBBS.MD (Path) RMC NO. 21021/008037

" CONDITIONS OF REPORTING SEE OVER LEAR

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787



:- 11/12/2021 12:43:28 NAME :- Mr. VINAY KUMAR CHARAN

Sex / Age :- Male 32 Yrs

Company :- MediWheel

Sample Type :- URINE

Patient ID: -122125646

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Collected Time 11/12/2021 12:54:06

Final Authentication: 11/12/2021 16:03:35

#### **CLINICAL PATHOLOGY**

Test Name	Value Unit	Biological Ref Interval
PHYSICAL EXAMINATION		
COLOUR	PALE YELLOW	PALE YELLOW
APPEARANCE	Clear	Clear
CHEMICAL EXAMINATION		
REACTION(PH)	5.5	5.0 - 7.5
SPECIFIC GRAVITY	1.025	1.010 - 1.030
PROTEIN	NIL	NIL
SUGAR	NIL	NIL
BILIRUBIN	NEGATIVE	NEGATIVE
UROBILINOGEN	NORMAL	NORMAL
KETONES	NEGATIVE	NEGATIVE
NITRITE	NEGATIVE	NEGATIVE

**Technologist** 

**AJAYSINGH** 

Page No: 11 of 14

Dr. Chandrika Gupta MBBS.MD (Path) RMC NO. 21021/008037

" CONDITIONS OF REPORTING SEE OVER LEAF

# Dr. Goyal's

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com





Date

:- 11/12/2021 12:43:28

NAME :- Mr. VINAY KUMAR CHARAN

Sex / Age :- Male

32 Yrs

Company :- MediWheel
Sample Type :- URINE

Patient ID :-122125646

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Collected Time 11/12/2021 12:54:06

Final Authentication: 11/12/2021 16:03:35

#### **CLINICAL PATHOLOGY**

Test Name	Value	Unit	Biological Ref Interval
Urine Routine	*		
MICROSCOPY EXAMINATION			
RBC/HPF	NIL	/HPF	NIL
WBC/HPF	2-3 ·	/HPF	2-3
EPITHELIAL CELLS	1-2	/HPF	2-3
CRYSTALS/HPF	ABSENT		ABSENT
CAST/HPF	ABSENT		ABSENT
AMORPHOUS SEDIMENT	ABSENT		ABSENT
BACTERIAL FLORA	ABSENT		ABSENT
YEAST CELL	ABSENT		ABSENT
OTHER	ABSENT		

**Technologist** 

**AJAYSINGH** 

Page No: 10 of 14



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date

:- 11/12/2021 12:43:28

NAME :- Mr. VINAY KUMAR CHARAN

Sex / Age :- Male

32 Yrs

Company :- MediWheel

Patient ID: -122125646

Ref. By Doctor:-BOB

Lab/Hosp :-

Final Authentication: 11/12/2021 15:41:30

**BOB PACKAGE BELOW 40MALE** 

## X RAY CHEST PA VIEW:

Fibro calcific densities seen in left upper lobe with ipsilateral tracheal shift - old infective sequelae.

Bronchovascular markings are prominent.

Bilateral hila are prominent.

Bilateral apical pleural thickening noted.

Both the C.P.angles is clear.

Both the domes of diaphragm are normally placed.

Bony cage and soft tissue shadows are normal.

Heart shadows appear normal.

(Please correlate clinically and with relevant further investigations)

\*\*\* End of Report \*\*\*

Dr. Piyush Goyal (D.M.R.D.)

BILAL



# Dr. Goyal's Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 11/12/2021 12:43:28

NAME :- Mr. VINAY KUMAR CHARAN

Sex / Age :- Male 32 Yrs Company :- MediWheel Patient ID :-122125646 Ref. By Doctor:-BOB

Lab/Hosp :-

Final Authentication: 11/12/2021 16:33:27

**BOB PACKAGE BELOW 40MALE** 

## **USG WHOLE ABDOMEN**

**Liver** is of normal size. Echo-texture is normal. No focal space occupying lesion is seen within liver parenchyma. Intra hepatic biliary channels are not dilated. Portal vein diameter is normal.

Gall bladder is contracted. Common bile duct is not dilated.

Pancreas is of normal size and contour. Echo-pattern is normal. No focal lesion is seen within pancreas.

Spleen is of normal size and shape. Echotexture is normal. No focal lesion is seen.

**Kidneys** are normally sited and are of normal size and shape. Cortico-medullary echoes are normal. No focal lesion is seen. Collecting system does not show any dilatation or calculus.

**Urinary bladder** is well distended and showing smooth wall with normal thickness. Urinary bladder does not show any calculus or mass lesion.

Prostate is normal in size with normal echo-texture and outline.

No enlarged nodes are visualised. No retro-peritoneal lesion is identified Great vessels appear normal. No significant free fluid is seen in peritoneal cavity.

#### IMPRESSION:

\*Normal study

Needs clinical correlation for further evaluation

\*\*\* End of Report \*\*\*


Page No: 1 of 1


KOMAL


# Dr. Goyal's Path Lab

Name VINAY KUMAR CHARAN Patient ld VINAY60\_60061

Date 12/11/2021 Diagnosis Dr.













# Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website : www.drgoyalspathlab.com | E-mail : drgoyalpiyush@gmail.com

Date

:- 11/12/2021 12:43:28

NAME :- Mr. VINAY KUMAR CHARAN

Sex / Age :- Male

32 Yrs

Company :- MediWheel

Ref. By Dr:- BOB

Lab/Hosp :-

Patient ID :-122125646

Sample Type :-

Sample Collected Time

Final Authentication: 11/12/2021 14:25:44

BOB PACKAGE BELOW 40MALE

ECHOCARDIOGRAPHY 2D (ADULT/CHILD)

## 2D-ECHOCARDIOGRAPHY M.MODE WITH DOPPLER STUDY:

			_FAIR TRANSTHORA	CICECHOCARIDIO	SPADUICME	NDOWALSE.		
MITRAL VALVE AORTIC VALVE		NORMAL NORMAL		ACIC ECHOCARIDIOGRAPHIC WINDOW MORPH TRICUSPID VALVE			NORMAL	
M.MODE EXAMITATION:				PULMONARY VALVE			NORMAL	
AO	23	mm	LA	25				
IVS-S	15	mm	LVID		Mm	IVS-D	10	mm
LVPW-D	11	mm	LVPW-S	32 .	Mm	LVSD	21	mm
RVWT				15	Mm	RV		mm
		mm	EDV		МІ	LVVS		
LVEF	64%		19.1	RWMA		ABSENT		ml
	1.000			AWIVIA	KVVIVIA			

NORMAN	CHAI	MBERS:
INORMAL	RA	
NORMAL	PV	NORMAL
		NORMAL
	NORMAL	- TOTAL TE
	NORMAL NORMAL	NORMAL RA

				COL	OUR DOPPLER:			
F 1/F: 5 5	M	ITRAL VALV	E		ON DOFFEER.			
E VELOCITY	0.77	m/sec			GRADIENT			
A VELOCITY	0.47	m/sec	_			Mm	/hg	
MVA BY PHT	0.47	0 8		N GRADIEI		Mm	/hg	
		Cm2	MVA BY PLANIN		METRY		DIMUNES.	
MITRAL REGURGITAT	TION					Cm2		
	AO	RTIC VALVE			ABSENT			
PEAK VELOCITY 1.18					PEAK GRADIENT			
AR VMAX						mm	mm/hg	
AORTIC REGURGITAT	1011	m/s	ec	MEAN GRADIENT		mm	mm/hg	
CHITC REGURGITAT				ABSENT	100		7.16	
PEAK VELOCITY		USPID VALV	/E					
		n	n/sec	PEAK GRADIENT				
MEAN VELOCITY		n	n/sec		GRADIENT	ļr	mm/hg	
/Max VELOCITY			,, 500	IVICAIN	GRADIENT	r	nm/hg	
				,			- 30.30	
•								
RICUSPID REGURGIT	ATION			ABSENT				
	PUL	MONARY V	ALVE	ADSENT				
EAK VELOCITY		1.1		MAIsos	DE 411 A			
IEAN VALOCITY		1		M/sec.	PEAK GRADIENT		Mm/hg	
					MEAN GRADIENT		The sound by	
ULMONARY REGURG	ITATION				ABSENT		Mm/hg	

#### NIHARIKA

Page No: 1 of 2

# r. Goy Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 11/12/2021 12:43:28

NAME :- Mr. VINAY KUMAR CHARAN Sex / Age :- Male

32 Yrs

Company :- MediWheel

Patient ID :-122125646 Ref. By Dr:- BOB

Lab/Hosp :-

Sample Type :-

Sample Collected Time

Final Authentication: 11/12/2021 14:25:44

## Impression--

- 1. Normal LV size & contractility.
- 2. No RWMA, LVEF 64 %.
- 3. Normal cardiac chamber.
- 4. Normal valve.
- 5. No clot, no vegetation, no pericardial effusion.

(Cardiologist)

\*\*\* End of Report \*\*\*

NIHARIKA

Page No: 2 of 2

# DR.GOYAL PATH LAB & IMAGING CENTER, JAIPUR 721 / MR VINAY KUMAR CHARAN / 32 Yrs / M/ Non Smoker

Heart Rate: 104 bpm / Tested On: 11-Dec-21 13:35:32 / HF 0.05 Hz - LF 35 Hz / Notch 50 Hz / Sn 1.00 Cm/mV / Sw 25 mm/s / Refd By:: BOB



ECG

