



CLIENT CODE : C000138375 CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

Agilus Diagnostics Ltd (Formerly SRL Ltd)
M/S S.S. Wellness Centre, Ground Floor, C-22, Shastri Nagar, Near Central
Academy School
Jodhpur, 342001
Rajasthan, India
Tel : 0291-2646000, 2644000, Fax :
CIN - U74899PB1995PLC045956
Email : srl.jodhpur@gmail.com

PATIENT NAME: PINKY SOLANKI 146757		PATIENT ID : PINK	F15048761
ACCESSION NO : 0061WD001311 AGE : 36 Ye	ears SEX : Female		
DRAWN : 14/04/2023 09:30 RECEIVED :	15/04/2023 15:52	REPORTED : 18/04/2023 10:5	59
REFERRING DOCTOR : DR. BOB PACKAGE		CLIENT PATIENT ID:	
Test Report Status <u>Final</u>	Results	Biological Reference Interva	al Units
MEDI WHEEL FULL BODY HEALTH CHECKUP BE	LOW 40FEMALE		
BLOOD COUNTS, EDTA WHOLE BLOOD			
HEMOGLOBIN (HB)	12.3	12.0 - 15.0	g/dL
RED BLOOD CELL (RBC) COUNT	4.29	3.8 - 4.8	mil/µL
WHITE BLOOD CELL (WBC) COUNT	5.84	4.0 - 10.0	thou/µL
PLATELET COUNT	277	150 - 410	thou/µL
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV)	36.9	36 - 46	%
MEAN CORPUSCULAR VOLUME (MCV)	86.0	83 - 101	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	28.7	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC)	33.3	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW)	12.9	11.6 - 14.0	%
MENTZER INDEX	20.1		
MEAN PLATELET VOLUME (MPV)	10.2	6.8 - 10.9	fL
WBC DIFFERENTIAL COUNT			
NEUTROPHILS	54	40 - 80	%
LYMPHOCYTES	37	20 - 40	%

05

04

00

116.9

2 - 10

1 - 6

< 1 - 2

0 - 20

74 - 99

**High** < 116.0

Non-diabetic: < 5.7

Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5ADA Target: 7.0 Action suggested: > 8.0

BLOOD E.S.R 10 METHOD : WESTERGREN METHOD **GLUCOSE FASTING, FLUORIDE PLASMA** FBS (FASTING BLOOD SUGAR) 95 METHOD : SPECTROPHOTOMETRY GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD HBA1C 5.7

**ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE** 

ESTIMATED AVERAGE GLUCOSE(EAG)



mg/dL

%

%

%

mm at 1 hr

mg/dL

%



MONOCYTES

BASOPHILS

EOSINOPHILS





LABORATORY SERVICES

CLIENT CODE : C000138375 CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELUI MIDIA DELHI INDIA 8800465156

Agilus Diagnostics Ltd (Formerly SRL Ltd) M/S S.S. Wellness Centre, Ground Floor, C-22, Shastri Nagar, Near Central Academy School Jodhpur, 342001 Rajasthan, India Tel: 0291-2646000, 2644000, Fax: CIN - U74899PB1995PLC045956 Email : srl.jodhpur@gmail.com

REPORTED :

# PATIENT NAME : PINKY SOLANKI 146757

### PATIENT ID: PINKF15048761

18/04/2023 10:59

CLIENT PATIENT ID:

#### ACCESSION NO : 0061WD001311 AGE : 36 Years SEX : Female

DRAWN: 14/04/2023 09:30 RECEIVED : 15/04/2023 15:52

**REFERRING DOCTOR :** DR. BOB PACKAGE

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
GLUCOSE, POST-PRANDIAL, PLASMA		
PPBS(POST PRANDIAL BLOOD SUGAR)	99	70 - 139 mg/dL
METHOD : SPECTROPHOTOMETRY		70 135 mg/dL
LIPID PROFILE, SERUM		
CHOLESTEROL, TOTAL	141	< 200 Desirable mg/dL 200 - 239 Borderline High >/= 240 High
METHOD : SPECTROPHOTOMETRY		·,
TRIGLYCERIDES	42	< 150 Normal mg/dL 150 - 199 Borderline High 200 - 499 High >/=500 Very High
METHOD : SPECTROPHOTOMETRY		
HDL CHOLESTEROL	53	< 40 Low mg/dL >/=60 High
METHOD : SPECTROPHOTOMETRY CHOLESTEROL LDL	80	
	00	< 100 Optimal mg/dL 100 - 129 Near optimal/ above optimal 130 - 159 Borderline High 160 - 189 High >/= 190 Very High
NON HDL CHOLESTEROL	88	Desirable: Less than 130 mg/dL Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220
VERY LOW DENSITY LIPOPROTEIN	8.4	= 30.0 mg/dL</td
CHOL/HDL RATIO	2.7	Low 3.3 - 4.4 Low Risk 4.5 - 7.0 Average Risk 7.1 - 11.0 Moderate Risk > 11.0 High Risk
LDL/HDL RATIO	1.5	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk
LIVER FUNCTION PROFILE, SERUM		2
BILIRUBIN, TOTAL METHOD : SPECTROPHOTOMETRY	0.70	0.2 - 1.0 mg/dL
BILIRUBIN, DIRECT	0.10	0.0 - 0.2 mg/dL









CLIENT CODE : C000138375 CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

Agilus Diagnostics Ltd (Formerly SRL Ltd) M/S S.S. Wellness Centre, Ground Floor, C-22, Shastri Nagar, Near Central Academy School Jodhpur, 342001 Rajasthan, India Tel: 0291-2646000, 2644000, Fax: CIN - U74899PB1995PLC045956 Email : srl.jodhpur@gmail.com

REPORTED :

## PATIENT NAME : PINKY SOLANKI 146757

PATIENT ID: PINKF15048761

18/04/2023 10:59

CLIENT PATIENT ID:

#### ACCESSION NO : 0061WD001311 AGE : 36 Years SEX : Female

DRAWN: 14/04/2023 09:30 RECEIVED : 15/04/2023 15:52

**REFERRING DOCTOR :** DR. BOB PACKAGE

Test Report Status <u>Final</u>	Results		Biological Reference	Interval Units
METHOD : SPECTROPHOTOMETRY				
BILIRUBIN, INDIRECT	0.6		0.1 - 1.0	mg/dL
METHOD : SPECTROPHOTOMETRY	010			
TOTAL PROTEIN	7.2		6.4 - 8.2	g/dL
METHOD : SPECTROPHOTOMETRY				
ALBUMIN	3.7		3.4 - 5.0	g/dL
METHOD : SPECTROPHOTOMETRY				
GLOBULIN	3.5		2.0 - 4.1	g/dL
METHOD : CALCULATED PARAMETER				
ALBUMIN/GLOBULIN RATIO	1.1		1.0 - 2.1	RATIO
METHOD : CALCULATED PARAMETER				
ASPARTATE AMINOTRANSFERASE(AST/SGOT)	20		15 - 37	U/L
METHOD : SPECTROPHOTOMETRY				
ALANINE AMINOTRANSFERASE (ALT/SGPT)	28		< 34.0	U/L
	60		20 120	
	69		30 - 120	U/L
METHOD : SPECTROPHOTOMETRY GAMMA GLUTAMYL TRANSFERASE (GGT)	22		5 - 55	U/L
METHOD : SPECTROPHOTOMETRY	22		5 - 55	0/L
LACTATE DEHYDROGENASE	212	Hiah	100 - 190	U/L
METHOD : SPECTROPHOTOMETRY			100 190	0/2
BLOOD UREA NITROGEN (BUN), SERUM				
BLOOD UREA NITROGEN	8		6 - 20	mg/dL
METHOD : SPECTROPHOTOMETRY	-			
CREATININE, SERUM				
CREATININE	0.58	Low	0.60 - 1.10	mg/dL
METHOD : SPECTROPHOTOMETRY				- 10
BUN/CREAT RATIO				
BUN/CREAT RATIO	13.79		5.00 - 15.00	
METHOD : SPECTROPHOTOMETRY				
URIC ACID, SERUM				
URIC ACID	2.5	Low	2.6 - 6.0	mg/dL
METHOD : SPECTROPHOTOMETRY				
TOTAL PROTEIN, SERUM				
TOTAL PROTEIN	7.2		6.4 - 8.2	g/dL
METHOD : SPECTROPHOTOMETRY				-

ALBUMIN, SERUM









LABORATORY SERVICES

PINKF15048761

CLIENT CODE : C000138375 CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

Agilus Diagnostics Ltd (Formerly SRL Ltd) M/S S.S. Wellness Centre, Ground Floor, C-22, Shastri Nagar, Near Central Academy School Jodhpur, 342001 Rajasthan, India Tel: 0291-2646000, 2644000, Fax: CIN - U74899PB1995PLC045956 Email : srl.jodhpur@gmail.com

18/04/2023 10:59

PATIENT ID:

CLIENT PATIENT ID:

REPORTED :

# PATIENT NAME : PINKY SOLANKI 146757

ACCESSION NO : **0061WD001311** AGE : 36 Years SEX : Female

DRAWN: 14/04/2023 09:30 RECEIVED : 15/04/2023 15:52

**REFERRING DOCTOR :** DR. BOB PACKAGE

Test Report Status <u>Final</u>	Results		<b>Biological Reference</b>	Interval Units
	3.7		24 50	a / di
ALBUMIN METHOD : SPECTROPHOTOMETRY	3./		3.4 - 5.0	g/dL
GLOBULIN				
GLOBULIN	3.5		2.0 - 4.1	g/dL
METHOD : CALCULATED PARAMETER	5.5		2.0 1.1	9,42
ELECTROLYTES (NA/K/CL), SERUM				
SODIUM, SERUM	141		136 - 145	mmol/L
METHOD : ION SELECTIVE ELECTRODE TECHNOLOGY				- ,
POTASSIUM, SERUM	4.5		3.50 - 5.10	mmol/L
METHOD : ION SELECTIVE ELECTRODE TECHNOLOGY				
CHLORIDE, SERUM	108	High	98 - 107	mmol/L
METHOD : ION SELECTIVE ELECTRODE TECHNOLOGY				
PHYSICAL EXAMINATION, URINE				
COLOR	PALE YELLOW			
APPEARANCE	CLEAR			
CHEMICAL EXAMINATION, URINE				
PH	7.0		4.7 - 7.5	
SPECIFIC GRAVITY	1.005		1.003 - 1.035	
PROTEIN	NOT DETECTED		NOT DETECTED	
GLUCOSE	NOT DETECTED		NOT DETECTED	
KETONES	NOT DETECTED		NOT DETECTED	
BLOOD	NOT DETECTED		NOT DETECTED	
BILIRUBIN	NOT DETECTED		NOT DETECTED	
UROBILINOGEN	NORMAL		NORMAL	
NITRITE	NOT DETECTED		NOT DETECTED	
LEUKOCYTE ESTERASE	NOT DETECTED		NOT DETECTED	
MICROSCOPIC EXAMINATION, URINE			-	
RED BLOOD CELLS	NOT DETECTED		NOT DETECTED	/HPF
PUS CELL (WBC'S)	1-2		0-5	/HPF
EPITHELIAL CELLS	3-5		0-5	/HPF
CASTS	NOT DETECTED			,
CRYSTALS	NOT DETECTED			
BACTERIA	DETECTED (OCCASIONAL)		NOT DETECTED	

METHOD : MICROSCOPIC EXAMINATION









PINKF15048761

CLIENT CODE : C000138375 CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELUI MIDIA DELHI INDIA 8800465156

Agilus Diagnostics Ltd (Formerly SRL Ltd) M/S S.S. Wellness Centre, Ground Floor, C-22, Shastri Nagar, Near Central Academy School Jodhpur, 342001 Rajasthan, India Tel: 0291-2646000, 2644000, Fax: CIN - U74899PB1995PLC045956 Email : srl.jodhpur@gmail.com

18/04/2023 10:59

PATIENT ID:

CLIENT PATIENT ID:

REPORTED :

# PATIENT NAME : PINKY SOLANKI 146757

## ACCESSION NO : 0061WD001311 AGE : 36 Years SEX : Female

DRAWN: 14/04/2023 09:30 RECEIVED : 15/04/2023 15:52

**REFERRING DOCTOR :** DR. BOB PACKAGE

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
YEAST	NOT DETECTED	NOT DETECTED
THYROID PANEL, SERUM		
T3	104.30	Non-Pregnant Women ng/dL 80.0 - 200.0 Pregnant Women 1st Trimester:105.0 - 230.0 2nd Trimester:129.0 - 262.0 3rd Trimester:135.0 - 262.0
Τ4	6.93	Non-Pregnant Women     μg/dL       5.10 - 14.10     Pregnant Women       1st Trimester: 7.33 - 14.80     2nd Trimester: 7.93 - 16.10       3rd Trimester: 6.95 - 15.70     3rd Trimester: 6.95 - 15.70
TSH (ULTRASENSITIVE)	2.950	Non Pregnant Women µIU/mL 0.27 - 4.20 Pregnant Women 1st Trimester: 0.33 - 4.59 2nd Trimester: 0.35 - 4.10 3rd Trimester: 0.21 - 3.15
PAPANICOLAOU SMEAR		
TEST METHOD	CONVENTIONAL GYNEC CY	TOLOGY
SPECIMEN TYPE	TWO UNSTAINED CERVICA	AL SMEARS RECEIVED
REPORTING SYSTEM	2014 BETHESDA SYSTEM FOR REPORTING CERVICAL CYTOLOGY	
SPECIMEN ADEQUACY	SMEARS ARE SATISFACTO	RY FOR EVALUATION.
MICROSCOPY	CELLS.	IAL AND INTERMEDIATE SQUAMOUS HOW COCOBACILLI,CLUE CELLS AND FEW ENT ABSENT.
METHOD : MANUAL		
INTERPRETATION / RESULT	NEGATIVE FOR INTRAEPITH	HELIAL LESION OR MALIGNANCY
-	SHIFT IN FLORA SUGGEST	IVE OF BACTERIAL VAGINOSIS
PHYSICAL EXAMINATION, STOOL		
COLOUR	SAMPLE NOT RECEIVED	
ABO GROUP & RH TYPE, EDTA WHOLE BLOOD		
ABO GROUP METHOD : FORWARD/REVERSE	TYPE O	
RH TYPE METHOD : FORWARD/REVERSE	POSITIVE	









CLIENT CODE: C000138375

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHT NEW DELHI 110030 DELHI INDIA 8800465156

Agilus Diagnostics Ltd (Formerly SRL Ltd)
4/S S.S. Wellness Centre,Ground Floor,C-22,Shastri Nagar,Near Centra
Academy School
odhpur, 342001
Rajasthan, India
ēl : 0291-2646000, 2644000, Fax :
CIN - U74899PB1995PLC045956
Email : srl.jodhpur@gmail.com

#### PATIENT ID: PATIENT NAME: PINKY SOLANKI 146757 PTNKF15048761 ACCESSION NO: 0061WD001311 AGE: 36 Years SEX : Female DRAWN: 14/04/2023 09:30 RECEIVED: 15/04/2023 15:52 **REPORTED** : 18/04/2023 10:59 REFERRING DOCTOR : DR. BOB PACKAGE CLIENT PATIENT ID: Test Report Status Results Biological Reference Interval Units Final

ſ

## Interpretation(s)

BLOOD COUNTS,EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope. ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-**TEST DESCRIPTION** :-Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall

(sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. **TEST INTERPRETATION** 

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging. Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias,

Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis). In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythermia vera, Sickle cell anemia

## LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

False Decreased : Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine,

## salicylates)

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition. GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the

Increased in:Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides. Decreased in :Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency,hypopituitarism,diffuse liver disease,

malignancy(adrenocortical,stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency diseases(e.g.galactosemia),Drugs-insulin,ethanol,propranolol sulfonylureas,tolbutamide,and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within

individuals. Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control. High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-**Used For**:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

2. Diagnosing diabetes.

3. Identifying patients at increased risk for diabetes (prediabetes). The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
eAG gives an evaluation of blood glucose levels for the last couple of months.
eAG is calculated as eAG (mg/dl) = 28.7 \* HbA1c - 46.7



Scan to View Report

Page 6 Of 8





CLIENT CODE: C000138375

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

Agilus Diagnostics Ltd (Formerly SRL Ltd) 4/S S.S. Wellness Centre,Ground Floor,C-22,Shastri Nagar,Near Centra Academy School
odhpur, 342001
Rajasthan, India
Tel : 0291-2646000, 2644000, Fax :
CIN - U74899PB1995PLC045956
Email : srl.jodhpur@gmail.com

Test Report Status Final	Results	Biological Reference Interval Units
REFERRING DOCTOR : DR. BOB PACK	AGE	CLIENT PATIENT ID :
DRAWN : 14/04/2023 09:30	RECEIVED : 15/04/2023 15:52	REPORTED : 18/04/2023 10:59
ACCESSION NO : 0061WD001311	AGE : 36 Years SEX : Female	
PATIENT NAME : PINKY SOLANK	[ 146757	PATIENT ID : <b>PINKF15048761</b>

ſ

## HbA1c Estimation can get affected due to :

1. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

2.Vitamin C & E are reported to falsely lower test results.(possibly by inhibiting glycation of hemoglobin.

3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.

4. Interference of hemoglobinopathies in HbA1c estimation is seen in

a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.

b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.) c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. **Elevated levels** results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin is also elevated more than unconjugated (indirect) bilirubin is also elevated more than unconjugated (indirect) bilirubin excretion when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver,liver cancer,kidney failure,hemolytic anemia,pancreatitis,hemochromatosis. AST levels may also increase after a heart attack or strenuous activity.ALT test measures the amount of this enzyme in the blood.ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commoly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver,kidney and pancreas. It is also found in other tissues including intestine,spleen,heart, brain and seminal vesicles. The highest concentration is in the kidney,but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver,biliary system and pancreas. Conditions that increase serum GGT are obstructive

liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. **Total Protein** also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.Lower-than-normal levels may be due to: Agammaglobulinemia,Bleeding (hemorrhage),Burns,Glomerulonephritis,Liver disease, Malabsorption,Malnutrition,Nephrotic syndrome, Protein-losing enteropathy etc.

(hypoalbuminemia) can be caused by:Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy,Burns,hemodilution,increased vascular

permeability or decreased lymphatic clearance,malnutrition and wasting etc. BLOOD UREA NITROGEN (BUN), SERUM-**Causes of Increased** levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH. CREATININE, SERUM-Higher than normal level may be due to: • Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:• Myasthenia Gravis, Muscuophy URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2 DM,Metabolic syndrome Causes of decreased levels-Low Zinc intake,OCP,Multiple Sclerosis

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum.Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma,Waldenstroms disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage),Burns,Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. ALBUMIN, SERUM-

Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc.

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same

The test is performed by both forward as well as reverse grouping methods.



Scan to View Details

Page 7 Of 8





PINKF15048761

CLIENT CODE: C000138375

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHT NEW DELHI 110030 DELHI INDIA 8800465156

Agilus Diagnostics Ltd (Formerly SRL Ltd) M/S S.S. Wellness Centre,Ground Floor,C-22,Shastri Nagar,Near Centra Academy School Jodhpur, 342001 Rajasthan, India Tel : 0291-2646000, 2644000, Fax : CIN - U74899PB1995PLC045956
, ,
Email : srl.jodhpur@gmail.com

18/04/2023 10:59

Biological Reference Interval Units

PATIENT ID:

CLIENT PATIENT ID:

**REPORTED** :

# PATIENT NAME: PINKY SOLANKI 146757

ACCESSION NO: 0061WD001311 AGE: 36 Years SEX : Female

DRAWN: 14/04/2023 09:30 RECEIVED: 15/04/2023 15:52

**REFERRING DOCTOR:** DR. BOB PACKAGE

Test Report Status Final

\*\*End Of Report\*\*

Results

Please visit www.srlworld.com for related Test Information for this accession

Dr. Itisha Dhiman Pathologist

# **CONDITIONS OF LABORATORY TESTING & REPORTING**

1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form. 2. All tests are performed and reported as per the turnaround time stated in the AGILUS Directory of Services. 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any

- other unforeseen event. 4. A requested test might not be performed if:
- i. Specimen received is insufficient or inappropriate
- ii. Specimen quality is unsatisfactory
- iii. Incorrect specimen type

iv. Discrepancy between identification on specimen container label and test requisition form

5. AGILUS Diagnostics confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.

6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.

Test results may vary based on time of collection, 7. physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.

 Test results cannot be used for Medico legal purposes.
In case of queries placed call a statement. In case of queries please call customer care (91115 91115) within 48 hours of the report.

# Agilus Diagnostics Ltd

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062



