

Age **35** **7** **23**  
years months days

Gender **Female**


Heart Rate **75bpm**

**Patient Vitals**


BP: 114/74 mmHg  
Weight: 43 kg  
Height: 170 cm  
Pulse: NA  
Spo2: NA  
Resp: NA  
Others: \_\_\_\_\_

**Measurements**

QRSD: 68ms  
QT: 378ms  
QTc: 422ms  
PR: 148ms  
P-R-T: 78° 82° 90°



Copyright 2014-2022 Tricog Health Services, All Rights Reserved.



ECG Within Normal Limits: Sinus Rhythm, Normal Axis. Baseline wandering. Otherwise. Please correlate clinically.

REPORTED BY

*Dr. Anand N Motwani*

Dr. Anand N Motwani  
M.D (General Medicine)  
Reg No 39329 M.M.C



Use a QR Code Scanner  
Application To Scan the Code

**CID** : 2223926333  
**Name** : Ms B KAMALA DEVI  
**Age / Sex** : 35 Years/Female  
**Ref. Dr** :  
**Reg. Location** : Vashi Main Centre

**Reg. Date** : 27-Aug-2022  
**Reported** : 27-Aug-2022/18:17

**X-RAY CHEST PA VIEW**

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

**IMPRESSION:**

**NO SIGNIFICANT ABNORMALITY IS DETECTED.**

-----End of Report-----

Dr Jamila Johar Fani  
MD Radiologist  
Reg No 2018/01/0007  
Consultant Radiologist



Use a QR Code Scanner  
Application To Scan the Code

**CID** : 2223926333  
**Name** : Ms B KAMALA DEVI  
**Age / Sex** : 35 Years/Female  
**Ref. Dr** :  
**Reg. Location** : Vashi Main Centre

**Reg. Date** : 27-Aug-2022  
**Reported** : 27-Aug-2022/18:17



Use a QR Code Scanner  
Application To Scan the Code

CID : 2223926333  
Name : MS.B KAMALA DEVI  
Age / Gender : 35 Years / Female  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Collected : 27-Aug-2022 / 11:26  
Reported : 27-Aug-2022 / 14:56

## AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

### CBC (Complete Blood Count), Blood

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<b><u>RBC PARAMETERS</u></b>			
Haemoglobin	7.6	12.0-15.0 g/dL	Spectrophotometric
RBC	3.71	3.8-4.8 mil/cmm	Elect. Impedance
PCV	25.4	36-46 %	Measured
MCV	68	80-100 fl	Calculated
MCH	20.4	27-32 pg	Calculated
MCHC	29.9	31.5-34.5 g/dL	Calculated
RDW	16.6	11.6-14.0 %	Calculated
<b><u>WBC PARAMETERS</u></b>			
WBC Total Count	4130	4000-10000 /cmm	Elect. Impedance
<b><u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u></b>			
Lymphocytes	46.2	20-40 %	
Absolute Lymphocytes	1908.1	1000-3000 /cmm	Calculated
Monocytes	8.8	2-10 %	
Absolute Monocytes	363.4	200-1000 /cmm	Calculated
Neutrophils	42.8	40-80 %	
Absolute Neutrophils	1767.6	2000-7000 /cmm	Calculated
Eosinophils	0.9	1-6 %	
Absolute Eosinophils	37.2	20-500 /cmm	Calculated
Basophils	1.3	0.1-2 %	
Absolute Basophils	53.7	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.



Use a QR Code Scanner  
Application To Scan the Code

CID : 2223926333  
Name : MS.B KAMALA DEVI  
Age / Gender : 35 Years / Female  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Collected : 27-Aug-2022 / 11:26  
Reported : 27-Aug-2022 / 14:56

R  
E  
P  
O  
R  
T

**PLATELET PARAMETERS**

Platelet Count	319000	150000-400000 /cmm	Elect. Impedance
MPV	8.6	6-11 fl	Calculated
PDW	14.7	11-18 %	Calculated

**RBC MORPHOLOGY**

Hypochromia	+
Microcytosis	+
Macrocytosis	-
Anisocytosis	Mild
Poikilocytosis	Mild
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	-

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT Features suggestive of iron deficiency anemia and Thalassemia trait.

Advice : Iron studies ,Serum Vitamin B12, Serum ferritin, & Reticulocyte count estimation recommended.

Specimen: EDTA Whole Blood



Use a QR Code Scanner  
Application To Scan the Code

CID : 2223926333  
Name : MS.B KAMALA DEVI  
Age / Gender : 35 Years / Female  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Collected : 27-Aug-2022 / 11:26  
Reported : 27-Aug-2022 / 13:48

ESR, EDTA WB 21 2-20 mm at 1 hr. Westergren

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East  
\*\*\* End Of Report \*\*\*



*J. Mujawar*  
**Dr. IMRAN MUJAWAR**  
**M.D ( Path )**  
**Pathologist**



Use a QR Code Scanner  
Application To Scan the Code

CID : 2223926333  
Name : MS.B KAMALA DEVI  
Age / Gender : 35 Years / Female  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Collected : 27-Aug-2022 / 11:26  
Reported : 27-Aug-2022 / 16:01

**AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	89.2	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	83.4	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.3	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.12	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.18	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.2	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.4	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.8	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.6	1 - 2	Calculated
SGOT (AST), Serum	19.7	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	6.9	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	3.0	3-40 U/L	Enzymatic

Result rechecked.  
Kindly correlate clinically.



Use a QR Code Scanner  
Application To Scan the Code

**CID** : 2223926333  
**Name** : MS.B KAMALA DEVI  
**Age / Gender** : 35 Years / Female  
**Consulting Dr.** : -  
**Reg. Location** : Vashi (Main Centre)

**Collected** : 27-Aug-2022 / 13:49  
**Reported** : 27-Aug-2022 / 16:01

ALKALINE PHOSPHATASE, Serum	56.3	35-105 U/L	Colorimetric
BLOOD UREA, Serum	17.5	12.8-42.8 mg/dl	Kinetic
BUN, Serum	8.2	6-20 mg/dl	Calculated
CREATININE, Serum	<b>0.50</b>	0.51-0.95 mg/dl	Enzymatic
eGFR, Serum	149	>60 ml/min/1.73sqm	Calculated

Kindly correlate clinically.

URIC ACID, Serum	3.2	2.4-5.7 mg/dl	Enzymatic
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	
Urine Sugar (PP)	Absent	Absent	
Urine Ketones (PP)	Absent	Absent	

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East  
\*\*\* End Of Report \*\*\*



*Amit Taori*

**Dr. AMIT TAORI**  
**M.D ( Path )**  
**Pathologist**





CID : 2223926333  
 Name : MS.B KAMALA DEVI  
 Age / Gender : 35 Years / Female  
 Consulting Dr. : -  
 Reg. Location : Vashi (Main Centre)

Collected : 27-Aug-2022 / 11:26  
 Reported : 27-Aug-2022 / 14:35

Use a QR Code Scanner  
 Application To Scan the Code

**AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**  
**GLYCOSYLATED HEMOGLOBIN (HbA1c)**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.1	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	99.7	mg/dl	Calculated



Use a QR Code Scanner  
Application To Scan the Code

**CID** : 2223926333  
**Name** : MS.B KAMALA DEVI  
**Age / Gender** : 35 Years / Female  
**Consulting Dr.** : -  
**Reg. Location** : Vashi (Main Centre)

**Collected** : 27-Aug-2022 / 11:26  
**Reported** : 27-Aug-2022 / 14:35

**Intended use:**

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

**Clinical Significance:**

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

**Test Interpretation:**

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

**Factors affecting HbA1c results:**

**Increased in:** High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

**Decreased in:** Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

**Reflex tests:** Blood glucose levels, CGM (Continuous Glucose monitoring)

**References:** ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East

\*\*\* End Of Report \*\*\*



*J. Mujawar*  
**Dr. IMRAN MUJAWAR**  
**M.D ( Path )**  
**Pathologist**



CID : 2223926333  
Name : MS.B KAMALA DEVI  
Age / Gender : 35 Years / Female  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Collected : 27-Aug-2022 / 11:26  
Reported : 27-Aug-2022 / 16:39

Use a QR Code Scanner  
Application To Scan the Code

**AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**  
**URINE EXAMINATION REPORT**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<b><u>PHYSICAL EXAMINATION</u></b>			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	Acidic (6.5)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.015	1.001-1.030	Chemical Indicator
Transparency	Slight hazy	Clear	-
Volume (ml)	20 ml	-	-
<b><u>CHEMICAL EXAMINATION</u></b>			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	2+	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
<b><u>MICROSCOPIC EXAMINATION</u></b>			
Leukocytes(Pus cells)/hpf	4-5	0-5/hpf	
Red Blood Cells / hpf	2-3	0-2/hpf	
Epithelial Cells / hpf	5-6		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	6-8	Less than 20/hpf	



Use a QR Code Scanner  
Application To Scan the Code

CID : 2223926333  
Name : MS.B KAMALA DEVI  
Age / Gender : 35 Years / Female  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Collected : 27-Aug-2022 / 11:26  
Reported : 27-Aug-2022 / 16:39

Kindly correlate clinically.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East  
\*\*\* End Of Report \*\*\*



*J. Mujawar*  
**Dr. IMRAN MUJAWAR**  
**M.D ( Path )**  
**Pathologist**



Use a QR Code Scanner  
Application To Scan the Code

CID : 2223926333  
Name : MS.B KAMALA DEVI  
Age / Gender : 35 Years / Female  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Collected : 27-Aug-2022 / 11:26  
Reported : 27-Aug-2022 / 14:42

**AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**  
**BLOOD GROUPING & Rh TYPING**

<b><u>PARAMETER</u></b>	<b><u>RESULTS</u></b>
ABO GROUP	A
Rh TYPING	Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

**Clinical significance:**  
ABO system is most important of all blood group in transfusion medicine

**Limitations:**

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

**References:**

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
2. AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab  
\*\*\* End Of Report \*\*\*



*J. Thakker*

**Dr. JYOT THAKKER**  
**M.D. (PATH), DPB**  
**Pathologist & AVP( Medical Services)**



CID : 2223926333  
Name : MS.B KAMALA DEVI  
Age / Gender : 35 Years / Female  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Collected : 27-Aug-2022 / 11:26  
Reported : 27-Aug-2022 / 15:14

Use a QR Code Scanner  
Application To Scan the Code

**AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**  
**LIPID PROFILE**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	126.9	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	40.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	36.5	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	90.4	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	82.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	8.4	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.5	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.3	0-3.5 Ratio	Calculated

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East  
\*\*\* End Of Report \*\*\*



*J. Mujawar*  
**Dr.IMRAN MUJAWAR**  
M.D ( Path )  
Pathologist



CID : 2223926333  
 Name : MS.B KAMALA DEVI  
 Age / Gender : 35 Years / Female  
 Consulting Dr. : -  
 Reg. Location : Vashi (Main Centre)

Collected : 27-Aug-2022 / 11:26  
 Reported : 27-Aug-2022 / 15:29

Use a QR Code Scanner  
 Application To Scan the Code

**AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**  
**THYROID FUNCTION TESTS**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Free T3, Serum	4.9	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	14.9	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	1.12	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA



Use a QR Code Scanner  
Application To Scan the Code

**CID** : 2223926333  
**Name** : MS.B KAMALA DEVI  
**Age / Gender** : 35 Years / Female  
**Consulting Dr.** : -  
**Reg. Location** : Vashi (Main Centre)

**Collected** : 27-Aug-2022 / 11:26  
**Reported** : 27-Aug-2022 / 15:29

R  
E  
P  
O  
R  
T

**Interpretation:**

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

**Clinical Significance:**

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be transiently altered because of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

**Diurnal Variation:**TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

**Reflex Tests:**Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

**Limitations:**

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

**Reference:**

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East



*J. Mujawar*  
**Dr.IMRAN MUJAWAR**  
**M.D ( Path )**  
**Pathologist**





Use a QR Code Scanner  
Application To Scan the Code

CID : 2223926333  
Name : MS.B KAMALA DEVI  
Age / Gender : 35 Years / Female  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Collected :  
Reported :

\*\*\* End Of Report \*\*\*