

CID	: 2132924805
Name	: MR.NIRANJANA M P
Age / Gender	: 40 Years / Male
Consulting Dr.	: -
Reg. Location	: J B Nagar, Andheri East (Main Centre)

Authenticity Check

R

E

P

Ο

т

Use a QR Code Scanner Application To Scan the Code Collected :25-Nov-2021 / 19:43 Reported :26-Nov-2021 / 14:57

ARCOFEMI HEALTHCARE- BLOOD TEST

CBC (Complete Blood Count), Blood			
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	15.8	13.0-17.0 g/dL	Spectrophotometric
RBC	5.00	4.5-5.5 mil/cmm	Elect. Impedance
PCV	47.4	40-50 %	Measured
MCV	94.8	80-100 fl	Calculated
MCH	31.6	27-32 pg	Calculated
MCHC	33.3	31.5-34.5 g/dL	Calculated
RDW	15.6	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	9820	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND	ABSOLUTE COUNTS		
Lymphocytes	20.9	20-40 %	
Absolute Lymphocytes	2052.4	1000-3000 /cmm	Calculated
Monocytes	9.3	2-10 %	
Absolute Monocytes	913.3	200-1000 /cmm	Calculated
Neutrophils	68.6	40-80 %	
Absolute Neutrophils	6736.5	2000-7000 /cmm	Calculated
Eosinophils	1.0	1-6 %	
Absolute Eosinophils	98.2	20-500 /cmm	Calculated
Basophils	0.2	0.1-2 %	
Absolute Basophils	19.6	20-100 /cmm	Calculated
Immature Leukocytes			

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS			
Platelet Count	247000	150000-400000 /cmm	Elect. Impedance
MPV	10.0	6-11 fl	Calculated
PDW	17.7	11-18 %	Calculated
RBC MORPHOLOGY			
Hypochromia	-		
Microcytosis	-		
Macrocytosis	-		

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

Page 1 of 9

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



CID	: 2132924805			Ρ
Name	: MR.NIRANJANA M P			0
Age / Gender	: 40 Years / Male		Use a QR Code Scanner Application To Scan the Code	R
Consulting Dr. Reg. Location	: - : J B Nagar, Andheri East (Main Centre)	Collected Reported	:25-Nov-2021 / 19:43 :26-Nov-2021 / 12:03	т

A · · · ·			
Anisocytosis	-		
Poikilocytosis	-		
Polychromasia	-		
Target Cells	-		
Basophilic Stippling	-		
Normoblasts	-		
Others	Normocytic,Normochromic		
WBC MORPHOLOGY	-		
PLATELET MORPHOLOGY	-		
COMMENT	-		
Specimen: EDTA Whole Blood			
ESR, EDTA WB-ESR	21	2-15 mm at 1 hr.	Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***



Authenticity Check

R

E



John Gran Dr. AMAR DASGUPTA, MD, PhD

Consultant Hematopathologist Director - Medical Services

M Jain

Dr.MILLU JAIN M.D.(PATH) Pathologist

ADDRESS: 2rd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 2 of 9

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



CID :2132924805 Name : MR.NIRANJANA M P Use a OR Code Scanner :40 Years / Male Age / Gender Application To Scan the Code Consulting Dr. : -Collected :25-Nov-2021 / 19:43 Reported :26-Nov-2021 / 14:41 Reg. Location : J B Nagar, Andheri East (Main Centre)

PARAMETERRESULTSBIOLOGICAL REF RANGEMETHODGLUCOSE (SUGAR) FASTING, Fluoride Plasma75.9Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dlHexokinaseGLUCOSE (SUGAR) PP, Fluoride Plasma PP/R111.7Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dlHexokinaseTOTAL PROTEINS, Serum7.96.4-8.3 g/dLBiuretALBUMIN, Serum5.03.5-5.2 g/dLBCGGLOBULIN, Serum1.71 - 2CalculatedA/G RATIO, Serum19.612.8-42.8 mg/dlKineticBLOOD UREA, Serum9.26-20 mg/dlCalculatedCREATININE, Serum7.75-60 ml/min/1.73sqmCalculatedURIC ACID, Serum7.03.5-7.2 mg/dlEnzymaticURIC ACID, Serum7.0AbsentAbsentUrine Sugar (Fasting)AbsentAbsentAbsent	ARCOFEMI HEALTHCARE- BLOOD TEST				
Fluoride PlasmaImpaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dlGLUCOSE (SUGAR) PP, Fluoride Plasma PP/R111.7Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dlHexokinaseTOTAL PROTEINS, Serum ALBUMIN, Serum7.96.4-8.3 g/dLBiuretALBUMIN, Serum GLOBULIN, Serum5.03.5-5.2 g/dLBCGGLOBULIN, Serum A/G RATIO, Serum2.92.3-3.5 g/dLCalculatedALBOD UREA, Serum BUN, Serum1.71 - 2CalculatedBLOOD UREA, Serum GUN, Serum9.612.8-42.8 mg/dlKineticBLOOD UREA, Serum GUN, Serum1.120.67-1.17 mg/dlCalculatedCREATININE, Serum eGFR, Serum7.03.5-7.2 mg/dlEnzymaticURIC ACID, Serum7.0AbsentAbsentLinzymatic	PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
Plasma PP/RImpaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dlTOTAL PROTEINS, Serum7.96.4-8.3 g/dLBiuretALBUMIN, Serum5.03.5-5.2 g/dLBCGGLOBULIN, Serum2.92.3-3.5 g/dLCalculatedA/G RATIO, Serum1.71 - 2CalculatedBLOOD UREA, Serum9.26-20 mg/dlCalculatedBUN, Serum9.26-20 mg/dlCalculatedCREATININE, Serum1.120.67-1.17 mg/dl >60 ml/min/1.73sqmEnzymatic CalculatedURIC ACID, Serum7.03.5-7.2 mg/dlEnzymatic CalculatedUrine Sugar (Fasting)AbsentAbsentAbsent		75.9	Impaired Fasting Glucose: 100-125 mg/dl	Hexokinase	
ALBUMIN, Serum5.03.5-5.2 g/dLBCGGLOBULIN, Serum2.92.3-3.5 g/dLCalculatedA/G RATIO, Serum1.71 - 2CalculatedBLOOD UREA, Serum19.612.8-42.8 mg/dlKineticBUN, Serum9.26-20 mg/dlCalculatedCREATININE, Serum1.120.67-1.17 mg/dlEnzymaticeGFR, Serum770.671.77 mg/dlEnzymaticURIC ACID, Serum7.03.5-7.2 mg/dlEnzymaticUrine Sugar (Fasting)AbsentAbsentAbsent		111.7	Impaired Glucose Tolerance: 140-199 mg/dl	Hexokinase	
GLOBULIN, Serum2.92.3-3.5 g/dLCalculatedA/G RATIO, Serum1.71 - 2CalculatedBLOOD UREA, Serum19.612.8-42.8 mg/dlKineticBUN, Serum9.26-20 mg/dlCalculatedCREATININE, Serum1.120.67-1.17 mg/dlEnzymaticGFR, Serum7750 ml/min/1.73sqmCalculatedURIC ACID, Serum7.03.5-7.2 mg/dlEnzymaticUrine Sugar (Fasting)AbsentAbsentAbsent	TOTAL PROTEINS, Serum	7.9	6.4-8.3 g/dL	Biuret	
A/G RATIO, Serum1.71 - 2CalculatedBLOOD UREA, Serum19.612.8-42.8 mg/dlKineticBUN, Serum9.26-20 mg/dlCalculatedCREATININE, Serum1.120.67-1.17 mg/dlEnzymaticGFR, Serum7750 ml/min/1.73sqmCalculatedURIC ACID, Serum7.03.5-7.2 mg/dlEnzymaticUrine Sugar (Fasting)AbsentAbsentAbsent	ALBUMIN, Serum	5.0	3.5-5.2 g/dL	BCG	
BLOOD UREA, Serum19.612.8-42.8 mg/dlKineticBUN, Serum9.26-20 mg/dlCalculatedCREATININE, Serum1.120.67-1.17 mg/dlEnzymaticeGFR, Serum77>60 ml/min/1.73sqmCalculatedURIC ACID, Serum7.03.5-7.2 mg/dlEnzymaticUrine Sugar (Fasting)AbsentAbsentAbsent	GLOBULIN, Serum	2.9	2.3-3.5 g/dL	Calculated	
BUN, Serum9.26-20 mg/dlCalculatedCREATININE, Serum1.12 770.67-1.17 mg/dl >60 ml/min/1.73sqmEnzymatic CalculatedURIC ACID, Serum7.03.5-7.2 mg/dlEnzymatic CalculatedUrine Sugar (Fasting)AbsentAbsent	A/G RATIO, Serum	1.7	1 - 2	Calculated	
CREATININE, Serum1.120.67-1.17 mg/dlEnzymaticeGFR, Serum77>60 ml/min/1.73sqmCalculatedURIC ACID, Serum7.03.5-7.2 mg/dlEnzymaticUrine Sugar (Fasting)AbsentAbsentAbsent	BLOOD UREA, Serum	19.6	12.8-42.8 mg/dl	Kinetic	
eGFR, Serum77>60 ml/min/1.73sqmCalculatedURIC ACID, Serum7.03.5-7.2 mg/dlEnzymaticUrine Sugar (Fasting)AbsentAbsent	BUN, Serum	9.2	6-20 mg/dl	Calculated	
URIC ACID, Serum7.03.5-7.2 mg/dlEnzymaticUrine Sugar (Fasting)AbsentAbsent	CREATININE, Serum	1.12	0.67-1.17 mg/dl	Enzymatic	
Urine Sugar (Fasting) Absent Absent	eGFR, Serum	77	>60 ml/min/1.73sqm	Calculated	
	URIC ACID, Serum	7.0	3.5-7.2 mg/dl	Enzymatic	
Urine Ketones (Fasting) Absent Absent	Urine Sugar (Fasting)	Absent	Absent		
	Urine Ketones (Fasting)	Absent	Absent		

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***



ato.

Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab Director**

Authenticity Check

R

E

O

т

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 3 of 9

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required. (8) Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein. (9) For the elaborated disclaimer, please turn over the page or visit our website.



RECISE TESTING · HEALTHIER LIVING CID :2132924805 Name : MR.NIRANJANA M P Use a OR Code Scanner Age / Gender : 40 Years / Male Application To Scan the Code : -Consulting Dr. Collected : 25-Nov-2021 / 19:43 :26-Nov-2021 / 14:41 : J B Nagar, Andheri East (Main Centre) Reported Reg. Location

ARCOFEMI HEALTHCARE- BLOOD TEST GLYCOSYLATED HEMOGLOBIN (HbA1c)				
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.3	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC	
Estimated Average Glucose (eAG), EDTA WB - CC	105.4	mg/dl	Calculated	

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***





Authenticity Check

R

F

Dr.LEENA SALUNKHE M.B.B.S, DPB (PATH) Pathologist

Page 4 of 9

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full.(5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



CID	: 2132924805
Name	: MR.NIRANJANA M P
Age / Gender	:40 Years / Male
Consulting Dr.	:-
Reg. Location	: J B Nagar, Andheri East (Main Centre)

Authenticity Check

R

E

P

0

т

Use a QR Code Scanner Application To Scan the Code Collected :25-Nov-2021 / 19:43 Reported :26-Nov-2021 / 12:12

ARCOFEMI HEALTHCARE- BLOOD TEST URINE EXAMINATION REPORT			
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	7.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Slight hazy	Clear	-
Volume (ml)	50	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION	<u> </u>		
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	0-1		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	++	Less than 20/hpf	
Others	-		

Kindly rule out contamination.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***





Dr.ANUPA DIXIT M.D.(PATH) Pathologist

ADDRESS: 2rd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 5 of 9

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.(4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



CID :2132924805 Name : MR.NIRANJANA M P Age / Gender : 40 Years / Male Consulting Dr. : -: J B Nagar, Andheri East (Main Centre) Reg. Location

Use a OR Code Scanner Application To Scan the Code Collected Reported

Authenticity Check

: 25-Nov-2021 / 19:43 :26-Nov-2021 / 14:01

R

F

ARCOFEMI HEALTHCARE- BLOOD TEST **BLOOD GROUPING & Rh TYPING**

PARAMETER

RESULTS

ABO GROUP В **Rh TYPING** POSITIVE

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia 1.
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West

*** End Of Report *'



charto.

Dr.ANUPA DIXIT M.D.(PATH) Pathologist

Page 6 of 9

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: [1]Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient. (4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required.(8)Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein.(9) For the elaborated disclaimer, please turn over the page or visit our website.



CID

Name

:2132924805 : MR.NIRANJANA M P Use a OR Code Scanner :40 Years / Male Age / Gender Application To Scan the Code Consulting Dr. : -Collected :25-Nov-2021 / 19:43 : J B Nagar, Andheri East (Main Centre) Reported :26-Nov-2021 / 14:41 Reg. Location

Authenticity Check

R

E

P

Ο

т

ARCOFEMI HEALTHCARE- BLOOD TEST LIPID PROFILE			
<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	171.1	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	170.2	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	44.6	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	126.5	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	93.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	33.5	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.8	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.1	0-3.5 Ratio	Calculated
*Sample processed at SUBURBAN DI	AGNOSTICS (INDIA) PVT. LTD CPL		

*** End Of Report ***





Pathologist

Page 7 of 9

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests, (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient (4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required. (8) Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein. (9) For the elaborated disclaimer, please turn over the page or visit our website.



DIAGNOSTI	C S			F
PRECISE TESTING · HEAI	LTHIER LIVING			
CID	: 2132924805			Ρ
Name	: MR.NIRANJANA M P			0
Age / Gender	:40 Years / Male		Use a QR Code Scanner Application To Scan the Code	R
Consulting Dr.	: -	Collected	:25-Nov-2021 / 19:43	
Reg. Location	: J B Nagar, Andheri East (Main Centre)	Reported	:26-Nov-2021 / 12:06	т

ARCOFEMI HEALTHCARE- BLOOD TEST THYROID FUNCTION TESTS					
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>		
Free T3, Serum	5.8	3.5-6.5 pmol/L	ECLIA		
Free T4, Serum	16.6	11.5-22.7 pmol/L	ECLIA		
sensitiveTSH, Serum	2.25	0.35-5.5 microlU/ml	ECLIA		

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non- thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz, Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***



sto.

Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab Director**

Authenticity Check

TEL: COMPACE/COMPACING

R

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 8 of 9

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics. (2)Sample may be rejected if unacceptable for the requested tests. (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient. (4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required. (8) Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein. (9) For the elaborated disclaimer, please turn over the page or visit our website.



CID	: 2132924805
Name	: MR.NIRANJANA M P
Age / Gender	: 40 Years / Male
Consulting Dr. Reg. Location	: - : J B Nagar, Andheri East (Main Centre)



R

E

P

0

т

Use a OR Code Scanner Application To Scan the Code Collected :25-Nov-2021 / 19:43 :26-Nov-2021 / 12:06

Reported

ARCOFEMI HEALTHCARE- BLOOD TEST LIVER FUNCTION TESTS						
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>			
BILIRUBIN (TOTAL), Serum	0.48	0.1-1.2 mg/dl	Colorimetric			
BILIRUBIN (DIRECT), Serum	0.19	0-0.3 mg/dl	Diazo			
BILIRUBIN (INDIRECT), Serum	0.29	0.1-1.0 mg/dl	Calculated			
TOTAL PROTEINS, Serum	7.9	6.4-8.3 g/dL	Biuret			
ALBUMIN, Serum	5.0	3.5-5.2 g/dL	BCG			
GLOBULIN, Serum	2.9	2.3-3.5 g/dL	Calculated			
A/G RATIO, Serum	1.7	1 - 2	Calculated			
SGOT (AST), Serum	23.2	5-40 U/L	NADH (w/o P-5-P)			
SGPT (ALT), Serum	27.5	5-45 U/L	NADH (w/o P-5-P)			
GAMMA GT, Serum	28.7	3-60 U/L	Enzymatic			
ALKALINE PHOSPHATASE, Serum	86.7	40-130 U/L	Colorimetric			

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***



Anto

Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab Director**

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 9 of 9

Brief Disclaimer: (1)Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics.(2)Sample may be rejected if unacceptable for the requested tests, (3)Test results may vary from laboratory to laboratory and also in some parameters from time to time for the same patient (4)Report must not be copied in part, only in full. (5)This report is not valid for medico-legal purposes.(6)Patient information or data will not be communicated to a third party except in the case of a notifiable disease to a Public Care Unit.(7)Suburban Diagnostics reserves the right to subcontract samples to other laboratories as required. (8) Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein. (9) For the elaborated disclaimer, please turn over the page or visit our website.