

PATIENT NAME : MANISH KAURA

REF. DOCTOR : SELF

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

**MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE****XRAY-CHEST**

IMPRESSION NO ABNORMALITY DETECTED

**TMT OR ECHO**

TMT OR ECHO GOOD LV SYSTOLIC FUNCTION AT REST. NO RWMA  
LVEF 60 %  
ALL VALVES STRUCTURALLY NORMAL .  
NO EVIDENCE OF PE/CLOT/VEGETATION.

**ECG**

ECG WITHIN NORMAL LIMITS

**MEDICAL HISTORY**

RELEVANT PRESENT HISTORY SKIN RASH  
RELEVANT PAST HISTORY TYPHOID 20 YRS AGO  
RELEVANT PERSONAL HISTORY NOT SIGNIFICANT  
RELEVANT FAMILY HISTORY HYPERTENSION,DIABETES,CV STROKE  
HISTORY OF MEDICATIONS NOT SIGNIFICANT


**ANTHROPOMETRIC DATA & BMI**

|                  |      |          |
|------------------|------|----------|
| HEIGHT IN METERS | 1.68 | mts      |
| WEIGHT IN KGS.   | 58   | Kgs      |
| BMI              | 21   | kg/sqmts |

BMI & Weight Status as follows  
Below 18.5: Underweight  
18.5 - 24.9: Normal  
25.0 - 29.9: Overweight  
30.0 and Above: Obese

**GENERAL EXAMINATION**

|   |         |
|---|---------|
| MENTAL / EMOTIONAL STATE                | NORMAL  |
| PHYSICAL ATTITUDE                       | NORMAL  |
| GENERAL APPEARANCE / NUTRITIONAL STATUS | HEALTHY |
| BUILT / SKELETAL FRAMEWORK              | AVERAGE |
| FACIAL APPEARANCE                       | NORMAL  |
| SKIN                                    | NORMAL  |
| UPPER LIMB                              | NORMAL  |
| LOWER LIMB                              | NORMAL  |
| NECK                                    | NORMAL  |



Dr. J N Shukla ,MBBS, AFIH  
Consultant Physician

Page 1 Of 24



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956



Patient Ref. No. 2000011713294


PATIENT NAME : MANISH KAURA

REF. DOCTOR : SELF

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

|                                   |   |  |       |
|-----------------------------------|---|--|-------|
| NECK LYMPHATICS / SALIVARY GLANDS | NOT ENLARGED OR TENDER  |  |       |
| THYROID GLAND                     | NOT ENLARGED  |  |       |
| CAROTID PULSATION                 | NORMAL  |  |       |
| TEMPERATURE                       | NORMAL  |  |       |
| PULSE                             | 66/MIN REGULAR, ALL PERIPHERAL PULSES WELL FELT, NO CAROTID BRUIT |  |       |
| RESPIRATORY RATE                  | NORMAL  |  |       |
| <b>CARDIOVASCULAR SYSTEM</b>      |   |  |       |
| BP                                | 110/64 MM HG (SUPINE)   |  | mm/Hg |
| PERICARDIUM                       | NORMAL  |  |       |
| APEX BEAT                         | NORMAL  |  |       |
| HEART SOUNDS                      | S1, S2 HEARD NORMALLY   |  |       |
| MURMURS                           | ABSENT  |  |       |
| <b>RESPIRATORY SYSTEM</b>         |   |  |       |
| SIZE AND SHAPE OF CHEST           | NORMAL  |  |       |
| MOVEMENTS OF CHEST                | SYMMETRICAL   |  |       |
| BREATH SOUNDS INTENSITY           | NORMAL  |  |       |
| BREATH SOUNDS QUALITY             | VESICULAR (NORMAL)  |  |       |
| ADDED SOUNDS                      | ABSENT  |  |       |
| <b>PER ABDOMEN</b>                |   |  |       |
| APPEARANCE                        | NORMAL  |  |       |
| VENOUS PROMINENCE                 | ABSENT  |  |       |
| LIVER                             | NOT PALPABLE  |  |       |
| SPLEEN                            | NOT PALPABLE  |  |       |
| HERNIA                            | ABSENT  |  |       |
| <b>CENTRAL NERVOUS SYSTEM</b>     |   |  |       |
| HIGHER FUNCTIONS                  | NORMAL  |  |       |
| CRANIAL NERVES                    | NORMAL  |  |       |
| CEREBELLAR FUNCTIONS              | NORMAL  |  |       |
| SENSORY SYSTEM                    | NORMAL  |  |       |
| MOTOR SYSTEM                      | NORMAL  |  |       |
| REFLEXES                          | NORMAL  |  |       |



Dr. J N Shukla ,MBBS, AFIH  
Consultant Physician

Page 2 Of 24



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956



Patient Ref. No. 2000011713294

PATIENT NAME : MANISH KAURA

REF. DOCTOR : SELF

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

**MUSCULOSKELETAL SYSTEM**

SPINE NORMAL  
JOINTS NORMAL

**BASIC EYE EXAMINATION**

CONJUNCTIVA NORMAL  
EYELIDS NORMAL  
EYE MOVEMENTS NORMAL  
CORNEA NORMAL  
DISTANT VISION RIGHT EYE WITH GLASSES REDUCE VISUAL ACUITY (6/12)  
DISTANT VISION LEFT EYE WITH GLASSES REDUCE VISUAL ACUITY (6/9)  
NEAR VISION RIGHT EYE WITH GLASSES WITHIN NORMAL LIMIT (N6)  
NEAR VISION LEFT EYE WITH GLASSES WITHIN NORMAL LIMIT (N6)  
COLOUR VISION NORMAL (17/17)

**BASIC ENT EXAMINATION**


EXTERNAL EAR CANAL NORMAL  
TYMPANIC MEMBRANE NORMAL  
NOSE NO ABNORMALITY DETECTED  
SINUSES NORMAL  
THROAT NO ABNORMALITY DETECTED  
TONSILS NOT ENLARGED

**BASIC DENTAL EXAMINATION**

TEETH NORMAL  
GUMS HEALTHY

**SUMMARY**

RELEVANT HISTORY NOT SIGNIFICANT  
RELEVANT GP EXAMINATION FINDINGS REDUCE VISUAL ACUITY DISTANT VISION BOTH EYES  
RELEVANT LAB INVESTIGATIONS LOW HAEMOGLOBIN (11.2)  
LOW HDL CHOLESTEROL (34)  
RAISED LDL (134)  
RAISED NON HDL (157)  
RAISED TSH (4.370)  
RELEVANT NON PATHOLOGY DIAGNOSTICS NO ABNORMALITIES DETECTED



Dr. J N Shukla ,MBBS, AFIH  
Consultant Physician

Page 3 Of 24



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956



Patient Ref. No. 2000011713294

PATIENT NAME : MANISH KAURA

REF. DOCTOR : SELF

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |


Test Report Status **Final**

Results

Biological Reference Interval Units

REMARKS / RECOMMENDATIONS

LOW HAEMOGLOBIN, RAISED RBC, LOW HDL CHOLESTEROL, RAISED TSH  
 OMEGA 3 FATS SUPPLEMENTS  
 HAEMOGLOBIN VARIANT ANALYSIS  
 FOLLOW UP WITH DERMATOLOGIST/OPHTHALMOLOGIST/PHYSICIAN



Dr. J N Shukla ,MBBS, AFIH  
 Consultant Physician

Page 4 Of 24



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
 PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W)  
 Mumbai, 400062  
 MAHARASHTRA, INDIA  
 Tel : 9111591115, Fax :  
 CIN - U74899PB1995PLC045956



Patient Ref. No. 2000011713294

**PATIENT NAME : MANISH KAURA** **REF. DOCTOR : SELF**

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Units |
|--------------------|-------|---------|-------|
|--------------------|-------|---------|-------|

**MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE**

**ULTRASOUND ABDOMEN**

**ULTRASOUND ABDOMEN**

**SIMPLE HEPATIC CYST IN THE RIGHT LOBE (15 X 14 MM).**

**Interpretation(s)**

MEDICAL HISTORY \*\*\*\*\*  
 THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.  
 \*\*\*\*\*

**Dr. J N Shukla ,MBBS, AFIH  
Consultant Physician**



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956



**Patient Ref. No. 2000011713294**



PATIENT NAME : MANISH KAURA

REF. DOCTOR : SELF

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

## HAEMATOLOGY - CBC

## MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

## BLOOD COUNTS, EDTA WHOLE BLOOD

|  |                  |             |               |
|--|------------------|-------------|---------------|
| HEMOGLOBIN (HB)                            | <b>11.2 Low</b>  | 13.0 - 17.0 | g/dL          |
| METHOD : PHOTOMETRIC MEASUREMENT           |                  |             |               |
| RED BLOOD CELL (RBC) COUNT                 | <b>6.29 High</b> | 4.5 - 5.5   | mil/ $\mu$ L  |
| METHOD : COULTER PRINCIPLE                 |                  |             |               |
| WHITE BLOOD CELL (WBC) COUNT               | 8.60             | 4.0 - 10.0  | thou/ $\mu$ L |
| METHOD : COULTER PRINCIPLE                 |                  |             |               |
| PLATELET COUNT                             | 227              | 150 - 410   | thou/ $\mu$ L |
| METHOD : ELECTRONIC IMPEDENCE & MICROSCOPY |                  |             |               |

## RBC AND PLATELET INDICES

|  |                  |              |      |
|--|------------------|--------------|------|
| HEMATOCRIT (PCV)                                   | <b>36.2 Low</b>  | 40.0 - 50.0  | %    |
| METHOD : CALCULATED PARAMETER                      |                  |              |      |
| MEAN CORPUSCULAR VOLUME (MCV)                      | <b>57.6 Low</b>  | 83.0 - 101.0 | fL   |
| METHOD : DERIVED PARAMETER FROM RBC HISTOGRAM      |                  |              |      |
| MEAN CORPUSCULAR HEMOGLOBIN (MCH)                  | <b>17.8 Low</b>  | 27.0 - 32.0  | pg   |
| METHOD : CALCULATED PARAMETER                      |                  |              |      |
| MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC)   | <b>30.9 Low</b>  | 31.5 - 34.5  | g/dL |
| METHOD : CALCULATED PARAMETER                      |                  |              |      |
| RED CELL DISTRIBUTION WIDTH (RDW)                  | <b>15.8 High</b> | 11.6 - 14.0  | %    |
| METHOD : DERIVED PARAMETER FROM RBC HISTOGRAM      |                  |              |      |
| MENTZER INDEX                                      | 9.2              |              |      |
| MEAN PLATELET VOLUME (MPV)                         | 9.4              | 6.8 - 10.9   | fL   |
| METHOD : DERIVED PARAMETER FROM PLATELET HISTOGRAM |                  |              |      |

## WBC DIFFERENTIAL COUNT

|                                      |               |            |   |
|--------------------------------------|---------------|------------|---|
| NEUTROPHILS                          | 70            | 40 - 80    | % |
| METHOD : VCSN TECHNOLOGY/ MICROSCOPY |               |            |   |
| LYMPHOCYTES                          | <b>19 Low</b> | 20 - 40    | % |
| METHOD : VCSN TECHNOLOGY/ MICROSCOPY |               |            |   |
| MONOCYTES                            | 8             | 2.0 - 10.0 | % |
| METHOD : VCSN TECHNOLOGY/ MICROSCOPY |               |            |   |
| EOSINOPHILS                          | 2             | 1.0 - 6.0  | % |
| METHOD : VCSN TECHNOLOGY/ MICROSCOPY |               |            |   |

**Dr. Reena Mittal, MD**  
Senior Consultant  
Hematopathologist

**Dr. Sushant Chikane**  
Consultant Pathologist

Page 6 Of 24



View Details



View Report

## PERFORMED AT :

SRL Ltd  
PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956



Patient Ref. No. 2000011713294



MC-2010



**PATIENT NAME : MANISH KAURA**

**REF. DOCTOR : SELF**

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

|  |      |             |         |
|--|------|-------------|---------|
| BASOPHILS<br>METHOD : VCSN TECHNOLOGY/ MICROSCOPY          | 1    | 0 - 1       | %       |
| ABSOLUTE NEUTROPHIL COUNT<br>METHOD : CALCULATED PARAMETER | 6.00 | 2.0 - 7.0   | thou/μL |
| ABSOLUTE LYMPHOCYTE COUNT<br>METHOD : CALCULATED PARAMETER | 1.60 | 1.0 - 3.0   | thou/μL |
| ABSOLUTE MONOCYTE COUNT<br>METHOD : CALCULATED PARAMETER   | 0.69 | 0.2 - 1.0   | thou/μL |
| ABSOLUTE EOSINOPHIL COUNT<br>METHOD : CALCULATED PARAMETER | 0.17 | 0.02 - 0.50 | thou/μL |
| ABSOLUTE BASOPHIL COUNT<br>METHOD : CALCULATED PARAMETER   | 0.09 | 0.02 - 0.10 | thou/μL |
| NEUTROPHIL LYMPHOCYTE RATIO (NLR)<br>METHOD : CALCULATED   | 3.8  |             |         |

**MORPHOLOGY**

|   |  |
|---|--|
| RBC<br>METHOD : MICROSCOPIC EXAMINATION                 | MILD ANISOPOIKILOCYTOSIS. PREDOMINANTLY MICROCYTIC HYPOCHROMIC WITH ELLIPTOCYTES AND OVALOCYTES. |
| WBC<br>METHOD : MICROSCOPIC EXAMINATION                 | NORMAL MORPHOLOGY  |
| PLATELETS<br>METHOD : ELECTRONIC IMPEDENCE & MICROSCOPY | ADEQUATE   |

**Interpretation(s)**

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.  
 RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.  
 WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.  
 (Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients ; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504  
 This ratio element is a calculated parameter and out of NABL scope.

**Dr. Reena Mittal, MD**  
Senior Consultant  
Hematopathologist

**Dr. Sushant Chikane**  
Consultant Pathologist



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956



**Patient Ref. No. 2000011713294**



PATIENT NAME : MANISH KAURA

REF. DOCTOR : SELF

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

## HAEMATOLOGY

**MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE****ERYTHROCYTE SEDIMENTATION RATE (ESR),WHOLE BLOOD**

|       |    |        |            |
|-------|----|--------|------------|
| E.S.R | 10 | 0 - 14 | mm at 1 hr |
|-------|----|--------|------------|

METHOD : AUTOMATED (PHOTOMETRICAL CAPILLARY STOPPED FLOW KINETIC ANALYSIS)

**Interpretation(s)****ERYTHROCYTE SEDIMENTATION RATE (ESR),WHOLE BLOOD-TEST DESCRIPTION :-**

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition. CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

**TEST INTERPRETATION**

**Increase** in: Infections, Vasculitides, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR (>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

**Decreased** in: Polycythemia vera, Sickle cell anemia

**LIMITATIONS**

**False elevated** ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

**False Decreased** : Poikilocytosis,(SickleCells,spherocytes),Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine, salicylates)

**REFERENCE :**

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition;2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin;3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition.

**Dr. Reena Mittal, MD**  
Senior Consultant  
Hematopathologist

**Dr. Sushant Chikane**  
Consultant Pathologist

Page 8 Of 24



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956



Patient Ref. No. 2000011713294





MC-2010

**PATIENT NAME : MANISH KAURA**

**REF. DOCTOR : SELF**

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

**IMMUNOHAEMATOLOGY**

**MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE**

**ABO GROUP & RH TYPE, EDTA WHOLE BLOOD**

|  |          |
|--|----------|
| ABO GROUP                              | A        |
| METHOD : HAEMAGGLUTINATION (AUTOMATED) |          |
| RH TYPE                                | POSITIVE |
| METHOD : HAEMAGGLUTINATION (AUTOMATED) |          |

**Interpretation(s)**

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

**Dr. Sushant Chikane**  
**Consultant Pathologist**



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
 PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W)  
 Mumbai, 400062  
 MAHARASHTRA, INDIA  
 Tel : 9111591115, Fax :  
 CIN - U74899PB1995PLC045956



**Patient Ref. No. 2000011713294**



MC-2010

**PATIENT NAME : MANISH KAURA**

**REF. DOCTOR : SELF**

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

**BIOCHEMISTRY**

**MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE**

**GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD**

|       |     |  |
|-------|-----|--|
| HBA1C | 5.3 | Non-diabetic Adult < 5.7 %<br>Pre-diabetes 5.7 - 6.4<br>Diabetes diagnosis: > or = 6.5<br>Therapeutic goals: < 7.0<br>Action suggested : > 8.0<br>(ADA Guideline 2021) |
|-------|-----|--|

METHOD : ION- EXCHANGE HPLC

|                                |       |             |
|--------------------------------|-------|-------------|
| ESTIMATED AVERAGE GLUCOSE(EAG) | 105.4 | < 116 mg/dL |
|--------------------------------|-------|-------------|

**GLUCOSE FASTING,FLUORIDE PLASMA**

|                           |    |  |
|---------------------------|----|--|
| FBS (FASTING BLOOD SUGAR) | 87 | Normal <100 mg/dL<br>Impaired fasting glucose:100 to 125<br>Diabetes mellitus: > = 126 (on more than 1 occassion)<br>(ADA guidelines 2021) |
|---------------------------|----|--|

METHOD : SPECTROPHOTOMETRY HEXOKINASE

*S.S. Wadalkar*

**Dr. Sneha Wadalkar, M.D**  
(Reg.no.MMC2012/06/1868)  
Junior Biochemist



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956



**Patient Ref. No. 2000011713294**




MC-2010

**PATIENT NAME : MANISH KAURA**

**REF. DOCTOR : SELF**

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|



**GLUCOSE, POST-PRANDIAL, PLASMA**

|                                 |    |  |       |
|---------------------------------|----|--|-------|
| PPBS(POST PRANDIAL BLOOD SUGAR) | 95 | Normal <140<br>Impaired glucose tolerance:140 to 199<br>Diabetes mellitus : > = 200 (on more than 1 occassion)<br>ADA guideline 2021 | mg/dL |
|---------------------------------|----|--|-------|

METHOD : SPECTROPHOTOMETRY HEXOKINASE

**LIPID PROFILE, SERUM**

|                    |     |   |       |
|--------------------|-----|---|-------|
| CHOLESTEROL, TOTAL | 191 | Desirable : < 200<br>Borderline : 200 - 239<br>High : > / = 240 | mg/dL |
|--------------------|-----|---|-------|

METHOD : SPECTROPHOTOMETRY, ENZYMATIC COLORIMETRIC - CHOLESTEROL OXIDASE, ESTERASE, PEROXIDASE

|               |     |  |       |
|---------------|-----|--|-------|
| TRIGLYCERIDES | 115 | Normal: < 150<br>Borderline high: 150 - 199<br>High: 200 - 499<br>Very High: > / = 500 | mg/dL |
|---------------|-----|--|-------|

METHOD : SPECTROPHOTOMETRY, ENZYMATIC ENDPOINT WITH GLYCEROL BLANK

|                 |               |                                       |       |
|-----------------|---------------|---------------------------------------|-------|
| HDL CHOLESTEROL | <b>34 Low</b> | At Risk: < 40<br>Desirable: > or = 60 | mg/dL |
|-----------------|---------------|---------------------------------------|-------|

*S.S. Wadalkar*

**Dr. Sneha Wadalkar, M.D**  
(Reg.no.MMC2012/06/1868)  
Junior Biochemist



[View Details](#)   [View Report](#)

**PERFORMED AT :**

SRL Ltd  
PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956



**Patient Ref. No. 2000011713294**



**PATIENT NAME : MANISH KAURA**

**REF. DOCTOR : SELF**

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

|   |                 |                                      |  |       |
|---|-----------------|--------------------------------------|--|-------|
| METHOD : SPECTROPHOTOMETRY, HOMOGENEOUS DIRECT ENZYMATIC COLORIMETRIC |                 |                                      |  |       |
| CHOLESTEROL LDL   | <b>134 High</b> | Optimal : < 100                      |  | mg/dL |
|   |                 | Near optimal/above optimal : 100-129 |  |       |
|   |                 | Borderline high : 130-159            |  |       |
|   |                 | High : 160-189                       |  |       |
|   |                 | Very high : = 190                    |  |       |
| METHOD : CALCULATED PARAMETER   |                 |                                      |  |       |
| NON HDL CHOLESTEROL   | <b>157 High</b> | Desirable : < 130                    |  | mg/dL |
|   |                 | Above Desirable : 130 -159           |  |       |
|   |                 | Borderline High : 160 - 189          |  |       |
|   |                 | High : 190 - 219                     |  |       |
|   |                 | Very high : > / = 220                |  |       |
| METHOD : CALCULATED PARAMETER   |                 |                                      |  |       |
| VERY LOW DENSITY LIPOPROTEIN  | 23.0            | < or = 30.0                          |  | mg/dL |
| METHOD : CALCULATED PARAMETER   |                 |                                      |  |       |
| CHOL/HDL RATIO  | <b>5.6 High</b> | Low Risk : 3.3 - 4.4                 |  |       |
|   |                 | Average Risk : 4.5 - 7.0             |  |       |
|   |                 | Moderate Risk : 7.1 - 11.0           |  |       |
|   |                 | High Risk : > 11.0                   |  |       |
| METHOD : CALCULATED PARAMETER   |                 |                                      |  |       |
| LDL/HDL RATIO   | <b>4.4 High</b> | Desirable/Low Risk : 0.5 - 3.0       |  |       |
|   |                 | Borderline/Moderate Risk : 3.1 - 6.0 |  |       |
|   |                 | High Risk : > 6.0                    |  |       |
| METHOD : CALCULATED PARAMETER   |                 |                                      |  |       |

**Interpretation(s)**

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target.

**Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India**

| Risk Category      |  |
|--------------------|--|
| Extreme risk group | A.CAD with > 1 feature of high risk group  |
|                    | B. CAD with > 1 feature of Very high risk group or recurrent ACS (within 1 year) despite LDL-C < or = 50 mg/dl or polyvascular disease   |
| Very High Risk     | 1. Established ASCVD 2. Diabetes with 2 major risk factors or evidence of end organ damage 3. Familial Homozygous Hypercholesterolemia   |
| High Risk          | 1. Three major ASCVD risk factors. 2. Diabetes with 1 major risk factor or no evidence of end organ damage. 3. CKD stage 3B or 4. 4. LDL >190 mg/dl 5. Extreme of a single risk factor. 6. Coronary Artery Calcium - CAC >300 AU. 7. Lipoprotein a >= 50mg/dl 8. Non stenotic carotid plaque |

*S.S.Wadalkar*

**Dr. Sneha Wadalkar, M.D**  
**(Reg.no.MMC2012/06/1868)**  
**Junior Biochemist**



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956



**Patient Ref. No. 2000011713294**



MC-2010

**PATIENT NAME : MANISH KAURA**

**REF. DOCTOR : SELF**

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

|  |   |
|--|---|
| Moderate Risk  | 2 major ASCVD risk factors                  |
| Low Risk   | 0-1 major ASCVD risk factors                |
| <b>Major ASCVD (Atherosclerotic cardiovascular disease) Risk Factors</b> |   |
| 1. Age > or = 45 years in males and > or = 55 years in females           | 3. Current Cigarette smoking or tobacco use |
| 2. Family history of premature ASCVD                                     | 4. High blood pressure                      |
| 5. Low HDL   |   |

**Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.**

| Risk Group                    | Treatment Goals                |                               | Consider Drug Therapy |                 |
|-------------------------------|--------------------------------|-------------------------------|-----------------------|-----------------|
|                               | LDL-C (mg/dl)                  | Non-HDL (mg/dl)               | LDL-C (mg/dl)         | Non-HDL (mg/dl) |
| Extreme Risk Group Category A | <50 (Optional goal < OR = 30 ) | < 80 (Optional goal <OR = 60) | >OR = 50              | >OR = 80        |
| Extreme Risk Group Category B | <OR = 30                       | <OR = 60                      | > 30                  | >60             |
| Very High Risk                | <50                            | <80                           | >OR= 50               | >OR= 80         |
| High Risk                     | <70                            | <100                          | >OR= 70               | >OR= 100        |
| Moderate Risk                 | <100                           | <130                          | >OR= 100              | >OR= 130        |
| Low Risk                      | <100                           | <130                          | >OR= 130*             | >OR= 160        |

\*After an adequate non-pharmacological intervention for at least 3 months.

**References:** Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

**LIVER FUNCTION PROFILE, SERUM**

|   |                  |             |       |
|---|------------------|-------------|-------|
| BILIRUBIN, TOTAL  | 0.67             | Upto 1.2    | mg/dL |
| METHOD : SPECTROPHOTOMETRY, COLORIMETRIC -DIAZO METHOD                          |                  |             |       |
| BILIRUBIN, DIRECT   | <b>0.32 High</b> | < or = 0.3  | mg/dL |
| METHOD : SPECTROPHOTOMETRY, JENDRASSIK & GROFF - DIAZOTIZATION                  |                  |             |       |
| BILIRUBIN, INDIRECT   | 0.35             | 0.0 - 0.9   | mg/dL |
| METHOD : CALCULATED PARAMETER   |                  |             |       |
| TOTAL PROTEIN   | 7.0              | 6.0 - 8.0   | g/dL  |
| METHOD : SPECTROPHOTOMETRY, COLORIMETRIC -BIURET, REAGENT BLANK, SERUM BLANK    |                  |             |       |
| ALBUMIN   | 4.4              | 3.97 - 4.94 | g/dL  |
| METHOD : SPECTROPHOTOMETRY, BROMOCRESOL GREEN(BCG) - DYE BINDING                |                  |             |       |
| GLOBULIN  | 2.6              | 2.0 - 3.5   | g/dL  |
| METHOD : CALCULATED PARAMETER   |                  |             |       |
| ALBUMIN/GLOBULIN RATIO  | 1.7              | 1.0 - 2.1   | RATIO |
| METHOD : CALCULATED PARAMETER   |                  |             |       |
| ASPARTATE AMINOTRANSFERASE(AST/SGOT)  | 19               | Upto 40     | U/L   |
| METHOD : SPECTROPHOTOMETRY, WITHOUT PYRIDOXAL PHOSPHATE ACTIVATION( P5P) - IFCC |                  |             |       |
| ALANINE AMINOTRANSFERASE (ALT/SGPT)   | 21               | Upto 41     | U/L   |
| METHOD : SPECTROPHOTOMETRY, WITHOUT PYRIDOXAL PHOSPHATE ACTIVATION( P5P) - IFCC |                  |             |       |
| ALKALINE PHOSPHATASE  | 84               | 40 - 129    | U/L   |

*S.S. Wadalkar*

**Dr. Sneha Wadalkar, M.D**  
**(Reg.no.MMC2012/06/1868)**  
**Junior Biochemist**



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956



**Patient Ref. No. 2000011713294**



MC-2010

**PATIENT NAME : MANISH KAURA**

**REF. DOCTOR : SELF**

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

METHOD : SPECTROPHOTOMETRY, PNPP, AMP BUFFER - IFCC

|   |    |      |     |
|---|----|------|-----|
| <b>GAMMA GLUTAMYL TRANSFERASE (GGT)</b> | 21 | < 60 | U/L |
|---|----|------|-----|

METHOD : SPECTROPHOTOMETRY, ENZYMATIC COLORIMETRIC - G-GLUTAMYL-CARBOXY-NITROANILIDE - IFCC


|                              |     |       |     |
|------------------------------|-----|-------|-----|
| <b>LACTATE DEHYDROGENASE</b> | 166 | < 232 | U/L |
|------------------------------|-----|-------|-----|

METHOD : SPECTROPHOTOMETRY, LACTATE TO PYRUVATE - UV-IFCC

**BLOOD UREA NITROGEN (BUN), SERUM**

|                            |   |        |       |
|----------------------------|---|--------|-------|
| <b>BLOOD UREA NITROGEN</b> | 9 | 6 - 20 | mg/dL |
|----------------------------|---|--------|-------|

METHOD : SPECTROPHOTOMETRY, UREASE -COLORIMETRIC



**CREATININE, SERUM**

|                   |          |             |       |
|-------------------|----------|-------------|-------|
| <b>CREATININE</b> | 0.74 Low | 0.90 - 1.30 | mg/dL |
|-------------------|----------|-------------|-------|

METHOD : SPECTROPHOTOMETRY, JAFFE'S ALKALINE PICRATE KINETIC - RATE BLANKED - IFCC-IDMS STANDARDIZED

*S.S. Wadalkar*

**Dr. Sneha Wadalkar, M.D**  
(Reg.no.MMC2012/06/1868)  
Junior Biochemist



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956



Patient Ref. No. 2000011713294




MC-2010

**PATIENT NAME : MANISH KAURA**

**REF. DOCTOR : SELF**

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|



**BUN/CREAT RATIO**

|                               |       |        |
|-------------------------------|-------|--------|
| BUN/CREAT RATIO               | 12.60 | 8 - 15 |
| METHOD : CALCULATED PARAMETER |       |        |

**URIC ACID, SERUM**

|   |     |           |       |
|---|-----|-----------|-------|
| URIC ACID   | 5.5 | 3.4 - 7.0 | mg/dL |
| METHOD : SPECTROPHOTOMETRY, ENZYMATIC COLORIMETRIC- URICASE |     |           |       |

**TOTAL PROTEIN, SERUM**

|  |     |           |      |
|--|-----|-----------|------|
| TOTAL PROTEIN  | 7.0 | 6.0 - 8.0 | g/dL |
| METHOD : SPECTROPHOTOMETRY, COLORIMETRIC -BIURET, REAGENT BLANK, SERUM BLANK |     |           |      |

**ALBUMIN, SERUM**

|  |     |             |      |
|--|-----|-------------|------|
| ALBUMIN  | 4.4 | 3.97 - 4.94 | g/dL |
| METHOD : SPECTROPHOTOMETRY, BROMOCRESOL GREEN(BCG) - DYE BINDING |     |             |      |

**GLOBULIN**

|                               |     |           |      |
|-------------------------------|-----|-----------|------|
| GLOBULIN                      | 2.6 | 2.0 - 3.5 | g/dL |
| METHOD : CALCULATED PARAMETER |     |           |      |

*S.S. Wadalkar*

**Dr. Sneha Wadalkar, M.D**  
(Reg.no.MMC2012/06/1868)  
Junior Biochemist



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956



**Patient Ref. No. 2000011713294**



MC-2010

**PATIENT NAME : MANISH KAURA**

**REF. DOCTOR : SELF**

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

**ELECTROLYTES (NA/K/CL), SERUM**

|  |      |           |        |
|--|------|-----------|--------|
| <b>SODIUM, SERUM</b><br>METHOD : ISE INDIRECT    | 137  | 136 - 145 | mmol/L |
| <b>POTASSIUM, SERUM</b><br>METHOD : ISE INDIRECT | 4.50 | 3.5 - 5.1 | mmol/L |
| <b>CHLORIDE, SERUM</b><br>METHOD : ISE INDIRECT  | 100  | 98 - 106  | mmol/L |

**Interpretation(s)**

| Sodium  | Potassium  | Chloride  |
|---|--|---|
| <b>Decreased in:</b> CCF, cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy, adrenal insufficiency, nephrotic syndrome, water intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide, carbamazepine, antidepressants (SSRI), antipsychotics. | <b>Decreased in:</b> Low potassium intake, prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing's syndrome, osmotic diuresis (e.g., hyperglycemia), alkalosis, familial periodic paralysis, trauma (transient). Drugs: Adrenergic agents, diuretics.  | <b>Decreased in:</b> Vomiting, diarrhea, renal failure combined with salt deprivation, over-treatment with diuretics, chronic respiratory acidosis, diabetic ketoacidosis, excessive sweating, SIADH, salt-losing nephropathy, porphyria, expansion of extracellular fluid volume, adrenal insufficiency, hyperaldosteronism, metabolic alkalosis. Drugs: chronic laxative, corticosteroids, diuretics. |
| <b>Increased in:</b> Dehydration (excessive sweating, severe vomiting or diarrhea), diabetes mellitus, diabetes insipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice, oral contraceptives.   | <b>Increased in:</b> Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration, renal failure, Addison's disease, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium-sparing diuretics, NSAIDs, beta-blockers, ACE inhibitors, high-dose trimethoprim-sulfamethoxazole. | <b>Increased in:</b> Renal failure, nephrotic syndrome, RTA, dehydration, overtreatment with saline, hyperparathyroidism, diabetes insipidus, metabolic acidosis from diarrhea (Loss of HCO <sub>3</sub> <sup>-</sup> ), respiratory alkalosis, hyperadrenocorticism. Drugs: acetazolamide, androgens, hydrochlorothiazide, salicylates.  |
| <b>Interferences:</b> Severe lipemia or hyperproteinemia, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100 mg/dL increase in blood glucose.  | <b>Interferences:</b> Hemolysis of sample, delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts may cause spurious. Plasma potassium levels are normal.  | <b>Interferences:</b> Test is helpful in assessing normal and increased anion gap metabolic acidosis and in distinguishing hypercalcemia due to hyperparathyroidism (high serum chloride) from that due to malignancy (Normal serum chloride)   |

**Interpretation(s)**

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For:

- Evaluating the long-term control of blood glucose concentrations in diabetic patients.
  - Diagnosing diabetes.
  - Identifying patients at increased risk for diabetes (prediabetes).
- The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patient's metabolic control has remained continuously within the target range.
- eAG (Estimated average glucose) converts percentage HbA1c to mg/dl, to compare blood glucose levels.

*S.S. Wadalkar*

**Dr. Sneha Wadalkar, M.D**  
**(Reg.no.MMC2012/06/1868)**  
**Junior Biochemist**



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956



**Patient Ref. No. 2000011713294**





MC-2010



**PATIENT NAME : MANISH KAURA**

**REF. DOCTOR : SELF**

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID :                | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

- 2. eAG gives an evaluation of blood glucose levels for the last couple of months.
- 3. eAG is calculated as  $eAG (mg/dl) = 28.7 * HbA1c - 46.7$

**HbA1c Estimation can get affected due to :**

- Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.
- Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin).
- Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addition are reported to interfere with some assay methods, falsely increasing results.
- Interference of hemoglobinopathies in HbA1c estimation is seen in

- a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
- b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
- c) HbF > 25% on alternate platform (Boronate affinity chromatography) is recommended for testing of HbA1c. Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

**GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION**

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and so that no glucose is excreted in the urine.

**Increased in:** Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs: corticosteroids, phenytoin, estrogen, thiazides.

**Decreased in :** Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease,

malignancy (adrenocortical, stomach, fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases (e.g. galactosemia), Drugs-insulin, ethanol, propranolol; sulfonylureas, tolbutamide, and other oral hypoglycemic agents.

**NOTE:** While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

**GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-**

**Bilirubin** is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. **Elevated levels** results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease. Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

**AST** is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

**ALP** is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

**GGT** is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

**Total Protein** also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

**Albumin** is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc

**BLOOD UREA NITROGEN (BUN), SERUM- Causes of Increased levels include** Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

**Causes of decreased level include** Liver disease, SIADH.

**CREATININE, SERUM-Higher than normal level may be due to:**

- Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

**Lower than normal level may be due to:**

*S.S. Wadalkar*

**Dr. Sneha Wadalkar, M.D**  
**(Reg.no.MMC2012/06/1868)**  
**Junior Biochemist**



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
 PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W)  
 Mumbai, 400062  
 MAHARASHTRA, INDIA  
 Tel : 9111591115, Fax :  
 CIN - U74899PB1995PLC045956



**Patient Ref. No. 2000011713294**



PATIENT NAME : MANISH KAURA

REF. DOCTOR : SELF

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

• Myasthenia Gravis, Muscuophy

URIC ACID, SERUM-**Causes of Increased levels**:-Dietary(High Protein Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2 DM,Metabolic syndrome **Causes of decreased levels**-Low Zinc intake,OCP,Multiple Sclerosis

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum.Protein in the plasma is made up of albumin and globulin.

**Higher-than-normal levels may be due to:** Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma,Waldenstroms disease.

**Lower-than-normal levels may be due to:** Agammaglobulinemia, Bleeding (hemorrhage),Burns,Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome,Protein-losing enteropathy etc.

ALBUMIN, SERUM-

Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. **Low blood albumin levels (hypoalbuminemia) can be caused by:** Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc.

Dr. Sneha Wadalkar, M.D  
(Reg.no.MMC2012/06/1868)  
Junior Biochemist

Page 18 Of 24



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956



**Patient Ref. No. 2000011713294**



MC-2010

**PATIENT NAME : MANISH KAURA**

**REF. DOCTOR : SELF**

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

**CLINICAL PATH - URINALYSIS**

**MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE**

**PHYSICAL EXAMINATION, URINE**

COLOR PALE YELLOW  
 APPEARANCE CLEAR

**CHEMICAL EXAMINATION, URINE**

|                    |              |               |
|--------------------|--------------|---------------|
| PH                 | 6.0          | 5.00 - 7.50   |
| SPECIFIC GRAVITY   | 1.015        | 1.010 - 1.030 |
| PROTEIN            | NOT DETECTED | NOT DETECTED  |
| GLUCOSE            | NOT DETECTED | NOT DETECTED  |
| KETONES            | NOT DETECTED | NOT DETECTED  |
| BLOOD              | NOT DETECTED | NOT DETECTED  |
| BILIRUBIN          | NOT DETECTED | NOT DETECTED  |
| UROBILINOGEN       | NOT DETECTED |               |
| NITRITE            | NOT DETECTED | NOT DETECTED  |
| LEUKOCYTE ESTERASE | NOT DETECTED | NOT DETECTED  |

**MICROSCOPIC EXAMINATION, URINE**

|                  |              |              |      |
|------------------|--------------|--------------|------|
| RED BLOOD CELLS  | NOT DETECTED | NOT DETECTED | /HPF |
| PUS CELL (WBC'S) | 1-2          | 0-5          | /HPF |
| EPITHELIAL CELLS | 0-1          | 0-5          | /HPF |
| CASTS            | NOT DETECTED |              |      |
| CRYSTALS         | NOT DETECTED |              |      |
| BACTERIA         | NOT DETECTED | NOT DETECTED |      |
| YEAST            | NOT DETECTED | NOT DETECTED |      |

METHOD : URINE ROUTINE & MICROSCOPY EXAMINATION BY INTEGRATED AUTOMATED SYSTEM

**Interpretation(s)**

The following table describes the probable conditions, in which the analytes are present in urine

| Presence of             | Conditions  |
|-------------------------|---|
| Proteins                | Inflammation or immune illnesses  |
| Pus (White Blood Cells) | Urinary tract infection, urinary tract or kidney stone, tumors or any kind of kidney impairment |

*S.S. Wadalkar*

**Dr. Sneha Wadalkar, M.D**  
 (Reg.no.MMC2012/06/1868)  
 Junior Biochemist



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
 PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W)  
 Mumbai, 400062  
 MAHARASHTRA, INDIA  
 Tel : 9111591115, Fax :  
 CIN - U74899PB1995PLC045956



**Patient Ref. No. 2000011713294**



MC-2010

**PATIENT NAME : MANISH KAURA**

**REF. DOCTOR : SELF**

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

|                       |  |
|-----------------------|--|
| Glucose               | Diabetes or kidney disease   |
| Ketones               | Diabetic ketoacidosis (DKA), starvation or thirst  |
| Urobilinogen          | Liver disease such as hepatitis or cirrhosis   |
| Blood                 | Renal or genital disorders/trauma  |
| Bilirubin             | Liver disease  |
| Erythrocytes          | Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary tract infection and glomerular diseases  |
| Leukocytes            | Urinary tract infection, glomerulonephritis, interstitial nephritis either acute or chronic, polycystic kidney disease, urolithiasis, contamination by genital secretions  |
| Epithelial cells      | Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or bladder catheters for prolonged periods of time  |
| Granular Casts        | Low intratubular pH, high urine osmolality and sodium concentration, interaction with Bence-Jones protein  |
| Hyaline casts         | Physical stress, fever, dehydration, acute congestive heart failure, renal diseases  |
| Calcium oxalate       | Metabolic stone disease, primary or secondary hyperoxaluria, intravenous infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice |
| Uric acid             | arthritis  |
| Bacteria              | Urinary infection when present in significant numbers & with pus cells.  |
| Trichomonas vaginalis | Vaginitis, cervicitis or salpingitis   |

*S.S. Wadalkar*

**Dr. Sneha Wadalkar, M.D**  
(Reg.no.MMC2012/06/1868)  
Junior Biochemist



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956



**Patient Ref. No. 2000011713294**



MC-2010

**PATIENT NAME : MANISH KAURA**

**REF. DOCTOR : SELF**

|                                    |                                |
|------------------------------------|--------------------------------|
| ACCESSION NO : <b>0002WD011614</b> | AGE/SEX : 49 Years Male        |
| PATIENT ID : MANIM1205732          | DRAWN : 07/04/2023 08:44:56    |
| CLIENT PATIENT ID:                 | RECEIVED : 07/04/2023 08:47:03 |
| ABHA NO :                          | REPORTED : 08/04/2023 13:26:28 |

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

**CLINICAL PATH - STOOL ANALYSIS**

**MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE**

**PHYSICAL EXAMINATION,STOOL**

|                |              |              |
|----------------|--------------|--------------|
| COLOUR         | BROWN        |              |
| CONSISTENCY    | SEMI FORMED  |              |
| MUCUS          | NOT DETECTED | NOT DETECTED |
| VISIBLE BLOOD  | ABSENT       | ABSENT       |
| ADULT PARASITE | NOT DETECTED |              |

METHOD : MICROSCOPIC EXAMINATION

**CHEMICAL EXAMINATION,STOOL**

|              |              |              |
|--------------|--------------|--------------|
| STOOL PH     | 7.0          |              |
| OCCULT BLOOD | NOT DETECTED | NOT DETECTED |

METHOD : MODIFIED GUAIAC METHOD

**MICROSCOPIC EXAMINATION,STOOL**

|                         |              |              |      |
|-------------------------|--------------|--------------|------|
| PUS CELLS               | NOT DETECTED |              | /hpf |
| RED BLOOD CELLS         | NOT DETECTED | NOT DETECTED | /HPF |
| CYSTS                   | NOT DETECTED | NOT DETECTED |      |
| OVA                     | NOT DETECTED |              |      |
| LARVAE                  | NOT DETECTED | NOT DETECTED |      |
| TROPHOZOITES            | NOT DETECTED | NOT DETECTED |      |
| FAT                     | ABSENT       |              |      |
| CHARCOT LEYDEN CRYSTALS | ABSENT       |              |      |

METHOD : MICROSCOPIC EXAMINATION

METHOD : MICROSCOPIC EXAMINATION

METHOD : MICROSCOPIC EXAMINATION


METHOD : MICROSCOPIC EXAMINATION

METHOD : MICROSCOPIC EXAMINATION

**Interpretation(s)**

Stool routine analysis is only a screening test for disorders of gastrointestinal tract like infection, malabsorption, etc. The following table describes the probable conditions, in which the analytes are present in stool.

| PRESENCE OF | CONDITION                                      |
|-------------|--|
| Pus cells   | Pus in the stool is an indication of infection |

  
**Dr. Sukanya Verma**  
(Reg.No.MMC2012/03/0443)  
Consultant Microbiologist



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956



Patient Ref. No. 2000011713294



MC-2010

PATIENT NAME : MANISH KAURA

REF. DOCTOR : SELF

ACCESSION NO : 0002WD011614

AGE/SEX : 49 Years Male

PATIENT ID : MANIM1205732

DRAWN : 07/04/2023 08:44:56

CLIENT PATIENT ID:

RECEIVED : 07/04/2023 08:47:03

ABHA NO :

REPORTED : 08/04/2023 13:26:28

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

|                        |  |
|------------------------|--|
| Red Blood cells        | Parasitic or bacterial infection or an inflammatory bowel condition such as ulcerative colitis   |
| Parasites              | Infection of the digestive system. Stool examination for ova and parasite detects presence of parasitic infestation of gastrointestinal tract. Various forms of parasite that can be detected include cyst, trophozoite and larvae. One negative result does not rule out the possibility of parasitic infestation. Intermittent shedding of parasites warrants examinations of multiple specimens tested on consecutive days. Stool specimens for parasitic examination should be collected before initiation of antidiarrheal therapy or antiparasitic therapy. This test does not detect presence of opportunistic parasites like Cyclospora, Cryptosporidia and Isospora species. Examination of Ova and Parasite has been carried out by direct and concentration techniques. |
| Mucus                  | Mucus is a protective layer that lubricates, protects & reduces damage due to bacteria or viruses.   |
| Charcot-Leyden crystal | Parasitic diseases.  |
| Ova & cyst             | Ova & cyst indicate parasitic infestation of intestine.  |
| Frank blood            | Bleeding in the rectum or colon.   |
| Occult blood           | Occult blood indicates upper GI bleeding.  |
| Macrophages            | Macrophages in stool are an indication of infection as they are protective cells.  |
| Epithelial cells       | Epithelial cells that normally line the body surface and internal organs show up in stool when there is inflammation or infection.   |
| Fat                    | Increased fat in stool maybe seen in conditions like diarrhoea or malabsorption.   |
| pH                     | Normal stool pH is slightly acidic to neutral. Breast-fed babies generally have an acidic stool.   |

**ADDITIONAL STOOL TESTS :**

- Stool Culture**:- This test is done to find cause of GI infection, make decision about best treatment for GI infection & to find out if treatment for GI infection worked.
- Fecal Calprotectin**: It is a marker of intestinal inflammation. This test is done to differentiate Inflammatory Bowel Disease (IBD) from Irritable Bowel Syndrome (IBS).
- Fecal Occult Blood Test (FOBT)**: This test is done to screen for colon cancer & to evaluate possible cause of unexplained anaemia.
- Clostridium Difficile Toxin Assay**: This test is strongly recommended in healthcare associated bloody or watery diarrhoea, due to overuse of broad spectrum antibiotics which alter the normal GI flora.
- Biofire (Film Array) GI PANEL**: In patients of Diarrhoea, Dysentery, Rice watery Stool, FDA approved, Biofire Film Array Test, (Real Time Multiplex PCR) is strongly recommended as it identifies organisms, bacteria, fungi, virus, parasite and other opportunistic pathogens, Vibrio cholera infections only in 3 hours. Sensitivity 96% & Specificity 99%.
- Rota Virus Immunoassay**: This test is recommended in severe gastroenteritis in infants & children associated with watery diarrhoea, vomiting & abdominal cramps. Adults are also affected. It is highly contagious in nature.

Page 22 Of 24

Dr. Sukanya Verma  
(Reg.No.MMC2012/03/0443)  
Consultant Microbiologist



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956



Patient Ref. No. 2000011713294



MC-2010

PATIENT NAME : MANISH KAURA

REF. DOCTOR : SELF

ACCESSION NO : 0002WD011614

AGE/SEX : 49 Years Male

PATIENT ID : MANIM1205732

DRAWN : 07/04/2023 08:44:56

CLIENT PATIENT ID:

RECEIVED : 07/04/2023 08:47:03

ABHA NO :

REPORTED : 08/04/2023 13:26:28

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

## SPECIALISED CHEMISTRY - HORMONE

## MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

## THYROID PANEL, SERUM

|   |            |               |        |
|---|------------|---------------|--------|
| T3  | 127.0      | 80.0 - 200.0  | ng/dL  |
| METHOD : COMPETITIVE ELECTROCHEMILUMINESCENCE IMMUNOASSAY |            |               |        |
| T4  | 7.52       | 5.10 - 14.10  | µg/dL  |
| METHOD : COMPETITIVE ELECTROCHEMILUMINESCENCE IMMUNOASSAY |            |               |        |
| TSH (ULTRASENSITIVE)                                      | 4.370 High | 0.270 - 4.200 | µIU/mL |
| METHOD : SANDWICH ELECTROCHEMILUMINESCENCE IMMUNOASSAY    |            |               |        |

## Interpretation(s)

**Triiodothyronine T3**, **Thyroxine T4**, and **Thyroid Stimulating Hormone TSH** are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low.

Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

| Sr. No. | TSH        | Total T4 | FT4    | Total T3 | Possible Conditions  |
|---------|------------|----------|--------|----------|--|
| 1       | High       | Low      | Low    | Low      | (1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3) Post Thyroidectomy (4) Post Radio-Iodine treatment   |
| 2       | High       | Normal   | Normal | Normal   | (1) Subclinical Hypothyroidism (2) Patient with insufficient thyroid hormone replacement therapy (3) In cases of Autoimmune/Hashimoto thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical inflammation, drugs like amphetamines, Iodine containing drug and dopamine antagonist e.g. domperidone and other physiological reasons. |
| 3       | Normal/Low | Low      | Low    | Low      | (1) Secondary and Tertiary Hypothyroidism  |
| 4       | Low        | High     | High   | High     | (1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre (3) Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4 replacement therapy (7) First trimester of Pregnancy  |
| 5       | Low        | Normal   | Normal | Normal   | (1) Subclinical Hyperthyroidism  |
| 6       | High       | High     | High   | High     | (1) TSH secreting pituitary adenoma (2) TRH secreting tumor  |
| 7       | Low        | Low      | Low    | Low      | (1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent treatment for Hyperthyroidism  |

Dr. Sneha Wadalkar, M.D  
(Reg.no.MMC2012/06/1868)  
Junior Biochemist

Page 23 Of 24



View Details



View Report

## PERFORMED AT :

SRL Ltd  
PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956



Patient Ref. No. 2000011713294



MC-2010

PATIENT NAME : MANISH KAURA

REF. DOCTOR : SELF

ACCESSION NO : **0002WD011614**

AGE/SEX : 49 Years Male

PATIENT ID : MANIM1205732

DRAWN : 07/04/2023 08:44:56

CLIENT PATIENT ID:

RECEIVED : 07/04/2023 08:47:03

ABHA NO :

REPORTED : 08/04/2023 13:26:28

| Test Report Status | Final | Results | Biological Reference Interval | Units |
|--------------------|-------|---------|-------------------------------|-------|
|--------------------|-------|---------|-------------------------------|-------|

|   |            |        |        |        |  |
|---|------------|--------|--------|--------|--|
| 8 | Normal/Low | Normal | Normal | High   | (1) T3 thyrotoxicosis (2) Non-Thyroidal illness                      |
| 9 | Low        | High   | High   | Normal | (1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies |

REF: 1. TIETZ Fundamentals of Clinical chemistry 2.Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011.

**NOTE: It is advisable to detect Free T3,FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.**TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

**\*\*End Of Report\*\***Please visit [www.srlworld.com](http://www.srlworld.com) for related Test Information for this accession**CONDITIONS OF LABORATORY TESTING & REPORTING**

1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
2. All tests are performed and reported as per the turnaround time stated in the SRL Directory of Services.
3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
4. A requested test might not be performed if:
  - i. Specimen received is insufficient or inappropriate
  - ii. Specimen quality is unsatisfactory
  - iii. Incorrect specimen type
  - iv. Discrepancy between identification on specimen container label and test requisition form
5. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
8. Test results cannot be used for Medico legal purposes.
9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

**SRL Limited**Fortis Hospital, Sector 62, Phase VIII,  
Mohali 160062

**Dr. Sneha Wadalkar, M.D**  
(Reg.no.MMC2012/06/1868)  
Junior Biochemist

Page 24 Of 24



View Details



View Report

**PERFORMED AT :**

SRL Ltd  
PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W)  
Mumbai, 400062  
MAHARASHTRA, INDIA  
Tel : 9111591115, Fax :  
CIN - U74899PB1995PLC045956

**Patient Ref. No. 2000011713294**