

Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.NITIN KUMAR Registered On : 20/Feb/2022 08:24:00 Age/Gender : 29 Y 3 M 15 D /M Collected : 20/Feb/2022 08:48:50 UHID/MR NO : CDCL.0000142599 Received : 20/Feb/2022 11:44:17 Visit ID Reported : CALI0104402122 : 20/Feb/2022 13:47:38

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Blood Group (ABO & Rh typing) **, Blood

Blood Group AB
Rh (Anti-D) POSITIVE

Complete Blood Count (CBC) **, Blood

| Haemoglobin | 16.10 | g/dl_ | | |
|-----------------------------------|----------|----------------|-------------|-------------------------|
| TLC (WBC) | 7,700.00 | /Cu mm | 4000-10000 | ELECTRONIC IMPEDANCE |
| DLC | | | | |
| Polymorphs (Neutrophils) | 65.00 | % | 55-70 | ELECTRONIC IMPEDANCE |
| Lymphocytes | 28.00 | % | 25-40 | ELECTRONIC IMPEDANCE |
| Monocytes | 4.00 | % | 3-5 | ELECTRONIC IMPEDANCE |
| Eosinophils | 3.00 | % | 1-6 | ELECTRONIC IMPEDANCE |
| Basophils | 0.00 | % | < 1 | ELECTRONIC IMPEDANCE |
| ESR | | | | |
| Observed | 4.00 | Mm for 1st hr. | | |
| Corrected | 0.00 | Mm for 1st hr. | < 9 | |
| PCV (HCT) | 48.00 | cc % | 40-54 | |
| Platelet count | | | | |
| Platelet Count | 1.8 | LACS/cu mm | 1.5-4.0 | ELECTRONIC |
| | 47.40 | CI. | 0.47 | IMPEDANCE/MICROSCOPIC |
| PDW (Platelet Distribution width) | 16.40 | fL | 9-17 | ELECTRONIC IMPEDANCE |
| P-LCR (Platelet Large Cell Ratio) | 47.30 | % | 35-60 | ELECTRONIC IMPEDANCE |
| PCT (Platelet Hematocrit) | 0.23 | % | 0.108-0.282 | ELECTRONIC IMPEDANCE |
| MPV (Mean Platelet Volume) | 13.10 | fL | 6.5-12.0 | ELECTRONIC IMPEDANCE |
| RBC Count | | | | |
| RBC Count | 5.65 | Mill./cu mm | 4.2-5.5 | ELECTRONIC IMPEDANCE |
| Blood Indices (MCV, MCH, MCHC) | | | | |
| MCV | 83.80 | fl | 80-100 | CALCULATED PARAMETER |
| MCH | 28.50 | pg | 28-35 | CALCULATED PARAMETER |
| MCHC | 34.00 | % | 30-38 | CALCULATED PARAMETER |
| | 14.60 | % | , 11-16 | ELECTROI "A MARCON "A |
| | 46.80 | fL | 35-60 | ELECTROI XX |
| 보다. 역사 본다 utrophils Count | 5,005.00 | /cu mm | 3000-7000 | Dr. Anupam Singh |
| sinophils Count (AEC) | 231.00 | /cu mm | 40-440 | M.B.B.S,M.D.(Pathology) |







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.NITIN KUMAR : 20/Feb/2022 08:24:01 Registered On Age/Gender : 29 Y 3 M 15 D /M Collected : 20/Feb/2022 08:48:50 UHID/MR NO : CDCL.0000142599 Received : 20/Feb/2022 11:38:35 Visit ID : CALI0104402122 Reported : 20/Feb/2022 13:16:49

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method | |
|-----------|--------|------|--------------------|--------|--|
|-----------|--------|------|--------------------|--------|--|

GLUCOSE FASTING **, Plasma

Glucose Fasting 106.00 mg/dl < 100 Normal GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP ** 115.10 mg/dl <140 Normal GOD POD Sample:Plasma After Meal 140-199 Pre-diabetes

140-199 Pre-diabetes >200 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) **, EDTA BLOOD

| Glycosylated Haemoglobin (HbA1c) | 5.60 | % NGSP | HPLC (NGSP) |
|-----------------------------------|-------|---------------|-------------|
| Glycosylated Haemoglobin (Hb-A1c) | 38.00 | mmol/mol/IFCC | |
| Estimated Average Glucose (eAG) | 114 | mg/dl | |

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.NITIN KUMAR Registered On : 20/Feb/2022 08:24:01 Age/Gender : 29 Y 3 M 15 D /M Collected : 20/Feb/2022 08:48:50 UHID/MR NO : CDCL.0000142599 Received : 20/Feb/2022 11:38:35 Visit ID : CALI0104402122 Reported : 20/Feb/2022 13:16:49 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method | |
|-----------|--------|------|--------------------|--------|--|
|-----------|--------|------|--------------------|--------|--|

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

| Haemoglobin A1C (%)NGSP | mmol/mol / IFCC Unit | eAG (mg/dl) | Degree of Glucose Control Unit |
|-------------------------|----------------------|-------------|---------------------------------------|
| > 8 | >63.9 | >183 | Action Suggested* |
| 7-8 | 53.0 -63.9 | 154-183 | Fair Control |
| < 7 | <63.9 | <154 | Goal** |
| 6-7 | 42.1 -63.9 | 126-154 | Near-normal glycemia |
| < 6% | <42.1 | <126 | Non-diabetic level |

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.NITIN KUMAR Registered On : 20/Feb/2022 08:24:01 Age/Gender : 29 Y 3 M 15 D /M Collected : 20/Feb/2022 08:48:50 UHID/MR NO : CDCL.0000142599 Received : 20/Feb/2022 11:38:35 Visit ID Reported : CALI0104402122 : 20/Feb/2022 13:16:49

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name | Result | ι | Jnit Bio. Ref. Int | erval Method |
|---|--|--|---|---|
| | | | | |
| BUN (Blood Urea Nitrogen) ** Sample:Serum | 11.90 | mg/dL | 7.0-23.0 | CALCULATED |
| Creatinine ** Sample:Serum | 1.12 | mg/dl | 0.7-1.3 | MODIFIED JAFFES |
| e-GFR (Estimated Glomerular Filtration Rate) ** Sample:Serum | 77.50 | ml/min/1.73 | m2 - 90-120 Normal - 60-89 Near Norma | CALCULATED I |
| Uric Acid ** Sample:Serum | 8.47 | mg/dl | 3.4-7.0 | URICASE |
| LFT (WITH GAMMA GT) ** , Serum | | | | |
| SGOT / Aspartate Aminotransferase (AST) SGPT / Alanine Aminotransferase (ALT) Gamma GT (GGT) Protein Albumin Globulin A:G Ratio Alkaline Phosphatase (Total) Bilirubin (Total) Bilirubin (Direct) Bilirubin (Indirect) LIPID PROFILE (MINI) ** , Serum Cholesterol (Total) | 81.70 65.40 111.50 7.58 4.59 2.99 1.54 216.00 1.29 0.45 0.84 | U/L U/L IU/L gm/dl gm/dl gm/dl U/L mg/dl mg/dl mg/dl | < 35 < 40 11-50 6.2-8.0 3.8-5.4 1.8-3.6 1.1-2.0 42.0-165.0 0.3-1.2 < 0.30 < 0.8 | IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING BIRUET B.C.G. CALCULATED CALCULATED IFCC METHOD JENDRASSIK & GROF JENDRASSIK & GROF JENDRASSIK & GROF |
| HDL Cholesterol (Good Cholesterol) LDL Cholesterol (Bad Cholesterol) | 46.70 136 | mg/dl mg/dl | 200-239 Borderline > 240 High 30-70 < 100 Optimal 100-129 Nr. Optimal/Above Opti 130-159 Borderline 160-189 High > 190 Very High 10-33 | DIRECT ENZYMATIC CALCULATED mal High CALCULATED |
| | 109.50 | mg/dl | < 150 Normal 150-199 Borderline 200-499 High >500 Very High | GPO-PAP High Dr. Anupam Singh M.B.B.S,M.D.(Pathology) |







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.NITIN KUMAR Registered On : 20/Feb/2022 08:24:01 Age/Gender Collected : 29 Y 3 M 15 D /M : 20/Feb/2022 12:10:54 UHID/MR NO : CDCL.0000142599 Received : 20/Feb/2022 13:30:27 Visit ID : CALI0104402122 Reported : 20/Feb/2022 14:05:44

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|------------------------------|------------------|---------|-------------------------------|----------------------------|
| URINE EXAMINATION, ROUTINE * | * , Urine | | | |
| Color | LIGHT YELLOW | | | |
| Specific Gravity | 1.010 | | | |
| Reaction PH | Acidic (5.0) | | | DIPSTICK |
| Protein | ABSENT | mg % | < 10 Absent | DIPSTICK |
| | | , | 10-40 (+) | |
| | | | 40-200 (++) | |
| | | | 200-500 (+++) > 500 (++++) | |
| Sugar | ABSENT | gms% | < 0.5 (+) | DIPSTICK |
| Sagai | ADJENT | 9111370 | 0.5-1.0 (++) | DII STICK |
| | | | 1-2 (+++) | |
| | | | > 2 (++++) | |
| Ketone | ABSENT | mg/dl | 0.2-2.81 | BIOCHEMISTRY |
| Bile Salts | ABSENT | | | |
| Bile Pigments | ABSENT | | | |
| Urobilinogen(1:20 dilution) | ABSENT | | | |
| Microscopic Examination: | | | | |
| Epithelial cells | OCCASIONAL | | | MICROSCOPIC |
| D. II | ADOENIT | | | EXAMINATION |
| Pus cells . | ABSENT | | | MICROSCOPIC EXAMINATION |
| RBCs | ABSENT | | | MICROSCOPIC |
| NDC3 | ADJENT | | | EXAMINATION |
| Cast | ABSENT | | | 27.0.000 |
| Crystals | ABSENT | | | MICROSCOPIC |
| 3 | | | | EXAMINATION |
| Others | ABSENT | | | |
| STOOL, ROUTINE EXAMINATION * | * , Stool | | | |
| Color | BROWNISH | | | |
| Consistency | SEMI SOLID | | | |
| Reaction (PH) | Acidic (6.0) | | | |
| Mucus | ABSENT | | | |
| Blood | ABSENT | | | |
| Worm | ABSENT | | | |
| Pus cells | ABSENT | | | |







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



: 20/Feb/2022 08:24:01 Patient Name : Mr.NITIN KUMAR Registered On Age/Gender : 29 Y 3 M 15 D /M Collected : 20/Feb/2022 12:10:54 UHID/MR NO : CDCL.0000142599 Received : 20/Feb/2022 13:30:27 Visit ID Reported : 20/Feb/2022 14:05:44 : CALI0104402122 Ref Doctor

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|---------------------------------|--------|------|--------------------|--------|
| | | | | |
| RBCs | ABSENT | | | |
| Ova | ABSENT | | | |
| Cysts | ABSENT | | | |
| Others | ABSENT | | | |
| SUGAR, FASTING STAGE ** , Urine | | | | |

Sugar, Fasting stage **ABSENT** gms%

Interpretation:

< 0.5 (+)

0.5 - 1.0(++)

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE ** , Urine

Sugar, PP Stage

ABSENT

Interpretation:


< 0.5 gms% (+)

(++)0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%











Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.NITIN KUMAR Registered On : 20/Feb/2022 08:24:01 Age/Gender : 29 Y 3 M 15 D /M Collected : 20/Feb/2022 08:48:50 UHID/MR NO : CDCL.0000142599 Received : 20/Feb/2022 11:56:46 Visit ID : CALI0104402122 Reported : 20/Feb/2022 12:52:23 : Dr.Mediwheel - Arcofemi Health Care Ltd. Status Ref Doctor : Final Report


DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interva | I Method |
|-----------------------------------|--------|--------------------|-------------------|--------------|
| | | | | |
| THYROID PROFILE - TOTAL **, Serum | | | | |
| T3, Total (tri-iodothyronine) | 124.15 | ng/dl | 84.61-201.7 | CLIA |
| T4, Total (Thyroxine) | 9.36 | ug/dl | 3.2-12.6 | CLIA |
| TSH (Thyroid Stimulating Hormone) | 1.47 | μIU/mL | 0.27 - 5.5 | CLIA |
| | | | | |
| Interpretation: | | | | |
| | | 0.3-4.5 $\mu IU/r$ | mL First Trimes | ster |
| | | 0.5-4.6 µIU/1 | mL Second Trir | mester |
| | | 0.8-5.2 μIU/1 | mL Third Trime | ester |
| | | 0.5-8.9 μIU/1 | mL Adults | 55-87 Years |
| | | 0.7-27 μIU/1 | mL Premature | 28-36 Week |
| | | 2.3-13.2 μIU/1 | | > 37Week |
| | | 0.7-64 μIU/ı | | (- 20 Yrs.) |
| | | | J/mL Child | 0-4 Days |
| | | 1.7-9.1 μIU/1 | | 2-20 Week |
| | | 1 4 4 4 | | |

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.











Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.NITIN KUMAR Registered On : 20/Feb/2022 08:24:02

 Age/Gender
 : 29 Y 3 M 15 D /M
 Collected
 : N/A

 UHID/MR NO
 : CDCL.0000142599
 Received
 : N/A

Visit ID : CALI0104402122 Reported : 20/Feb/2022 09:58:39

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *
(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION: NO SIGNIFICANT DIAGNOSTIC ABNORMALITY SEEN.



Dr. Pankaj Kumar Gupta (M.B.B.S D.M.R.D)







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.NITIN KUMAR Registered On : 20/Feb/2022 08:24:02

 Age/Gender
 : 29 Y 3 M 15 D /M
 Collected
 : N/A

 UHID/MR NO
 : CDCL.0000142599
 Received
 : N/A

Visit ID : CALI0104402122 Reported : 20/Feb/2022 11:48:20

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

 The liver is normal in size measures13.9 cm and has a normal homogenous echotexture. No focal lesion is seen.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- The portal vein is not dilated.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- · Common duct is not dilated.
- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic.

PANCREAS

The pancreas is normal in size and shape and has a normal homogenous echotexture.
 Pancreatic duct is not dilated.

KIDNEYS

- Right kidney is normal in size, position and cortical echotexture. Cortico-medullary demarcation is maintained.
- Left kidney is normal in size, position and cortical echotexture. Cortico-medullary demarcation is maintained.
- The collecting system of both the kidneys are not dilated.

SPLEEN

• The spleen is normal in size ~ 9.7 cm and has a normal homogenous echo-texture.

ILIAC FOSSAE & PERITONEUM

- Scan over the iliac fossae does not reveal any fluid collection or mass.
- · No free fluid is noted in peritoneal cavity.
- Bowel loops are normal in caliber and peristalsis

URINARY BLADDER

• The urinary bladder is normal. Bladder wall is normal in thickness and is regular. No calculus is seen.



Home Sample Collection 1800-419-0002



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



: 20/Feb/2022 08:24:02

Patient Name : Mr.NITIN KUMAR Registered On

 Age/Gender
 : 29 Y 3 M 15 D /M
 Collected
 : N/A

 UHID/MR NO
 : CDCL.0000142599
 Received
 : N/A

Visit ID : CALI0104402122 Reported : 20/Feb/2022 11:48:20

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

PROSTATE

 The prostate gland is normal in size measures 2.3 x 3.0 x 3.3 cms (Volume -11.6 gms) with smooth outline.

FINAL IMPRESSION

• NO SIGNIFICANT ABNORMALITY SEEN IN PRESENT STUDY.

Adv: Clinico-pathological correlation and follow-up.

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow: ECG/EKG



Dr. Pankaj Kumar Gupta (M.B.B.S D.M.R.D)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location



