**Patient Name** Mr. AMAR KUMAR VERMA Lab No 4001969 UHID 40001515 **Collection Date** 14/04/2023 10:10AM 14/04/2023 10:12AM Age/Gender 35 Yrs/Male **Receiving Date Report Date IP/OP Location** O-OPD 14/04/2023 2:59PM **Referred By** Dr. DIWANSHU KHATANA **Report Status** Final Mobile No. 9680443846

#### **BIOCHEMISTRY**

Test Name Result Unit Biological Ref. Range

BLOOD GLUCOSE (FASTING)

BLOOD GLUCOSE (FASTING)

114.5 H mg/dl 74 - 106

Method: Hexokinase assay.

Interpretation: -Diagnosis and monitoring of treatment in diabetes mellitus and evaluation of carbohydrate metabolism in various diseases.

 THYROID T3 T4 TSH
 Sample: Serum

 T3
 1.070
 ng/mL
 0.970 - 1.690

T4 8.98 ug/dl 5.53 - 11.00 TSH 2.07 μIU/mL 0.40 - 4.05

T3:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T3 is utilized in the diagnosis of T3-hyperthyroidism the detection of early stages of hyperthyroidism and for indicating a diagnosis of thyrotoxicosis factitia.

T4:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T4 assay employs acompetitive test principle with an antibody specifically directed against T4.

 $\textbf{TSH - THYROID STIMULATING HORMONE :-} \ \texttt{ElectroChemiLuminescenceImmunoAssay} \ - \ \texttt{ECLIA}$ 

Interpretation:—The determination of TSH serves as theinitial test in thyroid diagnostics. Even very slight changes in the concentrations of the free thyroid hormones bring about much greater opposite changes in the TSH levels.

LFT (LIVER FUNCTION TEST) Sample: Serum

SGPT	40.6 H	U/L	0.0 - 40.0
SGOT	32.4	U/L	0.0 - 40.0
BILIRUBIN DIRECT	0.17	mg/dl	0.00 - 0.40
BILIRUBIN INDIRECT	0.29	mg/dl	0.20 - 1.00
BILIRUBIN TOTAL	0.46	mg/dl	0.00 - 1.20

RESULT ENTERED BY: SUNIL EHS

Dr. MUDITA SHARMA

Patient Name	Mr. AMAR KUMAR VERMA	Lab No	4001969	
UHID	40001515	Collection Date	14/04/2023 10:10AM	
Age/Gender	35 Yrs/Male	Receiving Date	14/04/2023 10:12AM	
IP/OP Location	O-OPD	Report Date	14/04/2023 2:59PM	
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final	
Mobile No.	9680443846			

DIOCHERAICEDY

		DIOCHEIVIISTRY	
TOTAL PROTEIN	7.6	g/dl	6.6 - 8.7
ALBUMIN	4.8	g/dl	3.5 - 5.2
GLOBULIN	2.8		1.8 - 3.6
ALKALINE PHOSPHATASE	86.1	U/L	53 - 128
A/G RATIO	1.7	Ratio	1.5 - 2.5
GGTP	12.3	U/L	10.0 - 55.0

BILIRUBIN TOTAL :- Method: DPD assay. Interpretation:-Total Bilirubin measurements are used in the diagnosis and treatment of various liver diseases, and of haemolytic and metabolic disorders in adults and newborns. Both obstruction damage to hepatocellular structive.

BILIRUBIN DIRECT :- Method: Diazo method Interpretation: - Determinations of direct bilirubin measure mainly conjugated,

water soluble bilirubin.

SGOT - AST :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGOT(AST) measurements are used in the diagnosis and treatment of certain types of liver and heart disease.

SGPT - ALT :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGPT(ALT) Ratio Is Used For Differential Diagnosis In Liver Diseases.

TOTAL PROTEINS: - Method: Biuret colorimetric assay. Interpretation:-Total protein measurements are used in the diagnosis and treatment of a variety of liver and kidney diseases and bone marrow as well as metabolic and nutritional disorder. ALBUMIN :- Method: Colorimetric (BCP) assay. Interpretation:-For Diagnosis and monitoring of liver diseases, e.g. liver cirrhosis, nutritional status.

ALKALINE PHOSPHATASE :- Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in hepatitis, cirrhosis, obstructive jaundice, carcinoma of the liver, and chronic alcohol abuse. ALT is only slightly elevated in patients who have an uncomplicated myocardial infarction. **GGTP-GAMMA GLUTAMYL TRANSPEPTIDASE**:- Method: Enzymetic colorimetric assay. Interpretation:-y-glutamyltransferase is used in the diagnosis and monitoring of hepatobiliary disease. Enzymatic activity of GGT is often the only parameter with increased values when testing for such diseases and is one of the most sensitive indicator known.

#### LIPID PROFILE

----

TOTAL CHOLESTEROL	120		<200 mg/dl :- Desirable 200-240 mg/dl :- Borderline >240 mg/dl :- High
HDL CHOLESTEROL	35.0		High Risk :-<40 mg/dl (Male), <40 mg/dl (Female) Low Risk :->=60 mg/dl (Male), >=60 mg/dl (Female)
LDL CHOLESTEROL	75.7		Optimal :- <100 mg/dl Near or Above Optimal :- 100-129 mg/dl Borderline :- 130-159 mg/dl High :- 160-189 mg/dl Very High :- >190 mg/dl
CHOLESTERO VLDL	29	mg/dl	10 - 50

-200 --- /-II - D ---! --- I-I--

**RESULT ENTERED BY: SUNIL EHS** Os garrie.

Dr. MUDITA SHARMA

**Patient Name** Mr. AMAR KUMAR VERMA Lab No 4001969

UHID 40001515 **Collection Date** 14/04/2023 10:10AM 14/04/2023 10:12AM Age/Gender 35 Yrs/Male **Receiving Date** Report Date **IP/OP Location** O-OPD 14/04/2023 2:59PM

Referred By Dr. DIWANSHU KHATANA **Report Status** Final

Mobile No. 9680443846

#### **BIOCHEMISTRY**

**TRIGLYCERIDES** Normal :- <150 mg/dl 144.1

> Border Line:- 150 - 199 mg/dl High :- 200 - 499 mg/dl Very high :- > 500 mg/dl

CHOLESTEROL/HDL RATIO 3.4

CHOLESTEROL TOTAL :- Method: CHOD-PAP enzymatic colorimetric assay.

interpretation:-The determination of the individual total cholesterol (TC) level is used for screening purposes while for a better risk assessment it is necessary to measure additionally lipid & lipoprotein metabolic disorders.

HDL CHOLESTEROL :- Method: -Homogenous enzymetic colorimetric method.

Interpretation:-HDL-cholesterol has a protective against coronary heart disease, while reduced HDL-cholesterol concentrations, particularly in conjunction with elevated triglycerides, increase the cardiovascular disease.

LDL CHOLESTEROL:- Method: Homogenous enzymatic colorimetric assay.

Interpretation:-LDL play a key role in causing and influencing the progression of atherosclerosis and in particular

coronary sclerosis. The LDL are derived form VLDL rich in TG by the action of various lipolytic enzymes and are synthesized in the liver.

TRIGLYCERIDES: - Method: GPO-PAP enzymatic colorimetric assay.

Interpretation: -High triglycerde levels also occur in various diseases of liver, kidneys and pancreas.

DM, nephrosis, liver obstruction.

CHOLESTEROL/HDL RATIO :- Method: Cholesterol/HDL Ratio Calculative

**RENAL PROFILE TEST** Sample: Serum

UREA	33.4	mg/dl	16.60 - 48.50
BUN	15.6	mg/dl	6 - 20
CREATININE	0.95	mg/dl	0.60 - 1.10
SODIUM	142.4	mmol/L	136 - 145
POTASSIUM	4.40	mmol/L	3.50 - 5.50
CHLORIDE	102.3	mmol/L	98 - 107
URIC ACID	3.87	mg/dl	3.5 - 7.2
CALCIUM	8.73	mg/dl	8.60 - 10.30

**RESULT ENTERED BY: SUNIL EHS** arrie de

Dr. MUDITA SHARMA

 Patient Name
 Mr. AMAR KUMAR VERMA
 Lab No
 4001969

 UHID
 40001515
 Collection Date
 14/04/2023 10:10AM

 Age/Gender
 35 Yrs/Male
 Receiving Date
 14/04/2023 10:12AM

 IP/OP Location
 O-OPD
 Report Date
 14/04/2023 2:59PM

Referred By Dr. DIWANSHU KHATANA Report Status Final

**Mobile No.** 9680443846

#### **BIOCHEMISTRY**

CREATININE - SERUM :- Method: -Jaffe method, Interpretation: -To differentiate acute and chronic kidneydisease.

URIC ACID :- Method: Enzymatic colorimetric assay. Interpretation: - Elevated blood concentrations of uricacid are renal diseases with decreased excretion of waste products, starvation, drug abuse and increased alcohol consume.

SODIUM: - Method: ISE electrode. Interpretation: -Decrease: Prolonged vomiting or diarrhea, diminished reabsorption in the kidney and excessive fluid retention. Increase: excessive fluid loss, high salt intake and kidney reabsorption.

POTASSIUM: - Method: ISE electrode. Intrpretation:-Low level: Intake excessive loss formbodydue to diarrhea, vomiting renal failure, High level: Dehydration, shock severe burns, DKA, renalfailure.

CHLORIDE - SERUM: - Method: ISE electrode. Interpretation:-Decrease: reduced dietary intake, prolonged vomiting and reduced

CHLORIDE - SERUM :- Method: ISE electrode. Interpretation:-Decrease: reduced dietary intake, prolonged vomiting and reduced renal reabsorption as well as forms of acidosisand alkalosis.

Increase: dehydration, kidney failure, some form ofacidosis, high dietary or parenteral chloride intake, and salicylate poisoning.

UREA:- Method: Urease/GLDH kinetic assay. Interpretation:-Elevations in blood urea nitrogenconcentration are seen in inadequate renal perfusion, shock, diminished bloodvolume, chronic nephritis, nephrosclerosis, tubular necrosis, qlomerularnephritis and UTI.

CALCIUM TOTAL: - Method: O-Cresolphthaleine complexone. Interpretation:-Increase in serum PTH or vit-D are usually associated with hypercalcemia. Increased serum calcium levels may also be observed in multiple myeloma and other neoplastic diseases. Hypocalcemia may

beobserved in hypoparathyroidism, nephrosis, and pancreatitis.

Sample: WHOLE BLOOD EDTA

HBA1C 9.4 % <5.7% Nondiabetic

5.7-6.4% Pre-diabetic > 6.4% Indicate Diabetes

Known Diabetic Patients
< 7 % Excellent Control
7 - 8 % Good Control
> 8 % Poor Control

 ${\tt Method: - High-performance\ liquid\ chromatography\ HPLC}$ 

Interpretation:-Monitoring long term glycemic control, testing every 3 to 4 months is generally sufficient. The approximate relationship between HbA1C and mean blood glucose values during the preceding 2 to 3 months.

RESULT ENTERED BY: SUNIL EHS

Dr. MUDITA SHARMA

**Patient Name** Mr. AMAR KUMAR VERMA Lab No 4001969 UHID 40001515 **Collection Date** 14/04/2023 10:10AM 14/04/2023 10:12AM Age/Gender **Receiving Date** 35 Yrs/Male **Report Date IP/OP Location** O-OPD 14/04/2023 2:59PM

**Referred By** Dr. DIWANSHU KHATANA **Report Status** Final

Mobile No. 9680443846

## **BLOOD BANK INVESTIGATION**

Unit **Biological Ref. Range Test Name** Result

**BLOOD GROUPING** "O" Rh Positive

1. Both forward and reverse grouping performed.
2. Test conducted on EDTA whole blood.

**RESULT ENTERED BY: SUNIL EHS** arne .

Dr. MUDITA SHARMA

**Patient Name** Mr. AMAR KUMAR VERMA Lab No 4001969 UHID 40001515 **Collection Date** 14/04/2023 10:10AM 14/04/2023 10:12AM Age/Gender **Receiving Date** 35 Yrs/Male **Report Date IP/OP Location** O-OPD 14/04/2023 2:59PM

Referred By Dr. DIWANSHU KHATANA Report Status Final

NIL

**Mobile No.** 9680443846

## **CLINICAL PATHOLOGY**

**Test Name** Result Unit **Biological Ref. Range URINE SUGAR (RANDOM)** Sample: Urine URINE SUGAR (RANDOM) **ROUTINE EXAMINATION - URINE** Sample: Urine **PHYSICAL EXAMINATION** VOLUME 20 ml P YELLOW COLOUR PALE YELLOW **APPEARANCE** CLEAR CLEAR **CHEMICAL EXAMINATION** РΗ 6.5 5.5 - 7.0 SPECIFIC GRAVITY 1.015 1.016-1.022 NEGATIVE **PROTEIN NEGATIVE** NEGATIVE **SUGAR NEGATIVE BILIRUBIN NEGATIVE** BLOOD **NEGATIVE NEGATIVE KETONES NEGATIVE** NITRITE **NEGATIVE NEGATIVE** NEGATIVE UROBILINOGEN **NEGATIVE NEGATIVE LEUCOCYTE NEGATIVE** MICROSCOPIC EXAMINATION WBCS/HPF 1-2 /hpf 0 - 3 RBCS/HPF 0-0 0 - 2 /hpf **EPITHELIAL CELLS/HPF** 0 - 1 1-2 /hpf CASTS NIL NIL CRYSTALS NIL NIL NIL **BACTERIA** NIL

NIL

RESULT ENTERED BY: SUNIL EHS

Dr. MUDITA SHARMA

**OHTERS** 

Mr. AMAR KUMAR VERMA **Patient Name** Lab No 4001969 UHID 40001515 **Collection Date** 14/04/2023 10:10AM 14/04/2023 10:12AM Age/Gender 35 Yrs/Male **Receiving Date Report Date IP/OP Location** O-OPD 14/04/2023 2:59PM

Referred By Dr. DIWANSHU KHATANA Report Status Final

**Mobile No.** 9680443846

#### Methodology:-

Glucose: GOD-POD, Bilirubin: Diazo-Azo-coupling reaction with a diazonium, Ketone: Nitro Pruside reaction, Specific Gravity: Proton re; ease from ions, Blood: Psuedo-Peroxidase activity oh Haem moiety, pH: Methye Red-Bromothymol Blue (Double indicator system), Protein: H+ Release by buffer, microscopic & chemical method. interpretation: Diagnosis of Kidney function, UTI, Presence of Protein, Glucoses, Blood. Vocubulary syntax: Kit insert

RESULT ENTERED BY : SUNIL EHS

**Patient Name** Mr. AMAR KUMAR VERMA Lab No 4001969 UHID 40001515 **Collection Date** 14/04/2023 10:10AM 14/04/2023 10:12AM Age/Gender 35 Yrs/Male **Receiving Date** Report Date **IP/OP Location** O-OPD 14/04/2023 2:59PM **Referred By** Dr. DIWANSHU KHATANA **Report Status** Final

Mobile No. 9680443846

#### **HEMATOLOGY**

Test Name	Result	Unit	Biological Ref. Range
CBC (COMPLETE BLOOD COUNT)			Sample: WHOLE BLOOD EDTA
HAEMOGLOBIN	14.3	g/dl	13.0 - 17.0
PACKED CELL VOLUME(PCV)	43.4	%	40.0 - 50.0
MCV	80.8 L	fl	82 - 92
MCH	26.6 L	pg	27 - 32
МСНС	32.9	g/dl	32 - 36
RBC COUNT	5.37	millions/cu.mm	4.50 - 5.50
TLC (TOTAL WBC COUNT)	5.49	10^3/ uL	4 - 10
DIFFERENTIAL LEUCOCYTE COUNT			
NEUTROPHILS	55.9	%	40 - 80
LYMPHOCYTE	33.5	%	20 - 40
EOSINOPHILS	4.6	%	1 - 6
MONOCYTES	5.6	%	2 - 10
BASOPHIL	0.4 L	%	1 - 2
PLATELET COUNT	2.85	lakh/cumm	1.500 - 4.500

HAEMOGLOBIN :- Method:-SLS HemoglobinMethodology by Cell Counter.Interpretation:-Low-Anemia, High-Polycythemia.

MCV :- Method:- Calculation bysysmex. MCH: - Method: - Calculation bysysmex.
MCHC: - Method: - Calculation bysysmex.

RBC COUNT :- Method:-Hydrodynamicfocusing.Interpretation:-Low-Anemia, High-Polycythemia.

TLC (TOTAL WBC COUNT) :- Method: -Optical Detectorblock based on Flowcytometry. Interpretation: -High-Leucocytosis, Low-Leucopenia.

NEUTROPHILS :- Method: Optical detectorblock based on Flowcytometry LYMPHOCYTS : - Method: Optical detectorblock based on FlowcytometryEOSINOPHILS :- Method: Optical detectorblock based on Flowcytometry MONOCYTES :- Method: Optical detectorblock based on Flowcytometry BASOPHIL :- Method: Optical detectorblock based on Flowcytometry

PLATELET COUNT :- Method:-Hydrodynamicfocusing method.Interpretation:-Low-Thrombocytopenia, High-Thrombocytosis.

HCT: Method:- Pulse Height Detection. Interpretation:-Low-Anemia, High-Polycythemia. NOTE: CH- CRITICAL HIGH, CL: CRITICAL LOW, L: LOW, H: HIGH

**ESR (ERYTHROCYTE SEDIMENTATION RATE)** 

05

mm/1st hr

0 - 15

**RESULT ENTERED BY: SUNIL EHS** Os game.

Dr. MUDITA SHARMA

**Patient Name** Lab No Mr. AMAR KUMAR VERMA 4001969 14/04/2023 10:10AM UHID 40001515 **Collection Date** 14/04/2023 10:12AM Age/Gender **Receiving Date** 35 Yrs/Male **Report Date** O-OPD **IP/OP Location** 14/04/2023 2:59PM **Referred By** Dr. DIWANSHU KHATANA **Report Status** Final Mobile No. 9680443846

Method:-Modified Westergrens.
Interpretation:-Increased in infections, sepsis, and malignancy.

RESULT ENTERED BY : SUNIL EHS

Mr. AMAR KUMAR VERMA **Patient Name** Lab No 4001969 UHID 40001515 **Collection Date** 14/04/2023 10:10AM 14/04/2023 10:12AM Age/Gender 35 Yrs/Male **Receiving Date** Report Date O-OPD 14/04/2023 2:59PM IP/OP Location **Referred By** Dr. DIWANSHU KHATANA **Report Status** Final 9680443846 Mobile No.

Test Name Result Unit Biological Ref. Range

# **USG REPORT - ABDOMEN AND PELVIS**

## LIVER:

Is enlarge in size measures 161 mm and diffuse increased echogenicity.

No obvious focal lesion seen. No intrahepatic biliary radical dilatation seen.

## **GALL BLADDER:**

Adequately distended with no obvious wall thickening/pericholecystic fat stranding/fluid. No obvious calculus/polyp/mass seen within.

## PANCREAS:

Appears normal in size and shows uniform echo texture. The pancreatic duct is normal. No calcifications are seen.

## SPLEEN:

Appears normal in size and it shows uniform echotexture. It measures 86mm in long axis.

## RIGHT KIDNEY:

Right kidney measures 110 x 62 mm.

The shape, size and contour of the right kidney appear normal.

Corticomedullary differentiation is maintained. No evidence of pelvicalyceal dilatation.

No calculi seen.

**RESULT ENTERED BY: SUNIL EHS** 

**Patient Name** Mr. AMAR KUMAR VERMA Lab No 4001969 UHID 40001515 **Collection Date** 14/04/2023 10:10AM 14/04/2023 10:12AM Age/Gender 35 Yrs/Male **Receiving Date** Report Date IP/OP Location O-OPD 14/04/2023 2:59PM **Referred By** Dr. DIWANSHU KHATANA **Report Status** Final 9680443846 Mobile No.

USG

## **LEFT KIDNEY:**

Left kidney measures 111 x 60 mm.

The shape, size and contour of the left kidney appear normal.

Corticomedullary differentiation is maintained. No evidence of pelvicalyceal dilatation.

One concretion is seen in upper polar calyx.

## **URINARY BLADDER:**

Is normal in contour. No intraluminal echoes are seen. No calculus or diverticulum is seen.

## PROSTATE:

Measures 25 x 43 x 26 mm with 15 cc volume. Normal

# **RIGHT ILIAC FOSSA:**

No focal fluid collections seen.

## **IMPRESSION:**

Borderline hepatomegaly with diffuse grade I fatty liver.

Left renal concretion.

RESULT ENTERED BY : SUNIL EHS

Dr. RENU JADIYA MBBS, DNB RADIOLOGIST

Page: 11 Of 12

**Patient Name** Mr. AMAR KUMAR VERMA Lab No 4001969 UHID 40001515 **Collection Date** 14/04/2023 10:10AM 14/04/2023 10:12AM Age/Gender **Receiving Date** 35 Yrs/Male **Report Date IP/OP Location** O-OPD 14/04/2023 2:59PM **Referred By** Dr. DIWANSHU KHATANA **Report Status** Final Mobile No. 9680443846

X Ray

Test Name Result Unit Biological Ref. Range

## X-RAY - CHEST PA VIEW

## **OBSERVATION:**

The trachea is central.

The mediastinal and cardiac silhouette are normal.

Cardiothoracic ratio is normal.

Cardiophrenic and costophrenic angles are normal.

Both hila are normal.

The lung fields are clear.

Bones of the thoracic cage are normal.

Soft tissues of the chest wall are normal.

## **IMPRESSION:**

No significant abnormality seen.

\*\*End Of Report\*\*

RESULT ENTERED BY : SUNIL EHS

Dr. RENU JADIYA MBBS, DNB RADIOLOGIST

Page: 12 Of 12

# **DEPARTMENT OF CARDIOLOGY**

UHID / IP NO	40001515 (1691)	RISNo./Status:	4001969/
Patient Name:	Mr. AMAR KUMAR VERMA	Age/Gender:	35 Y/M
Referred By:	Dr. DIWANSHU KHATANA	Ward/Bed No:	OPD
Bill Date/No :	14/04/2023 9:19AM/ OPSCR23- 24/70	Scan Date :	
Report Date:	14/04/2023 12:01PM	<b>Company Name:</b>	Provisional

REFERRAL REASON: - DM, HEALTH CHECKUP

## 2D ECHOCARDIOGRAPHY WITH COLOR DOPPLER

## **M MODE DIMENSIONS: -**

Normal Normal								
IVSD	11.6	6-12mm		LVIDS	27.5	20-40mm		
LVIDD	43.3		32-5	7mm		LVPWS	17.8	mm
LVPWD	11.6		6-12	2mm		AO	31.8	19-37mm
IVSS	17.8		m	ım		LA	31.8	19-40mm
LVEF	64-66		>5	5%		RA	-	mm
	DOPPLEI	R MEA	SUREM	MENTS &	CAL	CULATIONS	<u>:</u>	
STRUCTURE	MORPHOLOGY	VELOCITY (m/s)		GRADIENT		REGURGITATION		
				(mmHg)				
MITRAL	NORMAL	E	1.21	e'				NIL
VALVE		_	0.67	E/- 2		-		
		A	0.67	E/e'				
TRICUSPID	NORMAL		E 0.76		_		NIL	
VALVE			A	0.59		1		
AORTIC	NORMAL	1.12				NIL		
VALVE				-				
PULMONARY	NORMAL	0.65			•	NIL		
VALVE				-				

## **COMMENTS & CONCLUSION: -**

- NO RWMA, LVEF 64-66%
- NORMAL LV DIASTOLIC FUNCTIONS
- ALL CARDIAC VALVES ARE NORMAL
- ALL CARDIAC CHAMBERS ARE NORMAL
- NO EVIDENCE OF CLOT/VEGETATION/PE
- INTACT IVS/IAS

IMPRESSION: - NORMAL BI VENTRICULAR FUNCTIONS

DR ROOPAM SHARMA
MBBS, PGDCC, FIAE
CONSULTANT \$ INCHARGE
EMERGENCY, PREVENTIVE CARDIOLOGY AND WELLNESS CENTER.