

:2131733897

:33 Years / Female

: MRS.SONAM GAURAV VERMA

CID

Name

Age / Gender

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Consulting Dr. Collected : 13-Nov-2021 / 08:45 Reported :13-Nov-2021 / 13:15 Reg. Location : Bhayander East (Main Centre)

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood				
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
RBC PARAMETERS				
Haemoglobin	11.7	12.0-15.0 g/dL	Spectrophotometric	
RBC	3.92	3.8-4.8 mil/cmm	Elect. Impedance	
PCV	35.1	36-46 %	Measured	
MCV	90	80-100 fl	Calculated	
MCH	29.8	27-32 pg	Calculated	
MCHC	33.3	31.5-34.5 g/dL	Calculated	
RDW	15.9	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC Total Count	16700	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND ABSOLUTE COUNTS				
Lymphocytes	17.5	20-40 %		
Absolute Lymphocytes	2922.5	1000-3000 /cmm	Calculated	
Monocytes	5.5	2-10 %		
Absolute Monocytes	918.5	200-1000 /cmm	Calculated	
Neutrophils	74.8	40-80 %		
Absolute Neutrophils	12491.6	2000-7000 /cmm	Calculated	
Eosinophils	2.2	1-6 %		
Absolute Eosinophils	367.4	20-500 /cmm	Calculated	
Basophils	0.0	0.1-2 %		
Absolute Basophils	0.0	20-100 /cmm	Calculated	

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	291000	150000-400000 /cmm	Elect. Impedance
MPV	8.2	6-11 fl	Calculated
PDW	13.6	11-18 %	Calculated

RBC MORPHOLOGY

Immature Leukocytes

Hypochromia	-
Microcytosis	-
Macrocytosis	-

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 1 of 9



Name : MRS.SONAM GAURAV VERMA

Age / Gender : 33 Years / Female

Consulting Dr. : - **Collected :** 13-Nov-2021 / 08:45

Reg. Location: Bhayander East (Main Centre) Reported: 13-Nov-2021 / 14:56

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT Neutrophilic Leukocytosis

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 50 2-20 mm at 1 hr. Westergren

Result rechecked.

Kindly correlate clinically.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 2 of 9



Name : MRS.SONAM GAURAV VERMA

Age / Gender : 33 Years / Female

Consulting Dr. : -

Reg. Location: Bhayander East (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code


:13-Nov-2021 / 08:45

Reported :13-Nov-2021 / 14:06

Collected

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	89.7	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	121.3	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.37	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.17	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.20	0.1-1.0 mg/dl	Calculated
SGOT (AST), Serum	16.5	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	12.7	5-33 U/L	NADH (w/o P-5-P)
ALKALINE PHOSPHATASE, Serum	107.5	35-105 U/L	Colorimetric
BLOOD UREA, Serum	26.8	12.8-42.8 mg/dl	Kinetic
BUN, Serum	12.5	6-20 mg/dl	Calculated
CREATININE, Serum	1.33	0.51-0.95 mg/dl	Enzymatic
eGFR, Serum	49	>60 ml/min/1.73sqm	Calculated
URIC ACID, Serum	6.1	2.4-5.7 mg/dl	Enzymatic
*Cample processed at CUPUDPAN DIA	CNOCTICE (INDIA) DVT LTD Dowin	vali Lah Parivali Wast	









Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 3 of 9



CID :2131733897

Name : MRS.SONAM GAURAV VERMA

Age / Gender : 33 Years / Female

Consulting Dr. Collected

Reported :13-Nov-2021 / 15:33 Reg. Location : Bhayander East (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

: 13-Nov-2021 / 08:45

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD

Glycosylated Hemoglobin **HPLC** Non-Diabetic Level: < 5.7 % 5.6 (HbA1c), EDTA WB - CC

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Estimated Average Glucose 114.0 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



CID :2131733897

Name : MRS.SONAM GAURAV VERMA

: 33 Years / Female Age / Gender

Consulting Dr. Collected : 13-Nov-2021 / 08:45

Reported :13-Nov-2021 / 16:57 Reg. Location : Bhayander East (Main Centre)

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIRINF FXAMINATION REPORT

ORINE EXAMINATION REPORT			
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.015	1.001-1.030	Chemical Indicator
Transparency	Slight hazy	Clear	-
Volume (ml)	40	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	2+	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			

Leukocytes(Pus cells)/hpf 10-12 0-5/hpf Red Blood Cells / hpf 0-2/hpf Absent

Epithelial Cells / hpf 5-6

Casts Absent Absent Crystals **Absent Absent** Amorphous debris Absent Absent

Bacteria / hpf +(>20/hpf) Less than 20/hpf

Others

Result rechecked.

Kindly correlate clinically.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report **







Dr.TRUPTI SHETTY M.D. (PATH) **Pathologist**

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 5 of 9



Name : MRS.SONAM GAURAV VERMA

Age / Gender : 33 Years / Female

Consulting Dr. : - Collected : 13-Nov-2021 / 08:45

Reg. Location : Bhayander East (Main Centre) Reported :13-Nov-2021 / 16:39

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

<u>PARAMETER</u> <u>RESULTS</u>

ABO GROUP 0

Rh TYPING POSITIVE

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Note: This sample is not tested for Bombay blood group.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







M. Jain
Dr.MILLU JAIN
M.D.(PATH)
Pathologist

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 6 of 9



CID :2131733897

Name : MRS.SONAM GAURAV VERMA

:33 Years / Female Age / Gender

Consulting Dr.

Reg. Location : Bhayander East (Main Centre)



Use a OR Code Scanner Application To Scan the Code

Collected

Reported

:13-Nov-2021 / 08:45 :13-Nov-2021 / 14:19

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	143.1	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	65.7	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	42.4	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	100.7	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated l
LDL CHOLESTEROL, Serum	88.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	12.7	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.4	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.1	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 7 of 9



Name : MRS.SONAM GAURAV VERMA

Age / Gender : 33 Years / Female

Consulting Dr. : -

Reg. Location: Bhayander East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

:13-Nov-2021 / 08:45

Reported :13-Nov-2021 / 12:42

Collected

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.4	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	15.6	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	2.15	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA



Name : MRS.SONAM GAURAV VERMA

Age / Gender : 33 Years / Female

Consulting Dr. : - Collected :13-Nov-2021 / 08:45

Reg. Location : Bhayander East (Main Centre) Reported :13-Nov-2021 / 12:42



A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2rd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 9 of 9

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***